

# Jun Ooi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1851233/publications.pdf>

Version: 2024-02-01

73  
papers

1,784  
citations

411340

20  
h-index

312153

41  
g-index

74  
all docs

74  
docs citations

74  
times ranked

1419  
citing authors

#	ARTICLE	IF	CITATIONS
1	Extramedullary blast crisis in a chronic myeloid leukaemia patient after achieving a major molecular response with bosutinib. <i>British Journal of Haematology</i> , 2022, 196, .	1.2	1
2	Long-term outcomes following the addition of granulocyte colony-stimulating factor-combined high-dose cytarabine to total body irradiation and cyclophosphamide conditioning in single-unit cord blood transplantation for myeloid malignancies. <i>Annals of Hematology</i> , 2022, 101, 177-189.	0.8	4
3	Successful myeloablative unrelated bone marrow transplantation for relapsed intravascular large B cell lymphoma after autologous peripheral blood stem cell transplantation. <i>Annals of Hematology</i> , 2021, 100, 3067-3069.	0.8	2
4	Chronic myeloid leukaemia with marked thrombocytosis. <i>EJHaem</i> , 2021, 2, 9-10.	0.4	0
5	Total body irradiation-based versus busulfan-based myeloablative conditioning for single-unit cord blood transplantation in adults. <i>Leukemia and Lymphoma</i> , 2021, , 1-11.	0.6	0
6	A major break of cord blood bag. <i>British Journal of Haematology</i> , 2020, 188, e42-e43.	1.2	0
7	Long-term persistent donorâ€™recipient mixed chimerism without disease recurrence after myeloablative single-unit cord blood transplantation in adult acute myeloid leukemia following myelodysplastic syndrome. <i>Leukemia and Lymphoma</i> , 2017, 58, 2973-2975.	0.6	1
8	Second allogeneic transplantation using unrelated cord blood for relapsed hematological malignancies after allogeneic transplantation. <i>Leukemia and Lymphoma</i> , 2016, 57, 103-109.	0.6	9
9	Third allogeneic stem cell transplantation (SCT) using unrelated cord blood for relapsed acute leukemia after second allogeneic SCT. <i>International Journal of Hematology</i> , 2015, 101, 392-397.	0.7	6
10	Myeloablative unrelated cord blood transplantation for Philadelphia chromosome-positive acute lymphoblastic leukemia: comparison with other graft sources from related and unrelated donors. <i>Annals of Hematology</i> , 2015, 94, 289-296.	0.8	4
11	Effect of ABO Blood Group Incompatibility on the Outcome of Single-Unit Cord Blood Transplantation after Myeloablative Conditioning. <i>Biology of Blood and Marrow Transplantation</i> , 2014, 20, 577-581.	2.0	16
12	Comparable Long-Term Outcome of Unrelated Cord Blood Transplantation with Related Bone Marrow or Peripheral Blood Stem Cell Transplantation in Patients Aged 45 Years or Older with Hematologic Malignancies after Myeloablative Conditioning. <i>Biology of Blood and Marrow Transplantation</i> , 2014, 20, 1150-1155.	2.0	14
13	Single-Unit Cord Blood Transplantation after Granulocyte Colony-Stimulating Factorâ€™Combined Myeloablative Conditioning for Myeloid Malignancies Not in Remission. <i>Biology of Blood and Marrow Transplantation</i> , 2014, 20, 396-401.	2.0	37
14	Granulocyte colony-stimulating factor combined regimen in cord blood transplantation for acute myeloid leukemia: a nationwide retrospective analysis in Japan. <i>Haematologica</i> , 2014, 99, e264-e268.	1.7	25
15	Myeloablative Single-Unit Cord Blood Transplantation in Adults. <i>Pancreatic Islet Biology</i> , 2014, , 123-132.	0.1	0
16	Quantitative polymerase chain reaction detection of CEP110â€™FGFR1 fusion gene in a patient with 8p11 myeloproliferative syndrome. <i>Leukemia and Lymphoma</i> , 2013, 54, 2068-2069.	0.6	8
17	Pneumothorax in an Early Phase after Allogeneic Hematopoietic Stem Cell Transplantation. <i>Hematology Reports</i> , 2013, 5, e10.	0.3	4
18	Unrelated cord blood transplantation after myeloablative conditioning regimen in adolescent and young adult patients with hematologic malignancies: A single institute analysis. <i>Leukemia Research</i> , 2012, 36, 128-131.	0.4	6

#	ARTICLE	IF	CITATIONS
19	Incidence, risk factors and outcomes of bronchiolitis obliterans after allogeneic stem cell transplantation. <i>International Journal of Hematology</i> , 2011, 93, 375-382.	0.7	57
20	Myeloablative unrelated cord blood transplantation for acute leukemia patients between 50 and 55 years of age: single institutional retrospective comparison with patients younger than 50 years of age. <i>Annals of Hematology</i> , 2009, 88, 581-588.	0.8	7
21	Second myeloablative allogeneic stem cell transplantation (SCT) using cord blood for leukemia relapsed after initial allogeneic SCT. <i>Leukemia Research</i> , 2009, 33, 840-842.	0.4	12
22	Impact of cytomegalovirus serostatus on outcome of unrelated cord blood transplantation for adults: a single-institute experience in Japan. <i>European Journal of Haematology</i> , 2008, 80, 251-257.	1.1	20
23	Myeloablative unrelated cord blood transplantation for adult acute myeloid leukemia patients with 11q23 abnormalities. <i>European Journal of Haematology</i> , 2008, 80, 545-548.	1.1	3
24	Recipient-Derived Cells after Cord Blood Transplantation: Dynamics Elucidated by Multicolor FACS, Reflecting Graft Failure and Relapse. <i>Biology of Blood and Marrow Transplantation</i> , 2008, 14, 693-701.	2.0	9
25	Unrelated Cord Blood Transplantation after Myeloablative Conditioning in Adults with Acute Myelogenous Leukemia. <i>Biology of Blood and Marrow Transplantation</i> , 2008, 14, 1341-1347.	2.0	56
26	Early renal injury after myeloablative cord blood transplantation in adults. <i>Leukemia and Lymphoma</i> , 2008, 49, 538-542.	0.6	13
27	Central Nervous System Leukemia on Magnetic Resonance Imaging. <i>Internal Medicine</i> , 2008, 47, 477-477.	0.3	2
28	Fatal Acute Tumor Lysis Syndrome following Intrathecal Chemotherapy for Acute Lymphoblastic Leukemia with Meningeal Involvement. <i>Internal Medicine</i> , 2008, 47, 1987-1988.	0.3	10
29	Large Scale Selective Ex Vivo Expansion of CD4+CD25+FOXP3+ Regulatory T Cells from Peripheral Blood.. <i>Blood</i> , 2008, 112, 2344-2344.	0.6	0
30	Comparative single-institute analysis of cord blood transplantation from unrelated donors with bone marrow or peripheral blood stem-cell transplants from related donors in adult patients with hematologic malignancies after myeloablative conditioning regimen. <i>Blood</i> , 2007, 109, 1322-1330.	0.6	271
31	Allogeneic stem cell transplantation for hepatosplenic gammadelta T-cell lymphoma. <i>Leukemia and Lymphoma</i> , 2007, 48, 630-632.	0.6	38
32	Bacterial Bloodstream Infection in Neutropenic Adult Patients after Myeloablative Cord Blood Transplantation: Experience of a Single Institution in Japan. <i>International Journal of Hematology</i> , 2007, 85, 238-241.	0.7	18
33	Early-Onset Pulmonary Complication Showing Organizing Pneumonia Pattern following Cord Blood Transplantation in Adults. <i>International Journal of Hematology</i> , 2007, 85, 364-366.	0.7	5
34	Flow Cytometric Analysis of Donor-Recipient Chimerism Using Anti-HLA Antibody after HLA-Mismatched Cord Blood Transplantation.. <i>Blood</i> , 2007, 110, 2008-2008.	0.6	0
35	Cytogenetic Remissions Induced by Interferon $\gamma$ and Imatinib Mesylate are Immunologically Distinct in Chronic Myeloid Leukemia. <i>International Journal of Hematology</i> , 2007, 86, 208-211.	0.7	2
36	The efficacy of unrelated cord blood transplantation for adult myelodysplastic syndrome. <i>Leukemia and Lymphoma</i> , 2006, 47, 599-602.	0.6	31

#	ARTICLE	IF	CITATIONS
37	Early-Onset Thyrotoxicosis after Unrelated Cord Blood Transplantation for Acute Myelogenous Leukemia. <i>International Journal of Hematology</i> , 2006, 83, 348-350.	0.7	6
38	Hemorrhagic Cystitis in Adults after Unrelated Cord Blood Transplantation: A Single-Institution Experience in Japan. <i>International Journal of Hematology</i> , 2006, 84, 268-271.	0.7	20
39	Varicella-Zoster Virus Encephalitis in a Patient Undergoing Unrelated Cord Blood Transplantation for Myelodysplastic Syndrome-Overt Leukemia. <i>International Journal of Hematology</i> , 2006, 84, 79-82.	0.7	13
40	Posttransplantation Engraftment and Safety of Cord Blood Transplantation with Grafts Containing Relatively Low Cell Doses in Adults. <i>International Journal of Hematology</i> , 2006, 84, 359-362.	0.7	8
41	Pancreatic Hyperamylasemia and Hyperlipasemia in Association with Cytomegalovirus Infection following Unrelated Cord Blood Transplantation for Acute Myelogenous Leukemia. <i>International Journal of Hematology</i> , 2006, 84, 438-440.	0.7	9
42	Cord blood transplantation for acute myelogenous leukemia using a conditioning regimen consisting of granulocyte colony-stimulating factor-combined high-dose cytarabine, fludarabine, and total body irradiation. <i>European Journal of Haematology</i> , 2006, 77, 46-50.	1.1	13
43	Human Herpesvirus 6 Variant B Infection in Adult Patients after Unrelated Cord Blood Transplantation. <i>International Journal of Hematology</i> , 2005, 81, 352-355.	0.7	26
44	Unrelated Cord Blood Transplantation after Myeloablative Conditioning for Adult Patients with Refractory Anemia. <i>International Journal of Hematology</i> , 2005, 81, 424-427.	0.7	6
45	Atypical Hypersensitivity to Mosquito Bites without Natural Killer Cell Proliferative Disease in an Adult Patient. <i>International Journal of Hematology</i> , 2005, 82, 441-444.	0.7	8
46	Clinical Outcomes of Cord Blood Transplantation from Unrelated Donors Comparable with Marrow or Blood Transplantation from Related Donors in Adults: A Single Institute Analysis.. <i>Blood</i> , 2005, 106, 306-306.	0.6	2
47	Unrelated cord blood transplantation after myeloablative conditioning in patients over the age of 45 years. <i>British Journal of Haematology</i> , 2004, 126, 711-714.	1.2	9
48	Unrelated Cord Blood Transplantation with a Reduced-Intensity Conditioning Regimen following Autologous Transplantation for Multiple Myeloma. <i>International Journal of Hematology</i> , 2004, 80, 377-380.	0.7	8
49	Resolution of Behçet's disease after HLA-mismatched unrelated cord blood transplantation for myelodysplastic syndrome. <i>Annals of Hematology</i> , 2004, 83, 464-466.	0.8	50
50	Ganciclovir-related neutropenia after preemptive therapy for cytomegalovirus infection: comparison between cord blood and bone marrow transplantation. <i>Annals of Hematology</i> , 2004, 83, 573-7.	0.8	20
51	Unrelated cord blood transplantation for adult patients with de novo acute myeloid leukemia. <i>Blood</i> , 2004, 103, 489-491.	0.6	102
52	CD19-targeting liposomes containing imatinib efficiently kill Philadelphia chromosome-positive acute lymphoblastic leukemia cells. <i>Blood</i> , 2004, 104, 1442-1449.	0.6	82
53	Single-institute comparative analysis of unrelated bone marrow transplantation and cord blood transplantation for adult patients with hematologic malignancies. <i>Blood</i> , 2004, 104, 3813-3820.	0.6	310
54	Impact of Acute GVHD on Immune Reconstitution after Cord Blood Transplantation in Adult.. <i>Blood</i> , 2004, 104, 984-984.	0.6	2

#	ARTICLE	IF	CITATIONS
55	Contribution of T-Cell Reconstitution during the Early Phase after Cord Blood Transplantation to Favorable Clinical Outcomes.. Blood, 2004, 104, 2227-2227.	0.6	0
56	Acute Myelogenous Leukemia M5b Developed during Clinical Remission of Castleman Disease. International Journal of Hematology, 2003, 77, 274-276.	0.7	1
57	Cytomegalovirus infection following unrelated cord blood transplantation for adult patients: a single institute experience in Japan. British Journal of Haematology, 2003, 121, 304-311.	1.2	69
58	Varicella-zoster virus infection in adult patients after unrelated cord blood transplantation: a single institute experience in Japan. British Journal of Haematology, 2003, 122, 802-805.	1.2	43
59	Severe Aplastic Anemia with Autoimmune Thyroiditis Showing No Hematological Response to Intensive Immunosuppressive Therapy. Acta Haematologica, 2003, 109, 90-94.	0.7	3
60	Unrelated cord blood transplantation for adult patients with advanced myelodysplastic syndrome. Blood, 2003, 101, 4711-4713.	0.6	78
61	Successful Unrelated Cord Blood Transplantation for Relapse after Autologous Transplantation in Non-Hodgkin's Lymphoma. Leukemia and Lymphoma, 2002, 43, 653-655.	0.6	7
62	Acquired pulmonary alveolar proteinosis after umbilical cord blood transplantation for acute myeloid leukemia. American Journal of Hematology, 2002, 70, 154-157.	2.0	23
63	Second Allogeneic Hematopoietic Stem Cell Transplantation for Leukemia Relapse After First Allogeneic Transplantation: Outcome of 16 Patients in a Single Institution. International Journal of Hematology, 2002, 75, 318-323.	0.7	18
64	Severe Immune Dysfunction after Lethal Neutron Irradiation in a JCO Nuclear Facility Accident Victim. International Journal of Hematology, 2002, 76, 157-164.	0.7	18
65	Using Related Donors other Than Genotypically HLA-Matched Siblings in Allogeneic Hematopoietic Stem Cell Transplantation for Hematologic Disease: A Single Institution Experience in Japan. International Journal of Hematology, 2002, 76, 354-359.	0.7	5
66	A clinical comparison of unrelated cord blood transplantation and unrelated bone marrow transplantation for adult patients with acute leukaemia in complete remission. British Journal of Haematology, 2002, 118, 140-143.	1.2	53
67	Severe Autoimmune Thrombocytopenia After Allogeneic Bone Marrow Transplantation for Aplastic Anemia. International Journal of Hematology, 2001, 74, 228-232.	0.7	12
68	Unrelated cord blood transplantation for adult patients with myelodysplastic syndrome-related secondary acute myeloid leukaemia. British Journal of Haematology, 2001, 114, 834-836.	1.2	29
69	Haematopoietic progenitor cells from the common marmoset as targets of gene transduction by retroviral and adenoviral vectors. European Journal of Haematology, 2001, 66, 272-280.	1.1	10
70	TCR-V $\beta$ 2 repertoire analysis with RT-PCR was useful for the early detection of pulmonary relapsed T-cell lymphoma after autologous peripheral blood stem cell transplantation. , 2000, 64, 124-127.		3
71	The effect of granulocyte colony-stimulating factor administration in healthy donors before bone marrow harvesting. British Journal of Haematology, 2000, 108, 747-753.	1.2	10
72	Thrombopoietin Induces Tyrosine Phosphorylation of a Common $\beta$ 2 Subunit of GM-CSF Receptor and Its Association with Stat5 in TF-1/TPO Cells. Biochemical and Biophysical Research Communications, 1998, 246, 132-136.	1.0	16

#	ARTICLE	IF	CITATIONS
73	Immune-Mediated Optic Neuritis After Unrelated Allogeneic Bone Marrow Transplantation. Blood, 1998, 91, 2619-2620.	0.6	1