

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1851677/po-lin-kuo-publications-by-citations.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

171 papers	5,584 citations	41 h-index	65 g-index
173 ext. papers	6,441 ext. citations	4.7 avg, IF	5.84 L-index

#	Paper	IF	Citations
171	Plumbagin induces G2-M arrest and autophagy by inhibiting the AKT/mammalian target of rapamycin pathway in breast cancer cells. <i>Molecular Cancer Therapeutics</i> , 2006 , 5, 3209-21	6.1	264
170	Plumbagin (5-hydroxy-2-methyl-1,4-naphthoquinone) induces apoptosis and cell cycle arrest in A549 cells through p53 accumulation via c-Jun NH2-terminal kinase-mediated phosphorylation at serine 15 in vitro and in vivo. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2006 , 318, 484-94	4.7	188
169	Asiatic acid, a triterpene, induces apoptosis and cell cycle arrest through activation of extracellular signal-regulated kinase and p38 mitogen-activated protein kinase pathways in human breast cancer cells. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2005 , 313, 333-44	4.7	184
168	Plumbagin induces cell cycle arrest and apoptosis through reactive oxygen species/c-Jun N-terminal kinase pathways in human melanoma A375.S2 cells. <i>Cancer Letters</i> , 2008 , 259, 82-98	9.9	174
167	Isoobtusilactone A induces cell cycle arrest and apoptosis through reactive oxygen species/apoptosis signal-regulating kinase 1 signaling pathway in human breast cancer cells. <i>Cancer Research</i> , 2007 , 67, 7406-20	10.1	133
166	Resveratrol- induced apoptosis is mediated by p53-dependent pathway in Hep G2 cells. <i>Life Sciences</i> , 2002 , 72, 23-34	6.8	122
165	6-Shogaol, an active constituent of dietary ginger, induces autophagy by inhibiting the AKT/mTOR pathway in human non-small cell lung cancer A549 cells. <i>Journal of Agricultural and Food Chemistry</i> , 2009 , 57, 9809-16	5.7	118
164	The antiproliferative activity of aloe-emodin is through p53-dependent and p21-dependent apoptotic pathway in human hepatoma cell lines. <i>Life Sciences</i> , 2002 , 71, 1879-92	6.8	118
163	The Roles of MicroRNA in Lung Cancer. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	113
162	Arctigenin, a dietary phytoestrogen, induces apoptosis of estrogen receptor-negative breast cancer cells through the ROS/p38 MAPK pathway and epigenetic regulation. <i>Free Radical Biology and Medicine</i> , 2014 , 67, 159-70	7.8	109
161	Hypoxic Lung-Cancer-Derived Extracellular Vesicle MicroRNA-103a Increases the Oncogenic Effects of Macrophages by Targeting PTEN. <i>Molecular Therapy</i> , 2018 , 26, 568-581	11.7	101
160	Osthole-mediated cell differentiation through bone morphogenetic protein-2/p38 and extracellular signal-regulated kinase 1/2 pathway in human osteoblast cells. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2005 , 314, 1290-9	4.7	98
159	The mechanism of ellipticine-induced apoptosis and cell cycle arrest in human breast MCF-7 cancer cells. <i>Cancer Letters</i> , 2005 , 223, 293-301	9.9	91
158	Lung cancer-derived galectin-1 contributes to cancer associated fibroblast-mediated cancer progression and immune suppression through TDO2/kynurenine axis. <i>Oncotarget</i> , 2016 , 7, 27584-98	3.3	83
157	MicroRNA-33a functions as a bone metastasis suppressor in lung cancer by targeting parathyroid hormone related protein. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2013 , 1830, 3756-66	4	79
156	Tumor microenvironment: a new treatment target for cancer 2014 , 2014, 351959		76
155	Oxidative and endoplasmic reticulum stress signaling are involved in dehydrocostuslactone-mediated apoptosis in human non-small cell lung cancer cells. <i>Lung Cancer</i> , 2010 , 68, 355-65	5.9	76

154	Acacetin inhibits the proliferation of Hep G2 by blocking cell cycle progression and inducing apoptosis. <i>Biochemical Pharmacology</i> , 2004 , 67, 823-9	6	76
153	CXCL1/GRO α increases cell migration and invasion of prostate cancer by decreasing fibulin-1 expression through NF- κ B/HDAC1 epigenetic regulation. <i>Carcinogenesis</i> , 2012 , 33, 2477-87	4.6	74
152	Lung cancer-derived galectin-1 mediates dendritic cell anergy through inhibitor of DNA binding 3/IL-10 signaling pathway. <i>Journal of Immunology</i> , 2011 , 186, 1521-30	5.3	69
151	Galectin-1 promotes lung cancer tumor metastasis by potentiating integrin β 4 and Notch1/Jagged2 signaling pathway. <i>Carcinogenesis</i> , 2013 , 34, 1370-81	4.6	68
150	Isoliquiritigenin induces apoptosis and cell cycle arrest through p53-dependent pathway in Hep G2 cells. <i>Life Sciences</i> , 2005 , 77, 279-92	6.8	68
149	Apigenin induces apoptosis via tumor necrosis factor receptor- and Bcl-2-mediated pathway and enhances susceptibility of head and neck squamous cell carcinoma to 5-fluorouracil and cisplatin. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2012 , 1820, 1081-91	4	65
148	The Role of Galectin-3 in the Kidneys. <i>International Journal of Molecular Sciences</i> , 2016 , 17, 565	6.3	63
147	Myricetin induces human osteoblast differentiation through bone morphogenetic protein-2/p38 mitogen-activated protein kinase pathway. <i>Biochemical Pharmacology</i> , 2007 , 73, 504-14	6	60
146	The grape and wine constituent piceatannol inhibits proliferation of human bladder cancer cells via blocking cell cycle progression and inducing Fas/membrane bound Fas ligand-mediated apoptotic pathway. <i>Molecular Nutrition and Food Research</i> , 2008 , 52, 408-18	5.9	59
145	Isoliquiritigenin inhibits the proliferation and induces the apoptosis of human non-small cell lung cancer A549 cells. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2004 , 31, 414-8	3	58
144	Lung tumor-associated osteoblast-derived bone morphogenetic protein-2 increased epithelial-to-mesenchymal transition of cancer by Runx2/Snail signaling pathway. <i>Journal of Biological Chemistry</i> , 2011 , 286, 37335-46	5.4	57
143	Chemokine (C-C Motif) Ligand 5 is Involved in Tumor-Associated Dendritic Cell-Mediated Colon Cancer Progression Through Non-Coding RNA MALAT-1. <i>Journal of Cellular Physiology</i> , 2015 , 230, 1883-94	5.4	54
142	Reactivation of hepatitis B in patients of chronic hepatitis C with hepatitis B virus infection treated with direct acting antivirals. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 1754-1762	4	51
141	Tetrandrine-induced cell cycle arrest and apoptosis in Hep G2 cells. <i>Life Sciences</i> , 2003 , 73, 243-52	6.8	50
140	γ-Mangostin, a dietary xanthone, induces autophagic cell death by activating the AMP-activated protein kinase pathway in glioblastoma cells. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 2086-96	5.7	49
139	Bone Metastasis from Renal Cell Carcinoma. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	49
138	CXCL5/ENA78 increased cell migration and epithelial-to-mesenchymal transition of hormone-independent prostate cancer by early growth response-1/snail signaling pathway. <i>Journal of Cellular Physiology</i> , 2011 , 226, 1224-31	7	48
137	Isokotomolide A, a new butanolide extracted from the leaves of <i>Cinnamomum kotoense</i> , arrests cell cycle progression and induces apoptosis through the induction of p53/p21 and the initiation of mitochondrial system in human non-small cell lung cancer A549 cells. <i>European Journal of Pharmacology</i> , 2007 , 574, 94-102	5.3	48

136	Green tea constituent (-)-epigallocatechin-3-gallate inhibits Hep G2 cell proliferation and induces apoptosis through p53-dependent and Fas-mediated pathways. <i>Journal of Biomedical Science</i> , 2003 , 10, 219-27	13.3	47
135	Curcumin Suppresses Phthalate-Induced Metastasis and the Proportion of Cancer Stem Cell (CSC)-like Cells via the Inhibition of AhR/ERK/SK1 Signaling in Hepatocellular Carcinoma. <i>Journal of Agricultural and Food Chemistry</i> , 2015 , 63, 10388-98	5.7	46
134	Interaction between Tumor-Associated Dendritic Cells and Colon Cancer Cells Contributes to Tumor Progression via CXCL1. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	45
133	Nonalcoholic fatty liver disease severity is associated with the ratios of total cholesterol and triglycerides to high-density lipoprotein cholesterol. <i>Journal of Clinical Lipidology</i> , 2016 , 10, 420-5.e1	4.9	42
132	Nesfatin-1/Nucleobindin-2 enhances cell migration, invasion, and epithelial-mesenchymal transition via LKB1/AMPK/TORC1/ZEB1 pathways in colon cancer. <i>Oncotarget</i> , 2016 , 7, 31336-49	3.3	42
131	Amiodarone as an autophagy promoter reduces liver injury and enhances liver regeneration and survival in mice after partial hepatectomy. <i>Scientific Reports</i> , 2015 , 5, 15807	4.9	41
130	6-Dehydrogingerdione, an active constituent of dietary ginger, induces cell cycle arrest and apoptosis through reactive oxygen species/c-Jun N-terminal kinase pathways in human breast cancer cells. <i>Molecular Nutrition and Food Research</i> , 2010 , 54, 1307-17	5.9	41
129	IL-8 promotes HNSCC progression on CXCR1/2-mediated NOD1/RIP2 signaling pathway. <i>Oncotarget</i> , 2016 , 7, 61820-61831	3.3	41
128	A novel cell-penetrating peptide suppresses breast tumorigenesis by inhibiting E-cadherin/LEF-1 signaling. <i>Scientific Reports</i> , 2016 , 6, 19156	4.9	41
127	Identification of novel gene expression signature in lung adenocarcinoma by using next-generation sequencing data and bioinformatics analysis. <i>Oncotarget</i> , 2017 , 8, 104831-104854	3.3	40
126	Shallot and licorice constituent isoliquiritigenin arrests cell cycle progression and induces apoptosis through the induction of ATM/p53 and initiation of the mitochondrial system in human cervical carcinoma HeLa cells. <i>Molecular Nutrition and Food Research</i> , 2009 , 53, 826-35	5.9	40
125	Kotomolide A arrests cell cycle progression and induces apoptosis through the induction of ATM/p53 and the initiation of mitochondrial system in human non-small cell lung cancer A549 cells. <i>Food and Chemical Toxicology</i> , 2008 , 46, 2476-84	4.7	40
124	Dehydrocostuslactone disrupts signal transducers and activators of transcription 3 through up-regulation of suppressor of cytokine signaling in breast cancer cells. <i>Molecular Cancer Therapeutics</i> , 2009 , 8, 1328-39	6.1	39
123	Huang-lian-jie-du-tang, a traditional Chinese medicine prescription, induces cell-cycle arrest and apoptosis in human liver cancer cells in vitro and in vivo. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2008 , 23, e290-9	4	39
122	Tricetin, a dietary flavonoid, inhibits proliferation of human breast adenocarcinoma mcf-7 cells by blocking cell cycle progression and inducing apoptosis. <i>Journal of Agricultural and Food Chemistry</i> , 2009 , 57, 8688-95	5.7	36
121	Syringetin, a flavonoid derivative in grape and wine, induces human osteoblast differentiation through bone morphogenetic protein-2/extracellular signal-regulated kinase 1/2 pathway. <i>Molecular Nutrition and Food Research</i> , 2009 , 53, 1452-61	5.9	35
120	CXCL17-derived CD11bGr-1 myeloid-derived suppressor cells contribute to lung metastasis of breast cancer through platelet-derived growth factor-BB. <i>Breast Cancer Research</i> , 2019 , 21, 23	8.3	34
119	Involvement of reactive oxygen species/c-Jun NH(2)-terminal kinase pathway in kotomolide A induces apoptosis in human breast cancer cells. <i>Toxicology and Applied Pharmacology</i> , 2008 , 229, 215-26	4.6	34

118	IL-8 promotes inflammatory mediators and stimulates activation of p38 MAPK/ERK-NF- κ B pathway and reduction of JNK in HNSCC. <i>Oncotarget</i> , 2017 , 8, 56375-56388	3.3	34
117	Apoptotic effects of Antrodia cinnamomea fruiting bodies extract are mediated through calcium and calpain-dependent pathways in Hep 3B cells. <i>Food and Chemical Toxicology</i> , 2006 , 44, 1316-26	4.7	33
116	6-shogaol, an active constituent of dietary ginger, impairs cancer development and lung metastasis by inhibiting the secretion of CC-chemokine ligand 2 (CCL2) in tumor-associated dendritic cells. <i>Journal of Agricultural and Food Chemistry</i> , 2015 , 63, 1730-8	5.7	32
115	Lung cancer-derived galectin-1 enhances tumorigenic potentiation of tumor-associated dendritic cells by expressing heparin-binding EGF-like growth factor. <i>Journal of Biological Chemistry</i> , 2012 , 287, 9753-9764	5.4	32
114	Diosmetin induces human osteoblastic differentiation through the protein kinase C/p38 and extracellular signal-regulated kinase 1/2 pathway. <i>Journal of Bone and Mineral Research</i> , 2008 , 23, 949-60	6.3	32
113	The anti-proliferative inhibition of ellipticine in human breast mda-mb-231 cancer cells is through cell cycle arrest and apoptosis induction. <i>Anti-Cancer Drugs</i> , 2005 , 16, 789-95	2.4	32
112	Lung tumor-associated dendritic cell-derived amphiregulin increased cancer progression. <i>Journal of Immunology</i> , 2011 , 187, 1733-44	5.3	31
111	Rhein inhibits the growth and induces the apoptosis of Hep G2 cells. <i>Planta Medica</i> , 2004 , 70, 12-6	3.1	31
110	Casuarinin from the bark of Terminalia arjuna induces apoptosis and cell cycle arrest in human breast adenocarcinoma MCF-7 cells. <i>Planta Medica</i> , 2005 , 71, 237-43	3.1	31
109	Wedelolactone inhibits breast cancer-induced osteoclastogenesis by decreasing Akt/mTOR signaling. <i>International Journal of Oncology</i> , 2015 , 46, 555-62	4.4	30
108	Myricetin inhibits the induction of anti-Fas IgM-, tumor necrosis factor-alpha- and interleukin-1beta-mediated apoptosis by Fas pathway inhibition in human osteoblastic cell line MG-63. <i>Life Sciences</i> , 2005 , 77, 2964-76	6.8	30
107	Secreted protein acidic and rich in cysteine (SPARC) induces cell migration and epithelial mesenchymal transition through WNK1/snail in non-small cell lung cancer. <i>Oncotarget</i> , 2017 , 8, 63691-63702	3.2	30
106	S100P interacts with integrin α 5 and increases cancer cell migration and invasion in lung cancer. <i>Oncotarget</i> , 2015 , 6, 29585-98	3.3	29
105	Cysteinyl Leukotriene Receptor Antagonists Decrease Cancer Risk in Asthma Patients. <i>Scientific Reports</i> , 2016 , 6, 23979	4.9	28
104	Ginger suppresses phthalate ester-induced airway remodeling. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 3429-38	5.7	28
103	Piceatannol stimulates osteoblast differentiation that may be mediated by increased bone morphogenetic protein-2 production. <i>European Journal of Pharmacology</i> , 2006 , 551, 1-9	5.3	28
102	Heat shock induces apoptosis through reactive oxygen species involving mitochondrial and death receptor pathways in corneal cells. <i>Experimental Eye Research</i> , 2011 , 93, 405-12	3.7	26
101	Tricetin, a dietary flavonoid, induces apoptosis through the reactive oxygen species/c-Jun NH2-terminal kinase pathway in human liver cancer cells. <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 12547-56	5.7	26

100	Association of long-chain acyl-coenzyme A synthetase β expression in human breast cancer by estrogen receptor status and its clinical significance. <i>Oncology Reports</i> , 2017 , 37, 3253-3260	3.5	25
99	Deducting MicroRNA-Mediated Changes Common in Bronchial Epithelial Cells of Asthma and Chronic Obstructive Pulmonary Disease-A Next-Generation Sequencing-Guided Bioinformatic Approach. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	25
98	Aryl hydrocarbon receptor agonists upregulate VEGF secretion from bronchial epithelial cells. <i>Journal of Molecular Medicine</i> , 2015 , 93, 1257-69	5.5	25
97	Induction of cell cycle arrest and apoptosis in human non-small cell lung cancer A549 cells by casuarinin from the bark of Terminalia arjuna Linn. <i>Anti-Cancer Drugs</i> , 2005 , 16, 409-15	2.4	25
96	Gemifloxacin, a fluoroquinolone antimicrobial drug, inhibits migration and invasion of human colon cancer cells. <i>BioMed Research International</i> , 2013 , 2013, 159786	3	23
95	Bronchial epithelium-derived IL-8 and RANTES increased bronchial smooth muscle cell migration and proliferation by Kr β pel-like factor 5 in areca nut-mediated airway remodeling. <i>Toxicological Sciences</i> , 2011 , 121, 177-90	4.4	23
94	Tumor necrosis factor-alpha inhibitors suppress CCL2 chemokine in monocytes via epigenetic modification. <i>Molecular Immunology</i> , 2017 , 83, 82-91	4.3	22
93	Indole-3 acetic acid increased risk of impaired cognitive function in patients receiving hemodialysis. <i>NeuroToxicology</i> , 2019 , 73, 85-91	4.4	22
92	High Glucose Induces Mesangial Cell Apoptosis through miR-15b-5p and Promotes Diabetic Nephropathy by Extracellular Vesicle Delivery. <i>Molecular Therapy</i> , 2020 , 28, 963-974	11.7	22
91	Aryl hydrocarbon receptor (AhR) agonists increase airway epithelial matrix metalloproteinase activity. <i>Journal of Molecular Medicine</i> , 2014 , 92, 615-28	5.5	22
90	Benzyl butyl phthalate increases the chemoresistance to doxorubicin/cyclophosphamide by increasing breast cancer-associated dendritic cell-derived CXCL1/GRO α and S100A8/A9. <i>Oncology Reports</i> , 2015 , 34, 2889-900	3.5	22
89	Simvastatin Attenuates Cardiac Fibrosis via Regulation of Cardiomyocyte-Derived Exosome Secretion. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	21
88	Montelukast Induces Apoptosis-Inducing Factor-Mediated Cell Death of Lung Cancer Cells. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	21
87	Heart Rate Variability Change Before and After Hemodialysis is Associated with Overall and Cardiovascular Mortality in Hemodialysis. <i>Scientific Reports</i> , 2016 , 6, 20597	4.9	21
86	Solute Carrier Family 27 Member 4 (SLC27A4) Enhances Cell Growth, Migration, and Invasion in Breast Cancer Cells. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	21
85	Indoxyl Sulfate Induces Apoptosis Through Oxidative Stress and Mitogen-Activated Protein Kinase Signaling Pathway Inhibition in Human Astrocytes. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	20
84	Effect of low level laser therapy on chronic compression of the dorsal root ganglion. <i>PLoS ONE</i> , 2014 , 9, e89894	3.7	20
83	Synergistic effect of lung tumor-associated dendritic cell-derived HB-EGF and CXCL5 on cancer progression. <i>International Journal of Cancer</i> , 2014 , 135, 96-108	7.5	19

82	Bone morphogenetic protein-2 and -4 (BMP-2 and -4) mediates fraxetin-induced maturation and differentiation in human osteoblast-like cell lines. <i>Biological and Pharmaceutical Bulletin</i> , 2006 , 29, 119-243	2.3	19
81	Serum Galectin-9 and Galectin-3-Binding Protein in Acute Dengue Virus Infection. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	19
80	Isolinderalactone enhances the inhibition of SOCS3 on STAT3 activity by decreasing miR-30c in breast cancer. <i>Oncology Reports</i> , 2016 , 35, 1356-64	3.5	18
79	Didymin reverses phthalate ester-associated breast cancer aggravation in the breast cancer tumor microenvironment. <i>Oncology Letters</i> , 2016 , 11, 1035-1042	2.6	18
78	Protein-bound uremic toxins are associated with cognitive function among patients undergoing maintenance hemodialysis. <i>Scientific Reports</i> , 2019 , 9, 20388	4.9	18
77	The Effects of Epigallocatechin Gallate (EGCG) on Pulmonary Fibroblasts of Idiopathic Pulmonary Fibrosis (IPF)-A Next-Generation Sequencing and Bioinformatic Approach. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	17
76	Possible mechanisms mediating apoptosis of bronchial epithelial cells in chronic obstructive pulmonary disease - A next-generation sequencing approach. <i>Pathology Research and Practice</i> , 2018 , 214, 1489-1496	3.4	17
75	Deduction of Novel Genes Potentially Involved in Osteoblasts of Rheumatoid Arthritis Using Next-Generation Sequencing and Bioinformatic Approaches. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	17
74	Identification of novel genetic regulations associated with airway epithelial homeostasis using next-generation sequencing data and bioinformatics approaches. <i>Oncotarget</i> , 2017 , 8, 82674-82688	3.3	17
73	Angpt2 Induces Mesangial Cell Apoptosis through the MicroRNA-33-5p-SOCS5 Loop in Diabetic Nephropathy. <i>Molecular Therapy - Nucleic Acids</i> , 2018 , 13, 543-555	10.7	17
72	Systematic analysis of transcriptomic profiles of COPD airway epithelium using next-generation sequencing and bioinformatics. <i>International Journal of COPD</i> , 2018 , 13, 2387-2398	3	16
71	Induction of apoptosis in human breast adenocarcinoma MCF-7 cells by prodelphinidin B-2 3,3Fdi-O-gallate from <i>Myrica rubra</i> via Fas-mediated pathway. <i>Journal of Pharmacy and Pharmacology</i> , 2004 , 56, 1399-406	4.8	16
70	Bone-marrow-derived cell-released extracellular vesicle miR-92a regulates hepatic pre-metastatic niche in lung cancer. <i>Oncogene</i> , 2020 , 39, 739-753	9.2	16
69	The Interaction of miR-378i-Skp2 Regulates Cell Senescence in Diabetic Nephropathy. <i>Journal of Clinical Medicine</i> , 2018 , 7,	5.1	16
68	Systematic Analysis of Transcriptomic Profile of Renal Cell Carcinoma under Long-Term Hypoxia Using Next-Generation Sequencing and Bioinformatics. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	14
67	Prodelphinidin B-2 3,3Fdi-O-gallate from <i>Myrica rubra</i> inhibits proliferation of A549 carcinoma cells via blocking cell cycle progression and inducing apoptosis. <i>European Journal of Pharmacology</i> , 2004 , 501, 41-8	5.3	14
66	Tricetin, a dietary flavonoid, suppresses benzo(a)pyrene-induced human non-small cell lung cancer bone metastasis. <i>International Journal of Oncology</i> , 2015 , 46, 1985-93	4.4	13
65	Isolinderalactone inhibits proliferation of A549 human non-small cell lung cancer cells by arresting the cell cycle at the G0/G1 phase and inducing a Fas receptor and soluble Fas ligand-mediated apoptotic pathway. <i>Molecular Medicine Reports</i> , 2014 , 9, 1653-9	2.9	13

64	Systematic Analysis of Differential Expression Profile in Rheumatoid Arthritis Chondrocytes Using Next-Generation Sequencing and Bioinformatics Approaches. <i>International Journal of Medical Sciences</i> , 2018 , 15, 1129-1142	3.7	13
63	The immunomodulatory effects of TNF- α inhibitors on human Th17 cells via ROR γ histone acetylation. <i>Oncotarget</i> , 2017 , 8, 7559-7571	3.3	12
62	S100B expression in breast cancer as a predictive marker for cancer metastasis. <i>International Journal of Oncology</i> , 2018 , 52, 433-440	4.4	12
61	Nonylphenol induces bronchial epithelial apoptosis via Fas-mediated pathway and stimulates bronchial epithelium to secrete IL-6 and IL-8, causing bronchial smooth muscle proliferation and migration. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2012 , 110, 178-86	3.1	12
60	Regulatory mechanism of fatty acid-CoA metabolic enzymes under endoplasmic reticulum stress in lung cancer. <i>Oncology Reports</i> , 2018 , 40, 2674-2682	3.5	12
59	Gene Expression Changes Associated with Nintedanib Treatment in Idiopathic Pulmonary Fibrosis Fibroblasts: A Next-Generation Sequencing and Bioinformatics Study. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	11
58	Myosin IIa activation is crucial in breast cancer derived galectin-1 mediated tolerogenic dendritic cell differentiation. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2014 , 1840, 1965-76	4	11
57	Fraxetin inhibits the induction of anti-Fas IgM, tumor necrosis factor- α and interleukin-1 β -mediated apoptosis by Fas pathway inhibition in human osteoblastic cell line MG-63. <i>International Immunopharmacology</i> , 2006 , 6, 1167-75	5.8	11
56	Laricitrin ameliorates lung cancer-mediated dendritic cell suppression by inhibiting signal transducer and activator of transcription 3. <i>Oncotarget</i> , 2016 , 7, 85220-85234	3.3	11
55	Rugosin E, an ellagitannin, inhibits MDA-MB-231 human breast cancer cell proliferation and induces apoptosis by inhibiting nuclear factor- κ B signaling pathway. <i>Cancer Letters</i> , 2007 , 248, 280-91	9.9	10
54	The Impact of Di(2-ethylhexyl)phthalate on Cancer Progression. <i>Archivum Immunologiae Et Therapiae Experimentalis</i> , 2018 , 66, 183-197	4	10
53	Systematic Analysis of Transcriptomic Profile of Chondrocytes in Osteoarthritic Knee Using Next-Generation Sequencing and Bioinformatics. <i>Journal of Clinical Medicine</i> , 2018 , 7,	5.1	10
52	Deduction of novel genes potentially involved in hypoxic AC16 human cardiomyocytes using next-generation sequencing and bioinformatics approaches. <i>International Journal of Molecular Medicine</i> , 2018 , 42, 2489-2502	4.4	10
51	Role of galectins in lung cancer. <i>Oncology Letters</i> , 2017 , 14, 5077-5084	2.6	9
50	6-Shogaol Suppresses 2-Amino-1-Methyl-6-Phenylimidazo [4,5-b] Pyridine (PhIP)-Induced Human 786-O Renal Cell Carcinoma Osteoclastogenic Activity and Metastatic Potential. <i>Nutrients</i> , 2019 , 11,	6.7	9
49	New Insight on Solute Carrier Family 27 Member 6 (SLC27A6) in Tumoral and Non-Tumoral Breast Cells. <i>International Journal of Medical Sciences</i> , 2019 , 16, 366-375	3.7	9
48	Dual Role of Chondrocytes in Rheumatoid Arthritis: The Chicken and the Egg. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	9
47	Laricitrin suppresses increased benzo(a)pyrene-induced lung tumor-associated monocyte-derived dendritic cell cancer progression. <i>Oncology Letters</i> , 2016 , 11, 1783-1790	2.6	9

46	Involvement of IL-10 and granulocyte colony-stimulating factor in the fate of monocytes controlled by galectin-1. <i>Molecular Medicine Reports</i> , 2014 , 10, 2389-94	2.9	9
45	Heat effect induces production of inflammatory cytokines through heat shock protein 90 pathway in cornea cells. <i>Current Eye Research</i> , 2013 , 38, 464-71	2.9	9
44	Vascular endothelial growth factor and protein level in pleural effusion for differentiating malignant from benign pleural effusion. <i>Oncology Letters</i> , 2017 , 14, 3657-3662	2.6	9
43	Putranjivain A from Euphorbia jolkini inhibits proliferation of human breast adenocarcinoma MCF-7 cells via blocking cell cycle progression and inducing apoptosis. <i>Toxicology and Applied Pharmacology</i> , 2006 , 213, 37-45	4.6	9
42	Bioinformatic analysis of next-generation sequencing data to identify dysregulated genes in fibroblasts of idiopathic pulmonary fibrosis. <i>International Journal of Molecular Medicine</i> , 2019 , 43, 1643-1656	4.4	8
41	The effects of asthma medications on reactive oxygen species production in human monocytes. <i>Journal of Asthma</i> , 2018 , 55, 345-353	1.9	8
40	Tris(8-Hydroxyquinoline)iron induces apoptotic cell death via oxidative stress and by activating death receptor signaling pathway in human head and neck carcinoma cells. <i>Phytomedicine</i> , 2019 , 63, 153005	6.5	8
39	Identification of novel genes in aging osteoblasts using next-generation sequencing and bioinformatics. <i>Oncotarget</i> , 2017 , 8, 113598-113613	3.3	8
38	Pretreatment Hepatitis B Viral Load Predicts Long-Term Hepatitis B Response After Anti-Hepatitis C Therapy in Hepatitis B/C Dual-Infected Patients. <i>Journal of Infectious Diseases</i> , 2019 , 219, 1224-1233	7	8
37	Serum neutrophil gelatinase-associated lipocalin and resistin are associated with dengue infection in adults. <i>BMC Infectious Diseases</i> , 2016 , 16, 441	4	7
36	Systematic Analysis of Transcriptomic Profile of the Effects of Low Dose Atropine Treatment on Scleral Fibroblasts using Next-Generation Sequencing and Bioinformatics. <i>International Journal of Medical Sciences</i> , 2019 , 16, 1652-1667	3.7	7
35	Effects of Epigallocatechin Gallate (EGCG) on Urinary Bladder Urothelial Carcinoma-Next-Generation Sequencing and Bioinformatics Approaches. <i>Medicina (Lithuania)</i> , 2019 , 55,	3.1	7
34	Reduced camptothecin sensitivity of estrogen receptor-positive human breast cancer cells following exposure to di(2-ethylhexyl)phthalate (DEHP) is associated with DNA methylation changes. <i>Environmental Toxicology</i> , 2019 , 34, 401-414	4.2	6
33	Identification of the Potential Prognostic Markers from the miRNA-lncRNA-mRNA Interactions for Metastatic Renal Cancer via Next-Generation Sequencing and Bioinformatics. <i>Diagnostics</i> , 2020 , 10,	3.8	6
32	Differential Expression Profiles of the Transcriptome and miRNA Interactome in Synovial Fibroblasts of Rheumatoid Arthritis Revealed by Next Generation Sequencing. <i>Diagnostics</i> , 2019 , 9,	3.8	6
31	Syringetin suppresses osteoclastogenesis mediated by osteoblasts in human lung adenocarcinoma. <i>Oncology Reports</i> , 2015 , 34, 617-26	3.5	6
30	Pterostilbene suppresses benzo[a]pyrene-induced airway remodeling. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 8028-35	5.7	6
29	Deduction of Novel Genes Potentially Involved in Keratinocytes of Type 2 Diabetes Using Next-Generation Sequencing and Bioinformatics Approaches. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	6

28	Expressions of HLA Class II Genes in Cutaneous Melanoma Were Associated with Clinical Outcome: Bioinformatics Approaches and Systematic Analysis of Public Microarray and RNA-Seq Datasets. <i>Diagnostics</i> , 2019 , 9,	3.8	5
27	Reductive amination-assisted quantitation of tamoxifen and its metabolites by liquid phase chromatography tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2016 , 1434, 64-9	4.5	5
26	Inflammatory molecules expression pattern for identifying pathogen species in febrile patient serum. <i>Experimental and Therapeutic Medicine</i> , 2016 , 12, 312-318	2.1	5
25	Deduction of Novel Genes Potentially Involved in Upper Tract Urothelial Carcinoma Using Next-Generation Sequencing and Bioinformatics Approaches. <i>International Journal of Medical Sciences</i> , 2019 , 16, 93-105	3.7	4
24	Post-treatment alpha fetoprotein and platelets predict hepatocellular carcinoma development in dual-infected hepatitis B and C patients after eradication of hepatitis C. <i>Oncotarget</i> , 2018 , 9, 12240-12249	2.3	4
23	Neutrophils are Essential in Short Hairpin RNA of Indoleamine 2,3- Dioxygenase Mediated-antitumor Efficiency. <i>Molecular Therapy - Nucleic Acids</i> , 2016 , 5, e397	10.7	4
22	Identification of mutations in SLC4A1, GP1BA and HFE in a family with venous thrombosis of unknown cause by next-generation sequencing. <i>Experimental and Therapeutic Medicine</i> , 2018 , 16, 4172-4180	2.1	4
21	Deduction of Novel Genes Potentially Involved in the Effects of Very Low Dose Atropine (0.003%) Treatment on Corneal Epithelial Cells Using Next-Generation Sequencing and Bioinformatics Approaches. <i>Medicina (Lithuania)</i> , 2019 , 55,	3.1	3
20	Identification of Novel Genes in Osteoarthritic Fibroblast-Like Synoviocytes Using Next-Generation Sequencing and Bioinformatics Approaches. <i>International Journal of Medical Sciences</i> , 2019 , 16, 1057-1071	2.7	3
19	Investigating Novel Genes Potentially Involved in Endometrial Adenocarcinoma using Next-Generation Sequencing and Bioinformatic Approaches. <i>International Journal of Medical Sciences</i> , 2019 , 16, 1338-1348	3.7	3
18	Cluster of differentiation 45 activation is crucial in interleukin-10-dependent tumor-associated dendritic cell differentiation. <i>Oncology Letters</i> , 2014 , 8, 620-626	2.6	3
17	The Associations of Novel Vitamin D3 Metabolic Gene CYP27A1 Polymorphism, Adiponectin/Leptin Ratio, and Metabolic Syndrome in Middle-Aged Taiwanese Males. <i>International Journal of Endocrinology</i> , 2015 , 2015, 658151	2.7	3
16	Induction of apoptosis in human breast adenocarcinoma MCF-7 cells by pterocarnin A from the bark of <i>Pterocarya stenoptera</i> via the Fas-mediated pathway. <i>Anti-Cancer Drugs</i> , 2007 , 18, 555-62	2.4	3
15	Association of Far-Infrared Radiation Therapy and Ankle-Brachial Index of Patients on Hemodialysis with Peripheral Artery Occlusive Disease. <i>International Journal of Medical Sciences</i> , 2016 , 13, 970-976	3.7	3
14	Next-generation sequencing predicts interaction network between miRNA and target genes in lipoteichoic acid-stimulated human neutrophils. <i>International Journal of Molecular Medicine</i> , 2019 , 44, 1436-1446	4.4	2
13	Aortic Arch Calcification as a Predictor of Repeated Arteriovenous Fistula Failure within 1-Year in Hemodialysis Patients. <i>BioMed Research International</i> , 2017 , 2017, 6728437	3	2
12	Investigation of the role of tumor necrosis factor-like weak inducer of apoptosis in non-small cell lung cancer. <i>Oncology Reports</i> , 2018 , 39, 573-581	3.5	2
11	Bioactive Constituents from <i>Michelia champaca</i> . <i>Natural Product Communications</i> , 2011 , 6, 1934578X1100600	6.00	2

10	Association of renal systolic time intervals with brachial-ankle pulse wave velocity. <i>International Journal of Medical Sciences</i> , 2018 , 15, 1235-1240	3.7	2
9	Renal systolic time intervals derived from intra-renal artery Doppler as a novel predictor of adverse cardiac outcomes. <i>Scientific Reports</i> , 2017 , 7, 43825	4.9	1
8	Cancer Immunotherapy: Silencing Intracellular Negative Immune Regulators of Dendritic Cells. <i>Cancers</i> , 2019 , 11,	6.6	1
7	Differential expression profiles of the transcriptome in bone marrow-derived cells in lung cancer revealed by next generation sequencing and bioinformatics. <i>Oncology Letters</i> , 2019 , 17, 4341-4350	2.6	1
6	Associations of Bone Turnover Markers with Cognitive Function in Patients Undergoing Hemodialysis. <i>Disease Markers</i> , 2020 , 2020, 8641749	3.2	1
5	Knockdown of GA-binding protein subunit β inhibits cell proliferation via p21 induction in renal cell carcinoma. <i>International Journal of Oncology</i> , 2018 , 53, 886-894	4.4	1
4	Association of diabetes mellitus with decline in ankle-brachial index among patients on hemodialysis: A 6-year follow-up study. <i>PLoS ONE</i> , 2017 , 12, e0175363	3.7	1
3	The Potential Effects of Curcumin on Pulmonary Fibroblasts of Idiopathic Pulmonary Fibrosis (IPF)-Approaching with Next-Generation Sequencing and Bioinformatics. <i>Molecules</i> , 2020 , 25,	4.8	1
2	Identification of potential genes in upper tract urothelial carcinoma using next-generation sequencing with bioinformatics and in vitro analyses. <i>PeerJ</i> , 2021 , 9, e11343	3.1	1
1	Visceral obesity and cell cycle pathways serve as links in the association between bisphenol A exposure and breast cancer. <i>Oncology Letters</i> , 2020 , 20, 33-42	2.6	0