

David J Harding

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1852531/publications.pdf>

Version: 2024-02-01

92
papers

1,867
citations

304743

22
h-index

289244

40
g-index

97
all docs

97
docs citations

97
times ranked

1944
citing authors

#	ARTICLE	IF	CITATIONS
1	Spin crossover in iron(III) complexes. <i>Coordination Chemistry Reviews</i> , 2016, 313, 38-61.	18.8	227
2	OctaDist: a tool for calculating distortion parameters in spin crossover and coordination complexes. <i>Dalton Transactions</i> , 2021, 50, 1086-1096.	3.3	144
3	Solvent modified spin crossover in an iron(III) complex: phase changes and an exceptionally wide hysteresis. <i>Chemical Science</i> , 2017, 8, 3949-3959.	7.4	96
4	Effects of precursor concentration and reaction time on sonochemically synthesized ZnO nanoparticles. <i>Materials Research</i> , 2014, 17, 405-411.	1.3	72
5	Abrupt spin crossover in an iron(III) quinolylsalicylaldimine complex: structural insights and solvent effects. <i>Chemical Communications</i> , 2013, 49, 6340.	4.1	68
6	Abrupt two-step and symmetry breaking spin crossover in an iron(III) complex: an exceptionally wide [LS [−] HS] plateau. <i>Dalton Transactions</i> , 2015, 44, 15079-15082.	3.3	61
7	Stepped spin crossover in Fe(III) halogen substituted quinolylsalicylaldimine complexes. <i>Dalton Transactions</i> , 2014, 43, 17509-17518.	3.3	59
8	The First Observation of Hidden Hysteresis in an Iron(III) Spin-Crossover Complex. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 11811-11815.	13.8	57
9	Stability of Metal ⁺ Carbon Bond versus Metal Reduction during Ethylene Polymerization Promoted by a Vanadium Complex: The Role of the Aluminum Cocatalyst. <i>Organometallics</i> , 2002, 21, 968-976.	2.3	49
10	Characterizations of octahedral zinc oxide synthesized by sonochemical method. <i>Journal of Physics and Chemistry of Solids</i> , 2011, 72, 817-823.	4.0	48
11	Fe ^{III} Quinolylsalicylaldimine Complexes: A Rare Mixed-Spin State Complex and Abrupt Spin Crossover. <i>Chemistry - A European Journal</i> , 2013, 19, 1082-1090.	3.3	43
12	Hysteretic spin crossover driven by anion conformational change. <i>Chemical Communications</i> , 2017, 53, 9801-9804.	4.1	40
13	Slow relaxation of magnetization in a bis-mer-tridentate octahedral Co(II) complex. <i>Dalton Transactions</i> , 2018, 47, 859-867.	3.3	40
14	A Water-Stable Lanthanide-Based MOF as a Highly Sensitive Sensor for the Selective Detection of Paraquat in Agricultural Products. <i>ACS Sustainable Chemistry and Engineering</i> , 2022, 10, 2761-2771.	6.7	40
15	Anionic Tuning of Spin Crossover in Fe ^{III} Quinolylsalicylaldimate Complexes. <i>European Journal of Inorganic Chemistry</i> , 2013, 2013, 788-795.	2.0	39
16	Spin Crossover in <i>cis</i> Manganese(III) Quinolylsalicylaldimates. <i>European Journal of Inorganic Chemistry</i> , 2015, 2015, 2534-2542.	2.0	34
17	Room temperature conductance switching in a molecular iron(III) spin crossover junction. <i>Chemical Science</i> , 2021, 12, 2381-2388.	7.4	33
18	A simple flow injection spectrophotometric procedure for iron(III) determination using <i>Phyllanthus emblica</i> Linn. as a natural reagent. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2018, 204, 726-734.	3.9	31

#	ARTICLE	IF	CITATIONS
19	Water-soluble polyaromatic-based imidazolium for detecting picric acid: Pyrene vs. anthracene. <i>Sensors and Actuators B: Chemical</i> , 2021, 330, 129287.	7.8	29
20	Synthesis and characterization of sterically hindered tris(pyrazolyl)borate Ni complexes. <i>Inorganica Chimica Acta</i> , 2007, 360, 3335-3340.	2.4	27
21	Iron(ii) thio- and selenocyanate coordination networks containing 3,3'-bipyridine. <i>CrystEngComm</i> , 2011, 13, 4909.	2.6	27
22	Spin Crossover in Iron(III) Quinolylsalicylaldehydes: The Curious Case of [Fe(qsal-F) ₂](Anion). <i>Inorganic Chemistry</i> , 2020, 59, 13784-13791.	4.0	25
23	Comparison of density functionals for the study of the high spin low spin gap in Fe(III) spin crossover complexes. <i>International Journal of Quantum Chemistry</i> , 2017, 117, e25362.	2.0	24
24	Tin(II) thiocyanate Sn(NCS) ₂ as a wide band gap coordination polymer semiconductor with a 2D structure. <i>Journal of Materials Chemistry C</i> , 2019, 7, 3452-3462.	5.5	24
25	The First Observation of Hidden Hysteresis in an Iron(III) Spin Crossover Complex. <i>Angewandte Chemie</i> , 2019, 131, 11937-11941.	2.0	23
26	Elucidating the Coordination of Diethyl Sulfide Molecules in Copper(I) Thiocyanate (CuSCN) Thin Films and Improving Hole Transport by Antisolvent Treatment. <i>Advanced Functional Materials</i> , 2020, 30, 2002355.	14.9	22
27	Halogen substituted quinolylsalicylaldehydes: Four halogens three structural types. <i>Journal of Molecular Structure</i> , 2013, 1036, 439-446.	3.6	21
28	Three-Way Switchable Single-Crystal-to-Single-Crystal Solvatomorphic Spin Crossover in a Molecular Cocystal. <i>Chemistry of Materials</i> , 2020, 32, 10076-10083.	6.7	21
29	Synthesis and characterization of redox-active tris(pyrazolyl)borate cobalt complexes. <i>Dalton Transactions</i> , 2009, , 1314.	3.3	19
30	Synthesis, characterization and anticancer activity of Fe(II) and Fe(III) complexes containing N-(8-quinolyl)salicylaldehyde Schiff base ligands. <i>Journal of Biological Inorganic Chemistry</i> , 2021, 26, 327-339.	2.6	19
31	Free standing bimetallic nickel cobalt selenide nanosheets as three-dimensional electrocatalyst for water splitting. <i>Journal of Electroanalytical Chemistry</i> , 2021, 897, 115568.	3.8	19
32	Structure and bonding in the d ₄ /d ₃ alkyne redox pairs [WX(CO)(MeC≡CMe)Tp] _z (X = F, Cl, Br and I; z = 0) <i>Inorganic Chemistry</i> , 1999, , 2403-2404.	4.1	18
33	Microwave synthesis, spectroscopy, thermal analysis and crystal structure of an one-dimensional polymeric {[Cu(4,4'-bipy)(H ₂ O) ₃ (SO ₄)]·2H ₂ O} _n complex. <i>Inorganica Chimica Acta</i> , 2009, 362, 2435-2439.	2.4	18
34	The d ₄ /d ₃ redox pairs [MX(CO)(i-RC≡CR)Tp] _z (z = 0 and 1): structural consequences of electron transfer and implications for the inverse halide order. <i>Dalton Transactions</i> , 2007, , 62-72.	3.3	17
35	Abrupt spin crossover in iron(III) complexes with aromatic anions. <i>Dalton Transactions</i> , 2019, 48, 15515-15520.	3.3	17
36	Redox-active nickel and cobalt tris(pyrazolyl)borate dithiocarbamate complexes: air-stable Co(II) dithiocarbamates. <i>Dalton Transactions</i> , 2011, 40, 1313.	3.3	15

#	ARTICLE	IF	CITATIONS
37	Solvatomorphism and anion effects in predominantly low spin iron(II) Schiff base complexes. Dalton Transactions, 2018, 47, 12449-12458.	3.3	14
38	Synthesis and electrochemical studies of octahedral nickel II -diketonate complexes. Inorganica Chimica Acta, 2009, 362, 78-82.	2.4	13
39	Solvent Effects on the Spin Crossover Properties of Iron(II) Imidazolylimine Complexes. Crystals, 2019, 9, 116.	2.2	13
40	Structural consequences of the one-electron reduction of $d^4[\text{Mo}(\text{CO})_2(\text{P}(\text{Ph})_2)_2]^+$ and the electronic structure of the d^5 radicals $[\text{M}(\text{CO})\text{L}(\text{P}(\text{Me})_2)_2]^+$ {L = CO and $\text{P}(\text{OCH}_2)_3\text{CET}$ }. Dalton Transactions, 2006, , 3466-3477.	3.3	12
41	Synthesis and Electrochemical Studies of Nickel II -Diketonate Complexes Incorporating Asymmetric Diimine Ligands. Australian Journal of Chemistry, 2010, 63, 75.	0.9	12
42	Pertosylated pillar[5]arene: self-template assisted synthesis and supramolecular polymer formation. Chemical Communications, 2020, 56, 8739-8742.	4.1	12
43	Substituent-Influenced Spin Crossover in Fe^{III} Quinolyisalicyaldiminates. European Journal of Inorganic Chemistry, 2016, 2016, 432-438.	2.0	11
44	Hollow molybdenum oxide-graphene oxide spheres as a binder-free electrocatalyst membrane with enhanced hydrogen evolution efficiency. Materials Letters, 2020, 272, 127872.	2.6	11
45	Redox routes to arenechromium complexes of two-, three- and four-electron alkynes; structure and bonding in paramagnetic $[\text{Cr}(\text{CO})\text{L}(\text{P}(\text{R})_2)_2]^+$. Dalton Transactions RSC, 2002, , 4281-4288.	2.3	10
46	B-N bond cleavage by cobalt(II) in acetato(3,5-diphenylpyrazole)[tris(3,5-diphenylpyrazolyl)borato]cobalt(II). Acta Crystallographica Section C: Crystal Structure Communications, 2005, 61, m301-m303.	0.4	10
47	Sonochemical Synthesis of Zinc Oxide Nanoparticles Using an Ultrasonic Homogenizer. Ferroelectrics, 2013, 455, 15-20.	0.6	10
48	Structural versatility and electronic structures of copper(I) thiocyanate (CuSCN) ligand complexes. Journal of Materials Chemistry C, 2019, 7, 12907-12917.	5.5	10
49	Band gap narrowing of TiO_2 nanoparticles: A passivated Co-doping approach for enhanced photocatalytic activity. Journal of Physics and Chemistry of Solids, 2022, 162, 110503.	4.0	9
50	Solvent Effects on the Structural and Magnetic Properties of Fe^{III} Spin-Crossover Complexes. Crystal Growth and Design, 2022, 22, 4895-4905.	3.0	9
51	Effect of the II -diketonate ligand on the spin states of $[\text{Ni}(\text{II}-\text{dkt})_2(\text{NH}_2\text{-quin})]$ complexes. Polyhedron, 2011, 30, 2740-2745.	2.2	8
52	Spin crossover in mixed ligand iron(II) complexes. New Journal of Chemistry, 2017, 41, 13747-13753.	2.8	8
53	Thermal and Light-Activated Spin Crossover in Iron(III) qnal Complexes. European Journal of Inorganic Chemistry, 2020, 2020, 1325-1330.	2.0	8
54	Structures, bonding, and electronic properties of metal thiocyanates. Journal of Physics and Chemistry of Solids, 2021, 154, 110085.	4.0	8

#	ARTICLE	IF	CITATIONS
73	Supramolecular Control of Spin Crossover in Iron(III) Complexes: Parallel versus Angled Chains. <i>Crystal Growth and Design</i> , 2022, 22, 1543-1547.	3.0	3
74	trans-Dichloro(triethylamine- $\hat{\nu}$ N)(triphenylphosphine- $\hat{\nu}$ P)palladium(II). <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2006, 62, m1616-m1617.	0.2	2
75	[4-Bromo-N-(pyridin-2-ylmethylidene)aniline- $\hat{\nu}$ 2N,N $\hat{\nu}$ 2]bis(1,1,1,5,5,5-hexafluoropentane-2,4-dionato- $\hat{\nu}$ 2O,O $\hat{\nu}$ 2)nickel(II). <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2011, 67, m404-m405.	0.2	2
76	Synthesis and Characterization of a 2D Cobalt(II) Coordination Polymer Containing the Adiponitrile Ligand. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2013, 639, 2134-2137.	1.2	2
77	Nickel(II) salicylaldiminates: Re-visiting a classic. <i>Polyhedron</i> , 2021, 205, 115321.	2.2	2
78	Preparation and physicochemical characterization of sildenafil cocrystals. <i>Journal of Advanced Pharmaceutical Technology and Research</i> , 2021, 12, 408.	1.0	2
79	Derrisrobustones A $\hat{\nu}$ D, isoflavones from the twig extract of <i>Derris robusta</i> (DC.) Benth. and their $\hat{\nu}$ glucosidase inhibitory activity. <i>Phytochemistry</i> , 2022, 198, 113168.	2.9	2
80	catena-Poly[[bis($\hat{\nu}$ 1/4-1-(2-pyridyl)pyridinium-2-thiolate)- $\hat{\nu}$ 2N:S; $\hat{\nu}$ 2S:N-dicopper(I)]-di- $\hat{\nu}$ 1/4-chloro]. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2006, 62, m1335-m1337.	0.2	1
81	Unexpected oxidation of a diphosphine by bis(1,3-diphenylpropane-1,3-dionato)cobalt(II), [Co(dbm) $\hat{\nu}$ 2]. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2007, 63, m163-m165.	0.4	1
82	Nickel tris(pyrazolyl)borate $\hat{\nu}$ 2-diketonate complexes. <i>Transition Metal Chemistry</i> , 2011, 36, 249-254.	1.4	1
83	(8-Aminoquinoline- $\hat{\nu}$ 2N,N $\hat{\nu}$ 2)bis(1,1,1,5,5,5-hexafluoropentane-2,4-dionato- $\hat{\nu}$ 2O,O $\hat{\nu}$ 2)cobalt(II). <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2012, 68, m450-m450.	0.2	1
84	trans-Bis(nitrato- $\hat{\nu}$ O)bis(1,10-phenanthroline- $\hat{\nu}$ 2N,N $\hat{\nu}$ 2)manganese(II). <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2012, 68, m1026-m1026.	0.2	1
85	Solvatomorphism and Electronic Communication in Fe(III) N,N-Bis(salicylidene)-1,3-propanediamine Dimers. <i>Australian Journal of Chemistry</i> , 2015, 68, 766.	0.9	1
86	Abyssomicin derivatives from the rhizosphere soil actinomycete <i>Microbispora rhizosphaerae</i> sp. nov. TBRC6028. <i>Phytochemistry</i> , 2021, 185, 112700.	2.9	1
87	Bioactive compounds from the fruit extract of <i>Clausena excavata</i> Burm. f. (Rutaceae). <i>South African Journal of Botany</i> , 2022, 151, 538-548.	2.5	1
88	(Di-2-pyridylamine- $\hat{\nu}$ 2N,N $\hat{\nu}$ 2)[hydrotris(3,5-diphenylpyrazol-1-yl- $\hat{\nu}$ N2)borato]nickel(II) bromide dichloromethane monosolvate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2011, 67, m477-m478.	0.2	0
89	Poly[aqua($\hat{\nu}$ 1/2-pyrimidine-2-carboxylato- $\hat{\nu}$ 4O,N:O $\hat{\nu}$ 2,N $\hat{\nu}$ 2)(nitrato- $\hat{\nu}$ O)cadmium]. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2012, 68, m1349-m1350.	0.2	0
90	Synthesis and electron transfer studies of redox active trans- $\hat{\nu}$ 2-diketonate Ni(II) complexes. <i>Transition Metal Chemistry</i> , 2012, 37, 639-644.	1.4	0

#	ARTICLE	IF	CITATIONS
91	Secondary metabolites from cultures of the ant pathogenic fungus <i>Ophiocordyceps irangiensis</i> BCC 2728. <i>Natural Product Research</i> , 2020, 35, 1-6.	1.8	0
92	Conformational polymorphism in a cobalt(II) dithiocarbamate complex. <i>Acta Crystallographica Section C, Structural Chemistry</i> , 2020, 76, 921-926.	0.5	0