

# Marivalda M Pereira

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1853201/publications.pdf>

Version: 2024-02-01

99  
papers

3,673  
citations

182225

30  
h-index

150775

59  
g-index

101  
all docs

101  
docs citations

101  
times ranked

4518  
citing authors

#	ARTICLE	IF	CITATIONS
1	Cobalt-containing bioactive glass mimics vascular endothelial growth factor A and hypoxia inducible factor 1 function. <i>Journal of Biomedical Materials Research - Part A</i> , 2021, 109, 1051-1064.	2.1	21
2	<i>In vitro</i> effects of the co-release of icariin and strontium from bioactive glass submicron spheres on the reduced osteogenic potential of rat osteoporotic bone marrow mesenchymal stem cells. <i>Biomedical Materials (Bristol)</i> , 2020, 15, 055023.	1.7	10
3	Therapeutic cobalt ion incorporated in poly(vinyl alcohol)/bioactive glass scaffolds for tissue engineering. <i>Journal of Materials Science</i> , 2020, 55, 8710-8727.	1.7	27
4	Fluorine-Containing Bioactive Glass Spherical Particles Synthesized By Sol-Gel Route Assisted by Ultrasound Energy or Mechanical Mixing. <i>Materials Research</i> , 2020, 23, .	0.6	3
5	Osteogenic potential of sol-gel bioactive glasses containing manganese. <i>Journal of Materials Science: Materials in Medicine</i> , 2019, 30, 86.	1.7	44
6	Simple preparation of 58S bioactive glass/polycaprolactone composite scaffolds by freeze-drying under ambient conditions. <i>Materials Letters</i> , 2019, 256, 126647.	1.3	3
7	Bioactive glass nanoparticles for periodontal regeneration and applications in dentistry. , 2019, , 351-383.		10
8	Injectable chitosan/gelatin/bioactive glass nanocomposite hydrogels for potential bone regeneration: In vitro and in vivo analyses. <i>International Journal of Biological Macromolecules</i> , 2019, 132, 811-821.	3.6	52
9	Effects of manganese incorporation on the morphology, structure and cytotoxicity of spherical bioactive glass nanoparticles. <i>Journal of Colloid and Interface Science</i> , 2019, 547, 382-392.	5.0	43
10	Freeze-cast composite scaffolds prepared from sol-gel derived 58S bioactive glass and polycaprolactone. <i>Ceramics International</i> , 2019, 45, 9891-9900.	2.3	16
11	Matriz porosa do BV60S associada a células osteoprogenitoras alógenas no tratamento de defeitos ósseos crônicos em rãs. <i>Arquivo Brasileiro De Medicina Veterinária E Zootecnia</i> , 2019, 71, 1121-1130.	0.1	0
12	In vitro degradation of chitosan composite foams for biomedical applications and effect of bioactive glass as a crosslinker. <i>Biomedical Glasses</i> , 2018, 4, 45-56.	2.4	7
13	Improved biocompatibility of polyurethane film by association with bioactive glass through ultrasonic implantation. <i>Materials Letters</i> , 2018, 223, 53-56.	1.3	4
14	Structural analysis of fluorine-containing bioactive glass nanoparticles synthesized by sol-gel route assisted by ultrasound energy. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2018, 106, 360-366.	1.6	11
15	The influence of cobalt incorporation and cobalt precursor selection on the structure and bioactivity of sol-gel-derived bioactive glass. <i>Journal of Sol-Gel Science and Technology</i> , 2018, 88, 309-321.	1.1	23
16	Nanostructured chitosan/gelatin/bioactive glass in situ forming hydrogel composites as a potential injectable matrix for bone tissue engineering. <i>Materials Chemistry and Physics</i> , 2018, 218, 304-316.	2.0	58
17	Evaluation of in vitro and in vivo biocompatibility and structure of cobalt-releasing sol-gel bioactive glass. <i>Ceramics International</i> , 2018, 44, 20337-20347.	2.3	35
18	Effect of severe plastic deformation on the biocompatibility and corrosion rate of pure magnesium. <i>Journal of Materials Science</i> , 2017, 52, 5992-6003.	1.7	77

#	ARTICLE	IF	CITATIONS
19	Sol-gel-derived manganese-releasing bioactive glass as a therapeutic approach for bone tissue engineering. <i>Journal of Materials Science</i> , 2017, 52, 8904-8927.	1.7	44
20	Novel 3D composites with highly flexible behavior based on chitosan and bioactive glass for biomedical applications. <i>Materials Chemistry and Physics</i> , 2017, 189, 1-11.	2.0	14
21	Síntese sol-gel de scaffolds porosos de vidro bioativo com adiço de agente porogênico. <i>Ceramica</i> , 2016, 62, 328-337.	0.3	0
22	Synthesis, characterization and cytotoxicity of Chitosan/Polyvinyl Alcohol/Bioactive Glass hybrid scaffolds obtained by lyophilization. <i>Revista Materia</i> , 2016, 21, 964-973.	0.1	12
23	3D NANOCOMPOSITE CHITOSAN/BIOACTIVE GLASS SCAFFOLDS OBTAINED USING TWO DIFFERENT ROUTES: AN EVALUATION OF THE POROUS STRUCTURE AND MECHANICAL PROPERTIES. <i>Química Nova</i> , 2016, , .	0.3	5
24	Thermogelling chitosan-collagen-bioactive glass nanoparticle hybrids as potential injectable systems for tissue engineering. <i>Materials Science and Engineering C</i> , 2016, 58, 1207-1216.	3.8	147
25	Chitosan and carboxymethyl-chitosan capping ligands: Effects on the nucleation and growth of hydroxyapatite nanoparticles for producing biocomposite membranes. <i>Materials Science and Engineering C</i> , 2016, 59, 265-277.	3.8	62
26	Effect of the ionic product of bioglass 60s on osteoblastic activity in canines. <i>BMC Veterinary Research</i> , 2015, 11, 247.	0.7	9
27	Matriz porosa do BV60S no tratamento de defeitos ósseos crônicos rdidos de cães. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2015, 67, 993-1002.	0.1	2
28	Comparison of the Effect of Sol-Gel and Coprecipitation Routes on the Properties and Behavior of Nanocomposite Chitosan-Bioactive Glass Membranes for Bone Tissue Engineering. <i>Journal of Nanomaterials</i> , 2015, 2015, 1-8.	1.5	4
29	Synthesis and characterization of biodegradable polyurethane films based on HDI with hydrolyzable crosslinked bonds and a homogeneous structure for biomedical applications. <i>Materials Science and Engineering C</i> , 2015, 52, 22-30.	3.8	145
30	Efeito do produto iônico do biovidro 60S na diferenciação osteogênica de células-tronco mesenquimais do tecido adiposo de cães. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2015, 67, 969-978.	0.1	5
31	Synthesis and characterization of bioactive glass particles using an ultrasound-assisted sol-gel process: Engineering the morphology and size of sonogels via a poly(ethylene glycol) dispersing agent. <i>Materials Letters</i> , 2014, 133, 44-48.	1.3	17
32	Synergistic effect between bioactive glass foam and a perfusion bioreactor on osteogenic differentiation of human adipose stem cells. <i>Journal of Biomedical Materials Research - Part A</i> , 2014, 102, 818-827.	2.1	20
33	Characterization of Hybrid Bioactive Glass-polyvinyl Alcohol Scaffolds Containing a PTHrP-derived Pentapeptide as Implants for Tissue Engineering Applications. <i>Open Biomedical Engineering Journal</i> , 2014, 8, 20-27.	0.7	10
34	Synthesis, characterization and cytocompatibility of spherical bioactive glass nanoparticles for potential hard tissue engineering applications. <i>Biomedical Materials (Bristol)</i> , 2013, 8, 025011.	1.7	77
35	Osteogenic differentiation of bone marrow mesenchymal stem cells of ovariectomized and non-ovariectomized female rats with thyroid dysfunction. <i>Pathology Research and Practice</i> , 2013, 209, 44-51.	1.0	12
36	Bioactive Glass Nanoparticles for Periodontal Regeneration and Applications in Dentistry. , 2013, , 299-322.		6

#	ARTICLE	IF	CITATIONS
37	Mechanical Behavior of Nanostructured Hybrids Based on Poly(Vinyl Alcohol)/Bioactive Glass Reinforced with Functionalized Carbon Nanotubes. <i>Journal of Nanomaterials</i> , 2012, 2012, 1-9.	1.5	7
38	Engineered Hybrid Scaffolds of Poly(vinyl alcohol)/Bioactive Glass for Potential Bone Engineering Applications: Synthesis, Characterization, Cytocompatibility, and Degradation. <i>Journal of Nanomaterials</i> , 2012, 2012, 1-16.	1.5	32
39	<i>In vitro</i> and <i>in vivo</i> osteogenic potential of bioactive glass/PVA hybrid scaffolds colonized by mesenchymal stem cells. <i>Biomedical Materials (Bristol)</i> , 2012, 7, 015004.	1.7	37
40	Characterization and induction of cementoblast cell proliferation by bioactive glass nanoparticles. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2012, 6, 813-821.	1.3	47
41	Development of biodegradable polyurethane and bioactive glass nanoparticles scaffolds for bone tissue engineering applications. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2012, 100B, 1387-1396.	1.6	43
42	3D-macroporous hybrid scaffolds for tissue engineering: Network design and mathematical modeling of the degradation kinetics. <i>Materials Science and Engineering C</i> , 2012, 32, 404-415.	3.8	18
43	Hybrid Matrix Grafts to Favor Tissue Regeneration in Rabbit Femur Bone Lesions. <i>Open Biomedical Engineering Journal</i> , 2012, 6, 85-91.	0.7	5
44	Synthesis and characterization of chitosan-polyvinyl alcohol-bioactive glass hybrid membranes. <i>Biomatter</i> , 2011, 1, 114-119.	2.6	31
45	Orthopedic implant of a polyhydroxybutyrate (PHB) and hydroxyapatite composite in cats. <i>Journal of Feline Medicine and Surgery</i> , 2011, 13, 546-552.	0.6	17
46	The effect of bioactive glass nanoparticles on the behavior of human periodontal ligament cells. <i>Dental Materials</i> , 2011, 27, e42-e43.	1.6	4
47	Attachment and Proliferation of Human-Adipose-Tissue-Derived Stem Cells on Bioactive Glass/PVA Hybrid Scaffolds. <i>ISRN Materials Science</i> , 2011, 2011, 1-7.	1.0	3
48	Effect of a Three-Dimensional Chitosan Porous Scaffold on the Differentiation of Mesenchymal Stem Cells into Chondrocytes. <i>Cells Tissues Organs</i> , 2010, 191, 119-128.	1.3	52
49	Effect of polyvinyl alcohol content and after synthesis neutralization on structure, mechanical properties and cytotoxicity of sol-gel derived hybrid foams. <i>Materials Research</i> , 2009, 12, 239-244.	0.6	26
50	Effects of extracellular calcium concentration on the glutamate release by bioactive glass (BG60S) preincubated osteoblasts. <i>Biomedical Materials (Bristol)</i> , 2009, 4, 045011.	1.7	54
51	Effect of the degree of clay delamination on the phase morphology, surface chemical aspects, and properties of hydrolyzable polyurethanes for periodontal regeneration. <i>Journal of Applied Polymer Science</i> , 2009, 114, 254-263.	1.3	11
52	Synthesis, neutralization and blocking procedures of organic/inorganic hybrid scaffolds for bone tissue engineering applications. <i>Journal of Materials Science: Materials in Medicine</i> , 2009, 20, 529-535.	1.7	20
53	Properties and biocompatibility of chitosan films modified by blending with PVA and chemically crosslinked. <i>Journal of Materials Science: Materials in Medicine</i> , 2009, 20, 553-561.	1.7	184
54	Acid character control of bioactive glass/polyvinyl alcohol hybrid foams produced by sol-gel. <i>Journal of Sol-Gel Science and Technology</i> , 2008, 47, 335-346.	1.1	16

#	ARTICLE	IF	CITATIONS
55	Morphological, mechanical, and biocompatibility characterization of macroporous alumina scaffolds coated with calcium phosphate/PVA. <i>Journal of Materials Science</i> , 2008, 43, 510-524.	1.7	35
56	Sol-gel derived composite from bioactive glass-polyvinyl alcohol. <i>Journal of Materials Science</i> , 2008, 43, 494-502.	1.7	57
57	In vivo evaluation of bioactive glass foams associated with platelet-rich plasma in bone defects. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2008, 2, 221-227.	1.3	25
58	Comparative Effect of the Ionic Products from Bioactive Glass Dissolution on the Behavior of Cementoblasts, Osteoblasts, and Fibroblasts. <i>Key Engineering Materials</i> , 2008, 396-398, 55-59.	0.4	6
59	Hybrid Bioactive Glass-Polyvinyl Alcohol Prepared by Sol-Gel. <i>Materials Science Forum</i> , 2008, 587-588, 62-66.	0.3	1
60	Effect of Increasing Polyvinyl Alcohol Content on the Prous Structure and Mechanical Properties of Sol-Gel Derived Hybrids Foams. <i>Key Engineering Materials</i> , 2007, 361-363, 555-558.	0.4	2
61	Tailoring Mechanical Behavior of PVA-Bioactive Glass Hybrid Foams. <i>Key Engineering Materials</i> , 2007, 361-363, 289-292.	0.4	3
62	Synthesis and Characterization of Silica-Chitosan Porous Hybrids for Tissue Engineering. <i>Key Engineering Materials</i> , 2007, 361-363, 967-970.	0.4	8
63	Preparation of hybrid biomaterials for bone tissue engineering. <i>Materials Research</i> , 2007, 10, 21-26.	0.6	41
64	Characterization of calcium phosphate coating and zinc incorporation on the porous alumina scaffolds. <i>Materials Research</i> , 2007, 10, 27-29.	0.6	5
65	Avaliação das propriedades mecânicas de espumas híbridas de vidro bioativo/polímero polivinílico para aplicação em engenharia de tecidos. <i>Revista Materia</i> , 2007, 12, 140-149.	0.1	1
66	BG60S dissolution interferes with osteoblast calcium signals. <i>Journal of Materials Science: Materials in Medicine</i> , 2007, 18, 265-271.	1.7	6
67	Evaluation of Biocompatibility for Porous Bioactive Glass Scaffolds. <i>Key Engineering Materials</i> , 2006, 309-311, 1035-1038.	0.4	0
68	Sol-gel synthesis of bioactive glass scaffolds for tissue engineering: Effect of surfactant type and concentration. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2005, 75B, 451-456.	1.6	67
69	Primary osteoblast cell response to sol-gel derived bioactive glass foams. <i>Journal of Materials Science: Materials in Medicine</i> , 2005, 16, 851-856.	1.7	52
70	Apatite formation on poly(2-hydroxyethyl methacrylate)-silica hybrids prepared by sol-gel process. <i>Journal of Materials Science: Materials in Medicine</i> , 2005, 16, 927-932.	1.7	22
71	Preparation of bioactive glass-polyvinyl alcohol hybrid foams by the sol-gel method. <i>Journal of Materials Science: Materials in Medicine</i> , 2005, 16, 1045-1050.	1.7	93
72	Cytotoxicity Evaluation of Bioactive Glass-Polyvinyl Alcohol Hybrid Foams Prepared by the Sol-Gel Method. <i>Key Engineering Materials</i> , 2005, 284-286, 589-592.	0.4	5

#	ARTICLE	IF	CITATIONS
73	Glutamate Release by Osteoblasts in the Presence of Ionic Products from Bioactive Glass 60S. Key Engineering Materials, 2005, 284-286, 537-540.	0.4	0
74	XRD, SEM/EDX and FTIR Characterization of Brazilian Natural Coral. Key Engineering Materials, 2005, 284-286, 43-46.	0.4	7
75	Mechanical Behavior of Bioactive Glass-Polyvinyl Alcohol Hybrid Foams Obtained by the Sol-Gel Process. Key Engineering Materials, 2005, 284-286, 757-760.	0.4	2
76	Bioactive glass and hybrid scaffolds prepared by sol-gel method for bone tissue engineering. Advances in Applied Ceramics, 2005, 104, 35-42.	0.6	115
77	Using the Nanostructure of Segmented Polyurethanes as a Template in the Fabrication of Nanocomposites. Macromolecules, 2005, 38, 4058-4060.	2.2	13
78	The Effect of Surface Treatment and Corrosive Etching on Flexural Strength of a Dental Porcelain. Key Engineering Materials, 2004, 254-256, 809-812.	0.4	0
79	Effects of Bioactive Glass 60S and Biphasic Calcium Phosphate on Human Peripheral Blood Mononuclear Cells. Key Engineering Materials, 2004, 254-256, 841-844.	0.4	1
80	Calcium phosphate formation on alkali-treated titanium alloy and stainless steel. Materials Research, 2004, 7, 299-303.	0.6	21
81	The effect of ionic products from bioactive glass dissolution on osteoblast proliferation and collagen production. Biomaterials, 2004, 25, 2941-2948.	5.7	468
82	Effect of biphasic calcium phosphate on human macrophage functions in vitro. Journal of Biomedical Materials Research Part B, 2003, 65A, 475-481.	3.0	30
83	Structure and Dosimetric Analysis of Biodegradable Glasses for Prostate Cancer Treatment. Artificial Organs, 2003, 27, 432-436.	1.0	32
84	Dosimetric Analysis and Characterisation of Radioactive Seeds Produced by the Sol-Gel Method. Key Engineering Materials, 2003, 240-242, 579-582.	0.4	12
85	In Vitro Study of Apatite Precipitation on Poly(2-Hydroxyethyl Methacrylate)-Silica Hybrids with Controlled Surface Areas. Key Engineering Materials, 2003, 240-242, 195-200.	0.4	0
86	Effect of the Type of Surfactant on Bioactive Glasses Foam Formation. Key Engineering Materials, 2003, 240-242, 257-260.	0.4	7
87	Cytological and Biochemical Evaluation of Osteoblast in Contact with Ionic Products of Bioactive Ceramics. Key Engineering Materials, 2003, 240-242, 703-706.	0.4	1
88	Characteristic of Osteoblast Vacuole Formation in the Presence of Ionic Products from BG60S Dissolution. Key Engineering Materials, 2003, 254-256, 773-776.	0.4	1
89	Preparation and biocompatibility of poly (methyl methacrylate) reinforced with bioactive particles. Materials Research, 2003, 6, 311-315.	0.6	17
90	Analysis of bioactive glasses obtained by sol-gel processing for radioactive implants. Materials Research, 2003, 6, 123-127.	0.6	25

#	ARTICLE	IF	CITATIONS
91	FTIR and UV-Vis study of chemically engineered biomaterial surfaces for protein immobilization. Spectroscopy, 2002, 16, 351-360.	0.8	72
92	Propriedades biomec�nicas da f�scia lata e do ligamento cruzado cranial de c�es. Arquivo Brasileiro De Medicina Veterinaria E Zootecnia, 2001, 53, 27-36.	0.1	3
93	Structural analysis of hydroxyapatite/bioactive glass composite coatings obtained by plasma spray processing. Journal of Non-Crystalline Solids, 1999, 247, 64-68.	1.5	25
94	Avalia�o da influ�ncia dos par�metros de spray a plasma sobre a cristalinidade de recobrimentos de hidroxiapatita. Ceramica, 1999, 45, 128-132.	0.3	1
95	Mechanisms of hydroxyapatite formation on porous gel-silica substrates. Journal of Sol-Gel Science and Technology, 1996, 7, 59-68.	1.1	182
96	Effect of Texture on the Rate of Hydroxyapatite Formation on Gel-Silica Surface. Journal of the American Ceramic Society, 1995, 78, 2463-2468.	1.9	230
97	Calcium phosphate formation on sol-gel-derived bioactive glasses in vitro. Journal of Biomedical Materials Research Part B, 1994, 28, 693-698.	3.0	329
98	&lt;i>In Vitro&/i> and &lt;i>In Vivo&/i> Evaluation of Bioactive Glass/PVA Porous Hybrids for Application in Bone Reconstruction. Key Engineering Materials, 0, 396-398, 671-674.	0.4	1
99	Application of Fluorine Containing Bioactive Glass Nanoparticles in Dentin Hypersensitivity Treatment. Key Engineering Materials, 0, 696, 103-107.	0.4	6