

# Kaoru Maruta

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1854015/publications.pdf>

Version: 2024-02-01

82  
papers

4,144  
citations

159585

30  
h-index

114465

63  
g-index

82  
all docs

82  
docs citations

82  
times ranked

1318  
citing authors

#	ARTICLE	IF	CITATIONS
1	Study on Products from Fuel-rich Methane Combustion near Sooting Limit Temperature Region and Importance of Methyl Radicals for the Formation of First Aromatic Rings. Combustion Science and Technology, 2022, 194, 832-849.	2.3	6
2	Study on oxidation and pyrolysis of carbonate esters using a micro flow reactor with a controlled temperature profile. Part I: Reactivities of dimethyl carbonate, ethyl methyl carbonate and diethyl carbonate. Combustion and Flame, 2022, 237, 111810.	5.2	21
3	Study on oxidation and pyrolysis of carbonate esters using a micro flow reactor with a controlled temperature profile. Part II: Chemical kinetic modeling of ethyl methyl carbonate. Combustion and Flame, 2022, 238, 111878.	5.2	16
4	Effects of mixture composition on oxidation and reactivity of DME/NH <sub>3</sub> /air mixtures examined by a micro flow reactor with a controlled temperature profile. Combustion and Flame, 2022, 238, 111911.	5.2	20
5	Thermal partial oxidation of n-butane in a micro-flow reactor and solid oxide fuel cell stability assessment. Energy Conversion and Management, 2022, 254, 115222.	9.2	9
6	Dynamics of ball-like flames in extremely low-speed counterflow field in near-lean limit low-Lewis number mixture. Proceedings of the Combustion Institute, 2021, 38, 1965-1972.	3.9	5
7	2D computations of FRI with cool flames for n-heptane/air mixture. Proceedings of the Combustion Institute, 2021, 38, 2247-2255.	3.9	7
8	Two-dimensional laboratory-scale DNS for knocking experiment using n-heptane at engine-like condition. Combustion and Flame, 2021, 223, 330-336.	5.2	11
9	Study on methane oxidation affected by dimethyl ether oxidation at low temperatures using a micro flow reactor with a controlled temperature profile. Combustion and Flame, 2021, 223, 320-329.	5.2	6
10	Effects of blending ratios on the reactivities of CH <sub>2</sub> F <sub>2</sub> /C <sub>2</sub> H <sub>5</sub> F refrigerant blends. Proceedings of the Combustion Institute, 2021, 38, 2487-2495.	3.9	3
11	Reactivity of CO/H <sub>2</sub> /CH <sub>4</sub> /Air Mixtures Derived from In-Cylinder Fuel Reformation Examined by a Micro Flow Reactor with a Controlled Temperature Profile. Combustion Science and Technology, 2021, 193, 266-279.	2.3	3
12	Study of high-temperature oxygen combustion (HiTOx) and its heating performance using a laboratory-scale test furnace. Applied Thermal Engineering, 2021, 194, 117077.	6.0	4
13	Investigation of microcombustion reforming of ethane/air and micro-Tubular Solid Oxide Fuel Cells. Journal of Power Sources, 2020, 450, 227606.	7.8	16
14	Impact of low concentration hydrocarbons in natural gas on thermal partial oxidation in a micro-flow reactor for solid oxide fuel cell applications. Journal of Power Sources, 2020, 477, 229007.	7.8	13
15	Oxidation of a C <sub>2</sub> H <sub>5</sub> F <sub>5</sub> /air mixture examined by weak flames in a micro flow reactor with a controlled temperature profile. Combustion and Flame, 2020, 217, 12-20.	5.2	9
16	Investigation of the chemical and dilution effects of major EGR constituents on the reactivity of PRF by weak flames in a micro flow reactor with a controlled temperature profile. Combustion and Flame, 2019, 209, 13-26.	5.2	15
17	Initial-stage reaction of methane examined by optical measurements of weak flames in a micro flow reactor with a controlled temperature profile. Combustion and Flame, 2019, 206, 292-307.	5.2	9
18	Analysis of kinetic models for rich to ultra-rich premixed CH <sub>4</sub> /air weak flames using a micro flow reactor with a controlled temperature profile. Combustion and Flame, 2019, 206, 68-82.	5.2	16

#	ARTICLE	IF	CITATIONS
19	A novel reactivity index for SI engine fuels by separated weak flames in a micro flow reactor with a controlled temperature profile. <i>Fuel</i> , 2019, 245, 429-437.	6.4	7
20	Multi-stage oxidation of a CH <sub>2</sub> F <sub>2</sub> /air mixture examined by weak flames in a micro flow reactor with a controlled temperature profile. <i>Combustion and Flame</i> , 2019, 201, 140-147.	5.2	15
21	Microcombustion for micro-tubular flame-assisted fuel cell power and heat cogeneration. <i>Journal of Power Sources</i> , 2019, 413, 191-197.	7.8	23
22	Experimental and numerical study of premixed flame penetration and propagation in multichannel system. <i>Combustion Science and Technology</i> , 2018, 190, 1023-1040.	2.3	10
23	Modelling in Ecology, Epidemiology and Evolution. <i>Mathematical Modelling of Natural Phenomena</i> , 2018, 13, E2.	2.4	0
24	Effects of n-butanol addition on sooting tendency and formation of C <sub>1</sub> –C <sub>2</sub> primary intermediates of n-heptane/air mixture in a micro flow reactor with a controlled temperature profile. <i>Combustion Science and Technology</i> , 2018, 190, 2066-2081.	2.3	5
25	Broken C-shaped extinction curve and near-limit flame behaviors of low Lewis number counterflow flames under microgravity. <i>Combustion and Flame</i> , 2018, 194, 343-351.	5.2	10
26	OH and CH <sub>2</sub> O Laser-Induced Fluorescence Measurements for Hydrogen Flames and Methane, n-Butane, and Dimethyl Ether Weak Flames in a Micro Flow Reactor with a Controlled Temperature Profile. <i>Energy &amp; Fuels</i> , 2017, 31, 2298-2307.	5.1	14
27	Flammability limit of moderate- and low-stretched premixed flames stabilized in planar channel. <i>Combustion and Flame</i> , 2017, 185, 261-264.	5.2	8
28	Ultra-lean combustion characteristics of premixed methane flames in a micro flow reactor with a controlled temperature profile. <i>Proceedings of the Combustion Institute</i> , 2017, 36, 4227-4233.	3.9	18
29	Study on sooting behavior of premixed C <sub>1</sub> –C <sub>4</sub> n-alkanes/air flames using a micro flow reactor with a controlled temperature profile. <i>Combustion and Flame</i> , 2016, 174, 100-110.	5.2	28
30	Effects of CO-to-H <sub>2</sub> ratio and diluents on ignition properties of syngas examined by weak flames in a micro flow reactor with a controlled temperature profile. <i>Combustion and Flame</i> , 2016, 172, 94-104.	5.2	22
31	Study on the combustion limit, near-limit extinction boundary, and flame regimes of low-Lewis-number CH <sub>4</sub> /O <sub>2</sub> /CO <sub>2</sub> counterflow flames under microgravity. <i>Combustion and Flame</i> , 2016, 172, 13-19.	5.2	10
32	Diffusive–thermal oscillations of rich premixed hydrogen–air flames in a microflow reactor. <i>Combustion Theory and Modelling</i> , 2016, 20, 313-327.	1.9	9
33	Study on combustion and ignition characteristics of ethylene, propylene, 1-butene and 1-pentene in a micro flow reactor with a controlled temperature profile. <i>Combustion and Flame</i> , 2016, 163, 209-219.	5.2	36
34	Fundamental combustion characteristics of lifted flames in high-temperature oxygen combustion condition. <i>The Proceedings of the Thermal Engineering Conference</i> , 2016, 2016, E213.	0.0	0
35	Effect of radical quenching on CH <sub>4</sub> /air flames in a micro flow reactor with a controlled temperature profile. <i>Proceedings of the Combustion Institute</i> , 2015, 35, 3389-3396.	3.9	69
36	Characteristics of n-butane weak flames at elevated pressures in a micro flow reactor with a controlled temperature profile. <i>Proceedings of the Combustion Institute</i> , 2015, 35, 3405-3412.	3.9	39

#	ARTICLE	IF	CITATIONS
37	Near-lean limit combustion regimes of low-Lewis-number stretched premixed flames. <i>Combustion and Flame</i> , 2015, 162, 1712-1718.	5.2	17
38	Study on flame responses and ignition characteristics of CH <sub>4</sub> /O <sub>2</sub> /CO <sub>2</sub> mixture in a micro flow reactor with a controlled temperature profile. <i>Applied Thermal Engineering</i> , 2015, 84, 360-367.	6.0	24
39	Study on stretch extinction limits of CH <sub>4</sub> /CO <sub>2</sub> versus high temperature O <sub>2</sub> /CO <sub>2</sub> counterflow non-premixed flames. <i>Combustion and Flame</i> , 2014, 161, 1526-1536.	5.2	41
40	Soot formation characteristics and PAH formation process in a micro flow reactor with a controlled temperature profile. <i>Combustion and Flame</i> , 2014, 161, 582-591.	5.2	31
41	Study on combustion and ignition characteristics of natural gas components in a micro flow reactor with a controlled temperature profile. <i>Combustion and Flame</i> , 2014, 161, 37-48.	5.2	63
42	Extinction characteristics of CH <sub>4</sub> /O <sub>2</sub> /Xe radiative counterflow planar premixed flames and their transition to ball-like flames. <i>Combustion and Flame</i> , 2013, 160, 1235-1241.	5.2	17
43	The effect of the blockage ratio on the blow-off limit of a hydrogen/air flame in a planar micro-combustor with a bluff body. <i>International Journal of Hydrogen Energy</i> , 2013, 38, 11438-11445.	7.1	77
44	Cellular and sporadic flame regimes of low-Lewis-number stretched premixed flames. <i>Proceedings of the Combustion Institute</i> , 2013, 34, 981-988.	3.9	16
45	Interactions between heat transfer, flow field and flame stabilization in a micro-combustor with a bluff body. <i>International Journal of Heat and Mass Transfer</i> , 2013, 66, 72-79.	4.8	100
46	Study on pressure dependences of ethanol oxidation by separated weak flames in a micro flow reactor with a controlled temperature profile. <i>Proceedings of the Combustion Institute</i> , 2013, 34, 3435-3443.	3.9	23
47	Study on cetane number dependence of diesel surrogates/air weak flames in a micro flow reactor with a controlled temperature profile. <i>Proceedings of the Combustion Institute</i> , 2013, 34, 3411-3417.	3.9	46
48	Characteristics of n-heptane and toluene weak flames in a micro flow reactor with a controlled temperature profile. <i>Proceedings of the Combustion Institute</i> , 2013, 34, 3419-3426.	3.9	44
49	Experimental investigation of flame pattern transitions in a heated radial micro-channel. <i>Applied Thermal Engineering</i> , 2012, 47, 111-118.	6.0	19
50	Experimental and numerical investigation on combustion characteristics of premixed hydrogen/air flame in a micro-combustor with a bluff body. <i>International Journal of Hydrogen Energy</i> , 2012, 37, 19190-19197.	7.1	195
51	Study on octane number dependence of PRF/air weak flames at 1 atm in a micro flow reactor with a controlled temperature profile. <i>Combustion and Flame</i> , 2012, 159, 959-967.	5.2	62
52	Bifurcations and negative propagation speeds of methane/air premixed flames with repetitive extinction and ignition in a heated microchannel. <i>Combustion and Flame</i> , 2012, 159, 1631-1643.	5.2	69
53	Microscale combustion: Technology development and fundamental research. <i>Progress in Energy and Combustion Science</i> , 2011, 37, 669-715.	31.2	633
54	Stabilized three-stage oxidation of gaseous n-heptane/air mixture in a micro flow reactor with a controlled temperature profile. <i>Proceedings of the Combustion Institute</i> , 2011, 33, 3259-3266.	3.9	97

#	ARTICLE	IF	CITATIONS
55	Stabilized three-stage oxidation of DME/air mixture in a micro flow reactor with a controlled temperature profile. <i>Combustion and Flame</i> , 2010, 157, 1572-1580.	5.2	97
56	Experimental investigation on flame pattern formations of DME-air mixtures in a radial microchannel. <i>Combustion and Flame</i> , 2010, 157, 1637-1642.	5.2	22
57	Filtration Combustion of Methane in High-Porosity Micro-Fibrous Media. <i>Combustion Science and Technology</i> , 2009, 181, 654-669.	2.3	47
58	Lower limit of weak flame in a heated channel. <i>Proceedings of the Combustion Institute</i> , 2009, 32, 3075-3081.	3.9	78
59	Heat diffusion characteristics of magnetite nanoparticles dispersed hydro-gel in alternating magnetic field. <i>Journal of Magnetism and Magnetic Materials</i> , 2009, 321, 3483-3487.	2.3	10
60	Extinction Characteristics of Premixed Flame in Heated Microchannel at Reduced Pressures. <i>Combustion Science and Technology</i> , 2008, 180, 2029-2045.	2.3	14
61	Experimental investigations on the combustion behavior of methane-air mixtures in a micro-scale radial combustor configuration. <i>Journal of Micromechanics and Microengineering</i> , 2007, 17, 900-908.	2.6	34
62	Experimental study on flame pattern formation and combustion completeness in a radial microchannel. <i>Journal of Micromechanics and Microengineering</i> , 2007, 17, 2398-2406.	2.6	52
63	Electrostatic probe measurement in an industrial furnace for high-temperature air conditions. <i>Combustion and Flame</i> , 2007, 150, 369-379.	5.2	11
64	A numerical study on propagation of premixed flames in small tubes. <i>Combustion and Flame</i> , 2006, 146, 283-301.	5.2	107
65	Characteristics of combustion in a narrow channel with a temperature gradient. <i>Proceedings of the Combustion Institute</i> , 2005, 30, 2429-2436.	3.9	441
66	Flammability limits of stationary flames in tubes at low pressure. <i>Combustion and Flame</i> , 2005, 141, 78-88.	5.2	35
67	Flame stabilization and emission of small Swiss-roll combustors as heaters. <i>Combustion and Flame</i> , 2005, 141, 229-240.	5.2	253
68	Stabilization of pulverized coal combustion by plasma assist. <i>Thin Solid Films</i> , 2002, 407, 186-191.	1.8	25
69	Microgravity Ignition Experiment on a Droplet Array in High-Temperature Low-Speed Airflow. <i>Combustion Science and Technology</i> , 2000, 153, 169-178.	2.3	3
70	Determination of Burning Velocity and Flammability Limit of Methane/Air Mixture Using Counterflow Flames. <i>Japanese Journal of Applied Physics</i> , 1999, 38, 961-967.	1.5	14
71	A lean flammability limit of polymethylmethacrylate particle-cloud in microgravity. <i>Combustion and Flame</i> , 1999, 118, 359-369.	5.2	11
72	Effects of the Lewis number and radiative heat loss on the bifurcation and extinction of CH <sub>4</sub> /O <sub>2</sub> -N <sub>2</sub> -He flames. <i>Journal of Fluid Mechanics</i> , 1999, 379, 165-190.	3.4	81

#	ARTICLE	IF	CITATIONS
73	Flame front configuration of turbulent premixed flames. Combustion and Flame, 1998, 112, 293-301.	5.2	15
74	Flame Bifurcations and Flammable Regions of Radiative Counterflow Premixed Flames with General Lewis Numbers. Combustion and Flame, 1998, 113, 603-614.	5.2	29
75	Extinction of low-stretched diffusion flame in microgravity. Combustion and Flame, 1998, 112, 181-187.	5.2	118
76	On the extinction limit and flammability limit of non-adiabatic stretched methane-air premixed flames. Journal of Fluid Mechanics, 1997, 342, 315-334.	3.4	276
77	Turbulence measurements and observations of turbulent premixed flames at elevated pressures up to 3.0 MPa. Combustion and Flame, 1997, 108, 104-117.	5.2	114
78	Radiation extinction limit of counterflow premixed lean methane-air flames. Combustion and Flame, 1997, 109, 639-646.	5.2	94
79	Experimental study on methane-air premixed flame extinction at small stretch rates in microgravity. Proceedings of the Combustion Institute, 1996, 26, 1283-1289.	0.3	63
80	Local Reaction Zone Configuration of High Intensity Turbulent Premixed Flames. Combustion Science and Technology, 1993, 90, 267-280.	2.3	14
81	Efficiency of Microcombustion System with Thermoelectric Generator Combined with Countercurrent Heat Exchanger. Key Engineering Materials, 0, 685, 422-426.	0.4	0
82	Efficiency of the Small-Sized System with Thermo-Electrical Conversion of the Heat from Gas Combustion. Key Engineering Materials, 0, 685, 345-349.	0.4	0