

Xiang-Huo He

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1855574/xiang-huo-he-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

131
papers

11,485
citations

56
h-index

106
g-index

137
ext. papers

13,542
ext. citations

9.4
avg, IF

5.99
L-index

#	Paper	IF	Citations
131	Circular RNA is enriched and stable in exosomes: a promising biomarker for cancer diagnosis. <i>Cell Research</i> , 2015 , 25, 981-4	24.7	1288
130	Circular RNA profiling reveals an abundant circHIPK3 that regulates cell growth by sponging multiple miRNAs. <i>Nature Communications</i> , 2016 , 7, 11215	17.4	1242
129	IKK beta suppression of TSC1 links inflammation and tumor angiogenesis via the mTOR pathway. <i>Cell</i> , 2007 , 130, 440-55	56.2	514
128	Circular RNA profile identifies circPVT1 as a proliferative factor and prognostic marker in gastric cancer. <i>Cancer Letters</i> , 2017 , 388, 208-219	9.9	487
127	Degradation of Mcl-1 by beta-TrCP mediates glycogen synthase kinase 3-induced tumor suppression and chemosensitization. <i>Molecular and Cellular Biology</i> , 2007 , 27, 4006-17	4.8	316
126	Multiple microRNAs modulate p21Cip1/Waf1 expression by directly targeting its 3' untranslated region. <i>Oncogene</i> , 2010 , 29, 2302-8	9.2	306
125	exoRBase: a database of circRNA, lncRNA and mRNA in human blood exosomes. <i>Nucleic Acids Research</i> , 2018 , 46, D106-D112	20.1	275
124	Gain of miR-151 on chromosome 8q24.3 facilitates tumour cell migration and spreading through downregulating RhoGDI. <i>Nature Cell Biology</i> , 2010 , 12, 390-9	23.4	265
123	Diagnostic and prognostic implications of microRNAs in human hepatocellular carcinoma. <i>International Journal of Cancer</i> , 2008 , 123, 1616-22	7.5	250
122	MicroRNA-148a suppresses tumor cell invasion and metastasis by downregulating ROCK1 in gastric cancer. <i>Clinical Cancer Research</i> , 2011 , 17, 7574-83	12.9	221
121	MicroRNA-193a-3p and -5p suppress the metastasis of human non-small-cell lung cancer by downregulating the ERBB4/PIK3R3/mTOR/S6K2 signaling pathway. <i>Oncogene</i> , 2015 , 34, 413-23	9.2	213
120	MicroRNA-125b suppressed human liver cancer cell proliferation and metastasis by directly targeting oncogene LIN28B2. <i>Hepatology</i> , 2010 , 52, 1731-40	11.2	207
119	The role of microRNAs in liver cancer progression. <i>British Journal of Cancer</i> , 2011 , 104, 235-40	8.7	188
118	Upregulation of miR-23a approximately 27a approximately 24 decreases transforming growth factor-beta-induced tumor-suppressive activities in human hepatocellular carcinoma cells. <i>International Journal of Cancer</i> , 2008 , 123, 972-8	7.5	178
117	MicroRNA-30d promotes tumor invasion and metastasis by targeting Galphai2 in hepatocellular carcinoma. <i>Hepatology</i> , 2010 , 51, 846-56	11.2	177
116	MiR-199a-5p is negatively associated with malignancies and regulates glycolysis and lactate production by targeting hexokinase 2 in liver cancer. <i>Hepatology</i> , 2015 , 62, 1132-44	11.2	158
115	Myeloid cell leukemia-1 inversely correlates with glycogen synthase kinase-3beta activity and associates with poor prognosis in human breast cancer. <i>Cancer Research</i> , 2007 , 67, 4564-71	10.1	158

114	Long noncoding RNA TSLNC8 is a tumor suppressor that inactivates the interleukin-6/STAT3 signaling pathway. <i>Hepatology</i> , 2018 , 67, 171-187	11.2	146
113	Hypoxia-inducible microRNA-210 augments the metastatic potential of tumor cells by targeting vacuole membrane protein 1 in hepatocellular carcinoma. <i>Hepatology</i> , 2011 , 54, 2064-75	11.2	146
112	Increased expression of long noncoding RNA TUG1 predicts a poor prognosis of gastric cancer and regulates cell proliferation by epigenetically silencing of p57. <i>Cell Death and Disease</i> , 2016 , 7, e2109	9.8	125
111	Hypoxia-inducible factor 1 alpha-activated angiopoietin-like protein 4 contributes to tumor metastasis via vascular cell adhesion molecule-1/integrin β signaling in human hepatocellular carcinoma. <i>Hepatology</i> , 2011 , 54, 910-9	11.2	119
110	MicroRNA-95 promotes cell proliferation and targets sorting Nexin 1 in human colorectal carcinoma. <i>Cancer Research</i> , 2011 , 71, 2582-9	10.1	119
109	Disruption of xCT inhibits cancer cell metastasis via the caveolin-1/beta-catenin pathway. <i>Oncogene</i> , 2009 , 28, 599-609	9.2	119
108	CXCR6 upregulation contributes to a proinflammatory tumor microenvironment that drives metastasis and poor patient outcomes in hepatocellular carcinoma. <i>Cancer Research</i> , 2012 , 72, 3546-56	10.1	118
107	The LINC01138 drives malignancies via activating arginine methyltransferase 5 in hepatocellular carcinoma. <i>Nature Communications</i> , 2018 , 9, 1572	17.4	116
106	MetaLnc9 Facilitates Lung Cancer Metastasis via a PGK1-Activated AKT/mTOR Pathway. <i>Cancer Research</i> , 2017 , 77, 5782-5794	10.1	110
105	Genome-wide screening reveals that miR-195 targets the TNF- α /NF- κ B pathway by down-regulating I κ B kinase alpha and TAB3 in hepatocellular carcinoma. <i>Hepatology</i> , 2013 , 58, 654-66	11.2	107
104	Comprehensive transcriptome analysis identifies novel molecular subtypes and subtype-specific RNAs of triple-negative breast cancer. <i>Breast Cancer Research</i> , 2016 , 18, 33	8.3	106
103	Long noncoding RNA miR503HG, a prognostic indicator, inhibits tumor metastasis by regulating the HNRNPA2B1/NF- κ B pathway in hepatocellular carcinoma. <i>Theranostics</i> , 2018 , 8, 2814-2829	12.1	103
102	MicroRNA-409 suppresses tumour cell invasion and metastasis by directly targeting radixin in gastric cancers. <i>Oncogene</i> , 2012 , 31, 4509-16	9.2	101
101	Extracellular Vesicles Long RNA Sequencing Reveals Abundant mRNA, circRNA, and lncRNA in Human Blood as Potential Biomarkers for Cancer Diagnosis. <i>Clinical Chemistry</i> , 2019 , 65, 798-808	5.5	99
100	MiR-181a confers resistance of cervical cancer to radiation therapy through targeting the pro-apoptotic PRKCD gene. <i>Oncogene</i> , 2013 , 32, 3019-27	9.2	96
99	miRNA-200c inhibits invasion and metastasis of human non-small cell lung cancer by directly targeting ubiquitin specific peptidase 25. <i>Molecular Cancer</i> , 2014 , 13, 166	42.1	94
98	MicroRNA-423 promotes cell growth and regulates G(1)/S transition by targeting p21Cip1/Waf1 in hepatocellular carcinoma. <i>Carcinogenesis</i> , 2011 , 32, 1641-7	4.6	93
97	MicroRNA-30d-5p inhibits tumour cell proliferation and motility by directly targeting CCNE2 in non-small cell lung cancer. <i>Cancer Letters</i> , 2015 , 362, 208-17	9.9	92

96	Activating mutations in PTPN3 promote cholangiocarcinoma cell proliferation and migration and are associated with tumor recurrence in patients. <i>Gastroenterology</i> , 2014 , 146, 1397-407	13.3	92
95	Genome-wide copy number analyses identified novel cancer genes in hepatocellular carcinoma. <i>Hepatology</i> , 2011 , 54, 1227-36	11.2	91
94	Sphingosine kinase 1 promotes tumour cell migration and invasion via the S1P/EDG1 axis in hepatocellular carcinoma. <i>Liver International</i> , 2012 , 32, 331-8	7.9	80
93	Exome sequencing of hepatoblastoma reveals novel mutations and cancer genes in the Wnt pathway and ubiquitin ligase complex. <i>Hepatology</i> , 2014 , 60, 1686-96	11.2	78
92	Histone lysine methyltransferase, suppressor of variegation 3-9 homolog 1, promotes hepatocellular carcinoma progression and is negatively regulated by microRNA-125b. <i>Hepatology</i> , 2013 , 57, 637-47	11.2	76
91	Knockdown of splicing factor SRp20 causes apoptosis in ovarian cancer cells and its expression is associated with malignancy of epithelial ovarian cancer. <i>Oncogene</i> , 2011 , 30, 356-65	9.2	72
90	Comprehensive characterization of circular RNAs in ~ 1000 human cancer cell lines. <i>Genome Medicine</i> , 2019 , 11, 55	14.4	70
89	Disruption of xCT inhibits cell growth via the ROS/autophagy pathway in hepatocellular carcinoma. <i>Cancer Letters</i> , 2011 , 312, 55-61	9.9	69
88	MicroRNA-181a modulates gene expression of zinc finger family members by directly targeting their coding regions. <i>Nucleic Acids Research</i> , 2010 , 38, 7211-8	20.1	69
87	Involvement of polypyrimidine tract-binding protein (PTBP1) in maintaining breast cancer cell growth and malignant properties. <i>Oncogenesis</i> , 2014 , 3, e84	6.6	68
86	MicroRNA-1285 inhibits the expression of p53 by directly targeting its 3' untranslated region. <i>Biochemical and Biophysical Research Communications</i> , 2010 , 396, 435-9	3.4	68
85	miR-27b synergizes with anticancer drugs via p53 activation and CYP1B1 suppression. <i>Cell Research</i> , 2015 , 25, 477-95	24.7	66
84	microRNA-202-3p inhibits cell proliferation by targeting ADP-ribosylation factor-like 5A in human colorectal carcinoma. <i>Clinical Cancer Research</i> , 2014 , 20, 1146-57	12.9	63
83	MiR-200b/200c/429 subfamily negatively regulates Rho/ROCK signaling pathway to suppress hepatocellular carcinoma metastasis. <i>Oncotarget</i> , 2015 , 6, 13658-70	3.3	63
82	Acetylcholinesterase, a key prognostic predictor for hepatocellular carcinoma, suppresses cell growth and induces chemosensitization. <i>Hepatology</i> , 2011 , 53, 493-503	11.2	62
81	Genome-wide screening identified that miR-134 acts as a metastasis suppressor by targeting integrin β in hepatocellular carcinoma. <i>PLoS ONE</i> , 2014 , 9, e87665	3.7	62
80	Genome-wide analysis of long noncoding RNA (lncRNA) expression in hepatoblastoma tissues. <i>PLoS ONE</i> , 2014 , 9, e85599	3.7	59
79	Integrative analyses identify osteopontin, LAMB3 and ITGB1 as critical pro-metastatic genes for lung cancer. <i>PLoS ONE</i> , 2013 , 8, e55714	3.7	59

78	MicroRNA-135b, a HSF1 target, promotes tumor invasion and metastasis by regulating RECK and EVI5 in hepatocellular carcinoma. <i>Oncotarget</i> , 2015 , 6, 2421-33	3.3	59
77	miR-192, a prognostic indicator, targets the SLC39A6/SNAIL pathway to reduce tumor metastasis in human hepatocellular carcinoma. <i>Oncotarget</i> , 2016 , 7, 2672-83	3.3	58
76	Plasma extracellular vesicle long RNA profiling identifies a diagnostic signature for the detection of pancreatic ductal adenocarcinoma. <i>Gut</i> , 2020 , 69, 540-550	19.2	56
75	Development of a highly metastatic model that reveals a crucial role of fibronectin in lung cancer cell migration and invasion. <i>BMC Cancer</i> , 2010 , 10, 364	4.8	55
74	MicroRNA-124 reduces the pentose phosphate pathway and proliferation by targeting PRPS1 and RPIA mRNAs in human colorectal cancer cells. <i>Gastroenterology</i> , 2015 , 149, 1587-1598.e11	13.3	53
73	Programmed death ligand 1 promotes lymph node metastasis and glucose metabolism in cervical cancer by activating integrin α /SNAI1/SIRT3 signaling pathway. <i>Oncogene</i> , 2018 , 37, 4164-4180	9.2	52
72	Transcriptome-Wide Analysis Reveals the Landscape of Aberrant Alternative Splicing Events in Liver Cancer. <i>Hepatology</i> , 2019 , 69, 359-375	11.2	51
71	TRIM35 Interacts with pyruvate kinase isoform M2 to suppress the Warburg effect and tumorigenicity in hepatocellular carcinoma. <i>Oncogene</i> , 2015 , 34, 3946-56	9.2	50
70	MicroRNA-550a acts as a pro-metastatic gene and directly targets cytoplasmic polyadenylation element-binding protein 4 in hepatocellular carcinoma. <i>PLoS ONE</i> , 2012 , 7, e48958	3.7	50
69	The endogenous retrovirus-derived long noncoding RNA TROJAN promotes triple-negative breast cancer progression via ZMYND8 degradation. <i>Science Advances</i> , 2019 , 5, eaat9820	14.3	49
68	Choline transporters in human lung adenocarcinoma: expression and functional implications. <i>Acta Biochimica Et Biophysica Sinica</i> , 2007 , 39, 668-74	2.8	46
67	Hypoxia induced LUCAT1/PTBP1 axis modulates cancer cell viability and chemotherapy response. <i>Molecular Cancer</i> , 2020 , 19, 11	42.1	45
66	Amplification of MPZL1/PZR promotes tumor cell migration through Src-mediated phosphorylation of cortactin in hepatocellular carcinoma. <i>Cell Research</i> , 2014 , 24, 204-17	24.7	45
65	MicroRNA-127-5p targets the biliverdin reductase B/nuclear factor- κ B pathway to suppress cell growth in hepatocellular carcinoma cells. <i>Cancer Science</i> , 2016 , 107, 258-66	6.9	44
64	Co-expression of PKM2 and TRIM35 predicts survival and recurrence in hepatocellular carcinoma. <i>Oncotarget</i> , 2015 , 6, 2538-48	3.3	44
63	GNAI1 Suppresses Tumor Cell Migration and Invasion and is Post-Transcriptionally Regulated by Mir-320a/c/d in Hepatocellular Carcinoma. <i>Cancer Biology and Medicine</i> , 2012 , 9, 234-41	5.2	43
62	Quantitative proteomic analysis identifies CPNE3 as a novel metastasis-promoting gene in NSCLC. <i>Journal of Proteome Research</i> , 2013 , 12, 3423-33	5.6	41
61	Quantitative proteomic analysis of the metastasis-inhibitory mechanism of miR-193a-3p in non-small cell lung cancer. <i>Cellular Physiology and Biochemistry</i> , 2015 , 35, 1677-88	3.9	40

60	NF- κ B signaling relieves negative regulation by miR-194 in hepatocellular carcinoma by suppressing the transcription factor HNF-1 α . <i>Science Signaling</i> , 2015 , 8, ra75	8.8	39
59	Analysis of acetylcholine, choline and butyrobetaine in human liver tissues by hydrophilic interaction liquid chromatography-tandem mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2008 , 47, 870-5	3.5	37
58	Arginine methylation of SIRT7 couples glucose sensing with mitochondria biogenesis. <i>EMBO Reports</i> , 2018 , 19,	6.5	37
57	MicroRNA-129-5p Regulates Glycolysis and Cell Proliferation by Targeting the Glucose Transporter SLC2A3 in Gastric Cancer Cells. <i>Frontiers in Pharmacology</i> , 2018 , 9, 502	5.6	34
56	LncRNA ID2-AS1 suppresses tumor metastasis by activating the HDAC8/ID2 pathway in hepatocellular carcinoma. <i>Cancer Letters</i> , 2020 , 469, 399-409	9.9	34
55	MiR-525-3p enhances the migration and invasion of liver cancer cells by downregulating ZNF395. <i>PLoS ONE</i> , 2014 , 9, e90867	3.7	30
54	Application of microRNA and mRNA expression profiling on prognostic biomarker discovery for hepatocellular carcinoma. <i>BMC Genomics</i> , 2014 , 15 Suppl 1, S13	4.5	29
53	GNAI3 inhibits tumor cell migration and invasion and is post-transcriptionally regulated by miR-222 in hepatocellular carcinoma. <i>Cancer Letters</i> , 2015 , 356, 978-84	9.9	28
52	Transcriptomic analyses of RNA-binding proteins reveal eIF3c promotes cell proliferation in hepatocellular carcinoma. <i>Cancer Science</i> , 2017 , 108, 877-885	6.9	27
51	SERPINA5 inhibits tumor cell migration by modulating the fibronectin-integrin β signaling pathway in hepatocellular carcinoma. <i>Molecular Oncology</i> , 2014 , 8, 366-77	7.9	26
50	Inflammation-Induced Long Intergenic Noncoding RNA (LINC00665) Increases Malignancy Through Activating the Double-Stranded RNA-Activated Protein Kinase/Nuclear Factor Kappa B Pathway in Hepatocellular Carcinoma. <i>Hepatology</i> , 2020 , 72, 1666-1681	11.2	25
49	Genome-wide analysis reveals that exon methylation facilitates its selective usage in the human transcriptome. <i>Briefings in Bioinformatics</i> , 2018 , 19, 754-764	13.4	25
48	Integrated analysis of mutation data from various sources identifies key genes and signaling pathways in hepatocellular carcinoma. <i>PLoS ONE</i> , 2014 , 9, e100854	3.7	25
47	Over-expression of c-FLIP confers the resistance to TRAIL-induced apoptosis on gallbladder carcinoma. <i>Tohoku Journal of Experimental Medicine</i> , 2009 , 217, 203-8	2.4	25
46	Macro-management of microRNAs in cell cycle progression of tumor cells and its implications in anti-cancer therapy. <i>Acta Pharmacologica Sinica</i> , 2011 , 32, 1311-20	8	23
45	microRNAs: tiny RNA molecules, huge driving forces to move the cell. <i>Protein and Cell</i> , 2010 , 1, 916-26	7.2	23
44	Molecular cloning and characterization of the human ASB-8 gene encoding a novel member of ankyrin repeat and SOCS box containing protein family. <i>Biochemical and Biophysical Research Communications</i> , 2003 , 300, 972-9	3.4	23
43	Cloning and characterization of a novel gene which encodes a protein interacting with the mitosis-associated kinase-like protein NTKL. <i>Journal of Human Genetics</i> , 2003 , 48, 315-321	4.3	22

42	Splicing Regulator p54 /Non-POU Domain-Containing Octamer-Binding Protein Enhances Carcinogenesis Through Oncogenic Isoform Switch of MYC Box-Dependent Interacting Protein 1 in Hepatocellular Carcinoma. <i>Hepatology</i> , 2020 , 72, 548-568	11.2	20
41	An LTR Retrotransposon-Derived Long Noncoding RNA IncMER52A Promotes Hepatocellular Carcinoma Progression by Binding p120-Catenin. <i>Cancer Research</i> , 2020 , 80, 976-987	10.1	20
40	Hepatic SMARCA4 predicts HCC recurrence and promotes tumour cell proliferation by regulating SMAD6 expression. <i>Cell Death and Disease</i> , 2018 , 9, 59	9.8	18
39	Ciliary neurotrophic factor receptor alpha subunit-modulated multiple downstream signaling pathways in hepatic cancer cell lines and their biological implications. <i>Hepatology</i> , 2008 , 47, 1298-308	11.2	18
38	LncRNA SNHG11 facilitates tumor metastasis by interacting with and stabilizing HIF-1. <i>Oncogene</i> , 2020 , 39, 7005-7018	9.2	18
37	Gain of LINC00624 Enhances Liver Cancer Progression by Disrupting the Histone Deacetylase 6/Tripartite Motif Containing 28/Zinc Finger Protein 354C Corepressor Complex. <i>Hepatology</i> , 2021 , 73, 1764-1782	11.2	17
36	Speckle-type POZ protein is negatively associated with malignancies and inhibits cell proliferation and migration in liver cancer. <i>Tumor Biology</i> , 2015 , 36, 9753-61	2.9	16
35	Molecular cloning and characterization of CT120, a novel membrane-associated gene involved in amino acid transport and glutathione metabolism. <i>Biochemical and Biophysical Research Communications</i> , 2002 , 297, 528-36	3.4	16
34	Role of microRNAs in inflammation-associated liver cancer. <i>Cancer Biology and Medicine</i> , 2016 , 13, 407-435	3.5	16
33	Resection of liver metastases from breast cancer: a multicentre analysis. <i>Clinical and Translational Oncology</i> , 2020 , 22, 512-521	3.6	15
32	Transcriptome analysis of luminal breast cancer reveals a role for LOL in tumor progression and tamoxifen resistance. <i>International Journal of Cancer</i> , 2019 , 145, 842-856	7.5	12
31	Predicting Value of ALCAM as a Target Gene of microRNA-483-5p in Patients with Early Recurrence in Hepatocellular Carcinoma. <i>Frontiers in Pharmacology</i> , 2017 , 8, 973	5.6	12
30	TC21 promotes cell motility and metastasis by regulating the expression of E-cadherin and N-cadherin in hepatocellular carcinoma. <i>International Journal of Oncology</i> , 2010 , 37, 853-9	4.4	12
29	Real-time imaging nuclear translocation of Akt1 in HCC cells. <i>Biochemical and Biophysical Research Communications</i> , 2007 , 356, 1038-43	3.4	12
28	Tumor-Specific Transcripts Are Frequently Expressed in Hepatocellular Carcinoma With Clinical Implication and Potential Function. <i>Hepatology</i> , 2020 , 71, 259-274	11.2	12
27	A LIN28B Tumor-Specific Transcript in Cancer. <i>Cell Reports</i> , 2018 , 22, 2016-2025	10.6	11
26	Altered gene expression profiles of NIH3T3 cells regulated by human lung cancer associated gene CT120. <i>Cell Research</i> , 2004 , 14, 487-96	24.7	11
25	Suppression of Human Liver Cancer Cell Migration and Invasion via the GABAA Receptor. <i>Cancer Biology and Medicine</i> , 2012 , 9, 90-8	5.2	11

24	HNRNPL Circularizes ARHGAP35 to Produce an Oncogenic Protein. <i>Advanced Science</i> , 2021 , 8, 2001701	13.6	11
23	B7-H4 enhances the differentiation of murine leukemia-initiating cells via the PTEN/AKT/RCOR2/RUNX1 pathways. <i>Leukemia</i> , 2017 , 31, 2260-2264	10.7	8
22	Molecular cloning and characterization of human Aph2 gene, involved in AP-1 regulation by interaction with JAB1. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 2006 , 1759, 514-25		8
21	Cloning and characterization of human IC53-2, a novel CDK5 activator binding protein. <i>Cell Research</i> , 2003 , 13, 83-91	24.7	8
20	Differential gene expression in human hepatocellular carcinoma Hep3B cells induced by apoptosis-related gene BNIPL-2. <i>World Journal of Gastroenterology</i> , 2004 , 10, 1286-91	5.6	8
19	Inactivation of the tumor suppressor p53 by long noncoding RNA RMRP. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	7
18	HCC-associated protein HCAP1, a variant of GEMIN4, interacts with zinc-finger proteins. <i>Journal of Biochemistry</i> , 2003 , 133, 713-8	3.1	6
17	A decrease in serum 1,5-anhydroglucitol levels is associated with the presence of a first-degree family history of diabetes in a Chinese population with normal glucose tolerance. <i>Diabetic Medicine</i> , 2018 , 35, 131-136	3.5	5
16	ASJA: A Program for Assembling Splice Junctions Analysis. <i>Computational and Structural Biotechnology Journal</i> , 2019 , 17, 1143-1150	6.8	5
15	Integrative analysis of transcriptional regulatory network and copy number variation in intrahepatic cholangiocarcinoma. <i>PLoS ONE</i> , 2014 , 9, e98653	3.7	4
14	Dysfunction of murine dendritic cells induced by incubation with tumor cells. <i>Cellular and Molecular Immunology</i> , 2008 , 5, 133-40	15.4	4
13	The Mutational and Transcriptional Landscapes of Hepatocarcinogenesis in a Rat Model. <i>IScience</i> , 2020 , 23, 101690	6.1	3
12	cDNA expression array analysis of gene expression in human hepatocarcinoma Hep3B cells induced by BNIPL-1. <i>Acta Biochimica Et Biophysica Sinica</i> , 2005 , 37, 618-24	2.8	3
11	CRISPR/Cas9 Screens Reveal that Hexokinase 2 Enhances Cancer Stemness and Tumorigenicity by Activating the ACSL4-Fatty Acid β Oxidation Pathway. <i>Advanced Science</i> , 2021 , 2105126	13.6	3
10	HNRNPH1-stabilized LINC00662 promotes ovarian cancer progression by activating the GRP78/p38 pathway. <i>Oncogene</i> , 2021 , 40, 4770-4782	9.2	2
9	Psychometric assessment and application of the Chinese version of the Compliance with Annual Diabetic Eye Exams Survey in people with diabetic retinopathy. <i>Diabetic Medicine</i> , 2020 , 37, 84-94	3.5	2
8	Application of third-generation sequencing in cancer research 2021 ,		1
7	A pathway-guided strategy identifies a metabolic signature for prognosis prediction and precision therapy for hepatocellular carcinoma.. <i>Computers in Biology and Medicine</i> , 2022 , 144, 105376	7	1

6	LncRNA RP11-295G20.2 regulates hepatocellular carcinoma cell growth and autophagy by targeting PTEN to lysosomal degradation.. <i>Cell Discovery</i> , 2021 , 7, 118	22.3	1
5	RNA binding protein RALY activates the cholesterol synthesis pathway through an MTA1 splicing switch in hepatocellular carcinoma.. <i>Cancer Letters</i> , 2022 , 215711	9.9	1
4	Optimized protocol for an inducible rat model of liver tumor with chronic hepatocellular injury, inflammation, fibrosis, and cirrhosis. <i>STAR Protocols</i> , 2021 , 2, 100353	1.4	0
3	SRTdb: an omnibus for human tissue and cancer-specific RNA transcripts.. <i>Biomarker Research</i> , 2022 , 10, 27	8	0
2	Systemic Dysregulation in the Development of Hepatocellular Carcinoma 2012 , 19-44		
1	Construction and selection of human anti-idiotypic antibody single chain variable fragments or CDR3 fragments of nasopharyngeal carcinoma. <i>Journal of Experimental and Clinical Cancer Research</i> , 2004 , 23, 607-15		