

Min-Kyung Yeo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1855739/publications.pdf>

Version: 2024-02-01

61
papers

891
citations

567247

15
h-index

526264

27
g-index

63
all docs

63
docs citations

63
times ranked

1633
citing authors

#	ARTICLE	IF	CITATIONS
1	ANKRD13a controls early cell-death checkpoint by interacting with RIP1 independent of NF- κ B. <i>Cell Death and Differentiation</i> , 2022, 29, 1152-1163.	11.2	6
2	Elevated CXCL12 in the plasma membrane of locally advanced rectal cancer after neoadjuvant chemoradiotherapy: a potential prognostic marker. <i>Journal of Cancer</i> , 2022, 13, 162-173.	2.5	4
3	Effectiveness of the Fibrinogen-Thrombin-Impregnated Collagen Patch in the Prevention of Postoperative Complications after Parotidectomy: A Single-Blinded, Randomized Controlled Study. <i>Journal of Clinical Medicine</i> , 2022, 11, 746.	2.4	0
4	Fully portable continuous real-time auscultation with a soft wearable stethoscope designed for automated disease diagnosis. <i>Science Advances</i> , 2022, 8, .	10.3	44
5	Characterization of Poorly Cohesive and Signet Ring Cell Carcinomas and Identification of PTPRM as a Diagnostic Marker. <i>Cancers</i> , 2022, 14, 2502.	3.7	2
6	Mesonephric-like Adenocarcinoma of the Uterine Corpus: Comprehensive Analyses of Clinicopathological, Molecular, and Prognostic Characteristics With Retrospective Review of 237 Endometrial Carcinoma Cases. <i>Cancer Genomics and Proteomics</i> , 2022, 19, 526-539.	2.0	12
7	Cosuppression of NF- κ B and AICDA Overcomes Acquired EGFR-TKI Resistance in Non-Small Cell Lung Cancer. <i>Cancers</i> , 2022, 14, 2940.	3.7	5
8	Targeting YAP- β 62 signaling axis suppresses the EGFR-TKI-resistant lung adenocarcinoma. <i>Cancer Medicine</i> , 2021, 10, 1405-1417.	2.8	10
9	Subepithelial spread of early gastric cancer is common and extends more than expected. <i>Gastric Cancer</i> , 2021, 24, 888-896.	5.3	0
10	Targeted Sequencing of Ascites and Peritoneal Washing Fluid of Patients With Gastrointestinal Cancers and Their Clinical Applications and Limitations. <i>Frontiers in Oncology</i> , 2021, 11, 712754.	2.8	7
11	Small heterodimer partner as a predictor of neoadjuvant radiochemotherapy response and survival in patients with rectal cancer: A preliminary study. <i>Oncology Letters</i> , 2021, 22, 708.	1.8	0
12	Feasibility of using the homologous parietal peritoneum as a vascular substitute for venous reconstruction during abdominal surgery: An animal model. <i>Surgery</i> , 2021, 170, 1268-1276.	1.9	4
13	Clinical Significance of Composition Changes in T-cell Subpopulations After Chemotherapy in Patients With Gastric Cancer. <i>In Vivo</i> , 2021, 35, 2417-2424.	1.3	1
14	Tauroursodeoxycholic Acid Decreases Keloid Formation by Reducing Endoplasmic Reticulum Stress as Implicated in the Pathogenesis of Keloid. <i>International Journal of Molecular Sciences</i> , 2021, 22, 10765.	4.1	7
15	Identification of a Clinical Cutoff Value for Multiplex KRASG12/G13 Mutation Detection in Colorectal Adenocarcinoma Patients Using Digital Droplet PCR, and Comparison with Sanger Sequencing and PNA Clamping Assay. <i>Journal of Clinical Medicine</i> , 2020, 9, 2283.	2.4	9
16	Effect of Urban Particulate Matter on Vocal Fold Fibrosis through the MAPK/NF- κ B Signaling Pathway. <i>International Journal of Molecular Sciences</i> , 2020, 21, 6643.	4.1	6
17	Clinical Significance of Tumor and Immune Cell PD-L1 Expression in Gastric Adenocarcinoma. <i>In Vivo</i> , 2020, 34, 3171-3180.	1.3	12
18	Suppression of Mig-6 overcomes the acquired EGFR-TKI resistance of lung adenocarcinoma. <i>BMC Cancer</i> , 2020, 20, 571.	2.6	7

#	ARTICLE	IF	CITATIONS
19	Subepithelial Spread of Early Gastric Signet Ring Cell Carcinoma: How Far They Can Reach?. <i>Digestive Diseases</i> , 2020, 38, 442-448.	1.9	7
20	Complement Component C4d Deposition in the Placenta of Preeclampsia Patients and Renal Glomeruli in 1 Postpartum Renal Biopsy. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2020, 28, 139-145.	1.2	5
21	Serum-Based KRASG12/G13 Mutation Detection Using Droplet Digital PCR: Clinical Implications and Limitations in Colorectal Adenocarcinoma With Tumor Heterogeneity. <i>Frontiers in Oncology</i> , 2020, 10, 604772.	2.8	3
22	Diagnostic significance of dual immunocytochemical staining of p53/cytokeratin20 on liquid-based urine cytology to detect urothelial carcinoma. <i>CytoJournal</i> , 2020, 17, 3.	1.7	6
23	Comparison of Benign and Malignant Pilomatricomas Using Whole-exome Sequencing. <i>Cancer Genomics and Proteomics</i> , 2020, 17, 795-802.	2.0	6
24	Cytochrome P450 4A11 expression in tumor cells: A favorable prognostic factor for hepatocellular carcinoma patients. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019, 34, 224-233.	2.8	26
25	Clinical significance of atypical protein kinase C (PKC $\hat{1}$ and PKC $\hat{1}$) and its relationship with yes-associated protein in lung adenocarcinoma. <i>BMC Cancer</i> , 2019, 19, 804.	2.6	8
26	APEX1 Expression as a Potential Diagnostic Biomarker of Clear Cell Renal Cell Carcinoma and Hepatobiliary Carcinomas. <i>Journal of Clinical Medicine</i> , 2019, 8, 1151.	2.4	12
27	High nuclear NADPH oxidase 4 expression levels are correlated with cancer development and poor prognosis in hepatocellular carcinoma. <i>Pathology</i> , 2019, 51, 579-585.	0.6	17
28	Prognostic Significance of LC3B and p62/SQSTM1 Expression in Gastric Adenocarcinoma. <i>Anticancer Research</i> , 2019, 39, 6711-6722.	1.1	27
29	Concurrent Anti-glomerular Basement Membrane Nephritis and IgA Nephropathy. <i>Journal of Pathology and Translational Medicine</i> , 2019, 53, 399-402.	1.1	11
30	Peritoneal Fluid Cytology of Disseminated Large Cell Neuroendocrine Carcinoma Combined with Endometrioid Adenocarcinoma of the Endometrium. <i>Journal of Pathology and Translational Medicine</i> , 2019, 53, 407-410.	1.1	1
31	Decreased Expression of the Polarity Regulatory PAR Complex Predicts Poor Prognosis of the Patients with Colorectal Adenocarcinoma. <i>Translational Oncology</i> , 2018, 11, 109-115.	3.7	5
32	The Usefulness of Phospholipase A2 Receptor and IgG4 Detection in Differentiation Primary Membranous Nephropathy From Secondary Membranous Nephropathy in Renal Biopsy. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2018, 26, 591-598.	1.2	11
33	Expression Pattern of the Hippo Pathway Effector TAZ in Cellular and Fibrotic Nonspecific Interstitial Pneumonia. <i>Chinese Medical Journal</i> , 2018, 131, 626-628.	2.3	2
34	Growth Differentiation Factor-15 as a Predictor of Idiopathic Membranous Nephropathy Progression: A Retrospective Study. <i>Disease Markers</i> , 2018, 2018, 1-9.	1.3	10
35	Nuclear Expression of CD133 Is Associated with Good Prognosis in Patients with Colorectal Adenocarcinoma. <i>Anticancer Research</i> , 2018, 38, 4819-4826.	1.1	7
36	Clinicopathological Profiling of LC3B, an Autophagy Marker, and ESRR α (Estrogen-related) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62 Td (I	1.1	6

#	ARTICLE	IF	CITATIONS
37	The usefulness of a novel fully automated PCR-based Idylla test for detection of the BRAF V600E mutation in thyroid tissue: comparison with PNA-clamping PCR, real-time PCR and pyrosequencing. <i>Journal of Clinical Pathology</i> , 2017, 70, 260-265.	2.0	20
38	The usefulness of adding p53 immunocytochemistry to bile drainage cytology for the diagnosis of malignant biliary strictures. <i>Diagnostic Cytopathology</i> , 2017, 45, 592-597.	1.0	13
39	Clinical usefulness of the free web-based image analysis application ImmunoRatio for assessment of Ki-67 labelling index in breast cancer. <i>Journal of Clinical Pathology</i> , 2017, 70, 715-719.	2.0	13
40	Association of PD-L1 expression and PD-L1 gene polymorphism with poor prognosis in lung adenocarcinoma and squamous cell carcinoma. <i>Human Pathology</i> , 2017, 68, 103-111.	2.0	60
41	Growth differentiation factor 15 as a predictor of adverse renal outcomes in patients with immunoglobulin A nephropathy. <i>Internal Medicine Journal</i> , 2017, 47, 1393-1399.	0.8	16
42	Hippo effector YAP directly regulates the expression of PD-L1 transcripts in EGFR-TKI-resistant lung adenocarcinoma. <i>Biochemical and Biophysical Research Communications</i> , 2017, 491, 493-499.	2.1	127
43	Phosphorylated Protein Kinase C (Zeta/Lambda) Expression in Colorectal Adenocarcinoma and Its Correlation with Clinicopathologic Characteristics and Prognosis. <i>Journal of Cancer</i> , 2017, 8, 3371-3377.	2.5	2
44	Recurrent AA Amyloidosis Combined With Chronic Active Antibody-mediated Rejection After Kidney Transplantation. <i>Iranian Journal of Kidney Diseases</i> , 2017, 11, 322-325.	0.1	0
45	Severe Crescentic BK Nephropathy: A Case Report. <i>The Journal of the Korean Society for Transplantation</i> , 2016, 30, 35.	0.2	0
46	Potential Role of S100A8 in Cutaneous Squamous Cell Carcinoma Differentiation. <i>Annals of Dermatology</i> , 2016, 28, 179.	0.9	8
47	The Long-term Prognostic Performance of Ki-67 in Primary Operable Breast Cancer and Evaluation of Its Optimal Cutoff Value. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2016, 24, 159-166.	1.2	14
48	Hippo pathway effector YAP inhibition restores the sensitivity of EGFR-TKI in lung adenocarcinoma having primary or acquired EGFR-TKI resistance. <i>Biochemical and Biophysical Research Communications</i> , 2016, 474, 154-160.	2.1	92
49	Up-regulation of Cytoplasmic CD24 Expression Is Associated with Malignant Transformation but Favorable Prognosis of Colorectal Adenocarcinoma. <i>Anticancer Research</i> , 2016, 36, 6593-6598.	1.1	8
50	An atypical nonsebaceous lymphadenoma with diffuse lymphoepithelial differentiation. <i>Indian Journal of Pathology and Microbiology</i> , 2016, 59, 521.	0.2	3
51	Clinical Significance of an HPV DNA Chip Test with Emphasis on HPV-16 and/or HPV-18 Detection in Korean Gynecological Patients. <i>Journal of Pathology and Translational Medicine</i> , 2016, 50, 294-299.	1.1	2
52	The Warthin-Like Variant of Papillary Thyroid Carcinoma: A Comparison with Classic Type in the Patients with Coexisting Hashimoto's Thyroiditis. <i>International Journal of Endocrinology</i> , 2015, 2015, 1-8.	1.5	34
53	Clinicopathological roles of S100A8 and S100A9 in cutaneous squamous cell carcinoma in vivo and in vitro. <i>Archives of Dermatological Research</i> , 2014, 306, 489-496.	1.9	24
54	Macrofollicular Variant of Papillary Thyroid Carcinoma with Extensive Lymph Node Metastases. <i>Endocrine Pathology</i> , 2014, 25, 265-272.	9.0	13

#	ARTICLE	IF	CITATIONS
55	Pattern of expression of cyclooxygenase-2 in malignant transformation of sinonasal inverted papilloma. American Journal of Otolaryngology - Head and Neck Medicine and Surgery, 2012, 33, 585-589.	1.3	17
56	Correlation of expression of phosphorylated and non-phosphorylated Yes-associated protein with clinicopathological parameters in esophageal squamous cell carcinoma in a Korean population. Anticancer Research, 2012, 32, 3835-40.	1.1	23
57	Differential expression of Yes-associated protein is correlated with expression of cell cycle markers and pathologic TNM staging in non-small-cell lung carcinoma. Human Pathology, 2011, 42, 315-323.	2.0	32
58	Gender and smoking differences in cell cycle marker expressions and p-TNM stage in non-small cell lung carcinoma. Basic and Applied Pathology, 2011, 4, 1-8.	0.2	0
59	Pattern of Expression of Cell Cycle-related Proteins in Malignant Transformation of Sinonasal Inverted Papilloma. American Journal of Rhinology and Allergy, 2011, 25, 75-81.	2.0	26
60	Pyrosequencing cutoff value identifying BRAF ^{V600E} mutation in fine needle aspiration samples of thyroid nodules. Clinical Endocrinology, 2011, 75, 555-560.	2.4	36
61	Lymphocytic Phlebitis of the Stomach - A Case Report with Literature Review -. Korean Journal of Pathology, 2011, 45, 654.	1.3	1