## **Runping Liu**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1856003/publications.pdf Version: 2024-02-01



**RUNDING LUL** 

#	Article	IF	CITATIONS
1	Saikosaponin D attenuates metabolic associated fatty liver disease by coordinately tuning PPARα and INSIG/SREBP1c pathway. Phytomedicine, 2022, 103, 154219.	5.3	13
2	Tannins in <i>Terminalia bellirica</i> inhibit hepatocellular carcinoma growth by regulating EGFR-signaling and tumor immunity. Food and Function, 2021, 12, 3720-3739.	4.6	14
3	Integrative lipidomic and transcriptomic study unravels the therapeutic effects of saikosaponins A and D on non-alcoholic fatty liver disease. Acta Pharmaceutica Sinica B, 2021, 11, 3527-3541.	12.0	31
4	Si-Ni-San ameliorates chronic colitis by modulating type I interferons-mediated inflammation. Phytomedicine, 2021, 84, 153495.	5.3	19
5	Identification of Key Genes Associated With the Process of Hepatitis B Inflammation and Cancer Transformation by Integrated Bioinformatics Analysis. Frontiers in Genetics, 2021, 12, 654517.	2.3	8
6	Ferulic Acid Ameliorates Hepatic Inflammation and Fibrotic Liver Injury by Inhibiting PTP1B Activity and Subsequent Promoting AMPK Phosphorylation. Frontiers in Pharmacology, 2021, 12, 754976.	3.5	17
7	Advances in the study of emodin: an update on pharmacological properties and mechanistic basis. Chinese Medicine, 2021, 16, 102.	4.0	33
8	Prostate-Specific Membrane Antigen and Esterase Dual Responsive Camptothecin–Oligopeptide Self-Assembled Nanoparticles for Efficient Anticancer Drug Delivery. International Journal of Nanomedicine, 2021, Volume 16, 7959-7974.	6.7	7
9	Toxicity of traditional Chinese medicine herbal and mineral products. Advances in Pharmacology, 2020, 87, 301-346.	2.0	41
10	Recent progress in the study of Artemisiae Scopariae Herba (Yin Chen), a promising medicinal herb for liver diseases. Biomedicine and Pharmacotherapy, 2020, 130, 110513.	5.6	25
11	Long non-coding RNA H19 in the liver-gut axis: A diagnostic marker and therapeutic target for liver diseases. Experimental and Molecular Pathology, 2020, 115, 104472.	2.1	15
12	Self-eating: friend or foe? The emerging role of autophagy in fibrotic diseases. Theranostics, 2020, 10, 7993-8017.	10.0	37
13	Evodiamine and rutaecarpine from Tetradium ruticarpum in the treatment of liver diseases. Phytomedicine, 2020, 68, 153180.	5.3	45
14	Human antigen R: A potential therapeutic target for liver diseases. Pharmacological Research, 2020, 155, 104684.	7.1	27
15	Cholangiocyte-Derived Exosomal IncRNA H19 Promotes Macrophage Activation and Hepatic Inflammation under Cholestatic Conditions. Cells, 2020, 9, 190.	4.1	75
16	Berberine inhibits free fatty acid and LPS-induced inflammation via modulating ER stress response in macrophages and hepatocytes. PLoS ONE, 2020, 15, e0232630.	2.5	46
17	Title is missing!. , 2020, 15, e0232630.		0
18	Title is missing!. , 2020, 15, e0232630.		0

Runping Liu

#	Article	IF	CITATIONS
19	Title is missing!. , 2020, 15, e0232630.		Ο
20	Title is missing!. , 2020, 15, e0232630.		0
21	Long Noncoding RNA H19 Contributes to Cholangiocyte Proliferation and Cholestatic Liver Fibrosis in Biliary Atresia. Hepatology, 2019, 70, 1658-1673.	7.3	100
22	The role of sphingosine kinase 2 in alcoholic liver disease. Digestive and Liver Disease, 2019, 51, 1154-1163.	0.9	17
23	Natural products in licorice for the therapy of liver diseases: Progress and future opportunities. Pharmacological Research, 2019, 144, 210-226.	7.1	170
24	Cholangiocyteâ€Đerived Exosomal Long Noncoding RNA H19 Promotes Hepatic Stellate Cell Activation and Cholestatic Liver Fibrosis. Hepatology, 2019, 70, 1317-1335.	7.3	150
25	Cholangiocyteâ€derived exosomal long noncoding RNA H19 promotes cholestatic liver injury in mouse and humans. Hepatology, 2018, 68, 599-615.	7.3	115
26	C/EBP homologous protein–induced loss of intestinal epithelial stemness contributes to bile duct ligation–induced cholestatic liver injury in mice. Hepatology, 2018, 67, 1441-1457.	7.3	57
27	A comprehensive review and perspectives on pharmacology and toxicology of saikosaponins. Phytomedicine, 2018, 50, 73-87.	5.3	116
28	Conjugated Bile Acids Promote Invasive Growth of Esophageal Adenocarcinoma Cells and Cancer Stem Cell Expansion via Sphingosine 1-Phosphate Receptor 2–Mediated Yes-Associated Protein Activation. American Journal of Pathology, 2018, 188, 2042-2058.	3.8	42
29	The role of sphingosine kinase 2 in promoting multiple myeloma cell invasive growth. FASEB Journal, 2018, 32, 804.44.	0.5	0
30	K145, a sphingosine kinase 2 inhibitor, inhibits solitary plasmacytoma cell growth. FASEB Journal, 2018, 32, 836.14.	0.5	0
31	The role of sphingosine 1â€phosphate receptor 2 in bileâ€acid–induced cholangiocyte proliferation and cholestasisâ€induced liver injury in mice. Hepatology, 2017, 65, 2005-2018.	7.3	153
32	The role of long noncoding RNA H19 in gender disparity of cholestatic liver injury in multidrug resistance 2 gene knockout mice. Hepatology, 2017, 66, 869-884.	7.3	82
33	Saikosaponins induced hepatotoxicity in mice via lipid metabolism dysregulation and oxidative stress: a proteomic study. BMC Complementary and Alternative Medicine, 2017, 17, 219.	3.7	29
34	The emerging role of AMP-activated protein kinase in cholestatic liver diseases. Pharmacological Research, 2017, 125, 105-113.	7.1	21
35	Sphingosine-1 phosphate promotes intestinal epithelial cell proliferation via S1PR2. Frontiers in Bioscience - Landmark, 2017, 22, 596-608.	3.0	38
36	Alpha-naphthylisothiocyanate impairs bile acid homeostasis through AMPK-FXR pathways in rat primary hepatocytes. Toxicology, 2016, 370, 106-115.	4.2	30

Runping Liu

#	Article	IF	CITATIONS
37	UDCA and CDCA alleviate 17α-ethinylestradiol-induced cholestasis through PKA-AMPK pathways in rats. Toxicology and Applied Pharmacology, 2016, 311, 12-25.	2.8	36
38	HIV Protease Inhibitors Sensitize Human Head and Neck Squamous Carcinoma Cells to Radiation by Activating Endoplasmic Reticulum Stress. PLoS ONE, 2015, 10, e0125928.	2.5	21
39	Taurocholate Induces Cyclooxygenase-2 Expression via the Sphingosine 1-phosphate Receptor 2 in a Human Cholangiocarcinoma Cell Line. Journal of Biological Chemistry, 2015, 290, 30988-31002.	3.4	65
40	Conjugated bile acid–activated S1P receptor 2 is a key regulator of sphingosine kinase 2 and hepatic gene expression. Hepatology, 2015, 61, 1216-1226.	7.3	151
41	Reduction of the HIV Protease Inhibitor-Induced ER Stress and Inflammatory Response by Raltegravir in Macrophages. PLoS ONE, 2014, 9, e90856.	2.5	17
42	ER stress and hepatic lipid metabolism. Frontiers in Genetics, 2014, 5, 112.	2.3	97
43	Conjugated bile acids promote cholangiocarcinoma cell invasive growth through activation of sphingosine 1â€phosphate receptor 2. Hepatology, 2014, 60, 908-918.	7.3	134
44	HIV protease inhibitors sensitize human head and neck carcinoma cells to radiation by activating ER stress (762.2). FASEB Journal, 2014, 28, 762.2.	0.5	0
45	Alcohol potentiates HIV protease inhibitorâ€induced ER stress and hepatic lipotoxicity (1001.3). FASEB Journal, 2014, 28, 1001.3.	0.5	0
46	Apigenin and Kaempferol inhibit LPSâ€induced inflammatory responses by regulating intracellular translocation of RNAâ€binding protein HuR in macrophages. FASEB Journal, 2013, 27, 1033.2.	0.5	0