Paulino José GarcÃ-a Nieto

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1859392/publications.pdf

Version: 2024-02-01

84 papers

2,017 citations

236925 25 h-index 254184 43 g-index

85 all docs 85 docs citations

85 times ranked 1983 citing authors

#	Article	IF	Citations
1	Support Vector Machines Used to Estimate the Battery State of Charge. IEEE Transactions on Power Electronics, 2013, 28, 5919-5926.	7.9	345
2	PM10 concentration forecasting in the metropolitan area of Oviedo (Northern Spain) using models based on SVM, MLP, VARMA and ARIMA: A case study. Science of the Total Environment, 2018, 621, 753-761.	8.0	142
3	Application of an SVM-based regression model to the air quality study at local scale in the Avil $ ilde{A}$ ©s urban area (Spain). Mathematical and Computer Modelling, 2011, 54, 1453-1466.	2.0	118
4	A SVM-based regression model to study the air quality at local scale in Oviedo urban area (Northern) Tj ETQq0 0	0 rgBT /O	verlock 10 Tf 5
5	Battery State-of-Charge Estimator Using the MARS Technique. IEEE Transactions on Power Electronics, 2013, 28, 3798-3805.	7.9	74
6	Forecast of the higher heating value in biomass torrefaction by means of machine learning techniques. Journal of Computational and Applied Mathematics, 2019, 357, 284-301.	2.0	60
7	Prediction of work-related accidents according to working conditions using support vector machines. Applied Mathematics and Computation, 2011, 218, 3539-3552.	2.2	55
8	Turbidity Prediction in a River Basin by Using Artificial Neural Networks: A Case Study in Northern Spain. Water Resources Management, 2014, 28, 319-331.	3.9	52
9	Analysis of lead times of metallic components in the aerospace industry through a supported vector machine model. Mathematical and Computer Modelling, 2010, 52, 1177-1184.	2.0	49
10	Support vector machines and neural networks used to evaluate paper manufactured using Eucalyptus globulus. Applied Mathematical Modelling, 2012, 36, 6137-6145.	4.2	44
11	Hybrid modelling based on support vector regression with genetic algorithms in forecasting the cyanotoxins presence in the Trasona reservoir (Northern Spain). Environmental Research, 2013, 122, 1-10.	7.5	44
12	A comparison of several machine learning techniques for the centerline segregation prediction in continuous cast steel slabs and evaluation of its performance. Journal of Computational and Applied Mathematics, 2018, 330, 877-895.	2.0	44
13	Hybrid PSO–SVM-based method for long-term forecasting of turbidity in the Nalón river basin: A case study in Northern Spain. Ecological Engineering, 2014, 73, 192-200.	3.6	39
14	A new data mining methodology applied to the modelling of the influence of diet and lifestyle on the value of bone mineral density in post-menopausal women. International Journal of Computer Mathematics, 2009, 86, 1878-1887.	1.8	38
15	Water eutrophication assessment relied on various machine learning techniques: A case study in the Englishmen Lake (Northern Spain). Ecological Modelling, 2019, 404, 91-102.	2.5	37
16	Study of cyanotoxins presence from experimental cyanobacteria concentrations using a new data mining methodology based on multivariate adaptive regression splines in Trasona reservoir (Northern) Tj ETQq0	0 OlegeBT /	Ov er lock 10 Tr
17	A new improved study of cyanotoxins presence from experimental cyanobacteria concentrations in the Trasona reservoir (Northern Spain) using the MARS technique. Science of the Total Environment, 2012, 430, 88-92.	8.0	36
18	Support Vector Machines and Multilayer Perceptron Networks Used to Evaluate the Cyanotoxins Presence from Experimental Cyanobacteria Concentrations in the Trasona Reservoir (Northern Spain). Water Resources Management, 2013, 27, 3457-3476.	3.9	36

#	Article	IF	Citations
19	A Hybrid PCA-CART-MARS-Based Prognostic Approach of the Remaining Useful Life for Aircraft Engines. Sensors, 2015, 15, 7062-7083.	3.8	36
20	Using multivariate adaptive regression splines and multilayer perceptron networks to evaluate paper manufactured using Eucalyptus globulus. Applied Mathematics and Computation, 2012, 219, 755-763.	2.2	35
21	Air quality parameters outliers detection using functional data analysis in the Langreo urban area (Northern Spain). Applied Mathematics and Computation, 2014, 241, 1-10.	2.2	34
22	Study of the evolution of aerosol emissions from coal-fired power plants due to coagulation, condensation, and gravitational settling and health impact. Journal of Environmental Management, 2006, 79, 372-382.	7.8	33
23	Hard-Rock Stability Analysis for Span Design in Entry-Type Excavations with Learning Classifiers. Materials, 2016, 9, 531.	2.9	32
24	Predictive modelling of the higher heating value in biomass torrefaction for the energy treatment process using machine-learning techniques. Neural Computing and Applications, 2019, 31, 8823-8836.	5 . 6	32
25	Non-linear numerical analysis of a double-threaded titanium alloy dental implant by FEM. Applied Mathematics and Computation, 2008, 206, 952-967.	2.2	30
26	Prediction of the critical temperature of a superconductor by using the WOA/MARS, Ridge, Lasso and Elastic-net machine learning techniques. Neural Computing and Applications, 2021, 33, 17131-17145.	5 . 6	27
27	Air Quality Modeling Using the PSO-SVM-Based Approach, MLP Neural Network, and M5 Model Tree in the Metropolitan Area of Oviedo (Northern Spain). Environmental Modeling and Assessment, 2018, 23, 229-247.	2.2	24
28	Approximation to the dynamics of transported parts in a vibratory bowl feeder. Mechanism and Machine Theory, 2009, 44, 2217-2235.	4. 5	22
29	Non-linear buckling analysis of a self-weighted metallic roof by FEM. Mathematical and Computer Modelling, 2010, 51, 216-228.	2.0	21
30	A hybrid wavelet kernel SVM-based method using artificial bee colony algorithm for predicting the cyanotoxin content from experimental cyanobacteria concentrations in the Trasona reservoir (Northern Spain). Journal of Computational and Applied Mathematics, 2017, 309, 587-602.	2.0	21
31	Nonlinear air quality modeling using multivariate adaptive regression splines in Gijón urban area (Northern Spain) at local scale. Applied Mathematics and Computation, 2014, 235, 50-65.	2.2	20
32	A hybrid DE optimized wavelet kernel SVR-based technique for algal atypical proliferation forecast in La Barca reservoir: A case study. Journal of Computational and Applied Mathematics, 2020, 366, 112417.	2.0	19
33	Modeling pressure drop produced by different filtering media in microirrigation sand filters using the hybrid ABC-MARS-based approach, MLP neural network and M5 model tree. Computers and Electronics in Agriculture, 2017, 139, 65-74.	7.7	17
34	Estimation of PM10 concentration from air quality data in the vicinity of a major steelworks site in the metropolitan area of Avilés (Northern Spain) using machine learning techniques. Stochastic Environmental Research and Risk Assessment, 2018, 32, 3287-3298.	4.0	17
35	Nonlinear Air Quality Modeling Using Support Vector Machines in Gijón Urban Area (Northern Spain) at Local Scale. International Journal of Nonlinear Sciences and Numerical Simulation, 2013, 14, 291-305.	1.0	14
36	Non-linear analysis of cable networks by FEM and experimental validation. International Journal of Computer Mathematics, 2009, 86, 301-313.	1.8	13

#	Article	IF	Citations
37	Hybrid PSO–MARS–based model for forecasting a successful growth cycle of the Spirulina platensis from experimental data in open raceway ponds. Ecological Engineering, 2015, 81, 534-542.	3.6	13
38	A New Predictive Model of Centerline Segregation in Continuous Cast Steel Slabs by Using Multivariate Adaptive Regression Splines Approach. Materials, 2015, 8, 3562-3583.	2.9	12
39	Using evolutionary multivariate adaptive regression splines approach to evaluate the eutrophication in the Poz \tilde{A}^3 n de la Dolores lake (Northern Spain). Ecological Engineering, 2016, 94, 136-151.	3.6	12
40	Cyanotoxin level prediction in a reservoir using gradient boosted regression trees: a case study. Environmental Science and Pollution Research, 2018, 25, 22658-22671.	5.3	12
41	Air quality modeling in the Oviedo urban area (NW Spain) by using multivariate adaptive regression splines. Environmental Science and Pollution Research, 2015, 22, 6642-6659.	5.3	11
42	Evolution and forecasting of PM10 concentration at the Port of Gijon (Spain). Scientific Reports, 2020, 10, 11716.	3.3	11
43	A new hybrid model to foretell thermal power efficiency from energy performance certificates at residential dwellings applying a Gaussian process regression. Neural Computing and Applications, 2021, 33, 6627-6640.	5.6	11
44	Evaluation of Implementation of Biomass and Solar Resources by Energy Systems in the Coal-Mining Areas of Spain. Energies, 2022, 15, 232.	3.1	11
45	Evaluation of the damage in the vault and portico of the pre-Romanesque chapel of San Salvador de Valdedi \tilde{A}^3 s using frictional contacts and the finite-element method. International Journal of Computer Mathematics, 2007, 84, 377-393.	1.8	10
46	Hybrid ABC Optimized MARS-Based Modeling of the Milling Tool Wear from Milling Run Experimental Data. Materials, 2016, 9, 82.	2.9	10
47	Modeling of the algal atypical increase in La Barca reservoir using the DE optimized least square support vector machine approach with feature selection. Mathematics and Computers in Simulation, 2019, 166, 461-480.	4.4	9
48	Modeling algal atypical proliferation using the hybrid DE–MARS–based approach and M5 model tree in La Barca reservoir: A case study in northern Spain. Ecological Engineering, 2019, 130, 198-212.	3.6	9
49	A New Predictive Model for Evaluating Chlorophyll-a Concentration in Tanes Reservoir by Using a Gaussian Process Regression. Water Resources Management, 2020, 34, 4921-4941.	3.9	8
50	A New Predictive Model Based on the ABC Optimized Multivariate Adaptive Regression Splines Approach for Predicting the Remaining Useful Life in Aircraft Engines. Energies, 2016, 9, 409.	3.1	7
51	A methodology for detecting relevant single nucleotide polymorphism in prostate cancer with multivariate adaptive regression splines and backpropagation artificial neural networks. Neural Computing and Applications, 2020, 32, 1231-1238.	5.6	7
52	A new predictive model for the outlet turbidity in micro-irrigation sand filters fed with effluents using Gaussian process regression. Computers and Electronics in Agriculture, 2020, 170, 105292.	7.7	7
53	An economic dispatch algorithm of combined cycle units. International Journal of Computer Mathematics, 2014, 91, 269-277.	1.8	6
54	Analysis and detection of functional outliers in water quality parameters from different automated monitoring stations in the Nal \tilde{A}^3 n River Basin (Northern Spain). Environmental Science and Pollution Research, 2015, 22, 387-396.	5.3	6

#	Article	IF	Citations
55	Predicting Benzene Concentration Using Machine Learning and Time Series Algorithms. Mathematics, 2020, 8, 2205.	2.2	6
56	Modelling algal abnormal proliferation in a reservoir using support vector regression: a case study. Ecohydrology, 2015, 8, 1109-1118.	2.4	5
57	Predictive model of gas consumption and air emissions of a lime kiln in a kraft process using the ABC/MARS-based technique. International Journal of Advanced Manufacturing Technology, 2019, 100, 1549-1562.	3.0	5
58	Study of a Steel's Energy Absorption System for Heavy Quadricycles and Nonlinear Explicit Dynamic Analysis of its Behavior under Impact by FEM. Materials, 2015, 8, 6893-6908.	2.9	4
59	A new predictive model for the cyanotoxin content from experimental cyanobacteria concentrations in a reservoir based on the ABC optimized support vector machine approach: A case study in Northern Spain. Ecological Informatics, 2015, 30, 49-59.	5.2	4
60	Detection of outliers in pollutant emissions from the Soto de Ribera coal-fired power plant using functional data analysis: a case study in northern Spain. Environmental Science and Pollution Research, 2020, 27, 8-20.	5.3	4
61	Analytic Solution of the Aerosol Rigorous General Dynamic Equation Without Coagulation in Multidimension. Aerosol Science and Technology, 1999, 31, 3-16.	3.1	3
62	Numerical Analysis of the Behaviour of Tooth Intrarradial Posts by the Finite Element Method. Mathematical Modelling and Algorithms, 2005, 4, 275-287.	0.5	3
63	Optimization Based on Design of Experiments (DOE) Using Finite Element Model (FEM) Analysis Applied to Retrofitting the Church of Baldornon, Spain. International Journal of Architectural Heritage, 2012, 6, 436-451.	3.1	3
64	A Hybrid Predictive Approach for Chromium Layer Thickness in the Hard Chromium Plating Process Based on the Differential Evolution/Gradient Boosted Regression Tree Methodology. Mathematics, 2020, 8, 959.	2.2	3
65	Modeling algal atypical proliferation in La Barca reservoir using L-SHADE optimized gradient boosted regression trees: a case study. Neural Computing and Applications, 2021, 33, 7821-7838.	5.6	3
66	The Goodness of the Internally Mixed Aerosol Assumption Under Condensation-Evaporation. Aerosol Science and Technology, 1999, 31, 17-23.	3.1	2
67	Optimization of an acoustic test chamber involving theÂfluid-structure interaction by FEM and experimental validation. Meccanica, 2010, 45, 705-722.	2.0	2
68	Determination and study of lead times of metallic components in the aerospace industry through a Cox-type hazard model. International Journal of Computer Mathematics, 2012, 89, 1901-1913.	1.8	2
69	FEM-based Numerical Simulation of Water Flow Through a Road Shoulder Structure. International Journal of Nonlinear Sciences and Numerical Simulation, 2014, 15, 57-67.	1.0	2
70	The operation of infimal/supremal convolution in mathematical economics. International Journal of Computer Mathematics, 2016, 93, 735-748.	1.8	2
71	Analysis and study of an automobile rear seat by FEM. International Journal of Computer Mathematics, 2009, 86, 640-664.	1.8	1
72	Analysis and thermal optimization of an ecological ventilated self-weighted wood panel for roofs by FVM. Meccanica, 2010, 45, 619-634.	2.0	1

#	Article	IF	CITATIONS
73	Analysis of Cyanotoxins Presence from Experimental Cyanobacteria Concentrations in the Trasona Reservoir (Northern Spain) Using Support Vector Regression. International Journal of Nonlinear Sciences and Numerical Simulation, 2013, 14, 103-112.	1.0	1
74	Detection of Outliers in Pollutant Emissions from the Soto de Ribera Coal-Fired Plant Using Functional Data Analysis: A Case Study in Northern Spain. Proceedings (mdpi), 2018, 2, .	0.2	1
75	A Multivariate Approach to Time Series Forecasting of Copper Prices with the Help of Multiple Imputation by Chained Equations and Multivariate Adaptive Regression Splines. Advances in Intelligent Systems and Computing, 2021, , 691-701.	0.6	1
76	Modeling eutrophication risks in Tanes reservoir by using a hybrid WOA optimized SVR-relied technique along with feature selection based on the MARS approximation. Stochastic Environmental Research and Risk Assessment, 0 , 1 .	4.0	1
77	Mathematical study of the selective removal of different classes of atmospheric aerosols by coagulation, condensation, and gravitational settling, and the health impact. International Journal of Computer Mathematics, 2008, 85, 447-460.	1.8	0
78	Numerical Study of Pressure Field in Laterally Closed Industrial Buildings with Curved Metallic Roofs due to the Wind Effect by FEM and European Rule Comparison. , 2009, , .		0
79	PM10 modeling in the Oviedo urban area (Northern Spain) by using multivariate adaptive regression splines. , $2014, \dots$		O
80	Modeling the milling tool wear by using an evolutionary SVM–based model from milling runs experimental data. AIP Conference Proceedings, 2015, , .	0.4	0
81	Modelling energy performance using a new hybrid DE/MARS–based approach for fossil-fuel thermal power stations. Environmental Science and Pollution Research, 2021, 28, 4417-4429.	5.3	0
82	Time Series Analysis for the COMEX Gold Spot Price Forecasting by Using NARX DE/SVR and DE/GPR Techniques. Advances in Intelligent Systems and Computing, 2022, , 145-154.	0.6	0
83	Time Series Forecasting of Gold Prices with the Help of Its Decomposition and Multivariate Adaptive Regression Splines. Advances in Intelligent Systems and Computing, 2022, , 135-144.	0.6	0
84	Time Series Analysis for the COMEX Copper Spot Price by Using Support Vector Regression. Advances in Intelligent Systems and Computing, 2021, , 702-708.	0.6	0