

Carlos Errando

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1860088/publications.pdf>

Version: 2024-02-01

77

papers

1,168

citations

623734

14

h-index

434195

31

g-index

117

all docs

117

docs citations

117

times ranked

1292

citing authors

#	ARTICLE	IF	CITATIONS
1	COVID-19 psychological impact in 3109 healthcare workers in Spain: The PSIMCOV group. Psychological Medicine, 2022, 52, 188-194.	4.5	95
2	SARS-CoV-2 infection. Descriptive analysis of a selected case series. Revista Española De Anestesiología Y Reanimación (English Edition), 2022, 69, 34-34.	0.1	0
3	Analysis of the "Evaluation Indicators™ of an Enhanced Recovery After Bariatric Surgery Pathway in the First Six Months After Implementation. Obesity Surgery, 2021, 31, 2551-2566.	2.1	1
4	Anestesiología y los anestesiólogos en la COVID-19. Revista Española De Anestesiología Y Reanimación, 2020, 67, 289-291.	0.3	12
5	Effect of an individualized <i>versus</i> standard pneumoperitoneum pressure strategy on postoperative recovery: a randomized clinical trial in laparoscopic colorectal surgery. British Journal of Surgery, 2020, 107, 1605-1614.	0.3	19
6	Spontaneous recovery of neuromuscular blockade is an independent risk factor for postoperative pulmonary complications after abdominal surgery. European Journal of Anaesthesiology, 2020, 37, 203-211.	1.7	10
7	Publicación en la Revista Española de Anestesiología y Reanimación de protocolos de estudios. Revista Española De Anestesiología Y Reanimación, 2020, 67, 361-363.	0.3	0
8	Are There New Evidences on the Use of Neuromuscular Blocking Agents and Reversal Drugs in Thoracic Surgery?. , 2020, , 183-206.		0
9	Influence of tetanic stimulation on the staircase phenomenon and the acceleromyographic time-course of neuromuscular block: a randomized controlled trial. Journal of Clinical Monitoring and Computing, 2019, 33, 325-332.	1.6	8
10	A multifaceted individualized pneumoperitoneum strategy for laparoscopic colorectal surgery: a multicenter observational feasibility study. Surgical Endoscopy and Other Interventional Techniques, 2019, 33, 252-260.	2.4	18
11	An individualised versus a conventional pneumoperitoneum pressure strategy during colorectal laparoscopic surgery: rationale and study protocol for a multicentre randomised clinical study. Trials, 2019, 20, 190.	1.6	11
12	Post-anaesthesia pulmonary complications after use of muscle relaxants (POPULAR): a multicentre, prospective observational study. Lancet Respiratory Medicine, 2019, 7, 129-140.	10.7	241
13	Treatment of Anaphylaxis to Rocuronium with Sugammadex: A Case Report with Bronchospasm as the Only Symptom. Turkish Journal of Anaesthesiology and Reanimation, 2019, 47, 69-72.	0.8	10
14	Observaciones sobre la hiperostosis esquelética idiopática difusa (enfermedad de Forestier y Tj ETQqo 0 0 rgBT _{0.3} Overlock ₁₀ Tf 50 2		
15	The fragility of statistically significant findings in randomised controlled anaesthesia trials: systematic review of the medical literature. British Journal of Anaesthesia, 2018, 120, 935-941.	3.4	46
16	Modelo de docencia basado en competencias: revisión breve y aplicación práctica en anestesia para cirugía torácica. Revista Española De Anestesiología Y Reanimación, 2018, 65, 335-342.	0.3	1
17	Neuraxial Regional Anaesthesia in Patients with Active Infection and Sepsis: A Clinical Narrative Review. Turkish Journal of Anaesthesiology and Reanimation, 2018, 46, 8-14.	0.8	5
18	Intravenous Remifentanil Analgesia for an Obstetric Patient with Type I Neurofibromatosis and a Factor V Leiden Mutation. Sultan Qaboos University Medical Journal, 2018, 17, 468.	1.0	0

#	ARTICLE	IF	CITATIONS
19	Bloqueo neuromuscular residual en la sala de recuperaciÃ³n postanestÃ©sica. AnÃ¡lisis secundario del estudio ReCuSS. Estudio observacional transversal de una cohorte multicÃ©ntrica. Revista EspaÃ±ola De AnestesiologÃa Y ReanimaciÃ³n, 2017, 64, 419-422.	0.3	5
20	Respuesta a la carta al director: Â«Existe realmente consenso entre los anestesistas y los cirujanos sobre el bloqueo neuromuscular: algunas consideraciones metodolÃ³gicas sobre el estudio AQUILESÂ». Revista EspaÃ±ola De AnestesiologÃa Y ReanimaciÃ³n, 2017, 64, 603-604.	0.3	0
21	Recomendaciones sobre el uso de bloqueo neuromuscular profundo por parte de anestesiÃ³logos y cirujanos. Consenso AQUILES (Anestesia QuirÃ³rgica para Lograr Eficiencia y Seguridad). Revista EspaÃ±ola De AnestesiologÃa Y ReanimaciÃ³n, 2017, 64, 95-104.	0.3	11
22	Influence of depth of neuromuscular blockade on surgical conditions during low-pressure pneumoperitoneum laparoscopic cholecystectomy: A randomized blinded study. Journal of Clinical Anesthesia, 2017, 42, 26-30.	1.6	30
23	Some Considerations Regarding the Pro and Con articles between Drs. Hedenstierna and Pelosi on Intraoperative Ventilation and Pulmonary Outcomes. Turkish Journal of Anaesthesiology and Reanimation, 2017, 45, 59-62.	0.8	2
24	Effect of depth of neuromuscular blockade on the abdominal space during pneumoperitoneum establishment in laparoscopic surgery. Journal of Clinical Anesthesia, 2016, 34, 197-203.	1.6	43
25	Papel de la ecocardiografÃa transesofÃágica en la cirugÃa mÃnima invasiva sobre la valvula mitral. Cirugia Cardiovascular, 2016, 23, 240-249.	0.1	0
26	Repeated sugammadex reversal of muscle relaxation during lumbar spine surgery with intraoperative neurophysiological multimodal monitoring. Revista EspaÃ±ola De AnestesiologÃa Y ReanimaciÃ³n, 2016, 63, 533-538.	0.3	6
27	Predictive Model for Length of Stay in Intensive Care Unit Based on Preoperative and Perioperative Variables. Four-Year Analysis of Mitral Valve Surgery in One Single Center. Journal of Anesthesia & Critical Care: Open Access, 2016, 5, .	0.0	0
28	Residual neuromuscular blockade in the postanesthesia care unit: observational cross-sectional study of a multicenter cohort. Minerva Anestesiologica, 2016, 82, 1267-1277.	1.0	19
29	Serratus plane block: the regional analgesia technique for thoracoscopy?. Anaesthesia, 2015, 70, 1329-1330.	3.8	24
30	Anestesia epidural: dosis test intravascular simulada con S(+)-ketamina, lidocaÃ±a y adrenalina. Estudio prospectivo, aleatorizado, doble ciego, controlado con placebo. Revista EspaÃ±ola De AnestesiologÃa Y ReanimaciÃ³n, 2015, 62, 64-71.	0.3	0
31	Anesthetic considerations and airway management in professional singers: an "orphan disease"? Canadian Journal of Anaesthesia, 2015, 62, 928-929.	1.6	2
32	ValoraciÃ³n del daÃ±o miocÃ¡rdico mediante la mediciÃ³n de la heart-fatty acid-binding protein en cirugÃa de revascularizaciÃ³n coronaria sin circulaciÃ³n extracorpÃ³rea. Estudio preliminar. Revista EspaÃ±ola De AnestesiologÃa Y ReanimaciÃ³n, 2015, 62, 3-9.	0.3	0
33	Single shot spinal anesthesia with very low hyperbaric bupivacaine dose (3.75mg) for hip fracture repair surgery in the elderly. A randomized, double blinded study. Revista EspaÃ±ola De AnestesiologÃa Y ReanimaciÃ³n, 2014, 61, 481-488.	0.3	9
34	A simple epidural simulator. European Journal of Anaesthesiology, 2014, 31, 60-61.	1.7	1
35	I. Awareness with explicit recall during general anaesthesia: current status and issues. British Journal of Anaesthesia, 2014, 112, 1-4.	3.4	18
36	Single shot spinal anaesthesia with hypobaric bupivacaine for hip fracture repair surgery in the elderly. Randomized, double blinded comparison of 3.75mg vs. 7.5mg. Revista EspaÃ±ola De AnestesiologÃa Y ReanimaciÃ³n, 2014, 61, 541-548.	0.3	7

#	ARTICLE	IF	CITATIONS
37	Spinal anaesthesia in a patient with post-spine surgery dural ectasia. Revista Española De Anestesiología Y Reanimación, 2014, 61, 47-50.	0.3	1
38	Data on the Anesthetic Procedure or Surgical Risk Are Still Necessary. Anesthesiology, 2014, 121, 202-203.	2.5	0
39	Toxicidad de los anestésicos locales. Prevención y tratamiento. Revista Española De Anestesiología Y Reanimación, 2013, 60, 65-72.	0.3	4
40	Anaesthesia and orphan disease. European Journal of Anaesthesiology, 2013, 30, 772-775.	1.7	4
41	Anaesthetic management in patients with Duchenne muscular dystrophy. European Journal of Anaesthesiology, 2013, 30, 257.	1.7	4
42	Management of Cardiac Tamponade After Cardiac Surgery. Journal of Cardiothoracic and Vascular Anesthesia, 2012, 26, 302-311.	1.3	37
43	Anesthetic management of a patient diagnosed with CADASIL (cerebral arteriopathy, autosomal) Tj ETQq1 1 0.784314 rgBT /Overlock 1 Reanimación, 2012, 59, 102-106.	0.3	5
44	Ultrasound observation of tissue fluid infiltration causing stridor in a woman undergoing shoulder arthroscopy. Revista Española De Anestesiología Y Reanimación, 2011, 58, 582-584.	0.3	3
45	Low-Dose, Low-Concentration Levobupivacaine Plus Fentanyl Selective Spinal Anesthesia for Knee Arthroscopy. Anesthesia and Analgesia, 2011, 112, 477-480.	2.2	13
46	Cranial subdural haematoma after spinal anaesthesia: perhaps not so rare complication. European Journal of Anaesthesiology, 2010, 27, 307-308.	1.7	2
47	Methodology, human factors, and incidence of intraoperative awareness. Acta Anaesthesiologica Scandinavica, 2010, 54, 781-783.	1.6	4
48	Comments on a case of "cerebral blood migration" after lumbar spinal anaesthesia. Acta Anaesthesiologica Scandinavica, 2009, 53, 405-405.	1.6	0
49	Hipertensión arterial y el paciente quirúrgico. Hipertension Y Riesgo Vascular, 2009, 26, 191-193.	0.6	0
50	Ultrasound demonstration of tissue fluid infiltration causing stridor in a patient undergoing shoulder arthroscopy. British Journal of Anaesthesia, 2009, 103, .	3.4	0
51	Comments about thoracic spinal anesthesia for gastrostomy. Acta Anaesthesiologica Scandinavica, 2008, 52, 444-444.	1.6	0
52	Possible explanation of a bilateral thalamic infarct after general anaesthesia. Acta Anaesthesiologica Scandinavica, 2008, 52, 1174-1175.	1.6	0
53	Comments on a case report of Angelman syndrome anaesthesia. Anaesthesia, 2008, 63, 1145-1146.	3.8	7
54	Awareness and anaesthesia. British Journal of Anaesthesia, 2008, 101, 740-741.	3.4	3

#	ARTICLE	IF	CITATIONS
55	Anaesthetists be'ware ª and alarmed. British Journal of Anaesthesia, 2008, 101, 573.	3.4	1
56	Awareness with recall during general anaesthesia: a prospective observational evaluation of 4001 patients. British Journal of Anaesthesia, 2008, 101, 178-185.	3.4	184
57	Single shot spinal anaesthesia with low dose hyperbaric bupivacaine (3.75 mg), for hip fracture repair surgery in the elderly. Regional Anesthesia and Pain Medicine, 2007, 32, 47.	2.3	1
58	Comments on a case of left ventricular hypertrabeculation/noncompaction. British Journal of Anaesthesia, 2006, 96, 802-803.	3.4	1
59	Neuroaxial anaesthesia in obstetrical patients with cardiac disease. Current Opinion in Anaesthesiology, 2005, 18, 507-512.	2.0	37
60	Splenic rupture and haemoperitoneum in a patient with non-compaction of the left ventricular myocardium. British Journal of Anaesthesia, 2005, 95, 358-361.	3.4	10
61	An Infrequent Case of Fire in the Operating Room During Open Surgery of a Tracheobronchopleural Fistula. Journal of Cardiothoracic and Vascular Anesthesia, 2005, 19, 556-557.	1.3	5
62	Cardiac arrest after interscalene brachial plexus block. Acta Anaesthesiologica Scandinavica, 2004, 48, 388-389.	1.6	5
63	An additional explanation for atrio-ventricular block after the administration of atropine. Canadian Journal of Anaesthesia, 2004, 51, 88-88.	1.6	1
64	Identification of the epidural space: Air or saline?. Canadian Journal of Anaesthesia, 2003, 50, 860-861.	1.6	2
65	Anaesthesia for the professional singer. European Journal of Anaesthesiology, 2002, 19, 687.	1.7	2
66	Anaesthesia for the professional singer. European Journal of Anaesthesiology, 2002, 19, 687.	1.7	4
67	Another Explanation for Bowel and Bladder Dysfunction after Spinal Bupivacaine. Anesthesiology, 2002, 97, 524-525.	2.5	1
68	Postdural Puncture Upper Back Pain as an Atypical Presentation of Postdural Puncture Symptoms. Anesthesiology, 2002, 96, 1019-1020.	2.5	0
69	Transient neurologic syndrome, transient radicular irritation, or postspinal musculoskeletal symptoms: Are we describing the same [ldquo]syndrome[rdquo] in all patients?. Regional Anesthesia and Pain Medicine, 2001, 26, 178-179.	2.3	8
70	Spinal Toxicity of Drugs: Some Specifications About Ketamine. Anesthesia and Analgesia, 2000, 90, 227.	2.2	1
71	Subarachnoid ketamine in swine?pathological findings after repeated doses: Acute toxicity study*1. Regional Anesthesia and Pain Medicine, 1999, 24, 146-152.	2.3	14
72	Subarachnoid anesthesia in young patients: A comparative analysis of two needle bevels. Regional Anesthesia and Pain Medicine, 1999, 24, 547-552.	2.3	11

#	ARTICLE	IF	CITATIONS
73	Subarachnoid Anesthesia in Young Patients. <i>Regional Anesthesia and Pain Medicine</i> , 1999, 24, 547-552.	2.3	9
74	Severe interactions with classic and selective monoamine oxidase inhibitors. <i>Canadian Journal of Anaesthesia</i> , 1998, 45, 706-707.	1.6	4
75	Some misleadings about ketamine and their preservatives. <i>Regional Anesthesia and Pain Medicine</i> , 1998, 23, 323-324.	2.3	3
76	CASE 5â€”1994 Cardiac herniation: A severe postoperative complication of intrapericardial pneumonectomy. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 1994, 8, 584-588.	1.3	3
77	Sugammadex, an Antagonist of Neuromuscular Blocking Agents, Reverses Immediate Postoperative Neurologic Depression by a Central Pro-Cholinergic Mechanism. <i>Medical Science Hypotheses</i> , 0, 3, 1-11.	0.0	3