

# Keiko Hosohata

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1860494/publications.pdf>

Version: 2024-02-01

58  
papers

868  
citations

516561

16  
h-index

526166

27  
g-index

58  
all docs

58  
docs citations

58  
times ranked

1099  
citing authors

#	ARTICLE	IF	CITATIONS
1	Drug-induced Neuropsychiatric Adverse Events Using Post-Marketing Surveillance. <i>Current Clinical Pharmacology</i> , 2022, 17, 144-148.	0.2	4
2	Clinical predictors of nephrotoxicity associated with teicoplanin: Meta-analysis and meta-regression. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2022, 130, 110-121.	1.2	11
3	Evaluation of urinary biomarkers in ischemia/reperfusion-induced renal injury. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2022, 95, 3-P-237.	0.0	0
4	Usefulness of Medication Guidance Sheets for Patients With Non-Hodgkin's Lymphoma Receiving ESHAP±R Therapy. <i>Anticancer Research</i> , 2022, 42, 2053-2060.	0.5	1
5	Glucocalyxin A Ameliorates Hypoxia/Reoxygenation-Induced Injury in Human Renal Proximal Tubular Epithelial Cell Line HK-2 Cells. <i>International Journal of Molecular Sciences</i> , 2022, 23, 446.	1.8	7
6	Evaluation of Medication Instruction Sheets for Patients Undergoing R-CHOP Therapy in Non-Hodgkin's Lymphoma. <i>In Vivo</i> , 2022, 36, 1461-1467.	0.6	1
7	Design, synthesis, and evaluation of new vanin-1 inhibitors based on RR6. <i>Bioorganic and Medicinal Chemistry</i> , 2022, 65, 116791.	1.4	1
8	Ferroptosis: A Potential Therapeutic Target in Acute Kidney Injury. <i>International Journal of Molecular Sciences</i> , 2022, 23, 6583.	1.8	24
9	Biomarkers of high salt intake. <i>Advances in Clinical Chemistry</i> , 2021, 104, 71-106.	1.8	5
10	Pharmacovigilance Evaluation of Bendamustine-related Skin Disorders using the Japanese Adverse Drug Event Report Database. <i>Journal of Pharmacy and Pharmaceutical Sciences</i> , 2021, 24, 16-22.	0.9	18
11	Acute Kidney Injury Impacts on Hypokalemia Associated with Yokukansan Preparation: A Retrospective Observational Study. <i>Biological and Pharmaceutical Bulletin</i> , 2021, 44, 118-124.	0.6	3
12	Effectiveness of monitoring free carnitine levels for L-carnitine supplementation in hemodialysis patients to maintain carnitine sufficiency and nutritional factors. <i>Therapeutic Apheresis and Dialysis</i> , 2021, 25, 595-606.	0.4	0
13	Association between a low dose of proton pump inhibitors and kidney function decline in elderly hypertensive patients: a retrospective observational study. <i>Journal of International Medical Research</i> , 2021, 49, 030006052110066.	0.4	2
14	Association of urinary vanillin with kidney function decline in hypertensive patients. <i>Journal of Clinical Hypertension</i> , 2021, 23, 1316-1321.	1.0	8
15	In Vivo and In Vitro Evaluation of Urinary Biomarkers in Ischemia/Reperfusion-Induced Kidney Injury. <i>International Journal of Molecular Sciences</i> , 2021, 22, 11448.	1.8	11
16	Range of serum transthyretin levels in hemodialysis patients at a high risk of one-year mortality: a retrospective cohort study. <i>Therapeutic Apheresis and Dialysis</i> , 2021, , .	0.4	2
17	Roles Played by Biomarkers of Kidney Injury in Patients with Upper Urinary Tract Obstruction. <i>International Journal of Molecular Sciences</i> , 2020, 21, 5490.	1.8	29
18	<p>Comparison of Adverse Event Profiles of Tumor Necrosis Factor-Alpha Inhibitors: Analysis of a Spontaneous Reporting Database</p>. <i>Therapeutics and Clinical Risk Management</i> , 2020, Volume 16, 741-747.	0.9	1

#	ARTICLE	IF	CITATIONS
19	Urinary vanin associated with chronic kidney disease in hypertensive patients: A pilot study. <i>Journal of Clinical Hypertension</i> , 2020, 22, 1458-1465.	1.0	12
20	Risk Factors for Febrile Neutropenia Induced by Docetaxel Chemotherapy in Patients with Non-small Cell Lung Cancer. <i>Biological and Pharmaceutical Bulletin</i> , 2020, 43, 1235-1240.	0.6	3
21	Comparison of nocturnal blood pressure based on home versus ambulatory blood pressure measurement: The Ohasama Study. <i>Clinical and Experimental Hypertension</i> , 2020, 42, 685-691.	0.5	6
22	Improvement of Blood Pressure Control by Adherence Check in Patients With Apparent Treatment-Resistant Hypertension: A Case Series. <i>Clinical Medicine Insights: Case Reports</i> , 2020, 13, 117954762090488.	0.3	2
23	Involvement of Vanin-1 in Renal Proximal Tubular Injury in Dahl-Salt Sensitive Rats. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2020, 93, 2-O-058.	0.0	0
24	Range of plasma brain natriuretic peptide (BNP) levels in hemodialysis patients at a high risk of 1-year mortality and their relationship with the nutritional status: a retrospective cohort study in one institute. <i>Renal Replacement Therapy</i> , 2020, 6, .	0.3	1
25	Risk Factors for Skin Toxicities Associated with Bendamustine-Based Chemotherapy in Patients with Non-Hodgkin Lymphoma. <i>Biological and Pharmaceutical Bulletin</i> , 2020, 43, 1577-1582.	0.6	3
26	Geriatric Patients Are at a High Risk of Hypokalemia Associated with Yokukansan Preparation: A Retrospective Cohort Study. <i>Biological and Pharmaceutical Bulletin</i> , 2020, 43, 1742-1748.	0.6	5
27	Evaluation of adverse events associated with filgrastim originator and biosimilar using a spontaneous reporting system database. <i>Die Pharmazie</i> , 2020, 75, 151-153.	0.3	1
28	Evaluation of medication-related osteonecrosis of the jaw using the Japanese Adverse Drug Event Report database. <i>Therapeutics and Clinical Risk Management</i> , 2019, Volume 15, 59-64.	0.9	12
29	Surveillance of drugs that most frequently induce acute kidney injury: A pharmacovigilance approach. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2019, 44, 49-53.	0.7	33
30	Evaluation of Acute Kidney Injury Associated With Anticancer Drugs Used in Gastric Cancer in the Japanese Adverse Drug Event Report Database. <i>Annals of Pharmacotherapy</i> , 2019, 53, 1200-1206.	0.9	26
31	Evaluation of adverse events focusing on infection associated with infliximab originator and biosimilar using a spontaneous reporting system database. <i>Journal of Pharmaceutical Health Care and Sciences</i> , 2019, 5, 21.	0.4	0
32	Augmentation of cadmium-induced oxidative cytotoxicity by pioglitazone in renal tubular epithelial cells. <i>Toxicology and Industrial Health</i> , 2019, 35, 530-536.	0.6	7
33	Pharmacovigilance Assessment of Drug-Induced Acute Pancreatitis Using a Spontaneous Reporting Database. <i>International Journal of Toxicology</i> , 2019, 38, 487-492.	0.6	17
34	Involvement of Vanin-1 in Ameliorating Effect of Oxidative Renal Tubular Injury in Dahl-Salt Sensitive Rats. <i>International Journal of Molecular Sciences</i> , 2019, 20, 4481.	1.8	14
35	Adverse Cutaneous Drug Reactions Associated with Old- and New- Generation Antiepileptic Drugs Using the Japanese Pharmacovigilance Database. <i>Clinical Drug Investigation</i> , 2019, 39, 363-368.	1.1	22
36	Association of Stevens-Johnson syndrome and toxic epidermal necrolysis with antiepileptic drugs in pediatric patients: Subgroup analysis based on a Japanese spontaneous database. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2019, 44, 775-779.	0.7	16

#	ARTICLE	IF	CITATIONS
37	Comparison of Safety Profiles of New Oral Anticoagulants with Warfarin Using the Japanese Spontaneous Reporting Database. <i>Clinical Drug Investigation</i> , 2019, 39, 665-670.	1.1	7
38	A Novel Biomarker for Acute Kidney Injury, Vanin-1, for Obstructive Nephropathy: A Prospective Cohort Pilot Study. <i>International Journal of Molecular Sciences</i> , 2019, 20, 899.	1.8	20
39	Can Focal Segmental Glomerulosclerosis Be Differentiated From Minimal Change Nephrotic Syndrome Using Biomarkers?. <i>American Journal of the Medical Sciences</i> , 2018, 355, 305-306.	0.4	0
40	Early urinary biomarkers of renal tubular damage by a high salt intake independent of blood pressure in normotensive rats. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2018, 45, 261-268.	0.9	21
41	Drug-induced tubulointerstitial nephritis in a retrospective study using spontaneous reporting system database. <i>Therapeutics and Clinical Risk Management</i> , 2018, Volume 14, 1599-1604.	0.9	12
42	Comparative Quantification of Chemotherapy-Induced Nausea and Emesis between the Common Terminology Criteria for Adverse Events and the Multinational Association of Supportive Care in Cancer Antiemesis Tool. <i>Biological and Pharmaceutical Bulletin</i> , 2018, 41, 1667-1671.	0.6	5
43	Vanin-1 in Renal Pelvic Urine Reflects Kidney Injury in a Rat Model of Hydronephrosis. <i>International Journal of Molecular Sciences</i> , 2018, 19, 3186.	1.8	18
44	Differential profiles of adverse events associated with mycophenolate mofetil between adult and pediatric renal transplant patients. <i>Journal of International Medical Research</i> , 2018, 46, 4617-4623.	0.4	10
45	Association between urinary vanin-1 and decrease in kidney function in hypertensive patients. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2018, WCP2018, PO1-3-8.	0.0	0
46	Effect of a dosing-time on quetiapine-induced acute hyperglycemia in mice. <i>Journal of Pharmacological Sciences</i> , 2017, 133, 139-145.	1.1	6
47	Biomarkers for Chronic Kidney Disease Associated with High Salt Intake. <i>International Journal of Molecular Sciences</i> , 2017, 18, 2080.	1.8	29
48	Role of Oxidative Stress in Drug-Induced Kidney Injury. <i>International Journal of Molecular Sciences</i> , 2016, 17, 1826.	1.8	131
49	Early prediction of cisplatin-induced nephrotoxicity by urinary vanin-1 in patients with urothelial carcinoma. <i>Toxicology</i> , 2016, 359-360, 71-75.	2.0	27
50	Influence of genetic polymorphisms of multidrug and toxin extrusion protein 1 on its mRNA expression in peripheral blood cells. <i>Journal of Pharmacological Sciences</i> , 2016, 131, 138-140.	1.1	3
51	Early urinary biomarkers for renal tubular damage in spontaneously hypertensive rats on a high salt intake. <i>Hypertension Research</i> , 2016, 39, 19-26.	1.5	27
52	Temsirolimus induces surfactant lipid accumulation and lung inflammation in mice. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2014, 306, L1117-L1128.	1.3	15
53	Early detection of renal injury using urinary vanin-1 in rats with experimental colitis. <i>Journal of Applied Toxicology</i> , 2014, 34, 184-190.	1.4	10
54	Urinary Kim-1 is a sensitive biomarker for the early stage of diabetic nephropathy in Otsuka Long-Evans Tokushima Fatty rats. <i>Diabetes and Vascular Disease Research</i> , 2014, 11, 243-250.	0.9	19

#	ARTICLE	IF	CITATIONS
55	Association between CYP3A5 Genotypes in Graft Liver and Increase in Tacrolimus Biotransformation from Steroid Treatment in Living-donor Liver Transplant Patients. <i>Drug Metabolism and Pharmacokinetics</i> , 2014, 29, 83-89.	1.1	19
56	Urinary Vanin-1 As a Novel Biomarker for Early Detection of Drug-Induced Acute Kidney Injury. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2012, 341, 656-662.	1.3	72
57	Vanin-1; a potential biomarker for nephrotoxicant-induced renal injury. <i>Toxicology</i> , 2011, 290, 82-88.	2.0	60
58	Reproducibility of Nocturnal Blood Pressure Assessed by Self-Measurement of Blood Pressure at Home. <i>Hypertension Research</i> , 2007, 30, 707-712.	1.5	49