

Jeffrey P Severinghaus

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1860714/jeffrey-p-severinghaus-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

109
papers

5,523
citations

40
h-index

73
g-index

145
ext. papers

6,392
ext. citations

12
avg, IF

5.43
L-index

#	Paper	IF	Citations
109	Increasing atmospheric helium due to fossil fuel exploitation. <i>Nature Geoscience</i> , 2022 , 15, 346-348	18.3	0
108	Evolution of mean ocean temperature in Marine Isotope Stage 4. <i>Climate of the Past</i> , 2021 , 17, 2273-2289	9.9	2
107	A method for resolving changes in atmospheric He $\delta^{22}\text{He}$ as an indicator of fossil fuel extraction and stratospheric circulation. <i>Atmospheric Measurement Techniques</i> , 2021 , 14, 2515-2527	4.1	1
106	Widespread six degrees Celsius cooling on land during the Last Glacial Maximum. <i>Nature</i> , 2021 , 593, 228-232	52.4	21
105	Abrupt Heinrich Stadial 1 cooling missing in Greenland oxygen isotopes. <i>Science Advances</i> , 2021 , 7,	14.3	9
104	Antarctic surface temperature and elevation during the Last Glacial Maximum. <i>Science</i> , 2021 , 372, 1097-1101	33.9	10
103	The triple argon isotope composition of groundwater on ten-thousand-year timescales. <i>Chemical Geology</i> , 2021 , 583, 120458	4.2	3
102	Ice core evidence for atmospheric oxygen decline since the Mid-Pleistocene transition.. <i>Science Advances</i> , 2021 , 7, eabj9341	14.3	0
101	Fractionation of O_2 and Ar_2 in the Antarctic ice sheet during bubble formation and bubble growth: constraints from precise gas measurements of the Dome Fuji ice core.	5.5	1
100	Atmospheric History of H ₂ Over the Past Century Reconstructed From South Pole Firn Air. <i>Geophysical Research Letters</i> , 2020 , 47, e2020GL087787	4.9	5
99	Preindustrial CH ₄ indicates greater anthropogenic fossil CH ₄ emissions. <i>Nature</i> , 2020 , 578, 409-412	50.4	95
98	Old carbon reservoirs were not important in the deglacial methane budget. <i>Science</i> , 2020 , 367, 907-910	33.3	28
97	An 83 000-year-old ice core from Roosevelt Island, Ross Sea, Antarctica. <i>Climate of the Past</i> , 2020 , 16, 1691-1713	3.9	4
96	Gravitational separation of Ar_2 and age of air in the lowermost stratosphere in airborne observations and a chemical transport model. <i>Atmospheric Chemistry and Physics</i> , 2020 , 20, 12391-12408	6.8	7
95	New technique for high-precision, simultaneous measurements of CH ₄ , N ₂ O and CO ₂ concentrations; isotopic and elemental ratios of N ₂ , O ₂ and Ar; and total air water vapor. <i>Atmospheric Measurement Techniques</i> , 2020 , 13, 4703-4711	4	6
94	The SP19 chronology for the South Pole Ice Core â Part 2: gas chronology, age, and smoothing of atmospheric records. <i>Climate of the Past</i> , 2020 , 16, 2431-2444	3.9	7
93	Global ocean heat content in the Last Interglacial. <i>Nature Geoscience</i> , 2020 , 13, 77-81	18.3	19

92	Timing and structure of the Younger Dryas event and its underlying climate dynamics. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 23408-23417	11.5	37
91	Millennial-Scale Changes in Terrestrial and Marine Nitrous Oxide Emissions at the Onset and Termination of Marine Isotope Stage 4. <i>Geophysical Research Letters</i> , 2020 , 47, e2020GL089110	4.9	
90	Spatial pattern of accumulation at Taylor Dome during Marine Isotope Stage 4: stratigraphic constraints from Taylor Glacier. <i>Climate of the Past</i> , 2019 , 15, 1537-1556	3.9	9
89	Perfluorocyclobutane (PFC-318, C_4F_8) in the global atmosphere. <i>Atmospheric Chemistry and Physics</i> , 2019 , 19, 10335-10359	6.8	12
88	Is the Noble Gas-Based Rate of Ocean Warming During the Younger Dryas Overestimated?. <i>Geophysical Research Letters</i> , 2019 , 46, 5928-5936	4.9	8
87	Precise determination of Ar, Kr and Xe isotopic fractionation due to diffusion and dissolution in fresh water. <i>Earth and Planetary Science Letters</i> , 2019 , 514, 156-165	5.3	10
86	Heavy Noble Gas Isotopes as New Constraints on the Ventilation of the Deep Ocean. <i>Geophysical Research Letters</i> , 2019 , 46, 8926-8932	4.9	3
85	Earth's radiative imbalance from the Last Glacial Maximum to the present. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 14881-14886	11.5	17
84	The SP19 chronology for the South Pole Ice Core âPart 1: volcanic matching and annual layer counting. <i>Climate of the Past</i> , 2019 , 15, 1793-1808	3.9	19
83	Deglacial water-table decline in Southern California recorded by noble gas isotopes. <i>Nature Communications</i> , 2019 , 10, 5739	17.4	11
82	Two-million-year-old snapshots of atmospheric gases from Antarctic ice. <i>Nature</i> , 2019 , 574, 663-666	50.4	43
81	New methods for measuring atmospheric heavy noble gas isotope and elemental ratios in ice core samples. <i>Rapid Communications in Mass Spectrometry</i> , 2018 , 32, 801-814	2.2	14
80	Controls on Millennial-Scale Atmospheric CO ₂ Variability During the Last Glacial Period. <i>Geophysical Research Letters</i> , 2018 , 45, 7731-7740	4.9	22
79	A Horizontal Ice Core From Taylor Glacier, Its Implications for Antarctic Climate History, and an Improved Taylor Dome Ice Core Time Scale. <i>Paleoceanography and Paleoclimatology</i> , 2018 , 33, 778-794	3.3	12
78	The influence of layering and barometric pumping on firn air transport in a 2-D model. <i>Cryosphere</i> , 2018 , 12, 2021-2037	5.5	5
77	The Ross Sea Dipole âTemperature, snow accumulation and sea ice variability in the Ross Sea region, Antarctica, over the past 2700 years. <i>Climate of the Past</i> , 2018 , 14, 193-214	3.9	30
76	Steady state fractionation of heavy noble gas isotopes in a deep unsaturated zone. <i>Water Resources Research</i> , 2017 , 53, 2716-2732	5.4	10
75	The recent warming trend in North Greenland. <i>Geophysical Research Letters</i> , 2017 , 44, 6235-6243	4.9	29

74	Does $\delta^{18}O$ of $\delta^{22}O$ record meridional shifts in tropical rainfall?. <i>Climate of the Past</i> , 2017 , 13, 1323-1338	3.9	17
73	Minimal geological methane emissions during the Younger Dryas-Preboreal abrupt warming event. <i>Nature</i> , 2017 , 548, 443-446	50.4	59
72	Synchronous volcanic eruptions and abrupt climate change ~17.7 ka plausibly linked by stratospheric ozone depletion. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, 10035-10040	11.5	43
71	Using Noble Gas Measurements to Derive Air-Sea Process Information and Predict Physical Gas Saturations. <i>Geophysical Research Letters</i> , 2017 , 44, 9901-9909	4.9	11
70	Atmospheric gas records from Taylor Glacier, Antarctica, reveal ancient ice with ages spanning the entire last glacial cycle. <i>Climate of the Past</i> , 2017 , 13, 943-958	3.9	13
69	Measurements of ^{14}C in ancient ice from Taylor Glacier, Antarctica constrain in situ cosmogenic $^{14}CH_4$ and ^{14}CO production rates. <i>Geochimica Et Cosmochimica Acta</i> , 2016 , 177, 62-77	5.5	14
68	Carbon isotopes characterize rapid changes in atmospheric carbon dioxide during the last deglaciation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 3465-70	11.5	76
67	Dispersion in deep polar firn driven by synoptic-scale surface pressure variability. <i>Cryosphere</i> , 2016 , 10, 2099-2111	5.5	15
66	Deglacial temperature history of West Antarctica. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 14249-14254	11.5	76
65	Rapid Access Ice Drill: a new tool for exploration of the deep Antarctic ice sheets and subglacial geology. <i>Journal of Glaciology</i> , 2016 , 62, 1049-1064	3.4	19
64	The WAIS Divide deep ice core WD2014 chronology âPart 1: Methane synchronization (68â1 ka BP) and the gas ageâice age difference. <i>Climate of the Past</i> , 2015 , 11, 153-173	3.9	127
63	Differentiating bubble-free layers from melt layers in ice cores using noble gases. <i>Journal of Glaciology</i> , 2015 , 61, 585-594	3.4	13
62	Observing and modeling the influence of layering on bubble trapping in polar firn. <i>Journal of Geophysical Research D: Atmospheres</i> , 2015 , 120, 2558-2574	4.4	30
61	Paleoclimate. Enhanced tropical methane production in response to iceberg discharge in the North Atlantic. <i>Science</i> , 2015 , 348, 1016-9	33.3	85
60	An ice core record of near-synchronous global climate changes at the Bølling transition. <i>Nature Geoscience</i> , 2014 , 7, 459-463	18.3	41
59	Greenland temperature response to climate forcing during the last deglaciation. <i>Science</i> , 2014 , 345, 1177-80	33.3	171
58	Magnitude and temporal evolution of DansgaardâOeschger event 8 abrupt temperature change inferred from nitrogen and argon isotopes in GISP2 ice using a new least-squares inversion. <i>Earth and Planetary Science Letters</i> , 2014 , 395, 81-90	5.3	14
57	Corrigendum to "Gas transport in firn: multiple-tracer characterisation and model intercomparison for NEEM, Northern Greenland" published in <i>Atmos. Chem. Phys.</i> , 12, 4259â4277, 2012. <i>Atmospheric Chemistry and Physics</i> , 2014 , 14, 3571-3572	6.8	2

56	Consistently dated records from the Greenland GRIP, GISP2 and NGRIP ice cores for the past 104ka reveal regional millennial-scale $\delta^{18}O$ gradients with possible Heinrich event imprint. <i>Quaternary Science Reviews</i> , 2014 , 106, 29-46	3.9	197
55	Isotopic constraints on marine and terrestrial N ₂ O emissions during the last deglaciation. <i>Nature</i> , 2014 , 516, 234-7	50.4	33
54	Radiometric ⁸¹ Kr dating identifies 120,000-year-old ice at Taylor Glacier, Antarctica. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 6876-81	11.5	47
53	High-precision ¹⁴ C measurements demonstrate production of in situ cosmogenic ¹⁴ CH ₄ and rapid loss of in situ cosmogenic ¹⁴ CO in shallow Greenland firn. <i>Earth and Planetary Science Letters</i> , 2013 , 365, 190-197	5.3	7
52	Kinetic fractionation of gases by deep air convection in polar firn. <i>Atmospheric Chemistry and Physics</i> , 2013 , 13, 11141-11155	6.8	18
51	A 60 yr record of atmospheric carbon monoxide reconstructed from Greenland firn air. <i>Atmospheric Chemistry and Physics</i> , 2013 , 13, 7567-7585	6.8	24
50	Where to find 1.5 million yr old ice for the IPICS "Oldest-Ice" ice core. <i>Climate of the Past</i> , 2013 , 9, 2489-2505	3.9	89
49	A first chronology for the North Greenland Eemian Ice Drilling (NEEM) ice core. <i>Climate of the Past</i> , 2013 , 9, 2713-2730	3.9	102
48	In situ cosmogenic radiocarbon production and 2-D ice flow line modeling for an Antarctic blue ice area. <i>Journal of Geophysical Research</i> , 2012 , 117, n/a-n/a		5
47	Little Ice Age cold interval in West Antarctica: Evidence from borehole temperature at the West Antarctic Ice Sheet (WAIS) Divide. <i>Geophysical Research Letters</i> , 2012 , 39, n/a-n/a	4.9	65
46	Gas transport in firn: multiple-tracer characterisation and model intercomparison for NEEM, Northern Greenland. <i>Atmospheric Chemistry and Physics</i> , 2012 , 12, 4259-4277	6.8	108
45	High variability of Greenland surface temperature over the past 4000 years estimated from trapped air in an ice core. <i>Geophysical Research Letters</i> , 2011 , 38, n/a-n/a	4.9	95
44	Noble gases as proxies of mean ocean temperature: sensitivity studies using a climate model of reduced complexity. <i>Quaternary Science Reviews</i> , 2011 , 30, 3728-3741	3.9	37
43	Controls on the movement and composition of firn air at the West Antarctic Ice Sheet Divide. <i>Atmospheric Chemistry and Physics</i> , 2011 , 11, 11007-11021	6.8	31
42	Methane and megafauna. <i>Nature Geoscience</i> , 2011 , 4, 271-272	18.3	6
41	Deep air convection in the firn at a zero-accumulation site, central Antarctica. <i>Earth and Planetary Science Letters</i> , 2010 , 293, 359-367	5.3	68
40	Persistent multi-decadal Greenland temperature fluctuation through the last millennium. <i>Climatic Change</i> , 2010 , 100, 733-756	4.5	44
39	¹⁴ CH ₄ measurements in Greenland ice: investigating last glacial termination CH ₄ sources. <i>Science</i> , 2009 , 324, 506-8	33.3	74

38	Atmospheric science. Monsoons and meltdowns. <i>Science</i> , 2009 , 326, 240-1	33.3	7
37	Ice stratigraphy at the Pitsoq ice margin, West Greenland, derived from gas records. <i>Journal of Glaciology</i> , 2009 , 55, 411-421	3.4	10
36	Oxygen-18 of O ₂ records the impact of abrupt climate change on the terrestrial biosphere. <i>Science</i> , 2009 , 324, 1431-4	33.3	127
35	Relative timing and variability of atmospheric methane and GISP2 oxygen isotopes between 68 and 86 ka. <i>Global Biogeochemical Cycles</i> , 2009 , 23, n/a-n/a	5.9	15
34	4±1.5°C abrupt warming 11,270±yr ago identified from trapped air in Greenland ice. <i>Earth and Planetary Science Letters</i> , 2008 , 268, 397-407	5.3	52
33	Argon and nitrogen isotopes of trapped air in the GISP2 ice core during the Holocene epoch (0±1,500 B.P.): Methodology and implications for gas loss processes. <i>Geochimica Et Cosmochimica Acta</i> , 2008 , 72, 4675-4686	5.5	36
32	A novel method for obtaining very large ancient air samples from ablating glacial ice for analyses of methane radiocarbon. <i>Journal of Glaciology</i> , 2008 , 54, 233-244	3.4	16
31	A New Method for Analyzing 14C of Methane in Ancient Air Extracted from Glacial Ice. <i>Radiocarbon</i> , 2008 , 50, 53-73	4.6	15
30	A method to measure Kr/N ₂ ratios in air bubbles trapped in ice cores and its application in reconstructing past mean ocean temperature. <i>Journal of Geophysical Research</i> , 2007 , 112,		42
29	Abrupt changes in atmospheric methane at the MIS 5b±a transition. <i>Geophysical Research Letters</i> , 2007 , 34,	4.9	25
28	Northern Hemisphere forcing of climatic cycles in Antarctica over the past 360,000 years. <i>Nature</i> , 2007 , 448, 912-6	50.4	370
27	Precise timing and characterization of abrupt climate change 8200 years ago from air trapped in polar ice. <i>Quaternary Science Reviews</i> , 2007 , 26, 1212-1222	3.9	183
26	Trace gas disequilibria during deep-water formation. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2007 , 54, 939-950	2.5	52
25	Ice record of delta13C for atmospheric CH ₄ across the Younger Dryas-Preboreal transition. <i>Science</i> , 2006 , 313, 1109-12	33.3	71
24	Fractionation of gases in polar ice during bubble close-off: New constraints from firn air Ne, Kr and Xe observations. <i>Earth and Planetary Science Letters</i> , 2006 , 244, 474-500	5.3	100
23	Convective mixing of air in firn at four polar sites. <i>Earth and Planetary Science Letters</i> , 2006 , 244, 672-682	5.3	53
22	Gas records from the West Greenland ice margin covering the Last Glacial Termination: a horizontal ice core. <i>Quaternary Science Reviews</i> , 2006 , 25, 865-875	3.9	51
21	A revised +10±4°C magnitude of the abrupt change in Greenland temperature at the Younger Dryas termination using published GISP2 gas isotope data and air thermal diffusion constants. <i>Quaternary Science Reviews</i> , 2005 , 24, 513-519	3.9	59

20	Observations of O ₂ :CO ₂ exchange ratios during ecosystem gas exchange. <i>Global Biogeochemical Cycles</i> , 2004 , 18, n/a-n/a	5.9	33
19	A novel method to study the phase relationship between Antarctic and Greenland climate. <i>Geophysical Research Letters</i> , 2003 , 30, n/a-n/a	4.9	33
18	Determining the Thermal Diffusion Factor for ⁴⁰ Ar/ ³⁶ Ar in Air To Aid Paleoreconstruction of Abrupt Climate Change. <i>Journal of Physical Chemistry A</i> , 2003 , 107, 4636-4642	2.8	42
17	A method for precise measurement of argon ⁴⁰ / ³⁶ and krypton/argon ratios in trapped air in polar ice with applications to past firn thickness and abrupt climate change in Greenland and at Siple Dome, Antarctica. <i>Geochimica Et Cosmochimica Acta</i> , 2003 , 67, 325-343	5.5	104
16	Laboratory determination of thermal diffusion constants for ²⁹ N ₂ / ²⁸ N ₂ in air at temperatures from -80 to 0°C for reconstruction of magnitudes of abrupt climate changes using the ice core fossil firn paleothermometer. <i>Geochimica Et Cosmochimica Acta</i> , 2003 , 67, 345-360	5.5	56
15	Timing of atmospheric CO ₂ and Antarctic temperature changes across termination III. <i>Science</i> , 2003 , 299, 1728-31	33.3	178
14	Thermal fractionation of air in polar firn by seasonal temperature gradients. <i>Geochemistry, Geophysics, Geosystems</i> , 2001 , 2, n/a-n/a	3.6	101
13	A record of atmospheric halocarbons during the twentieth century from polar firn air. <i>Nature</i> , 1999 , 399, 749-755	50.4	203
12	Abrupt climate change at the end of the last glacial period inferred from trapped air in polar ice. <i>Science</i> , 1999 , 286, 930-4	33.3	438
11	Timing of abrupt climate change at the end of the Younger Dryas interval from thermally fractionated gases in polar ice. <i>Nature</i> , 1998 , 391, 141-146	50.4	562
10	Fractionation of soil gases by diffusion of water vapor, gravitational settling, and thermal diffusion. <i>Geochimica Et Cosmochimica Acta</i> , 1996 , 60, 1005-1018	5.5	72
9	Controls on the movement and composition of firn air at the West Antarctic Ice Sheet Divide		2
8	Kinetic fractionation of gases by deep air convection in polar firn		1
7	The Ross Sea Dipole - Temperature, Snow Accumulation and Sea Ice Variability in the Ross Sea Region, Antarctica, over the Past 2,700 Years		2
6	An 83 000 year old ice core from Roosevelt Island, Ross Sea, Antarctica		2
5	The WAIS-Divide deep ice core WD2014 chronology - Part 2: Methane synchronization (68 ± 1 ka BP) and the gas age-ice age difference		3
4	Where to find 1.5 million yr old ice for the IPICS 'Oldest Ice' ice core		7
3	A first chronology for the NEEM ice core		9

2	Facility for testing ice drills. <i>Scientific Drilling</i> ,22, 29-33		2
1	Deep ice drilling, bedrock coring and dust logging with the Rapid Access Ice Drill (RAID) at Minna Bluff, Antarctica. <i>Annals of Glaciology</i> ,1-16	2.5	2