

Lucie Germain

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1860861/lucie-germain-publications-by-year.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

200 papers	8,534 citations	44 h-index	87 g-index
216 ext. papers	9,266 ext. citations	4.1 avg, IF	5.47 L-index

#	Paper	IF	Citations
200	Efficient Gamma-Retroviral Transduction of Primary Human Skin Cells Using the EF-c Peptide as a Transduction Enhancer.. <i>Current Protocols</i> , 2022 , 2, e353		0
199	Tie-Over Bolster Pressure Dressing Improves Outcomes of Skin Substitutes Xenografts on Athymic Mice. <i>International Journal of Molecular Sciences</i> , 2022 , 23, 5507	6.3	
198	CSDE1 attenuates microRNA-mediated silencing of PMEPA1 in melanoma. <i>Oncogene</i> , 2021 , 40, 3231-3244	4.2	5
197	The role of cultured autologous bilayered skin substitutes as epithelial stem cell niches after grafting: A systematic review of clinical studies. <i>Burns Open</i> , 2021 , 5, 56-66	0.8	4
196	The Human Tissue-Engineered Cornea (hTEC): Recent Progress. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	6
195	Surviving an Extensive Burn Injury Using Advanced Skin Replacement Technologies. <i>Journal of Burn Care and Research</i> , 2021 , 42, 1288-1291	0.8	2
194	Peel Test to Assess the Adhesion Strength of the Dermal-Epidermal Junction in Tissue-Engineered Skin. <i>Tissue Engineering - Part C: Methods</i> , 2020 , 26, 180-189	2.9	2
193	Human Organ-Specific 3D Cancer Models Produced by the Stromal Self-Assembly Method of Tissue Engineering for the Study of Solid Tumors. <i>BioMed Research International</i> , 2020 , 2020, 6051210	3	13
192	The Self-assembly Approach as a Tool for the Tissue Engineering of a Bi-lamellar Human Cornea. <i>Methods in Molecular Biology</i> , 2020 , 2145, 103-118	1.4	1
191	Limb salvage after aneurysmal degeneration of a cryopreserved vein allograft: Searching the autologous veins of the arm is worth the effort. <i>Morphologie</i> , 2020 , 104, 202-213	0.9	0
190	Grafting of an autologous tissue-engineered human corneal epithelium to a patient with limbal stem cell deficiency (LSCD). <i>American Journal of Ophthalmology Case Reports</i> , 2019 , 15, 100532	1.3	8
189	Contribution of the WNK1 kinase to corneal wound healing using the tissue-engineered human cornea as an in vitro model. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2019 , 13, 1595-1608	4.4	4
188	Isolation and Culture of Human Keratinocytes. <i>Methods in Molecular Biology</i> , 2019 , 1993, 3-13	1.4	3
187	Donkey pericardium compares favorably with commercial xenopericardia used in the manufacture of transcatheter heart valves. <i>Artificial Organs</i> , 2019 , 43, 976-987	2.6	5
186	Immune tolerance of tissue-engineered skin produced with allogeneic or xenogeneic fibroblasts and syngeneic keratinocytes grafted on mice. <i>Acta Biomaterialia</i> , 2019 , 90, 192-204	10.8	8
185	The Red Kangaroo pericardium as a material source for the manufacture of percutaneous heart valves. <i>Morphologie</i> , 2019 , 103, 37-47	0.9	2
184	Generation of High-Titer Self-Inactivated Retroviral Vector Producer Cells. <i>Molecular Therapy - Methods and Clinical Development</i> , 2019 , 14, 90-99	6.4	4

183	Impact of ultraviolet radiation on dermal and epidermal DNA damage in a human pigmented bilayered skin substitute. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2019 , 13, 2300-2311	4.4	10
182	Donkey pericardium as a select sourcing to manufacture percutaneous heart valves: Decellularization has not yet demonstrated any clear cut advantage to glutaraldehyde treatment. <i>Medicine in Novel Technology and Devices</i> , 2019 , 4, 100029	2.1	
181	Irradiated Human Fibroblasts as a Substitute Feeder Layer to Irradiated Mouse 3T3 for the Culture of Human Corneal Epithelial Cells: Impact on the Stability of the Transcription Factors Sp1 and NFI. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	2
180	Qualitatively Monitoring Binding and Expression of the Transcription Factors Sp1 and NFI as a Useful Tool to Evaluate the Quality of Primary Cultured Epithelial Stem Cells in Tissue Reconstruction. <i>Methods in Molecular Biology</i> , 2019 , 1879, 43-73	1.4	1
179	Enhanced wound healing of tissue-engineered human corneas through altered phosphorylation of the CREB and AKT signal transduction pathways. <i>Acta Biomaterialia</i> , 2018 , 73, 312-325	10.8	10
178	The presence of a feeder layer improves human corneal endothelial cell proliferation by altering the expression of the transcription factors Sp1 and NFI. <i>Experimental Eye Research</i> , 2018 , 176, 161-173	3.7	5
177	Are the Effects of the Cholera Toxin and Isoproterenol on Human KeratinocytesSProliferative Potential Dependent on Whether They Are Co-Cultured with Human or Murine Fibroblast Feeder Layers?. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	7
176	Translating the combination of gene therapy and tissue engineering for treating recessive dystrophic epidermolysis bullosa. <i>European Cells and Materials</i> , 2018 , 35, 73-86	4.3	9
175	Autologous bilayered self-assembled skin substitutes (SASSs) as permanent grafts: a case series of 14 severely burned patients indicating clinical effectiveness. <i>European Cells and Materials</i> , 2018 , 36, 128-141	4.3	44
174	Specialized Living Wound Dressing Based on the Self-Assembly Approach of Tissue Engineering. <i>Journal of Functional Biomaterials</i> , 2018 , 9,	4.8	16
173	Microstructured human fibroblast-derived extracellular matrix scaffold for vascular media fabrication. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2017 , 11, 2479-2489	4.4	5
172	In Vivo Evaluation and Imaging of a Bilayered Self-Assembled Skin Substitute Using a Decellularized Dermal Matrix Grafted on Mice. <i>Tissue Engineering - Part A</i> , 2017 , 23, 313-322	3.9	14
171	Tissue-Engineered Tubular Heart Valves Combining a Novel Precontraction Phase with the Self-Assembly Method. <i>Annals of Biomedical Engineering</i> , 2017 , 45, 427-438	4.7	3
170	Correlation between structural changes and acute thrombogenicity in transcatheter pericardium valves after crimping and balloon deployment. <i>Morphologie</i> , 2017 , 101, 19-32	0.9	20
169	A Role for DLK in Microtubule Reorganization to the Cell Periphery and in the Maintenance of Desmosomal and Tight Junction Integrity. <i>Journal of Investigative Dermatology</i> , 2017 , 137, 132-141	4.3	10
168	Expression of C4.4A in an In Vitro Human Tissue-Engineered Skin Model. <i>BioMed Research International</i> , 2017 , 2017, 2403072	3	1
167	Improved Methods to Produce Tissue-Engineered Skin Substitutes Suitable for the Permanent Closure of Full-Thickness Skin Injuries. <i>BioResearch Open Access</i> , 2016 , 5, 320-329	2.4	31
166	Transcatheter heart valve crimping and the protecting effects of a polyester cuff. <i>Morphologie</i> , 2016 , 100, 234-244	0.9	6

165	The tissue-engineered human cornea as a model to study expression of matrix metalloproteinases during corneal wound healing. <i>Biomaterials</i> , 2016 , 78, 86-101	15.6	38
164	The ROVT Elan Valved Biplex Conduits for the Reconstruction of the Right Ventricular Outflow Tract. <i>Journal of Long-Term Effects of Medical Implants</i> , 2016 , 26, 13-42	0.2	
163	The Triplex BioValsalva Prostheses To Reconstruct the Aortic Valve and the Aortic Root. <i>Journal of Long-Term Effects of Medical Implants</i> , 2016 , 26, 49-78	0.2	
162	27.12 MHz Radiofrequency Ablation for Benign Cutaneous Lesions. <i>BioMed Research International</i> , 2016 , 2016, 6016943	3	3
161	Remodeling of Fibroblast-Derived Vascular Scaffolds Implanted for 6 Months in Rats. <i>BioMed Research International</i> , 2016 , 2016, 3762484	3	5
160	Mechanical properties of endothelialized fibroblast-derived vascular scaffolds stimulated in a bioreactor. <i>Acta Biomaterialia</i> , 2015 , 18, 176-85	10.8	29
159	Contribution of Sp1 to Telomerase Expression and Activity in Skin Keratinocytes Cultured With a Feeder Layer. <i>Journal of Cellular Physiology</i> , 2015 , 230, 308-17	7	3
158	Human adipose-derived stromal cells for the production of completely autologous self-assembled tissue-engineered vascular substitutes. <i>Acta Biomaterialia</i> , 2015 , 24, 209-19	10.8	25
157	Production of a Bilayered Self-Assembled Skin Substitute Using a Tissue-Engineered Acellular Dermal Matrix. <i>Tissue Engineering - Part C: Methods</i> , 2015 , 21, 1297-305	2.9	13
156	Potential of Newborn and Adult Stem Cells for the Production of Vascular Constructs Using the Living Tissue Sheet Approach. <i>BioMed Research International</i> , 2015 , 2015, 168294	3	8
155	Effect of 27-MHz radiofrequency on hair follicles: histological evaluation of skin treated ex vivo. <i>Dermatologic Surgery</i> , 2015 , 41, 466-72	1.7	4
154	A Floating Thrombus Anchored at the Proximal Anastomosis of a Woven Thoracic Graft Mimicking a Genuine Aortic Dissection. <i>Journal of Long-Term Effects of Medical Implants</i> , 2015 , 25, 179-200	0.2	1
153	Using human umbilical cord cells for tissue engineering: a comparison with skin cells. <i>Differentiation</i> , 2014 , 87, 172-81	3.5	5
152	A new construction technique for tissue-engineered heart valves using the self-assembly method. <i>Tissue Engineering - Part C: Methods</i> , 2014 , 20, 905-15	2.9	19
151	Tendons and Ligament Tissue Engineering 2014 , 1275-1287		3
150	Progress in developing a living human tissue-engineered tri-leaflet heart valve assembled from tissue produced by the self-assembly approach. <i>Acta Biomaterialia</i> , 2014 , 10, 3563-70	10.8	25
149	Comparison of the direct burst pressure and the ring tensile test methods for mechanical characterization of tissue-engineered vascular substitutes. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2014 , 34, 253-63	4.1	37
148	Adherens junction proteins are expressed in collagen corneal equivalents produced in vitro with human cells. <i>Molecular Vision</i> , 2014 , 20, 386-94	2.3	7

147	Tissue-engineered extracellular matrices for 3D tissue modeling and clinical applications (82.2). <i>FASEB Journal</i> , 2014 , 28, 82.2	0.9	
146	Minimal contraction for tissue-engineered skin substitutes when matured at the air-liquid interface. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2013 , 7, 452-60	4.4	15
145	Effect of intense pulsed light treatment on human skin in vitro: analysis of immediate effects on dermal papillae and hair follicle stem cells. <i>British Journal of Dermatology</i> , 2013 , 169, 859-68	4	6
144	Human epithelial stem cells persist within tissue-engineered skin produced by the self-assembly approach. <i>Tissue Engineering - Part A</i> , 2013 , 19, 1023-38	3.9	16
143	A comparative study of bovine and porcine pericardium to highlight their potential advantages to manufacture percutaneous cardiovascular implants. <i>Journal of Biomaterials Applications</i> , 2013 , 28, 552-63	2.9	60
142	Harvesting the potential of the human umbilical cord: isolation and characterisation of four cell types for tissue engineering applications. <i>Cells Tissues Organs</i> , 2013 , 197, 37-54	2.1	18
141	Recent Advances in the Development of Tissue-engineered Vascular Media Made by Self-assembly. <i>Procedia Engineering</i> , 2013 , 59, 201-205		2
140	Qualitatively monitoring binding and expression of the transcription factor Sp1 as a useful tool to evaluate the reliability of primary cultured epithelial stem cells in tissue reconstruction. <i>Methods in Molecular Biology</i> , 2013 , 989, 119-42	1.4	2
139	Expression of the β integrin gene in corneal epithelial cells cultured on tissue-engineered human extracellular matrices. <i>Biomaterials</i> , 2013 , 34, 6367-76	15.6	11
138	Irradiated human dermal fibroblasts are as efficient as mouse fibroblasts as a feeder layer to improve human epidermal cell culture lifespan. <i>International Journal of Molecular Sciences</i> , 2013 , 14, 4684-704	6.3	44
137	Interleukin-10 controls the protective effects of circulating microparticles from patients with septic shock on tissue-engineered vascular media. <i>Clinical Science</i> , 2013 , 125, 77-85	6.5	11
136	Prospective study on the treatment of lower-extremity chronic venous and mixed ulcers using tissue-engineered skin substitute made by the self-assembly approach. <i>Advances in Skin and Wound Care</i> , 2013 , 26, 400-9	1.5	30
135	Functional genomic screening identifies dual leucine zipper kinase as a key mediator of retinal ganglion cell death. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 4045-50	11.5	171
134	Alignment of Cells and Extracellular Matrix Within Tissue- Engineered Substitutes 2013 ,		19
133	A tissue-engineered corneal wound healing model for the characterization of reepithelialization. <i>Methods in Molecular Biology</i> , 2013 , 1037, 59-78	1.4	6
132	Human keratinocytes respond to direct current stimulation by increasing intracellular calcium: preferential response of poorly differentiated cells. <i>Journal of Cellular Physiology</i> , 2012 , 227, 2660-7	7	19
131	Human fibroblast-derived ECM as a scaffold for vascular tissue engineering. <i>Biomaterials</i> , 2012 , 33, 9205-13	13.6	74
130	Rescue of the transcription factors Sp1 and NF1 in human skin keratinocytes through a feeder-layer-dependent suppression of the proteasome activity. <i>Journal of Molecular Biology</i> , 2012 , 418, 281-99	6.5	12

129	Electric Potential Across Epidermis and Its Role During Wound Healing Can Be Studied by Using an Reconstructed Human Skin. <i>Advances in Wound Care</i> , 2012 , 1, 81-87	4.8	9
128	Cuspal dehiscence at a post and along the stent cloth in a bovine pericardium heart valve implanted for seven years. <i>Journal of Long-Term Effects of Medical Implants</i> , 2012 , 22, 95-111	0.2	5
127	Can marine mammals be a reliable source for the manufacture of prosthetic heart valves for percutaneous surgery?. <i>Journal of Long-Term Effects of Medical Implants</i> , 2012 , 22, 113-26	0.2	4
126	Hair follicles guide nerve migration in vitro and in vivo in tissue-engineered skin. <i>Journal of Investigative Dermatology</i> , 2011 , 131, 1375-8	4.3	23
125	Tissue-engineered skin preserving the potential of epithelial cells to differentiate into hair after grafting. <i>Tissue Engineering - Part A</i> , 2011 , 17, 819-30	3.9	20
124	Considerations in the choice of a skin donor site for harvesting keratinocytes containing a high proportion of stem cells for culture in vitro. <i>Burns</i> , 2011 , 37, 440-7	2.3	9
123	Mechanical properties of tissue-engineered vascular constructs produced using arterial or venous cells. <i>Tissue Engineering - Part A</i> , 2011 , 17, 2049-59	3.9	53
122	Stem cells of the skin and cornea: their clinical applications in regenerative medicine. <i>Current Opinion in Organ Transplantation</i> , 2011 , 16, 83-9	2.5	6
121	Comparison of the pig and feline models for full thickness corneal transplantation. <i>Veterinary Ophthalmology</i> , 2011 , 14, 365-77	1.4	14
120	Comparative study of bovine, porcine and avian collagens for the production of a tissue engineered dermis. <i>Acta Biomaterialia</i> , 2011 , 7, 3757-65	10.8	72
119	Dynamic mechanical stimulations induce anisotropy and improve the tensile properties of engineered tissues produced without exogenous scaffolding. <i>Acta Biomaterialia</i> , 2011 , 7, 3294-301	10.8	48
118	A Computer-Controlled Apparatus for the Characterization of Mechanical and Viscoelastic Properties of Tissue-Engineered Vascular Constructs. <i>Cardiovascular Engineering and Technology</i> , 2011 , 2, 24-34	2.2	7
117	Corneal endothelial toxicity of air and SF6 2011 , 52, 2279-86		44
116	Biaxial biomechanical properties of self-assembly tissue-engineered blood vessels. <i>Journal of the Royal Society Interface</i> , 2011 , 8, 244-56	4.1	11
115	Tissue engineering of skin and cornea: Development of new models for in vitro studies. <i>Annals of the New York Academy of Sciences</i> , 2010 , 1197, 166-77	6.5	24
114	Normal human epithelial cells regulate the size and morphology of tissue-engineered capillaries. <i>Tissue Engineering - Part A</i> , 2010 , 16, 1457-68	3.9	41
113	Restoration of the transepithelial potential within tissue-engineered human skin in vitro and during the wound healing process in vivo. <i>Tissue Engineering - Part A</i> , 2010 , 16, 3055-63	3.9	33
112	Tissue-engineered vascular adventitia with vasa vasorum improves graft integration and vascularization through inosculation. <i>Tissue Engineering - Part A</i> , 2010 , 16, 2617-26	3.9	37

111	The small heat-shock protein Hsp27 undergoes ERK-dependent phosphorylation and redistribution to the cytoskeleton in response to dual leucine zipper-bearing kinase expression. <i>Journal of Investigative Dermatology</i> , 2010 , 130, 74-85	4.3	28
110	Identification of epithelial stem cells in vivo and in vitro using keratin 19 and BrdU. <i>Methods in Molecular Biology</i> , 2010 , 585, 383-400	1.4	13
109	A novel single-step self-assembly approach for the fabrication of tissue-engineered vascular constructs. <i>Tissue Engineering - Part A</i> , 2010 , 16, 1737-47	3.9	90
108	Reconstruction of a human cornea by the self-assembly approach of tissue engineering using the three native cell types. <i>Molecular Vision</i> , 2010 , 16, 2192-201	2.3	66
107	Impact of cell source on human cornea reconstructed by tissue engineering 2009 , 50, 2645-52		62
106	Applications of human tissue-engineered blood vessel models to study the effects of shed membrane microparticles from T-lymphocytes on vascular function. <i>Tissue Engineering - Part A</i> , 2009 , 15, 137-45	3.9	12
105	A novel cylindrical biaxial computer-controlled bioreactor and biomechanical testing device for vascular tissue engineering. <i>Tissue Engineering - Part A</i> , 2009 , 15, 3331-40	3.9	30
104	Transplantation of a tissue-engineered corneal endothelium reconstructed on a devitalized carrier in the feline model 2009 , 50, 2686-94		45
103	Tissue engineering of feline corneal endothelium using a devitalized human cornea as carrier. <i>Tissue Engineering - Part A</i> , 2009 , 15, 1709-18	3.9	36
102	Regulation of skin collagen metabolism in vitro using a pulsed 660 nm LED light source: clinical correlation with a single-blinded study. <i>Journal of Investigative Dermatology</i> , 2009 , 129, 2751-9	4.3	81
101	Differential binding of the transcription factors Sp1, AP-1, and NF1 to the promoter of the human alpha5 integrin gene dictates its transcriptional activity 2009 , 50, 57-67		24
100	Skin substitutes and wound healing. <i>Skin Pharmacology and Physiology</i> , 2009 , 22, 94-102	3	66
99	Surface topography induces 3D self-orientation of cells and extracellular matrix resulting in improved tissue function. <i>Integrative Biology (United Kingdom)</i> , 2009 , 1, 196-204	3.7	86
98	Evolution of three dimensional skin equivalent models reconstructed in vitro by tissue engineering. <i>European Journal of Dermatology</i> , 2009 , 19, 107-13	0.8	82
97	Regeneration of skin and cornea by tissue engineering. <i>Methods in Molecular Biology</i> , 2009 , 482, 233-56	1.4	52
96	Tissue-Engineered Vascular Substitutes: New Models Toward Successful Small Diameter Grafts 2009 , 153-174		
95	Characterization of wound reepithelialization using a new human tissue-engineered corneal wound healing model. <i>Investigative Ophthalmology and Visual Science</i> , 2008 , 49, 1376-85		61
94	Vibrissa hair bulge houses two populations of skin epithelial stem cells distinct by their keratin profile. <i>FASEB Journal</i> , 2008 , 22, 1404-15	0.9	43

93	Transcriptional regulation of the human alpha6 integrin gene by the transcription factor NFI during corneal wound healing 2008 , 49, 3758-67		15
92	Identification of functional markers in a self-assembled skin substitute in vitro. <i>In Vitro Cellular and Developmental Biology - Animal</i> , 2008 , 44, 444-50	2.6	7
91	IFATS collection: Using human adipose-derived stem/stromal cells for the production of new skin substitutes. <i>Stem Cells</i> , 2008 , 26, 2713-23	5.8	168
90	Reconstructed Skin by the Self-Assembly Approach: Is the Stem Cell Niche Present In Vitro?. <i>FASEB Journal</i> , 2008 , 22, 522.7	0.9	
89	Tissue Engineering of Cornea 2008 , 2707-2718		
88	Polyphenols modulate calcium-independent mechanisms in human arterial tissue-engineered vascular media. <i>Journal of Vascular Surgery</i> , 2007 , 46, 764-72	3.5	12
87	Tendons and Ligaments 2007 , 909-918		4
86	The antiwrinkle effect of topical concentrated 2-dimethylaminoethanol involves a vacuolar cytopathology. <i>British Journal of Dermatology</i> , 2007 , 156, 433-9	4	18
85	Adventitia contribution to vascular contraction: hints provided by tissue-engineered substitutes. <i>Cardiovascular Research</i> , 2007 , 75, 669-78	9.9	17
84	Optimization of culture conditions for porcine corneal endothelial cells. <i>Molecular Vision</i> , 2007 , 13, 524-33	3.3	17
83	The feeder layer-mediated extended lifetime of cultured human skin keratinocytes is associated with altered levels of the transcription factors Sp1 and Sp3. <i>Journal of Cellular Physiology</i> , 2006 , 206, 831-42	7	33
82	Extracellular matrix deposition by fibroblasts is necessary to promote capillary-like tube formation in vitro. <i>Journal of Cellular Physiology</i> , 2006 , 207, 491-8	7	107
81	Adventitia contribution in vascular tone: insights from adventitia-derived cells in a tissue-engineered human blood vessel. <i>FASEB Journal</i> , 2006 , 20, 1245-7	0.9	40
80	Mechanical loading modulates the differentiation state of vascular smooth muscle cells. <i>Tissue Engineering</i> , 2006 , 12, 3159-70		15
79	Tissue-engineered human vascular media produced in vitro by the self-assembly approach present functional properties similar to those of their native blood vessels. <i>Tissue Engineering</i> , 2006 , 12, 2275-81		40
78	Mechanical Loading Modulates the Differentiation State of Vascular Smooth Muscle Cells. <i>Tissue Engineering</i> , 2006 , 061020070827002		
77	Tissue-Engineered Human Vascular Media Produced in Vitro by the Self-Assembly Approach Present Functional Properties Similar to Those of Their Native Blood Vessels. <i>Tissue Engineering</i> , 2006 , 0609130446580126		126
76	Severe oily ichthyosis in monozygotic twins mimicking Chanarin-Dorfman syndrome but not associated with a mutation of the CGI58 gene. <i>Archives of Dermatology</i> , 2006 , 142, 402-3		5

75	Autologous transplantation of rabbit limbal epithelia cultured on fibrin gels for ocular surface reconstruction. <i>Molecular Vision</i> , 2006 , 12, 65-75	2.3	46
74	Role of the extracellular matrix proteins in the resistance of SP6.5 uveal melanoma cells toward cisplatin 2005 , 26, 405		2
73	Tissue reorganization in response to mechanical load increases functionality. <i>Tissue Engineering</i> , 2005 , 11, 90-100		72
72	Keratin 19 as a stem cell marker in vivo and in vitro. <i>Methods in Molecular Biology</i> , 2005 , 289, 103-10	1.4	33
71	Tissue-Engineered Blood Vessels and the Future of Tissue Substitutes 2005 , 85-97		
70	Inosculation of tissue-engineered capillaries with the host's vasculature in a reconstructed skin transplanted on mice. <i>American Journal of Transplantation</i> , 2005 , 5, 1002-10	8.7	303
69	The mitogen-activated protein kinase kinase dual leucine zipper-bearing kinase (DLK) acts as a key regulator of keratinocyte terminal differentiation. <i>Journal of Biological Chemistry</i> , 2005 , 280, 12732-41	5.4	27
68	Tissue-engineered human vascular media with a functional endothelin system. <i>Circulation</i> , 2005 , 111, 459-64	16.7	38
67	In vitro evaluation of the angiostatic potential of drugs using an endothelialized tissue-engineered connective tissue. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2005 , 315, 510-6	4.7	36
66	Tissue-engineered skin substitutes: from in vitro constructs to in vivo applications. <i>Biotechnology and Applied Biochemistry</i> , 2004 , 39, 263-75	2.8	104
65	Endothelium properties of a tissue-engineered blood vessel for small-diameter vascular reconstruction. <i>Journal of Vascular Surgery</i> , 2004 , 39, 613-20	3.5	32
64	Peptides from milk protein hydrolysates to improve the growth of human keratinocytes in culture. <i>International Dairy Journal</i> , 2004 , 14, 619-626	3.5	28
63	Recent optimization of a tissue engineered blood vessel: the LOEX experience. <i>International Congress Series</i> , 2004 , 1262, 126-128		
62	Influence of sp1/sp3 expression on corneal epithelial cells proliferation and differentiation properties in reconstructed tissues. <i>Investigative Ophthalmology and Visual Science</i> , 2003 , 44, 1447-57		42
61	A Full Spectrum of Functional Tissue-Engineered Blood Vessels: From Macroscopic to Microscopic 2003 , 347-359		
60	Isolation and culture of the three vascular cell types from a small vein biopsy sample. <i>In Vitro Cellular and Developmental Biology - Animal</i> , 2003 , 39, 131-9	2.6	28
59	Normal human Merkel cells are present in epidermal cell populations isolated and cultured from glabrous and hairy skin sites. <i>Journal of Investigative Dermatology</i> , 2003 , 120, 313-7	4.3	31
58	A tissue-engineered endothelialized dermis to study the modulation of angiogenic and angiostatic molecules on capillary-like tube formation in vitro. <i>British Journal of Dermatology</i> , 2003 , 148, 1094-104	4	114

57	Dissociation, Quantification and Culture of Normal Human Merkel Cells Among Epidermal Cell Populations Derived from Glabrous and Hairy Skin Sites 2003 , 105-112		1
56	ISOLATION AND CULTURE OF THE THREE VASCULAR CELL TYPES FROM A SMALL VEIN BIOPSY SAMPLE. <i>In Vitro Cellular and Developmental Biology - Animal</i> , 2003 , 39, 131	2.6	13
55	Engineering human tissues for in vivo applications. <i>Annals of the New York Academy of Sciences</i> , 2002 , 961, 268-70	6.5	8
54	Reconstructed human skin produced in vitro and grafted on athymic mice. <i>Transplantation</i> , 2002 , 73, 1751-7	1.8	86
53	Mesenchymal Cell Culture 2002 , 359-370		
52	Simultaneous isolation of keratinocytes and fibroblasts from a human cutaneous biopsy for the production of autologous reconstructed skin. <i>Canadian Journal of Chemical Engineering</i> , 2001 , 79, 663-667 ²³		5
51	Morphological changes of human skin cells exposed to a DC electric field in vitro using a new exposure system. <i>Canadian Journal of Chemical Engineering</i> , 2001 , 79, 668-677	2.3	10
50	Characterization of a 150 kDa accessory receptor for TGF-beta 1 on keratinocytes: direct evidence for a GPI anchor and ligand binding of the released form. <i>Journal of Cellular Biochemistry</i> , 2001 , 83, 494-507 ⁴⁷		20
49	Fetal and adult human skin fibroblasts display intrinsic differences in contractile capacity. <i>Journal of Cellular Physiology</i> , 2001 , 188, 211-22	7	54
48	Selective culture of epithelial cells from primary breast carcinomas using irradiated 3T3 cells as feeder layer. <i>Pathology Research and Practice</i> , 2001 , 197, 175-81	3.4	11
47	A human tissue-engineered vascular media: a new model for pharmacological studies of contractile responses. <i>FASEB Journal</i> , 2001 , 15, 515-24	0.9	140
46	Mechanisms of wound reepithelialization: hints from a tissue-engineered reconstructed skin to long-standing questions. <i>FASEB Journal</i> , 2001 , 15, 2377-89	0.9	158
45	Production of bioengineered cancer tissue constructs in vitro: epithelium-mesenchyme heterotypic interactions. <i>In Vitro Cellular and Developmental Biology - Animal</i> , 2001 , 37, 434-9	2.6	5
44	Collagen fibril network and elastic system remodeling in a reconstructed skin transplanted on nude mice. <i>Matrix Biology</i> , 2001 , 20, 463-73	11.4	71
43	The mixed lineage kinase leucine-zipper protein kinase exhibits a differentiation-associated localization in normal human skin and induces keratinocyte differentiation upon overexpression. <i>Journal of Investigative Dermatology</i> , 2000 , 115, 860-7	4.3	10
42	Can we produce a human corneal equivalent by tissue engineering?. <i>Progress in Retinal and Eye Research</i> , 2000 , 19, 497-527	20.5	104
41	Establishment and characterization of a new cell line derived from a human primary breast carcinoma. <i>Cancer Genetics and Cytogenetics</i> , 2000 , 120, 58-72		30
40	Role of wound healing myofibroblasts on re-epithelialization of human skin. <i>Burns</i> , 2000 , 26, 3-12	2.3	103

39	Multistep production of bioengineered skin substitutes: sequential modulation of culture conditions. <i>In Vitro Cellular and Developmental Biology - Animal</i> , 2000 , 36, 96-103	2.6	18
38	MULTISTEP PRODUCTION OF BIOENGINEERED SKIN SUBSTITUTES: SEQUENTIAL MODULATION OF CULTURE CONDITIONS. <i>In Vitro Cellular and Developmental Biology - Animal</i> , 2000 , 36, 96-103	2.6	4
37	TENDONS AND LIGAMENTS 2000 , 711-722		14
36	Reconstructed human cornea produced in vitro by tissue engineering. <i>Pathobiology</i> , 1999 , 67, 140-7	3.6	157
35	A novel approach for studying angiogenesis: a human skin equivalent with a capillary-like network. <i>Cell Biology and Toxicology</i> , 1999 , 15, 81-90	7.4	38
34	Characterization of a new tissue-engineered human skin equivalent with hair. <i>In Vitro Cellular and Developmental Biology - Animal</i> , 1999 , 35, 318-26	2.6	172
33	Physical characterization of the stratum corneum of an in vitro human skin equivalent produced by tissue engineering and its comparison with normal human skin by ATR-FTIR spectroscopy and thermal analysis (DSC). <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 1999 , 1439, 341-52	5	36
32	Cyclic traction machine for long-term culture of fibroblast-populated collagen gels. <i>Annals of Biomedical Engineering</i> , 1999 , 27, 67-72	4.7	31
31	Antiangiogenic effects of the oral administration of liquid cartilage extract in humans. <i>Journal of Surgical Research</i> , 1999 , 87, 108-13	2.5	20
30	Tissue engineering. <i>Science</i> , 1999 , 284, 1621-2	33.3	6
29	Mechanical properties of human skin equivalents submitted to cyclic tensile forces. <i>Skin Research and Technology</i> , 1998 , 4, 228-36	1.9	12
28	TGF-beta receptor expression on human keratinocytes: a 150 kDa GPI-anchored TGF-beta1 binding protein forms a heteromeric complex with type I and type II receptors. <i>Journal of Cellular Biochemistry</i> , 1998 , 70, 573-86	4.7	17
27	Tissue-engineered human skin substitutes developed from collagen-populated hydrated gels: clinical and fundamental applications. <i>Medical and Biological Engineering and Computing</i> , 1998 , 36, 801-12	3.1	99
26	Modulated response to cytokines of human wound healing myofibroblasts compared to dermal fibroblasts. <i>Experimental Cell Research</i> , 1998 , 238, 283-93	4.2	85
25	Influence of endothelial cells on structure, biochemistry and functionality of epidermis reconstructed on synthetic porous membrane. <i>Skin Pharmacology and Physiology</i> , 1998 , 11, 193-206	3	
24	The type I keratin 19 possesses distinct and context-dependent assembly properties. <i>Journal of Biological Chemistry</i> , 1998 , 273, 35176-84	5.4	31
23	Expression of heat shock proteins in mouse skin during wound healing. <i>Journal of Histochemistry and Cytochemistry</i> , 1998 , 46, 1291-301	3.4	140
22	A completely biological tissue-engineered human blood vessel. <i>FASEB Journal</i> , 1998 , 12, 47-56	0.9	968

21	A completely biological tissue-engineered human blood vessel. <i>FASEB Journal</i> , 1998 , 12, 47-56	0.9	769
20	In vitro reconstruction of a human capillary-like network in a tissue-engineered skin equivalent. <i>FASEB Journal</i> , 1998 , 12, 1331-40	0.9	367
19	Use of in vitro reconstructed skin To cover skin flap donor site. <i>Journal of Surgical Research</i> , 1997 , 73, 143-8	2.5	16
18	Differential expression of collagens XII and XIV in human skin and in reconstructed skin. <i>Journal of Investigative Dermatology</i> , 1997 , 108, 737-42	4.3	74
17	Fetal and postnatal sera differentially modulate human dermal fibroblast phenotypic and functional features in vitro. <i>Journal of Cellular Physiology</i> , 1997 , 171, 1-10	7	36
16	From newborn to adult: phenotypic and functional properties of skin equivalent and human skin as a function of donor age. <i>Journal of Cellular Physiology</i> , 1997 , 171, 179-89	7	39
15	Morphologic and functional properties of bronchial cells isolated from normal and asthmatic subjects. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 1996 , 15, 312-8	5.7	48
14	Use of human vessels and human vascular smooth muscle cells in pharmacology. <i>Cell Biology and Toxicology</i> , 1996 , 12, 223-5	7.4	8
13	Grafting on nude mice of living skin equivalents produced using human collagens. <i>Transplantation</i> , 1996 , 62, 317-23	1.8	25
12	Skin equivalent produced with human collagen. <i>In Vitro Cellular and Developmental Biology - Animal</i> , 1995 , 31, 432-9	2.6	122
11	Functional evaluation of anchored skin equivalent cultured in vitro: percutaneous absorption studies and lipid analysis. <i>Pharmaceutical Research</i> , 1995 , 12, 455-8	4.5	32
10	Localization of Merkel cells at hairless and hairy human skin sites using keratin 18. <i>Biochemistry and Cell Biology</i> , 1995 , 73, 635-9	3.6	21
9	ALLOGENEIC-SYNGENEIC CULTURED EPITHELIA. <i>Transplantation</i> , 1995 , 59, 1229-1235	1.8	24
8	Human wound healing fibroblasts have greater contractile properties than dermal fibroblasts. <i>Journal of Surgical Research</i> , 1994 , 57, 268-73	2.5	89
7	In vitro construction of a human blood vessel from cultured vascular cells: A morphologic study. <i>Journal of Vascular Surgery</i> , 1993 , 17, 499-509	3.5	203
6	CULTURED EPITHELIUM ALLOGRAFTS. <i>Transplantation</i> , 1993 , 56, 259-264	1.8	28
5	Role and innocuity of Tisseel, a tissue glue, in the grafting process and in vivo evolution of human cultured epidermis. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 1993 , 46, 136-42		27
4	Anchored skin equivalent cultured in vitro: a new tool for percutaneous absorption studies. <i>In Vitro Cellular and Developmental Biology - Animal</i> , 1993 , 29A, 834-7	2.6	28

3	Optimization of murine keratinocyte culture for the production of graftable epidermal sheets. <i>Journal of Dermatology</i> , 1992 , 19, 325-34	1.6	21
2	Influence of dermal equivalent maturation on the development of a cultured skin equivalent. <i>Biochemistry and Cell Biology</i> , 1992 , 70, 34-42	3.6	35
1	Peripheral anchorage of dermal equivalents. <i>British Journal of Dermatology</i> , 1992 , 127, 365-71	4	60