

Ester Quintana

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1861580/publications.pdf>

Version: 2024-02-01

12
papers

352
citations

1163117

8
h-index

1199594

12
g-index

12
all docs

12
docs citations

12
times ranked

732
citing authors

#	ARTICLE	IF	CITATIONS
1	Description of a CSF-Enriched miRNA Panel for the Study of Neurological Diseases. <i>Life</i> , 2021, 11, 594.	2.4	5
2	Identification of the Immunological Changes Appearing in the CSF During the Early Immunosenescence Process Occurring in Multiple Sclerosis. <i>Frontiers in Immunology</i> , 2021, 12, 685139.	4.8	13
3	Assessing the presence of oligoclonal IgM bands as a prognostic biomarker of cognitive decline in the early stages of multiple sclerosis. <i>Brain and Behavior</i> , 2021, 11, e2405.	2.2	4
4	Radiologically isolated syndrome: targeting miRNAs as prognostic biomarkers. <i>Epigenomics</i> , 2020, 12, 2065-2076.	2.1	12
5	Targeted resequencing reveals rare variants enrichment in multiple sclerosis susceptibility genes. <i>Human Mutation</i> , 2020, 41, 1308-1320.	2.5	1
6	Analysis of miRNA signatures in CSF identifies upregulation of miR-21 and miR-146a/b in patients with multiple sclerosis and active lesions. <i>Journal of Neuroinflammation</i> , 2019, 16, 220.	7.2	48
7	Neurofilament light chain and oligoclonal bands are prognostic biomarkers in radiologically isolated syndrome. <i>Brain</i> , 2018, 141, 1085-1093.	7.6	115
8	Exome sequencing study in patients with multiple sclerosis reveals variants associated with disease course. <i>Journal of Neuroinflammation</i> , 2018, 15, 265.	7.2	25
9	Cognitive impairment in early stages of multiple sclerosis is associated with high cerebrospinal fluid levels of chitinase 3-like 1 and neurofilament light chain. <i>European Journal of Neurology</i> , 2018, 25, 1189-1191.	3.3	53
10	miRNAs in cerebrospinal fluid identify patients with MS and specifically those with lipid-specific oligoclonal IgM bands. <i>Multiple Sclerosis Journal</i> , 2017, 23, 1716-1726.	3.0	58
11	Nitroergic Modulation of Gastrointestinal Function During Early Endotoxemia. <i>Current Pharmaceutical Design</i> , 2006, 12, 4525-4535.	1.9	1
12	A cerebral nitroergic pathway modulates endotoxin-induced changes in gastric motility. <i>British Journal of Pharmacology</i> , 2001, 134, 325-332.	5.4	17