
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1862223/publications.pdf Version: 2024-02-01



DETE MALON

#	Article	IF	CITATIONS
1	Chiroptical Properties and Conformation of Four Lasiocepsin-Related Antimicrobial Peptides: Structural Role of Disulfide Bridges. Symmetry, 2020, 12, 812.	2.2	1
2	Interaction of Halictine-Related Antimicrobial Peptides with Membrane Models. International Journal of Molecular Sciences, 2019, 20, 631.	4.1	12
3	Relative intensity correction of Raman optical activity spectra facilitates extending the spectral region. Journal of Raman Spectroscopy, 2014, 45, 603-609.	2.5	13
4	Electronic Circular Dichroism of the Chiral Rigid Tricyclic Dilactam with Nonplanar Tertiary Amide Groups. Journal of Physical Chemistry B, 2014, 118, 11100-11108.	2.6	4
5	Nonplanar Tertiary Amides in Rigid Chiral Tricyclic Dilactams. Peptide Group Distortions and Vibrational Optical Activity. Journal of Physical Chemistry B, 2013, 117, 9626-9642.	2.6	7
6	Electronic and vibrational optical activity of several peptides related to neurohypophyseal hormones: Disulfide group conformation. Biopolymers, 2012, 97, 923-932.	2.4	9
7	Antimicrobial Peptide from the Eusocial Bee <i>Halictus sexcinctus</i> Interacting with Model Membranes. Spectroscopy, 2012, 27, 497-502.	0.8	7
8	Lasiocepsin, a novel cyclic antimicrobial peptide from the venom of eusocial bee Lasioglossum laticeps (Hymenoptera: Halictidae). Amino Acids, 2012, 43, 751-761.	2.7	19
9	Coiled Coil Peptides as Universal Linkers for the Attachment of Recombinant Proteins to Polymer Therapeutics. Biomacromolecules, 2011, 12, 3645-3655.	5.4	48
10	Lucifensin, a Novel Insect Defensin of Medicinal Maggots: Synthesis and Structural Study. ChemBioChem, 2011, 12, 1352-1361.	2.6	45
11	Fmoc deprotection by tert-butylamine and its comparison in solution and solid phase synthesis. , 2011, ,		1
12	Vibrational and electronic optical activity of the chiral disulphide group: Implications for disulphide bridge conformation. Chirality, 2010, 22, 514-526.	2.6	15
13	Disulfide chromophore and its optical activity. Chirality, 2010, 22, E47-55.	2.6	17
14	Comparison of Vibrational Circular Dichroism Instruments: Development of a New Dispersive VCD. Applied Spectroscopy, 2009, 63, 775-785.	2.2	31
15	Spectroscopic properties of the nonplanar amide group: A computational study. Chirality, 2007, 19, 775-786.	2.6	37
16	Extraction and DFT study on the complexation of H3O+ with hexaethyl p-tert-butylcalix[6]arene hexaacetate. Journal of Molecular Structure, 2007, 846, 157-160.	3.6	7
17	Raman optical activity of the hinge peptide. Vibrational Spectroscopy, 2006, 42, 88-92.	2.2	14
18	Synthesis of protected peptides from the human IgG1 hinge region on PEG support using disulfide bond synthons and alkaline or enzymatic detachment. Tetrahedron Letters, 2006, 47, 1023-1025.	1.4	4

#	Article	IF	CITATIONS
19	Determination of quality of pyridoxal-5′-phosphate enzyme preparations by spectroscopic methods. Journal of Pharmaceutical and Biomedical Analysis, 2005, 37, 1173-1177.	2.8	4
20	The precursor of secreted aspartic proteinase Sapp1p from Candida parapsilosis can be activated both autocatalytically and by a membrane-bound processing proteinase. Biological Chemistry, 2005, 386, 791-9.	2.5	19
21	Raman Optical Activity of the Central Part of Hinge Peptide. Collection of Czechoslovak Chemical Communications, 2005, 70, 403-409.	1.0	21
22	Thermostability of multidomain proteins: Elongation factors EF-Tu from Escherichia coli and Bacillus stearothermophilus and their chimeric forms. Protein Science, 2004, 13, 89-99.	7.6	23
23	Axially Chiral 3,3′-Bi(1-benzothiophene)-2,2′-dicarboxylic Acid and Its Derivatives ChemInform, 2003, 34, no.	0.0	0
24	Axially Chiral 3,3'-Bi(1-benzothiophene)-2,2'-dicarboxylic Acid and Its Derivatives. Collection of Czechoslovak Chemical Communications, 2003, 68, 1020-1038.	1.0	16
25	Circular Dichroism and Conformation of Oostatic Peptides: The Carrier-Like Role of C-Terminal Oligoproline Sequence. Collection of Czechoslovak Chemical Communications, 2003, 68, 1309-1318.	1.0	5
26	Conformation of the Dipeptide Cyclo(L-Pro-L-Pro) Monitored by the Nuclear Magnetic Resonance and Raman Optical Activity Spectra. Experimental and ab Initio Computational Study. Journal of Physical Chemistry A, 2002, 106, 7321-7327.	2.5	44
27	An Alternative Approach to Chiral 2-[1'-(Diphenylphosphanyl)ferrocenyl]-4,5-dihydrooxazoles. Collection of Czechoslovak Chemical Communications, 2001, 66, 588-604.	1.0	31
28	The peptides of α -aminosuberic acid II. Synthesis of deamino-dicarba-eel-calcitonin sequence 1-9. Amino Acids, 2001, 21, 255-263.	2.7	2
29	Congenital megaprepuce: an emerging condition - how to recognize and treat it. BJU International, 2001, 87, 415-416.	2.5	1
30	The peptides of \hat{I}_{\pm} -aminosuberic acid I New intermediates for synthetic studies. Amino Acids, 2000, 18, 219-227.	2.7	1
31	Sterically Crowded Heterocycles. XIII. An Insight Into the Absolute Stereochemistry of Atropisomeric (Z)-3-(Imidazo[1,2-a]pyridin-3-yl)prop-2-en-1-ones. Collection of Czechoslovak Chemical Communications, 2000, 65, 1643-1652.	1.0	0
32	Synthesis of C2-Symmetrical [1,1'-Binaphthalene]-2,2'-diamines with Additional Chelating Groups Attached to the Nitrogen Atoms as Potential Ligands for Asymmetric Catalysis. Collection of Czechoslovak Chemical Communications, 2000, 65, 539-548.	1.0	3
33	Impact of HIV infection on tuberculosis. Postgraduate Medical Journal, 2000, 76, 259-268.	1.8	112
34	Axially chiral bis(α-amino acid)s and dioxopiperazines. Synthesis and configurational assignment. Tetrahedron, 1999, 55, 12331-12348.	1.9	13
35	Linear Heptapeptides Containing DNA-Intercalators. Synthesis and Interaction with DNA. Collection of Czechoslovak Chemical Communications, 1999, 64, 1419-1432.	1.0	1
36	Resolution of DL-2-aminosuberic acid via protease-catalyzed ester hydrolysis. Amino Acids, 1998, 15, 389-392.	2.7	7

#	Article	IF	CITATIONS
37	Theoretical simulation of a polarization modulator based on mechanical rotation of a polarizing element. Applied Optics, 1997, 36, 6141.	2.1	18
38	Transfer of molecular property tensors in cartesian coordinates: A new algorithm for simulation of vibrational spectra. Journal of Computational Chemistry, 1997, 18, 646-659.	3.3	224
39	Spinning Quarter-Wave Plate Polarization Modulator: Test of Feasibility for Vibrational Circular Dichroism Measurements. Applied Spectroscopy, 1996, 50, 669-674.	2.2	23
40	Synthesis and Properties of (±)- and (+)-4-MeS-3-C2H5-1,2,3-C2CoB9H10. Collection of Czechoslovak Chemical Communications, 1993, 58, 1087-1092.	1.0	28
41	Vibrational circular dichroism study of (2S,3S)-dideuteriobutyrolactone. Synthesis, normal mode analysis, and comparison of experimental and calculated spectra. The Journal of Physical Chemistry, 1992, 96, 10139-10149.	2.9	16
42	Liquid chromatographic resolution of enantiomers of deltahedral carborane and metallaborane derivatives. Journal of Chromatography A, 1992, 626, 197-206.	3.7	26
43	Synthesis and characterization of cyclic peptides with hydrolytic activity. Tetrahedron Letters, 1991, 32, 5337-5340.	1.4	7
44	Vibrational circular dichroism study of [3R,4R]-dideuteriocyclobutane-1,2-dione. Preliminary comparison of experiment and calculations. Chemical Physics Letters, 1991, 179, 282-290.	2.6	5
45	Interaction of Lysine-Alanine-Alanine tripeptide with a fragment of DNA: An empirical potential study. Journal of Computational Chemistry, 1991, 12, 9-16.	3.3	6
46	Structures of tert-butyl N-benzoyl-N-phenylcarbamate and tert-butyl N-acetyl-N-phenylcarbamate. Acta Crystallographica Section C: Crystal Structure Communications, 1990, 46, 683-686.	0.4	2
47	Models of pigment-protein interactions in photosynthetic systems: Tetraphenylporphyrin complexes with polycationic sequential polypeptides. Absorption, circular dichroism and fluorescence properties. Chemical Physics, 1990, 147, 401-413.	1.9	25
48	Synthesis of optically active 1-(2-furyl)-3-pentanol. A simple route to (2S, 5R/S)-chalcogran. Collection of Czechoslovak Chemical Communications, 1990, 55, 1234-1242.	1.0	6
49	Alkaloids and phenolics of three Merendera species. Phytochemistry, 1989, 28, 3217-3219.	2.9	12
50	Vibrational CD of polypeptides. XII. Reevaluation of the fourier transform vibrational CD of poly(?-benzyl-L-glutamate). Biopolymers, 1988, 27, 733-746.	2.4	37
51	Fourier transform vibrational circular dichroism and the artifact problem. Mikrochimica Acta, 1988, 95, 279-281.	5.0	1
52	A Solution to the Artifact Problem in Fourier Transform Vibrational Circular Dichroism. Applied Spectroscopy, 1988, 42, 32-38.	2.2	57
53	(1S,7S)-7-Methyl-6,9-diazatricyclo[6,3,0,01,6]tridecane-5,10-dione, a tricyclic spirodilactam containing non-planar amide groups: Synthesis, NMR, crystal structure, absolute configuration, electronic and vibrational circular dichroism. Collection of Czechoslovak Chemical Communications, 1988, 53, 2447-2472.	1.0	7
54	Three cyclohexapeptides modelling the oxytocin ring moiety: Synthesis and circular dichroism. Collection of Czechoslovak Chemical Communications, 1987, 52, 1841-1856.	1.0	3

#	Article	IF	CITATIONS
55	Circular Dichroic Spectra and Ionization Processes of Some Tropolonic Alkaloids. Heterocycles, 1987, 25, 89.	0.7	3
56	4-Phenylalanine analogues of vasopressin: Synthesis, pharmacological and chiroptical properties. Collection of Czechoslovak Chemical Communications, 1986, 51, 1532-1541.	1.0	2
57	Stereoisomeric chiral 2,9-diazabicyclo[4.4.0.]decane-3,10-diones as models of dipeptide grouping: Synthesis, X-ray, IR, NMR and cd studies. Collection of Czechoslovak Chemical Communications, 1984, 49, 712-742.	1.0	11
58	(3R)-5-Azatricyclo[4.3.1.03,8]decan-4-one, a lactam with a non-planar cis-amide group: Synthesis, geometry and chiroptical properties. Collection of Czechoslovak Chemical Communications, 1984, 49, 834-839.	1.0	7
59	Chiroptical properties and conformation of N-acetyl-L-amino acids N'-methylamides with aliphatic side chains. Collection of Czechoslovak Chemical Communications, 1983, 48, 2844-2861.	1.0	8
60	Non-planar conformations of methylacetamide: Solvent effect and chiroptical properties. Collection of Czechoslovak Chemical Communications, 1982, 47, 17-28.	1.0	9
61	Analogues of neurohypophysial hormones, containing tert-leucine: Synthesis and properties. Collection of Czechoslovak Chemical Communications, 1982, 47, 689-701.	1.0	10
62	Optically active tricyclic dilactams with non-planar cis-amide groups: Synthesis, X-ray, NMR and CD studies. Collection of Czechoslovak Chemical Communications, 1982, 47, 1000-1019.	1.0	11
63	Synthetic utilization of α-amino-γ-bromobutyric acid in the preparation of non-coded amino acids; IR study of homoserine. Collection of Czechoslovak Chemical Communications, 1981, 46, 2935-2946.	1.0	9
64	Synthesis and chiroptical properties of heterodetic cyclic hexapeptides related to oxytocin ring moiety. Collection of Czechoslovak Chemical Communications, 1980, 45, 1109-1131.	1.0	8
65	Molecular geometries - Accuracy test of the PCILO method. Collection of Czechoslovak Chemical Communications, 1980, 45, 321-329.	1.0	5
66	Synthesis and chiroptical properties of (-)-(1R)-3-azatricyclo[5,4,0,04,9]undecan-2-one - A lactam with non-planar cis-amide group. Collection of Czechoslovak Chemical Communications, 1979, 44, 2653-2659.	1.0	10
67	Semiempirical calculation of optical rotatory strength of non-planar conformations of formamide. Collection of Czechoslovak Chemical Communications, 1978, 43, 781-790.	1.0	13
68	Synthesis and properties of the Nα-glycyl-glycyl-glycyl-8-lysine-vasopressin and its des-glycinamide derivative. Collection of Czechoslovak Chemical Communications, 1978, 43, 1285-1299.	1.0	7
69	Crystal structure and chiroptical properties of (+)-(3S)-4-azatricyclo[4,3,1,03,7]decan-5-one. Collection of Czechoslovak Chemical Communications, 1978, 43, 3241-3251.	1.0	12
70	Circular Dichroism Spectroscopy. , 0, , 265-304.		3