

Kenan Aksu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1863565/publications.pdf>

Version: 2024-02-01

81
papers

2,667
citations

182225

30
h-index

223390

49
g-index

81
all docs

81
docs citations

81
times ranked

3812
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Pregnancy in Takayasu's arteritis has a high risk of hypertension-related fetomaternal complications: A retrospective study of a Turkish cohort. <i>International Journal of Rheumatic Diseases</i> , 2022, 25, 140-146. | 0.9 | 2 |
| 2 | Metabolic syndrome is associated with increased cardiovascular risk and disease damage in patients with Takayasu arteritis. <i>International Journal of Rheumatic Diseases</i> , 2022, 25, 775-780. | 0.9 | 5 |
| 3 | Identification of susceptibility loci for Takayasu arteritis through a large multi-ancestral genome-wide association study. <i>American Journal of Human Genetics</i> , 2021, 108, 84-99. | 2.6 | 26 |
| 4 | Genetic Association of a Gain-of-Function <i>IFNGR1</i> Polymorphism and the Intergenic Region <i>LNCAROD/DKK1</i> With Behçet's Disease. <i>Arthritis and Rheumatology</i> , 2021, 73, 1244-1252. | 2.9 | 21 |
| 5 | Biologic treatments in Takayasu's Arteritis: A comparative study of tumor necrosis factor inhibitors and tocilizumab. <i>Seminars in Arthritis and Rheumatism</i> , 2021, 51, 1224-1229. | 1.6 | 15 |
| 6 | Disease characteristics of psoriatic arthritis patients may differ according to age at psoriasis onset: cross-sectional data from the Psoriatic Arthritis-International Database. <i>Clinical and Experimental Rheumatology</i> , 2021, 39, 532-536. | 0.4 | 0 |
| 7 | Disease characteristics of psoriatic arthritis patients may differ according to age at psoriasis onset: cross-sectional data from the Psoriatic Arthritis-International Database. <i>Clinical and Experimental Rheumatology</i> , 2021, 39, 532-536. | 0.4 | 8 |
| 8 | Predictive factors for workday loss in Behçet's syndrome: A multicenter study. <i>International Journal of Rheumatic Diseases</i> , 2020, 23, 240-246. | 0.9 | 7 |
| 9 | Large joint and lower extremity involvement have higher impact on disease outcomes in oligoarticular psoriatic arthritis. <i>International Journal of Rheumatic Diseases</i> , 2020, 23, 1094-1099. | 0.9 | 0 |
| 10 | Moderation analysis exploring associations between age and mucocutaneous activity in Behçet's syndrome: A multicenter study from Turkey. <i>Journal of Dermatology</i> , 2020, 47, 1403-1410. | 0.6 | 4 |
| 11 | The distribution of MEFV mutations in Turkish FMF patients: multicenter study representing results of Anatolia. <i>Turkish Journal of Medical Sciences</i> , 2019, 49, 472-477. | 0.4 | 23 |
| 12 | AB0575...THE EFFECT OF METABOLIC SYNDROME ON CARDIOVASCULAR DISEASE AND CUMULATIVE ORGAN DAMAGE IN TAKAYASU'S ARTERITIS. , 2019, , . | | 0 |
| 13 | Diagnosis and differential diagnosis of large-vessel vasculitides. <i>Rheumatology International</i> , 2019, 39, 169-185. | 1.5 | 49 |
| 14 | Exon 2: Is it the good police in familial mediterranean fever?. <i>European Journal of Rheumatology</i> , 2019, 6, 33-36. | 1.3 | 10 |
| 15 | Oral ulcer activity assessment with the composite index according to different treatment modalities in Behçet's syndrome: a multicentre study. <i>Clinical and Experimental Rheumatology</i> , 2019, 37 Suppl 121, 98-104. | 0.4 | 3 |
| 16 | Discrepancies between vascular and systemic inflammation in large vessel vasculitis: an important problem revisited. <i>Rheumatology</i> , 2018, 57, 784-790. | 0.9 | 26 |
| 17 | Comparison of early versus late onset familial Mediterranean fever. <i>International Journal of Rheumatic Diseases</i> , 2018, 21, 880-884. | 0.9 | 25 |
| 18 | Nationwide Experience With Off-Label Use of Interleukin-1 Targeting Treatment in Familial Mediterranean Fever Patients. <i>Arthritis Care and Research</i> , 2018, 70, 1090-1094. | 1.5 | 48 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Takayasu arteritis: an update. Turkish Journal of Medical Sciences, 2018, 48, 681-697. | 0.4 | 47 |
| 20 | Frequency of pulmonary hypertension in transthoracic echocardiography screening is not increased in Takayasu arteritis: Experience from a single center in Turkey. European Journal of Rheumatology, 2018, 5, 249-253. | 1.3 | 7 |
| 21 | What is new in management of Takayasu arteritis?. Presse Medicale, 2017, 46, e229-e235. | 0.8 | 14 |
| 22 | HEMOPHAGOCYTIC LYMPHOHISTIOCYTOSIS IN ADULTS: LOW INCIDENCE OF PRIMARY NEOPLASM AS A TRIGGER IN A CASE SERIES FROM TURKEY. Mediterranean Journal of Hematology and Infectious Diseases, 2017, 10, e2018047. | 0.5 | 3 |
| 23 | Remarkable damage along with poor quality of life in Takayasu arteritis: cross-sectional results of a long-term followed-up multicentre cohort. Clinical and Experimental Rheumatology, 2017, 35 Suppl 103, 77-82. | 0.4 | 7 |
| 24 | Assessment of the New 2012 EULAR/ACR Clinical Classification Criteria for Polymyalgia Rheumatica: A Prospective Multicenter Study. Journal of Rheumatology, 2016, 43, 893-900. | 1.0 | 36 |
| 25 | Plasma pentraxin-3 levels in patients with Takayasu's arteritis during routine follow-up. Clinical and Experimental Rheumatology, 2016, 34, S73-6. | 0.4 | 10 |
| 26 | Identification of Susceptibility Loci in <i>IL6</i> , <i>RPS9</i> / <i>LILRB3</i> , and an Intergenic Locus on Chromosome 21q22 in Takayasu Arteritis in a Genome-Wide Association Study. Arthritis and Rheumatology, 2015, 67, 1361-1368. | 2.9 | 79 |
| 27 | Assessment of Patients with Takayasu Arteritis in Routine Practice with Indian Takayasu Clinical Activity Score. Journal of Rheumatology, 2015, 42, 1443-1447. | 1.0 | 19 |
| 28 | Incidence of Cyclophosphamide-induced Urotoxicity and Protective Effect of Mesna in Rheumatic Diseases. Journal of Rheumatology, 2015, 42, 1661-1666. | 1.0 | 43 |
| 29 | TLR2 and TLR4 gene expression levels and associated factors during acute attack and attack-free periods in familial Mediterranean fever. Clinical Rheumatology, 2015, 34, 785-790. | 1.0 | 6 |
| 30 | Right ventricular endomyocardial fibrosis mimicking Ebstein anomaly in a patient with Behçet's disease: case report and review of the literature. Modern Rheumatology, 2014, 24, 532-536. | 0.9 | 12 |
| 31 | Diagnostic dilemma of paraneoplastic arthritis: case series. International Journal of Rheumatic Diseases, 2014, 17, 640-645. | 0.9 | 36 |
| 32 | Autoimmune thyroid disease in ankylosing spondylitis. Clinical Rheumatology, 2014, 33, 955-961. | 1.0 | 15 |
| 33 | Management of Takayasu arteritis: a systematic review. Rheumatology, 2014, 53, 793-801. | 0.9 | 173 |
| 34 | Amyloidosis and its related factors in Turkish patients with familial Mediterranean fever: a multicentre study. Rheumatology, 2014, 53, 741-745. | 0.9 | 96 |
| 35 | Periodontal therapy in chronic periodontitis lowers gingival crevicular fluid interleukin-1beta and DAS28 in rheumatoid arthritis patients. Rheumatology International, 2013, 33, 2607-2616. | 1.5 | 64 |
| 36 | Identification of Multiple Genetic Susceptibility Loci in Takayasu Arteritis. American Journal of Human Genetics, 2013, 93, 298-305. | 2.6 | 143 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Gingival crevicular fluid and serum levels of APRIL, BAFF and TNF-alpha in rheumatoid arthritis and osteoporosis patients with periodontal disease. <i>Archives of Oral Biology</i> , 2013, 58, 1302-1308. | 0.8 | 14 |
| 38 | The frequency of sicca symptoms and Sjögren's syndrome in patients with systemic sclerosis. <i>International Journal of Rheumatic Diseases</i> , 2013, 16, 88-92. | 0.9 | 40 |
| 39 | Impaired quality of life, disability and mental health in Takayasu's arteritis. <i>Rheumatology</i> , 2013, 52, 1898-1904. | 0.9 | 53 |
| 40 | Pauci-immune necrotizing crescentic glomerulonephritis with crescentic and full moon extracapillary proliferation: Clinico-pathologic correlation and follow-up study. <i>Pathology Research and Practice</i> , 2013, 209, 75-82. | 1.0 | 20 |
| 41 | Identification of multiple independent susceptibility loci in the HLA region in Behçet's disease. <i>Nature Genetics</i> , 2013, 45, 319-324. | 9.4 | 130 |
| 42 | Gingival Crevicular Fluid, Serum Levels of Receptor Activator of Nuclear Factor- κ B Ligand, Osteoprotegerin, and Interleukin-17 in Patients With Rheumatoid Arthritis and Osteoporosis and With Periodontal Disease. <i>Journal of Periodontology</i> , 2013, 84, 1627-1637. | 1.7 | 38 |
| 43 | Inflammation-Induced Thrombosis: Mechanisms, Disease Associations and Management. <i>Current Pharmaceutical Design</i> , 2012, 18, 1478-1493. | 0.9 | 227 |
| 44 | A panel of oxidative stress assays does not provide supplementary diagnostic information in Behçet's disease patients. <i>Journal of Inflammation</i> , 2012, 9, 13. | 1.5 | 6 |
| 45 | Takayasu's arteritis is associated with HLA-B*52, but not with HLA-B*51, in Turkey. <i>Arthritis Research and Therapy</i> , 2012, 14, R27. | 1.6 | 60 |
| 46 | Right ventricular endomyocardial fibrosis mimicking Ebstein anomaly in a patient with Behçet's disease: case report and review of the literature. <i>Modern Rheumatology</i> , 2012, , 1. | 0.9 | 0 |
| 47 | Interstitial cystitis: a rare manifestation of primary Sjögren's syndrome, successfully treated with low dose cyclosporine. <i>Rheumatology International</i> , 2012, 32, 1215-1218. | 1.5 | 21 |
| 48 | Coexistence of Takayasu's arteritis with familial Mediterranean fever. <i>Rheumatology International</i> , 2012, 32, 1675-1678. | 1.5 | 11 |
| 49 | Acute presentation of autoimmune hepatitis in a patient with myasthenia gravis, thymoma, Hashimoto thyroiditis and connective tissue disorder. <i>Hepatology Research</i> , 2012, 42, 835-839. | 1.8 | 13 |
| 50 | PDCD1 polymorphisms are not associated with Takayasu's arteritis in Turkey. <i>Clinical and Experimental Rheumatology</i> , 2012, 30, S11-4. | 0.4 | 4 |
| 51 | Non-Hodgkin's lymphoma following treatment with etanercept in ankylosing spondylitis. <i>Rheumatology International</i> , 2011, 31, 1645-1647. | 1.5 | 22 |
| 52 | Coexistence of vasculitides with Familial Mediterranean Fever. <i>Rheumatology International</i> , 2011, 31, 1263-1274. | 1.5 | 82 |
| 53 | A putative functional variant within the <i>UBAC2</i> gene is associated with increased risk of Behçet's disease. <i>Arthritis and Rheumatism</i> , 2011, 63, 3607-3612. | 6.7 | 39 |
| 54 | Neurological Symptoms and Signs in Behçet Disease. <i>Neurologist</i> , 2011, 17, 147-150. | 0.4 | 15 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Cigarette smoking in primary Sjögren's syndrome: positive association only with ANA positivity. <i>Modern Rheumatology</i> , 2011, 21, 602-607. | 0.9 | 18 |
| 56 | Assessment of latent tuberculosis infection in Takayasu arteritis with tuberculin skin test and Quantiferon-TB Gold test. <i>Rheumatology International</i> , 2010, 30, 1483-1487. | 1.5 | 35 |
| 57 | Assessment of disease activity and progression in Takayasu's arteritis with Disease Extent Index-Takayasu. <i>Rheumatology</i> , 2010, 49, 1889-1893. | 0.9 | 97 |
| 58 | The plasma levels of activated thrombin activatable fibrinolysis inhibitor and thrombomodulin in Behçet Disease and their association with thrombosis. <i>Thrombosis Research</i> , 2010, 126, 207-210. | 0.8 | 11 |
| 59 | Clinical history for inflammatory back pain in ankylosing spondylitis: the sensitivity, specificity and consistency of clinical features. <i>Rheumatology International</i> , 2009, 29, 349-351. | 1.5 | 5 |
| 60 | Serum and bronchoalveolar lavage fluid nitric oxide levels in diffuse systemic sclerosis. <i>Rheumatology International</i> , 2009, 29, 605-606. | 1.5 | 0 |
| 61 | Gingival Crevicular Fluid MMP-8 and -13 and TIMP-1 Levels in Patients With Rheumatoid Arthritis and Inflammatory Periodontal Disease. <i>Journal of Periodontology</i> , 2009, 80, 1307-1314. | 1.7 | 60 |
| 62 | Telomerase activity in connective tissue diseases: elevated in rheumatoid arthritis, but markedly decreased in systemic sclerosis. <i>Rheumatology International</i> , 2008, 28, 579-583. | 1.5 | 30 |
| 63 | Quality of life in patients with Takayasu's arteritis is impaired and comparable with rheumatoid arthritis and ankylosing spondylitis patients. <i>Clinical Rheumatology</i> , 2008, 27, 859-865. | 1.0 | 36 |
| 64 | Renal Behçet's Disease: An Update. <i>Seminars in Arthritis and Rheumatism</i> , 2008, 38, 241-248. | 1.6 | 49 |
| 65 | Behçet's Disease-Associated Aneurysm of the Internal Carotid Artery within the Cavernous Sinus: Report of a Patient. <i>Neuro-Ophthalmology</i> , 2007, 31, 19-22. | 0.4 | 0 |
| 66 | Coexistence of Sjogren's syndrome and familial Mediterranean fever. <i>APLAR Journal of Rheumatology</i> , 2007, 10, 244-245. | 0.2 | 2 |
| 67 | Hodgkin's lymphoma following treatment with etanercept in ankylosing spondylitis. <i>Rheumatology International</i> , 2007, 28, 185-187. | 1.5 | 22 |
| 68 | Interleukin (IL)-12, IL-2, and IL-6 Gene Polymorphisms in Takayasu's Arteritis from Turkey. <i>Human Immunology</i> , 2006, 67, 735-740. | 1.2 | 47 |
| 69 | Evaluation of t-PA, PAI-2, IL-1 ² and PGE ₂ in gingival crevicular fluid of rheumatoid arthritis patients with periodontal disease. <i>Journal of Clinical Periodontology</i> , 2006, 33, 605-611. | 2.3 | 52 |
| 70 | Endothelial functions in Behçet's disease. <i>Rheumatology International</i> , 2006, 26, 304-308. | 1.5 | 44 |
| 71 | Reactive arthritis following tetanus and rabies vaccinations. <i>Rheumatology International</i> , 2006, 27, 209-210. | 1.5 | 12 |
| 72 | Arthritis as a presenting symptom in a hypogammaglobulinemic patient with thymectomy. <i>Rheumatology International</i> , 2006, 27, 263-267. | 1.5 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Urinary N-acetyl- β -D-glucosaminidase (NAG) in lupus nephritis and rheumatoid arthritis. <i>Journal of Clinical Laboratory Analysis</i> , 2005, 19, 172-176. | 0.9 | 15 |
| 74 | Platelet-activating factor and P-selectin activities in thrombotic and nonthrombotic Behçet's patients. <i>Rheumatology International</i> , 2005, 25, 326-331. | 1.5 | 22 |
| 75 | Nasal <i>Staphylococcus aureus</i> carriage is not increased in Behçet's disease. <i>Rheumatology International</i> , 2005, 25, 567-568. | 1.5 | 3 |
| 76 | Thrombin activatable fibrinolysis inhibitor in Behçet's disease. <i>Thrombosis Research</i> , 2005, 115, 287-292. | 0.8 | 27 |
| 77 | Increased excretions of glycosaminoglycans and heparan sulfate in lupus nephritis and rheumatoid arthritis. <i>Rheumatology International</i> , 2003, 23, 221-225. | 1.5 | 11 |
| 78 | Microembolus Detection in Patients With Takayasu's Arteritis. <i>Stroke</i> , 2002, 33, 712-716. | 1.0 | 42 |
| 79 | Detection of Microembolic Signals in Patients with Neuropsychiatric Lupus erythematosus. <i>European Neurology</i> , 2002, 47, 131-135. | 0.6 | 31 |
| 80 | Cardiovascular Involvement in Behçet's Disease.. <i>International Heart Journal</i> , 2002, 43, 389-398. | 0.6 | 109 |
| 81 | Hypothalamus-Hypophysis-Thyroid Axis, Triiodothyronine and Antithyroid Antibodies in Patients with Primary and Secondary Sjögren's Syndrome. <i>Clinical Rheumatology</i> , 2001, 20, 44-48. | 1.0 | 10 |