

# Kenan Aksu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1863565/publications.pdf>

Version: 2024-02-01

81  
papers

2,667  
citations

159573  
30  
h-index

197805  
49  
g-index

81  
all docs

81  
docs citations

81  
times ranked

3604  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Pregnancy in Takayasu's arteritis has a high risk of hypertension-related fetomaternal complications: A retrospective study of a Turkish cohort. <i>International Journal of Rheumatic Diseases</i> , 2022, 25, 140-146.                             | 1.9 | 2         |
| 2  | Metabolic syndrome is associated with increased cardiovascular risk and disease damage in patients with Takayasu arteritis. <i>International Journal of Rheumatic Diseases</i> , 2022, 25, 775-780.  | 1.9 | 5         |
| 3  | Identification of susceptibility loci for Takayasu arteritis through a large multi-ancestral genome-wide association study. <i>American Journal of Human Genetics</i> , 2021, 108, 84-99.  | 6.2 | 26        |
| 4  | Genetic Association of a Gain-of-Function <i>IFNGR1</i> Polymorphism and the Intergenic Region <i>LNCAROD/DKK1</i> With Behçet's Disease. <i>Arthritis and Rheumatology</i> , 2021, 73, 1244-1252.   | 5.6 | 21        |
| 5  | Biologic treatments in Takayasu's Arteritis: A comparative study of tumor necrosis factor inhibitors and tocilizumab. <i>Seminars in Arthritis and Rheumatism</i> , 2021, 51, 1224-1229.   | 3.4 | 15        |
| 6  | Disease characteristics of psoriatic arthritis patients may differ according to age at psoriasis onset: cross-sectional data from the Psoriatic Arthritis-International Database. <i>Clinical and Experimental Rheumatology</i> , 2021, 39, 532-536. | 0.8 | 0         |
| 7  | Disease characteristics of psoriatic arthritis patients may differ according to age at psoriasis onset: cross-sectional data from the Psoriatic Arthritis-International Database. <i>Clinical and Experimental Rheumatology</i> , 2021, 39, 532-536. | 0.8 | 8         |
| 8  | Predictive factors for workday loss in Behçet's syndrome: A multicenter study. <i>International Journal of Rheumatic Diseases</i> , 2020, 23, 240-246.   | 1.9 | 7         |
| 9  | Large joint and lower extremity involvement have higher impact on disease outcomes in oligoarticular psoriatic arthritis. <i>International Journal of Rheumatic Diseases</i> , 2020, 23, 1094-1099.  | 1.9 | 0         |
| 10 | Moderation analysis exploring associations between age and mucocutaneous activity in Behçet's syndrome: A multicenter study from Turkey. <i>Journal of Dermatology</i> , 2020, 47, 1403-1410.  | 1.2 | 4         |
| 11 | The distribution of MEFV mutations in Turkish FMF patients: multicenter study representing results of Anatolia. <i>Turkish Journal of Medical Sciences</i> , 2019, 49, 472-477.  | 0.9 | 23        |
| 12 | AB0575...THE EFFECT OF METABOLIC SYNDROME ON CARDIOVASCULAR DISEASE AND CUMULATIVE ORGAN DAMAGE IN TAKAYASU'S ARTERITIS. , 2019, , .   |     | 0         |
| 13 | Diagnosis and differential diagnosis of large-vessel vasculitides. <i>Rheumatology International</i> , 2019, 39, 169-185.  | 3.0 | 49        |
| 14 | Exon 2: Is it the good police in familial mediterranean fever?. <i>European Journal of Rheumatology</i> , 2019, 6, 33-36.  | 0.6 | 10        |
| 15 | Oral ulcer activity assessment with the composite index according to different treatment modalities in Behçet's syndrome: a multicentre study. <i>Clinical and Experimental Rheumatology</i> , 2019, 37 Suppl 121, 98-104.                           | 0.8 | 3         |
| 16 | Discrepancies between vascular and systemic inflammation in large vessel vasculitis: an important problem revisited. <i>Rheumatology</i> , 2018, 57, 784-790.  | 1.9 | 26        |
| 17 | Comparison of early versus late onset familial Mediterranean fever. <i>International Journal of Rheumatic Diseases</i> , 2018, 21, 880-884.  | 1.9 | 25        |
| 18 | Nationwide Experience With Off-Label Use of Interleukin-1 Targeting Treatment in Familial Mediterranean Fever Patients. <i>Arthritis Care and Research</i> , 2018, 70, 1090-1094.  | 3.4 | 48        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Takayasu arteritis: an update. Turkish Journal of Medical Sciences, 2018, 48, 681-697.   | 0.9 | 47        |
| 20 | Frequency of pulmonary hypertension in transthoracic echocardiography screening is not increased in Takayasu arteritis: Experience from a single center in Turkey. European Journal of Rheumatology, 2018, 5, 249-253.                         | 0.6 | 7         |
| 21 | What is new in management of Takayasu arteritis?. Presse Medicale, 2017, 46, e229-e235.  | 1.9 | 14        |
| 22 | HEMOPHAGOCYTIC LYMPHOHISTIOCYTOSIS IN ADULTS: LOW INCIDENCE OF PRIMARY NEOPLASM AS A TRIGGER IN A CASE SERIES FROM TURKEY. Mediterranean Journal of Hematology and Infectious Diseases, 2017, 10, e2018047.                                    | 1.3 | 3         |
| 23 | Remarkable damage along with poor quality of life in Takayasu arteritis: cross-sectional results of a long-term followed-up multicentre cohort. Clinical and Experimental Rheumatology, 2017, 35 Suppl 103, 77-82.                             | 0.8 | 7         |
| 24 | Assessment of the New 2012 EULAR/ACR Clinical Classification Criteria for Polymyalgia Rheumatica: A Prospective Multicenter Study. Journal of Rheumatology, 2016, 43, 893-900.   | 2.0 | 36        |
| 25 | Plasma pentraxin-3 levels in patients with Takayasu's arteritis during routine follow-up. Clinical and Experimental Rheumatology, 2016, 34, S73-6.   | 0.8 | 10        |
| 26 | Identification of Susceptibility Loci in <i>IL6</i> , <i>RPS9</i> , and <i>LILRB3</i> , and an Intergenic Locus on Chromosome 21q22 in Takayasu Arteritis in a Genome-Wide Association Study. Arthritis and Rheumatology, 2015, 67, 1361-1368. | 5.6 | 79        |
| 27 | Assessment of Patients with Takayasu Arteritis in Routine Practice with Indian Takayasu Clinical Activity Score. Journal of Rheumatology, 2015, 42, 1443-1447.   | 2.0 | 19        |
| 28 | Incidence of Cyclophosphamide-induced Urotoxicity and Protective Effect of Mesna in Rheumatic Diseases. Journal of Rheumatology, 2015, 42, 1661-1666.  | 2.0 | 43        |
| 29 | TLR2 and TLR4 gene expression levels and associated factors during acute attack and attack-free periods in familial Mediterranean fever. Clinical Rheumatology, 2015, 34, 785-790.   | 2.2 | 6         |
| 30 | Right ventricular endomyocardial fibrosis mimicking Ebstein anomaly in a patient with Behçet's disease: case report and review of the literature. Modern Rheumatology, 2014, 24, 532-536.  | 1.8 | 12        |
| 31 | Diagnostic dilemma of paraneoplastic arthritis: case series. International Journal of Rheumatic Diseases, 2014, 17, 640-645.   | 1.9 | 36        |
| 32 | Autoimmune thyroid disease in ankylosing spondylitis. Clinical Rheumatology, 2014, 33, 955-961.  | 2.2 | 15        |
| 33 | Management of Takayasu arteritis: a systematic review. Rheumatology, 2014, 53, 793-801.  | 1.9 | 173       |
| 34 | Amyloidosis and its related factors in Turkish patients with familial Mediterranean fever: a multicentre study. Rheumatology, 2014, 53, 741-745.   | 1.9 | 96        |
| 35 | Periodontal therapy in chronic periodontitis lowers gingival crevicular fluid interleukin-1beta and DAS28 in rheumatoid arthritis patients. Rheumatology International, 2013, 33, 2607-2616.   | 3.0 | 64        |
| 36 | Identification of Multiple Genetic Susceptibility Loci in Takayasu Arteritis. American Journal of Human Genetics, 2013, 93, 298-305.   | 6.2 | 143       |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 37 | Gingival crevicular fluid and serum levels of APRIL, BAFF and TNF-alpha in rheumatoid arthritis and osteoporosis patients with periodontal disease. Archives of Oral Biology, 2013, 58, 1302-1308.   | 1.8  | 14        |
| 38 | The frequency of sicca symptoms and Sjögren's syndrome in patients with systemic sclerosis. International Journal of Rheumatic Diseases, 2013, 16, 88-92.  | 1.9  | 40        |
| 39 | Impaired quality of life, disability and mental health in Takayasu's arteritis. Rheumatology, 2013, 52, 1898-1904.   | 1.9  | 53        |
| 40 | Pauci-immune necrotizing crescentic glomerulonephritis with crescentic and full moon extracapillary proliferation: Clinico-pathologic correlation and follow-up study. Pathology Research and Practice, 2013, 209, 75-82.  | 2.3  | 20        |
| 41 | Identification of multiple independent susceptibility loci in the HLA region in Behçet's disease. Nature Genetics, 2013, 45, 319-324.  | 21.4 | 130       |
| 42 | Gingival Crevicular Fluid, Serum Levels of Receptor Activator of Nuclear Factor- $\kappa$ B Ligand, Osteoprotegerin, and Interleukin-17 in Patients With Rheumatoid Arthritis and Osteoporosis and With Periodontal Disease. Journal of Periodontology, 2013, 84, 1627-1637. | 3.4  | 38        |
| 43 | Inflammation-Induced Thrombosis: Mechanisms, Disease Associations and Management. Current Pharmaceutical Design, 2012, 18, 1478-1493.  | 1.9  | 227       |
| 44 | A panel of oxidative stress assays does not provide supplementary diagnostic information in Behcet's disease patients. Journal of Inflammation, 2012, 9, 13.   | 3.4  | 6         |
| 45 | Takayasu's arteritis is associated with HLA-B*52, but not with HLA-B*51, in Turkey. Arthritis Research and Therapy, 2012, 14, R27.   | 3.5  | 60        |
| 46 | Right ventricular endomyocardial fibrosis mimicking Ebstein anomaly in a patient with Behçet's disease: case report and review of the literature. Modern Rheumatology, 2012, , 1.  | 1.8  | 0         |
| 47 | Interstitial cystitis: a rare manifestation of primary Sjögren's syndrome, successfully treated with low dose cyclosporine. Rheumatology International, 2012, 32, 1215-1218.   | 3.0  | 21        |
| 48 | Coexistence of Takayasu's arteritis with familial Mediterranean fever. Rheumatology International, 2012, 32, 1675-1678.  | 3.0  | 11        |
| 49 | Acute presentation of autoimmune hepatitis in a patient with myasthenia gravis, thymoma, Hashimoto thyroiditis and connective tissue disorder. Hepatology Research, 2012, 42, 835-839.   | 3.4  | 13        |
| 50 | PDCD1 polymorphisms are not associated with Takayasu's arteritis in Turkey. Clinical and Experimental Rheumatology, 2012, 30, S11-4.   | 0.8  | 4         |
| 51 | Non-Hodgkin's lymphoma following treatment with etanercept in ankylosing spondylitis. Rheumatology International, 2011, 31, 1645-1647.   | 3.0  | 22        |
| 52 | Coexistence of vasculitides with Familial Mediterranean Fever. Rheumatology International, 2011, 31, 1263-1274.  | 3.0  | 82        |
| 53 | A putative functional variant within the UBAC2 gene is associated with increased risk of Behçet's disease. Arthritis and Rheumatism, 2011, 63, 3607-3612.  | 6.7  | 39        |
| 54 | Neurological Symptoms and Signs in Behçet Disease. Neurologist, 2011, 17, 147-150.   | 0.7  | 15        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Cigarette smoking in primary Sjögren's syndrome: positive association only with ANA positivity. <i>Modern Rheumatology</i> , 2011, 21, 602-607.   | 1.8 | 18        |
| 56 | Assessment of latent tuberculosis infection in Takayasu arteritis with tuberculin skin test and Quantiferon-TB Gold test. <i>Rheumatology International</i> , 2010, 30, 1483-1487.                          | 3.0 | 35        |
| 57 | Assessment of disease activity and progression in Takayasu's arteritis with Disease Extent Index-Takayasu. <i>Rheumatology</i> , 2010, 49, 1889-1893.   | 1.9 | 97        |
| 58 | The plasma levels of activated thrombin activatable fibrinolysis inhibitor and thrombomodulin in Behçet Disease and their association with thrombosis. <i>Thrombosis Research</i> , 2010, 126, 207-210.     | 1.7 | 11        |
| 59 | Clinical history for inflammatory back pain in ankylosing spondylitis: the sensitivity, specificity and consistency of clinical features. <i>Rheumatology International</i> , 2009, 29, 349-351.            | 3.0 | 5         |
| 60 | Serum and bronchoalveolar lavage fluid nitric oxide levels in diffuse systemic sclerosis. <i>Rheumatology International</i> , 2009, 29, 605-606.  | 3.0 | 0         |
| 61 | Gingival Crevicular Fluid MMP-8 and -13 and TIMP-1 Levels in Patients With Rheumatoid Arthritis and Inflammatory Periodontal Disease. <i>Journal of Periodontology</i> , 2009, 80, 1307-1314.               | 3.4 | 60        |
| 62 | Telomerase activity in connective tissue diseases: elevated in rheumatoid arthritis, but markedly decreased in systemic sclerosis. <i>Rheumatology International</i> , 2008, 28, 579-583.                   | 3.0 | 30        |
| 63 | Quality of life in patients with Takayasu's arteritis is impaired and comparable with rheumatoid arthritis and ankylosing spondylitis patients. <i>Clinical Rheumatology</i> , 2008, 27, 859-865.           | 2.2 | 36        |
| 64 | Renal Behçet's Disease: An Update. <i>Seminars in Arthritis and Rheumatism</i> , 2008, 38, 241-248.   | 3.4 | 49        |
| 65 | Behçet's Disease-Associated Aneurysm of the Internal Carotid Artery within the Cavernous Sinus: Report of a Patient. <i>Neuro-Ophthalmology</i> , 2007, 31, 19-22.  | 1.0 | 0         |
| 66 | Coexistence of Sjogren's syndrome and familial Mediterranean fever. <i>APLAR Journal of Rheumatology</i> , 2007, 10, 244-245.   | 0.2 | 2         |
| 67 | Hodgkin's lymphoma following treatment with etanercept in ankylosing spondylitis. <i>Rheumatology International</i> , 2007, 28, 185-187.  | 3.0 | 22        |
| 68 | Interleukin (IL)-12, IL-2, and IL-6 Gene Polymorphisms in Takayasu's Arteritis from Turkey. <i>Human Immunology</i> , 2006, 67, 735-740.  | 2.4 | 47        |
| 69 | Evaluation of t-PA, PAI-2, IL-1 $\beta$ and PGE $_2$ in gingival crevicular fluid of rheumatoid arthritis patients with periodontal disease. <i>Journal of Clinical Periodontology</i> , 2006, 33, 605-611. | 4.9 | 52        |
| 70 | Endothelial functions in Behçet's disease. <i>Rheumatology International</i> , 2006, 26, 304-308.   | 3.0 | 44        |
| 71 | Reactive arthritis following tetanus and rabies vaccinations. <i>Rheumatology International</i> , 2006, 27, 209-210.  | 3.0 | 12        |
| 72 | Arthritis as a presenting symptom in a hypogammaglobulinemic patient with thymectomy. <i>Rheumatology International</i> , 2006, 27, 263-267.  | 3.0 | 0         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Urinary N-acetyl- $\beta$ -D-glucosaminidase (NAG) in lupus nephritis and rheumatoid arthritis. Journal of Clinical Laboratory Analysis, 2005, 19, 172-176.                          | 2.1 | 15        |
| 74 | Platelet-activating factor and P-selectin activities in thrombotic and nonthrombotic Behçet's patients. Rheumatology International, 2005, 25, 326-331.                               | 3.0 | 22        |
| 75 | Nasal Staphylococcus aureus carriage is not increased in Behçet's disease. Rheumatology International, 2005, 25, 567-568.  | 3.0 | 3         |
| 76 | Thrombin activatable fibrinolysis inhibitor in Behçet's disease. Thrombosis Research, 2005, 115, 287-292.  | 1.7 | 27        |
| 77 | Increased excretions of glycosaminoglycans and heparan sulfate in lupus nephritis and rheumatoid arthritis. Rheumatology International, 2003, 23, 221-225.                           | 3.0 | 11        |
| 78 | Microembolus Detection in Patients With Takayasu's Arteritis. Stroke, 2002, 33, 712-716.   | 2.0 | 42        |
| 79 | Detection of Microembolic Signals in Patients with Neuropsychiatric Lupus erythematosus. European Neurology, 2002, 47, 131-135.  | 1.4 | 31        |
| 80 | Cardiovascular Involvement in Behçet's Disease.. International Heart Journal, 2002, 43, 389-398.   | 0.6 | 109       |
| 81 | Hypothalamus-Hypophysis-Thyroid Axis, Triiodothyronine and Antithyroid Antibodies in Patients with Primary and Secondary Sjögren's Syndrome. Clinical Rheumatology, 2001, 20, 44-48. | 2.2 | 10        |