

# Selim Arici

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/1864000/selim-arici-publications-by-year.pdf>

**Version:** 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

12  
papers

121  
citations

7  
h-index

11  
g-index

12  
ext. papers

155  
ext. citations

1.9  
avg, IF

2.51  
L-index

#	Paper	IF	Citations
12	The effect of different micro-osteoperforation depths on the rate of orthodontic tooth movement: A single-center, single-blind, randomized clinical trial. <i>Korean Journal of Orthodontics</i> , <b>2021</b> , 51, 157-165	1.4	1
11	Effectiveness of medical coating materials in decreasing friction between orthodontic brackets and archwires. <i>Korean Journal of Orthodontics</i> , <b>2021</b> , 51, 270-281	1.4	2
10	Buccolingual Inclination Effects of Self-Ligating and Conventional Premolar Brackets: A Cone Beam Computed Tomography Study. <i>Turkish Journal of Orthodontics</i> , <b>2020</b> , 33, 110-114	0.9	
9	The Effect of Different Doses of Extracorporeal Shock Waves on Experimental Model Mandibular Distraction. <i>Journal of Craniofacial Surgery</i> , <b>2018</b> , 29, 1666-1670	1.2	5
8	In-vivo effects of flapless osteopuncture-facilitated tooth movement in the maxilla and the mandible. <i>Journal of Clinical and Experimental Dentistry</i> , <b>2018</b> , 10, e761-e767	1.4	11
7	In-vitro bond strengths and clinical failure rates of metal brackets bonded with different light-emitting diode units and curing times. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , <b>2016</b> , 149, 212-6	2.1	11
6	Investigation of the effect of titanium alloy surface coating with different techniques on titanium-porcelain bonding. <i>Journal of Prosthetic Dentistry</i> , <b>2016</b> , 115, 115-22	4	5
5	Comparison of the frictional characteristics of aesthetic orthodontic brackets measured using a modified in vitro technique. <i>Korean Journal of Orthodontics</i> , <b>2015</b> , 45, 29-37	1.4	8
4	Evaluation of Treatments in Patients with Nocturnal Bruxism on Bite Force and Occlusal Contact Area: A preliminary report. <i>European Journal of Dentistry</i> , <b>2008</b> , 02, 276-282	2.6	25
3	Effects of fixed functional appliance treatment on the temporomandibular joint. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , <b>2008</b> , 133, 809-14	2.1	22
2	Comparison of different toothbrushing protocols in poor-toothbrushing orthodontic patients. <i>European Journal of Orthodontics</i> , <b>2007</b> , 29, 488-92	3.3	21
1	Adhesive thickness effects on the bond strength of a light-cured resin-modified glass ionomer cement. <i>Angle Orthodontist</i> , <b>2005</b> , 75, 254-9	2.6	10