Fritz Sterz

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/18651/fritz-sterz-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

6,820 82 103 32 h-index g-index citations papers 7,840 110 4.79 3.7 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
103	Prolonged Activated Partial Thromboplastin Time after Successful Resuscitation from Cardiac Arrest is Associated with Unfavorable Neurologic Outcome. <i>Thrombosis and Haemostasis</i> , 2021 , 121, 477-483	7	1
102	Admission C-reactive protein concentrations are associated with unfavourable neurological outcome after out-of-hospital cardiac arrest. <i>Scientific Reports</i> , 2021 , 11, 10279	4.9	1
101	Change of Hemoglobin Levels in the Early Post-cardiac Arrest Phase Is Associated With Outcome. <i>Frontiers in Medicine</i> , 2021 , 8, 639803	4.9	O
100	Gastric regurgitation predicts neurological outcome in out-of-hospital cardiac arrest survivors. <i>European Journal of Internal Medicine</i> , 2021 , 83, 54-57	3.9	2
99	Mild Therapeutic Hypothermia Alters Hemostasis in ST Elevation Myocardial Infarction Patients. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 707367	5.4	O
98	Prediction of Neurological Recovery After Cardiac Arrest Using Neurofilament Light Chain is Improved by a Proteomics-Based Multimarker Panel. <i>Neurocritical Care</i> , 2021 , 1	3.3	0
97	Initial Blood pH, Lactate and Base Deficit Add No Value to Peri-Arrest Factors in Prognostication of Neurological Outcome After Out-of-Hospital Cardiac Arrest. <i>Frontiers in Medicine</i> , 2021 , 8, 697906	4.9	O
96	The association of early diarrhea after successful resuscitation following out-of-hospital cardiac arrest with neurological outcome: A retrospective observational study. <i>Medicine (United States)</i> , 2021 , 100, e28164	1.8	О
95	Proteomics-Enriched Prediction Model for Poor Neurologic Outcome in Cardiac Arrest Survivors. <i>Critical Care Medicine</i> , 2020 , 48, 167-175	1.4	7
94	Motor Cortex and Hippocampus Display Decreased Heme Oxygenase Activity 2 Weeks After Ventricular Fibrillation Cardiac Arrest in Rats. <i>Frontiers in Medicine</i> , 2020 , 7, 513	4.9	1
93	On detection of spontaneous pulse by photoplethysmography in cardiopulmonary resuscitation. <i>American Journal of Emergency Medicine</i> , 2020 , 38, 526-533	2.9	1
92	Survival to hospital discharge with biphasic fixed 360 joules versus 200 escalating to 360 joules defibrillation strategies in out-of-hospital cardiac arrest of presumed cardiac etiology. <i>Resuscitation</i> , 2019 , 136, 112-118	4	4
91	International variation in survival after out-of-hospital cardiac arrest: A validation study of the Utstein template. <i>Resuscitation</i> , 2019 , 138, 168-181	4	38
90	Hypoxic liver injury after in- and out-of-hospital cardiac arrest: Risk factors and neurological outcome. <i>Resuscitation</i> , 2019 , 137, 175-182	4	8
89	Out-of-hospital initiation of hypothermia in ST-segment elevation myocardial infarction: a randomised trial. <i>Heart</i> , 2019 , 105, 531-537	5.1	17
88	Initial electrical frequency predicts survival and neurological outcome in out of hospital cardiac arrest patients with pulseless electrical activity. <i>Resuscitation</i> , 2018 , 125, 34-38	4	7
87	Establishing a Rodent Model of Ventricular Fibrillation Cardiac Arrest With Graded Histologic and Neurologic Damage With Different Cardiac Arrest Durations. <i>Shock</i> , 2018 , 50, 219-225	3.4	7

(2016-2018)

86	The impact of airway strategy on the patient outcome after out-of-hospital cardiac arrest: A propensity score matched analysis. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2018 , 7, 423-431	4.3	12
85	The impact of cardiopulmonary resuscitation (CPR) manikin chest stiffness on motivation and CPR performance measures in children undergoing CPR training-A prospective, randomized, single-blind, controlled trial. <i>PLoS ONE</i> , 2018 , 13, e0202430	3.7	4
84	Non-occlusive mesenteric ischaemia in out of hospital cardiac arrest survivors. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2018 , 7, 450-458	4.3	9
83	Age-dependent effect of targeted temperature management on outcome after cardiac arrest. <i>European Journal of Clinical Investigation</i> , 2018 , 48, e13026	4.6	10
82	Observed survival benefit of mild therapeutic hypothermia reanalysing the Circulation Improving Resuscitation Care trial. <i>European Journal of Clinical Investigation</i> , 2017 , 47, 439-446	4.6	2
81	Mortality in patients resuscitated from out-of-hospital cardiac arrest based on automated blood cell count and neutrophil lymphocyte ratio at admission. <i>Resuscitation</i> , 2017 , 116, 49-55	4	22
80	Feasibility of profound hypothermia as part of extracorporeal life support in a pig model. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2017 , 154, 867-874	1.5	1
79	Extracorporeal Life Support Increases Survival After Prolonged Ventricular Fibrillation Cardiac Arrest in the Rat. <i>Shock</i> , 2017 , 48, 674-680	3.4	6
78	Advanced life support in pediatric out-of-hospital cardiac arrest-A two-year review and critical appraisal of quality of care and clinical outcome in a European metropolitan area. <i>Resuscitation</i> , 2017 , 114, e21-e22	4	
77	Outcome of in- and out-of-hospital cardiac arrest survivors with liver cirrhosis. <i>Annals of Intensive Care</i> , 2017 , 7, 103	8.9	17
76	Continuous versus intermittent neuromuscular blockade in patients during targeted temperature management after resuscitation from cardiac arrest-A randomized, double blinded, double dummy, clinical trial. <i>Resuscitation</i> , 2017 , 120, 14-19	4	18
75	Improvements in the quality of advanced life support and patient outcome after implementation of a standardized real-life post-resuscitation feedback system. <i>Resuscitation</i> , 2017 , 120, 38-44	4	12
74	Feasibility of the capnogram to monitor ventilation rate during cardiopulmonary resuscitation. <i>Resuscitation</i> , 2017 , 110, 162-168	4	21
73	Age-specific prognostication after out-of-hospital cardiac arrest - The ethical dilemma between Rife-sustaining treatmentRand Rhe right to dieRin the elderly. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2017 , 6, 112-120	4.3	31
72	Reduction of Serious Adverse Events Demanding Study Exclusion in Model Development: Extracorporeal Life Support Resuscitation of Ventricular Fibrillation Cardiac Arrest in Rats. <i>Shock</i> , 2016 , 46, 704-712	3.4	5
71	Ischemia reperfusion injury as a modifiable therapeutic target for cardioprotection or neuroprotection in patients undergoing cardiopulmonary resuscitation. <i>Resuscitation</i> , 2016 , 105, 85-91	4	24
7°	Defibrillation success during different phases of the mechanical chest compression cycle. <i>Resuscitation</i> , 2016 , 103, 99-105	4	3
69	Editor Choice-Progress in the chain of survival and its impact on outcomes of patients admitted to a specialized high-volume cardiac arrest center during the past two decades. European Heart Journal: Acute Cardiovascular Care 2016, 5, 3-12	4.3	9

68	Limited effect of mild therapeutic hypothermia on outcome after prolonged resuscitation. <i>Resuscitation</i> , 2016 , 98, 15-9	4	9
67	Microdialysis Assessment of Cerebral Perfusion during Cardiac Arrest, Extracorporeal Life Support and Cardiopulmonary Resuscitation in Rats - A Pilot Trial. <i>PLoS ONE</i> , 2016 , 11, e0155303	3.7	8
66	Reduced long-term memory in a rat model of 8 minutes ventricular fibrillation cardiac arrest: a pilot trial. <i>BMC Veterinary Research</i> , 2016 , 12, 103	2.7	6
65	Admission of out-of-hospital cardiac arrest victims to a high volume cardiac arrest center is linked to improved outcome. <i>Resuscitation</i> , 2016 , 106, 42-8	4	43
64	Why do some studies find that CPR fraction is not a predictor of survival?. <i>Resuscitation</i> , 2016 , 104, 59-6	524	20
63	What change in outcomes after cardiac arrest is necessary to change practice? Results of an international survey. <i>Resuscitation</i> , 2016 , 107, 115-20	4	18
62	Resting energy expenditure and substrate oxidation rates correlate to temperature and outcome after cardiac arrest - a prospective observational cohort study. <i>Critical Care</i> , 2015 , 19, 128	10.8	12
61	The incidence of "load&go" out-of-hospital cardiac arrest candidates for emergency department utilization of emergency extracorporeal life support: A one-year review. <i>Resuscitation</i> , 2015 , 91, 131-6	4	44
60	Activity of antimicrobial drugs against bacterial pathogens under mild hypothermic conditions. <i>American Journal of Emergency Medicine</i> , 2015 , 33, 1445-8	2.9	2
59	Pre-shock chest compression pause effects on termination of ventricular fibrillation/tachycardia and return of organized rhythm within mechanical and manual cardiopulmonary resuscitation. <i>Resuscitation</i> , 2015 , 93, 158-63	4	14
58	Survivors of cardiac arrest with good neurological outcome show considerable impairments of memory functioning. <i>Resuscitation</i> , 2015 , 88, 120-5	4	35
57	Minimizing pre-shock chest compression pauses in a cardiopulmonary resuscitation cycle by performing an earlier rhythm analysis. <i>Resuscitation</i> , 2015 , 87, 33-7	4	8
56	Quality of post arrest care does not differ by time of day at a specialized resuscitation center. <i>Medicine (United States)</i> , 2015 , 94, e664	1.8	12
55	Mechanical chest compression does not seem to improve outcome after out-of hospital cardiac arrest. A single center observational trial. <i>Resuscitation</i> , 2015 , 96, 220-5	4	13
54	The capability of professional- and lay-rescuers to estimate the chest compression-depth target: a short, randomized experiment. <i>Resuscitation</i> , 2015 , 89, 137-41	4	8
53	Prehospital surface cooling is safe and can reduce time to target temperature after cardiac arrest. <i>Resuscitation</i> , 2015 , 87, 51-6	4	10
52	A prediction tool for initial out-of-hospital cardiac arrest survivors. <i>Resuscitation</i> , 2014 , 85, 1225-31	4	36
51	AWARE-AWAreness during REsuscitation-a prospective study. <i>Resuscitation</i> , 2014 , 85, 1799-805	4	106

(2010-2014)

50	"Push as hard as you can" instruction for telephone cardiopulmonary resuscitation: a randomized simulation study. <i>Journal of Emergency Medicine</i> , 2014 , 46, 363-70	1.5	12
49	Apples to apples or apples to oranges? International variation in reporting of process and outcome of care for out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2014 , 85, 1599-609	4	48
48	Neurologic causes of cardiac arrest and outcomes. Journal of Emergency Medicine, 2014, 47, 660-7	1.5	12
47	Manual vs. integrated automatic load-distributing band CPR with equal survival after out of hospital cardiac arrest. The randomized CIRC trial. <i>Resuscitation</i> , 2014 , 85, 741-8	4	198
46	Cardiac arrest caused by acute intoxication-insight from a registry. <i>American Journal of Emergency Medicine</i> , 2013 , 31, 1443-7	2.9	8
45	The formula for survival in resuscitation. <i>Resuscitation</i> , 2013 , 84, 1487-93	4	118
44	Emergency cardio-pulmonary bypass in cardiac arrest: seventeen years of experience. <i>Resuscitation</i> , 2013 , 84, 326-30	4	26
43	Out of hospital cardiac arrest in Vienna: incidence and outcome. <i>Resuscitation</i> , 2013 , 84, 42-7	4	57
42	The beneficial effect of mild therapeutic hypothermia depends on the time of complete circulatory standstill in patients with cardiac arrest. <i>Resuscitation</i> , 2012 , 83, 596-601	4	44
41	Rapid induction of hypothermia with a small volume aortic flush during cardiac arrest in pigs. <i>American Journal of Emergency Medicine</i> , 2012 , 30, 643-50	2.9	7
40	Mild therapeutic hypothermia improves outcomes compared with normothermia in cardiac-arrest patientsa retrospective chart review. <i>Critical Care Medicine</i> , 2012 , 40, 2315-9	1.4	25
39	Mild therapeutic hypothermia is associated with favourable outcome in patients after cardiac arrest with non-shockable rhythms. <i>Resuscitation</i> , 2011 , 82, 1162-7	4	132
38	Relationship between time to target temperature and outcome in patients treated with therapeutic hypothermia after cardiac arrest. <i>Critical Care</i> , 2011 , 15, R101	10.8	92
37	Post-resuscitation care at the emergency department with critical care facilitiesa length-of-stay analysis. <i>Resuscitation</i> , 2011 , 82, 853-8	4	8
36	New conventional long-term survival normovolemic cardiac arrest pig model. <i>Resuscitation</i> , 2011 , 82, 90-6	4	10
35	The importance of surface area for the cooling efficacy of mild therapeutic hypothermia. <i>Resuscitation</i> , 2011 , 82, 74-8	4	7
34	Design of the Circulation Improving Resuscitation Care (CIRC) Trial: a new state of the art design for out-of-hospital cardiac arrest research. <i>Resuscitation</i> , 2011 , 82, 294-9	4	40
33	Surface cooling for rapid induction of mild hypothermia after cardiac arrest: design determines efficacy. <i>Academic Emergency Medicine</i> , 2010 , 17, 360-7	3.4	18

32	Temperature monitored on the cuff surface of an endotracheal tube reflects body temperature. <i>Critical Care Medicine</i> , 2010 , 38, 1569-73	1.4	12
31	Cold aortic flush and chest compressions enable good neurologic outcome after 15 mins of ventricular fibrillation in cardiac arrest in pigs. <i>Critical Care Medicine</i> , 2010 , 38, 1637-43	1.4	19
30	Outcome after resuscitation using controlled rapid extracorporeal cooling to a brain temperature of 30 degrees C, 24 degrees C and 18 degrees C during cardiac arrest in pigs. <i>Resuscitation</i> , 2010 , 81, 242-7	4	9
29	Changes in interleukin-10 mRNA expression are predictive for 9-day survival of pigs in an emergency preservation and resuscitation model. <i>Resuscitation</i> , 2010 , 81, 603-8	4	21
28	Non-invasive continuous cerebral temperature monitoring in patients treated with mild therapeutic hypothermia: an observational pilot study. <i>Resuscitation</i> , 2010 , 81, 861-6	4	33
27	The strong ion gap and outcome after cardiac arrest in patients treated with therapeutic hypothermia: a retrospective study. <i>Intensive Care Medicine</i> , 2009 , 35, 232-9	14.5	30
26	Therapeutic hypothermia with a novel surface cooling device improves neurologic outcome after prolonged cardiac arrest in swine. <i>Critical Care Medicine</i> , 2008 , 36, 895-902	1.4	79
25	Limits of conventional therapies after prolonged normovolemic cardiac arrest in swine. <i>Resuscitation</i> , 2008 , 79, 133-8	4	18
24	Emergency preservation and resuscitation improve survival after 15 minutes of normovolemic cardiac arrest in pigs *. <i>Critical Care Medicine</i> , 2007 , 35, 2785-2791	1.4	28
23	Cold infusions alone are effective for induction of therapeutic hypothermia but do not keep patients cool after cardiac arrest. <i>Resuscitation</i> , 2007 , 73, 46-53	4	130
22	Thoracic-impedance changes measured via defibrillator pads can monitor signs of circulation. <i>Resuscitation</i> , 2007 , 73, 221-8	4	37
21	Feasibility and efficacy of a new non-invasive surface cooling device in post-resuscitation intensive care medicine. <i>Resuscitation</i> , 2007 , 75, 76-81	4	112
20	Emergency preservation and resuscitation improve survival after 15 minutes of normovolemic cardiac arrest in pigs. <i>Critical Care Medicine</i> , 2007 , 35, 2785-91	1.4	20
19	External cardiac defibrillation during wet-surface cooling in pigs. <i>American Journal of Emergency Medicine</i> , 2007 , 25, 420-4	2.9	14
18	Efficacy and safety of endovascular cooling after cardiac arrest: cohort study and Bayesian approach. <i>Stroke</i> , 2006 , 37, 1792-7	6.7	203
17	Global hypothermia for neuroprotection after cardiac arrest. Acute Cardiac Care, 2006, 8, 25-30		20
16	Rapid induction of cerebral hypothermia by aortic flush during normovolemic cardiac arrest in pigs. <i>Critical Care Medicine</i> , 2006 , 34, 1769-74	1.4	15
15	Cardiac arrest in public locationsan independent predictor for better outcome?. <i>Resuscitation</i> , 2006 , 70, 395-403	4	28

LIST OF PUBLICATIONS

14	Extracorporeal venovenous cooling for induction of mild hypothermia in human-sized swine. <i>Critical Care Medicine</i> , 2005 , 33, 1346-50	1.4	55
13	Cold simple intravenous infusions preceding special endovascular cooling for faster induction of mild hypothermia after cardiac arresta feasibility study. <i>Resuscitation</i> , 2005 , 64, 347-51	4	174
12	Hypothermia for neuroprotection after cardiac arrest: systematic review and individual patient data meta-analysis. <i>Critical Care Medicine</i> , 2005 , 33, 414-8	1.4	1021
11	Cardiac arrest and cardiopulmonary resuscitation outcome reports: update and simplification of the Utstein templates for resuscitation registries: a statement for healthcare professionals from a task force of the International Liaison Committee on Resuscitation (American Heart Association,	16.7	1141
10	Cardiac arrest and cardiopulmonary resuscitation outcome reports: update and simplification of the Utstein templates for resuscitation registries. A statement for healthcare professionals from a task force of the international liaison committee on resuscitation (American Heart Association,	4	574
9	European Resuscitation Council, Australian Resuscitation Council, New Zealand Resuscitation Endothelin-1 elevates regional cerebral perfusion during prolonged ventricular fibrillation cardiac arrest in pigsu Resuscitation, 2002, 55, 817-2704, 63, 233-49	4	25
8	Acute renal failure after successful cardiopulmonary resuscitation. <i>Intensive Care Medicine</i> , 2001 , 27, 1194-9	14.5	44
7	Hyperthermia after cardiac arrest is associated with an unfavorable neurologic outcome. <i>Archives</i>		
7	of Internal Medicine, 2001 , 161, 2007-12		301
6	of Internal Medicine, 2001, 161, 2007-12 Mild resuscitative hypothermia to improve neurological outcome after cardiac arrest. A clinical feasibility trial. Hypothermia After Cardiac Arrest (HACA) Study Group. Stroke, 2000, 31, 86-94	6.7	239
	Mild resuscitative hypothermia to improve neurological outcome after cardiac arrest. A clinical	6. ₇	
6	Mild resuscitative hypothermia to improve neurological outcome after cardiac arrest. A clinical feasibility trial. Hypothermia After Cardiac Arrest (HACA) Study Group. <i>Stroke</i> , 2000 , 31, 86-94 Long-term cardiac arrest survivors of the Vienna emergency medical service. <i>Resuscitation</i> , 1998 ,		239
6 5	Mild resuscitative hypothermia to improve neurological outcome after cardiac arrest. A clinical feasibility trial. Hypothermia After Cardiac Arrest (HACA) Study Group. <i>Stroke</i> , 2000 , 31, 86-94 Long-term cardiac arrest survivors of the Vienna emergency medical service. <i>Resuscitation</i> , 1998 , 38, 137-43 Mild hypothermic cardiopulmonary resuscitation improves outcome after prolonged cardiac arrest	4	239
654	Mild resuscitative hypothermia to improve neurological outcome after cardiac arrest. A clinical feasibility trial. Hypothermia After Cardiac Arrest (HACA) Study Group. <i>Stroke</i> , 2000 , 31, 86-94 Long-term cardiac arrest survivors of the Vienna emergency medical service. <i>Resuscitation</i> , 1998 , 38, 137-43 Mild hypothermic cardiopulmonary resuscitation improves outcome after prolonged cardiac arrest in dogs. <i>Critical Care Medicine</i> , 1991 , 19, 379-89	4	239 27 300