
Christian Manzardo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1865664/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Preserved central nervous system functioning after use of romidepsin as a latency-reversing agent in an HIV cure strategy. Aids, 2022, 36, 363-372.	1.0	3
2	Gut microbiome signatures linked to HIV-1 reservoir size and viremia control. Microbiome, 2022, 10, 59.	4.9	19
3	Healthcare delivery for HIVâ€positive people with tuberculosis in Europe. HIV Medicine, 2021, 22, 283-293.	1.0	6
4	Network metaâ€analysis of postâ€exposure prophylaxis randomized clinical trials. HIV Medicine, 2021, 22, 218-224.	1.0	2
5	Pharmacokinetic/pharmacodynamic analysis of romidepsin used as an HIV latency reversing agent. Journal of Antimicrobial Chemotherapy, 2021, 76, 1032-1040.	1.3	2
6	Postâ€exposure prophylaxis for HIV infection in sexual assault victims. HIV Medicine, 2020, 21, 43-52.	1.0	12
7	Immunological and virological efficacy of different antiretroviral regimens initiated during acute/recent HIV infection. Aids, 2020, 34, 2269-2274.	1.0	8
8	In vivo Effects of Romidepsin on T-Cell Activation, Apoptosis and Function in the BCN02 HIV-1 Kick&Kill Clinical Trial. Frontiers in Immunology, 2020, 11, 418.	2.2	23
9	HIVconsv Vaccines and Romidepsin in Early-Treated HIV-1-Infected Individuals: Safety, Immunogenicity and Effect on the Viral Reservoir (Study BCN02). Frontiers in Immunology, 2020, 11, 823.	2.2	55
10	HTLV testing of solid organ transplant donors. Clinical Transplantation, 2019, 33, e13670.	0.8	8
11	Therapeutic Vaccination Refocuses T-cell Responses Towards Conserved Regions of HIV-1 in Early Treated Individuals (BCN 01 study). EClinicalMedicine, 2019, 11, 65-80.	3.2	52
12	Prevalence, clinical characteristics and outcome of severe primary HIV-1 infection: A prospective cohort study. International Journal of Infectious Diseases, 2019, 88, 73-79.	1.5	5
13	Epidemiological changes of acute/recent human immunodeficiency virus type 1 infection in Barcelona, Spain (1997–2015): a prospective cohort study. Clinical Microbiology and Infection, 2019, 25, 878-884.	2.8	7
14	Discontinuation of dolutegravir, elvitegravir/cobicistat and raltegravir because of toxicity in a prospective cohort. HIV Medicine, 2019, 20, 237-247.	1.0	32
15	SÃfilis maligna, una presentación de sÃfilis a tener en cuenta. Actas Dermo-sifiliográficas, 2019, 110, 232-237.	0.2	9
16	Sexual acquisition of <scp>HIV</scp> infection after solid organ transplantation: Late presentation and potentially fatal complications. Transplant Infectious Disease, 2018, 20, e12894.	0.7	5
17	Community-Acquired Legionella Pneumonia in Human Immunodeficiency Virus–Infected Adult Patients: A Matched Case-Control Study. Clinical Infectious Diseases, 2018, 67, 958-961.	2.9	9
18	Prevalence and risk factors of mild chronic renal failure in HIV-infected patients: influence of female gender and antiretroviral therapy. Brazilian Journal of Infectious Diseases, 2018, 22, 193-201.	0.3	13

#	Article	IF	CITATIONS
19	Direct-acting antivirals are effective and safe in HCV/HIV-coinfected liver transplant recipients who experience recurrence of hepatitis C: A prospective nationwide cohort study. American Journal of Transplantation, 2018, 18, 2513-2522.	2.6	32
20	Human immunodeficiency virus–infected liver transplant recipients with incidental hepatocellular carcinoma: A prospective multicenter nationwide cohort study. Liver Transplantation, 2017, 23, 645-651.	1.3	3
21	Regional differences in the management and outcome of kidney transplantation in patients with human immunodeficiency virus infection: A 3â€year retrospective cohort study. Transplant Infectious Disease, 2017, 19, e12724.	0.7	3
22	Estimation of renal function by CKD-EPI versus MDRD in a cohort of HIV-infected patients: a cross-sectional analysis. BMC Nephrology, 2017, 18, 58.	0.8	17
23	Community-Acquired Pneumococcal Pneumonia in Virologically Suppressed HIV-Infected Adult Patients. Chest, 2017, 152, 295-303.	0.4	15
24	Neurological involvement in patients with acute/recent HIV-1 infection. A case-control study. Journal of NeuroVirology, 2017, 23, 679-685.	1.0	4
25	Integrase strand-transfer inhibitor polymorphic and accessory resistance substitutions in patients with acute/recent HIV infection. Journal of Antimicrobial Chemotherapy, 2017, 72, 205-209.	1.3	28
26	Tenofovir disoproxil fumarate/emtricitabine plus ritonavir-boosted lopinavir or cobicistat-boosted elvitegravir as a single-tablet regimen for HIV post-exposure prophylaxis. Journal of Antimicrobial Chemotherapy, 2017, 72, 2857-2861.	1.3	12
27	Liver Retransplantation in Patients With HIV-1 Infection: An International Multicenter Cohort Study. American Journal of Transplantation, 2016, 16, 679-687.	2.6	11
28	An Update on Heart Transplantation in Human Immunodeficiency Virus–Infected Patients. American Journal of Transplantation, 2016, 16, 21-28.	2.6	36
29	Essentials from the 2015 European <scp>AIDS</scp> Clinical Society (<scp>EACS</scp>) guidelines for the treatment of adult <scp>HIV</scp> â€positive persons. HIV Medicine, 2016, 17, 83-88.	1.0	81
30	Cyclosporine A in addition to standard ART during primary HIV-1 infection: pilot randomized clinical trial. Journal of Antimicrobial Chemotherapy, 2016, 72, dkw462.	1.3	9
31	Safe Reduction in CD4 Cell Count Monitoring in Stable, Virally Suppressed Patients With HIV Infection or HIV/Hepatitis C Virus Coinfection. Clinical Infectious Diseases, 2016, 62, 1578-1585.	2.9	5
32	IFN-free therapy for HIV/HCV-coinfected patients within the liver transplant setting. Journal of Antimicrobial Chemotherapy, 2016, 71, 3195-3201.	1.3	11
33	Human immunodeficiency virus infection does not worsen prognosis of liver transplantation for hepatocellular carcinoma. Hepatology, 2016, 63, 488-498.	3.6	27
34	Corrigendum to "Pegylated interferon plus ribavirin in HIV-infected patients with recurrent hepatitis C after liver transplantation: A prospective cohort study―[J Hepatol 2015;62:92–100]. Journal of Hepatology, 2016, 64, 757.	1.8	0
35	Voriconazole and cobicistat-boosted antiretroviral salvage regimen co-administration to treat invasive aspergillosis in an HIV-infected patient. Journal of Antimicrobial Chemotherapy, 2016, 71, 1125-1127.	1.3	7
36	A randomized clinical trial comparing ritonavir-boosted lopinavir versus maraviroc each with tenofovir plus emtricitabine for post-exposure prophylaxis for HIV infection. Journal of Antimicrobial Chemotherapy, 2016, 71, 1982-1986.	1.3	9

#	Article	IF	CITATIONS
37	A randomized clinical trial comparing ritonavir-boosted lopinavir versus raltegravir each with tenofovir plus emtricitabine for post-exposure prophylaxis for HIV infection. Journal of Antimicrobial Chemotherapy, 2016, 71, 1987-1993.	1.3	16
38	Detection of Broadly Neutralizing Activity within the First Months of HIV-1 Infection. Journal of Virology, 2016, 90, 5231-5245.	1.5	31
39	Pregnancy in a renal transplant recipient with HIV-1 infection: a case report. Antiviral Therapy, 2015, 20, 267-271.	0.6	0
40	Epidemiology of infections by HIV, Syphilis, Gonorrhea and Lymphogranuloma Venereum in Barcelona City: a population-based incidence study. BMC Public Health, 2015, 15, 1015.	1.2	37
41	Clinical value of ultradeep HIV-1 genotyping and tropism testing in late presenters with advanced disease. Aids, 2015, 29, 1493-1504.	1.0	9
42	Trends in Transmission of Drug Resistance and Prevalence of Non-B Subtypes in Patients with Acute or Recent HIV-1 Infection in Barcelona in the Last 16 Years (1997-2012). PLoS ONE, 2015, 10, e0125837.	1.1	23
43	Infection with human retroviruses other than HIV-1: HIV-2, HTLV-1, HTLV-2, HTLV-3 and HTLV-4. Expert Review of Anti-Infective Therapy, 2015, 13, 947-963.	2.0	24
44	Opportunistic infections and immune reconstitution inflammatory syndrome in HIV-1-infected adults in the combined antiretroviral therapy era: a comprehensive review. Expert Review of Anti-Infective Therapy, 2015, 13, 751-767.	2.0	48
45	Evaluation of an antibody avidity index method for detecting recent human immunodeficiency virus type 1 infection using an automated chemiluminescence immunoassay. Enfermedades Infecciosas Y MicrobiologÃa ClÃnica, 2015, 33, 238-242.	0.3	2
46	Clinical progression of severely immunosuppressed HIV-infected patients depends on virological and immunological improvement irrespective of baseline status. Journal of Antimicrobial Chemotherapy, 2015, 70, dkv272.	1.3	2
47	Pegylated interferon plus ribavirin in HIV-infected patients with recurrent hepatitis C after liver transplantation: A prospective cohort study. Journal of Hepatology, 2015, 62, 92-100.	1.8	20
48	Structured Treatment Interruptions and Low Doses of IL-2 in Patients with Primary HIV Infection. Inflammatory, Virological and Immunological Outcomes. PLoS ONE, 2015, 10, e0131651.	1.1	5
49	HIV treatment outcomes in Europe and North America: what can we learn from the differences?. Expert Review of Anti-Infective Therapy, 2014, 12, 523-526.	2.0	12
50	Update on antiretroviral treatment during primary HIV infection. Expert Review of Anti-Infective Therapy, 2014, 12, 793-807.	2.0	23
51	Impact of Risk Factors for Specific Causes of Death in the First and Subsequent Years of Antiretroviral Therapy Among HIV-Infected Patients. Clinical Infectious Diseases, 2014, 59, 287-297.	2.9	136
52	Intensification of a raltegravir-based regimen with maraviroc in early HIV-1 infection. Aids, 2014, 28, 325-334.	1.0	62
53	Effect of Maraviroc Intensification on HIV-1-Specific T Cell Immunity in Recently HIV-1-Infected Individuals. PLoS ONE, 2014, 9, e87334.	1.1	15
54	Stribild® (elvitegravir/cobicistat/emtricitabine/tenofovir disoproxil fumarate): a new paradigm for HIV-1 treatment. AIDS Reviews, 2014, 16, 35-42.	0.5	16

#	Article	IF	CITATIONS
55	Community-associated methicillin-resistant Staphylococcus aureus infections in HIV-infected patients in Spain. Journal of Infection, 2013, 66, 199-201.	1.7	5
56	Optimal timing for initiation of highly active antiretroviral therapy in treatment-naÃ ⁻ ve human immunodeficiency virus-1-infected individuals presenting with AIDS-defining diseases: the experience of the PISCIS Cohort. Clinical Microbiology and Infection, 2013, 19, 646-653.	2.8	19
57	Durability of first ART regimen and risk factors for modification, interruption or death in HIV-positive patients starting ART in Europe and North America 2002–2009. Aids, 2013, 27, 803-813.	1.0	70
58	Renal Dysfunction in the Setting of HIV/AIDS. Current HIV/AIDS Reports, 2012, 9, 187-199.	1.1	22
59	Liver Retransplantation in HIV-Infected Patients: A Prospective Cohort Study. American Journal of Transplantation, 2012, 12, 2465-2476.	2.6	7
60	Renal transplantation in HIV-infected patients: 2010 update. Kidney International, 2011, 79, 825-842.	2.6	65
61	Survival Outcomes and Effect of Early vs. Deferred cART Among HIV-Infected Patients Diagnosed at the Time of an AIDS-Defining Event: A Cohort Analysis. PLoS ONE, 2011, 6, e26009.	1.1	16
62	Immune Reconstitution in Severely Immunosuppressed Antiretroviral-Naive HIV Type 1-Infected Patients Using a Nonnucleoside Reverse Transcriptase Inhibitor-Based or a Boosted Protease Inhibitor-Based Antiretroviral Regimen: Three-Year Results (The Advanz Trial): A Randomized, Controlled Trial. AIDS Research and Human Retroviruses, 2010, 26, 747-757.	0.5	16
63	Simultaneous Pancreas-Kidney Transplantation in HIV-infected Patients: A Case Report and Literature Review. Transplantation Proceedings, 2010, 42, 3887-3891.	0.3	31
64	Communicable diseases in the immigrant population attended to in a tropical medicine unit: Epidemiological aspects and public health issues. Travel Medicine and Infectious Disease, 2008, 6, 4-11.	1.5	73
65	Patients presenting with AIDS in the HAART era: a collaborative cohort analysis. Aids, 2008, 22, 2461-2469.	1.0	51
66	Optimal Timing and Best Antiretroviral Regimen in Treatment-naive HIV-Infected Individuals with Advanced Disease. Journal of Acquired Immune Deficiency Syndromes (1999), 2007, 46, S9-S18.	0.9	35
67	Cidofovir for cytomegalovirus reactivation in pediatric patients after hematopoietic stem cell transplantation. Journal of Clinical Virology, 2005, 34, 129-132.	1.6	52
68	Central nervous system opportunistic infections in developed countries in the highly active antiretroviral therapy era. Journal of NeuroVirology, 2005, 11, 72-82.	1.0	44