

# Carmen Navarro

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/1867164/carmen-navarro-publications-by-year.pdf>

**Version:** 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

197  
papers

15,703  
citations

72  
h-index

118  
g-index

206  
ext. papers

17,640  
ext. citations

6.5  
avg, IF

4.73  
L-index

| #   | Paper   | IF  | Citations |
|-----|---|-----|-----------|
| 197 | Mediterranean Diet and Risk of Dementia and Alzheimer's Disease in the EPIC-Spain Dementia Cohort Study. <i>Nutrients</i> , <b>2021</b> , 13,   | 6.7 | 10        |
| 196 | Socioeconomic Effect of Education on Pancreatic Cancer Risk in Western Europe: An Update on the EPIC Cohorts Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2019</b> , 28, 1089-1092                            | 4   | 3         |
| 195 | Moderate egg consumption and all-cause and specific-cause mortality in the Spanish European Prospective into Cancer and Nutrition (EPIC-Spain) study. <i>European Journal of Nutrition</i> , <b>2019</b> , 58, 2003-2010          | 5.2 | 16        |
| 194 | Childhood adversities and 5-HTTLPR polymorphism as risk factors of substance use disorders: retrospective case-control study in Murcia (Spain). <i>BMJ Open</i> , <b>2019</b> , 9, e030328  | 3   |           |
| 193 | Modification of the risk of post-traumatic stress disorder (PTSD) by the 5-HTTLPR polymorphisms after Lorca's earthquakes (Murcia, Spain). <i>Psychiatry Research</i> , <b>2019</b> , 282, 112640                                 | 9.9 | 1         |
| 192 | Helicobacter pylori seroprevalence in Spain: influence of adult and childhood sociodemographic factors. <i>European Journal of Cancer Prevention</i> , <b>2019</b> , 28, 294-303  | 2   | 10        |
| 191 | Nut intake and 5-year changes in body weight and obesity risk in adults: results from the EPIC-PANACEA study. <i>European Journal of Nutrition</i> , <b>2018</b> , 57, 2399-2408  | 5.2 | 42        |
| 190 | High adherence to the Western, Prudent, and Mediterranean dietary patterns and risk of gastric adenocarcinoma: MCC-Spain study. <i>Gastric Cancer</i> , <b>2018</b> , 21, 372-382   | 7.6 | 16        |
| 189 | Ovarian cancer early detection by circulating CA125 in the context of anti-CA125 autoantibody levels: Results from the EPIC cohort. <i>International Journal of Cancer</i> , <b>2018</b> , 142, 1355-1360                         | 7.5 | 16        |
| 188 | Inflammatory potential of the diet and mortality in the Spanish cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC-Spain). <i>Molecular Nutrition and Food Research</i> , <b>2017</b> , 61, 1600649 | 5.9 | 12        |
| 187 | Risk Model for Colorectal Cancer in Spanish Population Using Environmental and Genetic Factors: Results from the MCC-Spain study. <i>Scientific Reports</i> , <b>2017</b> , 7, 43263  | 4.9 | 26        |
| 186 | The Premenopausal Breast Cancer Collaboration: A Pooling Project of Studies Participating in the National Cancer Institute Cohort Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2017</b> , 26, 1360-1369  | 4   | 16        |
| 185 | Dietary flavonoid intake and colorectal cancer risk in the European prospective investigation into cancer and nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , <b>2017</b> , 140, 1836-1844                      | 7.5 | 45        |
| 184 | Physical activity, mediating factors and risk of colon cancer: insights into adiposity and circulating biomarkers from the EPIC cohort. <i>International Journal of Epidemiology</i> , <b>2017</b> , 46, 1823-1835                | 7.8 | 13        |
| 183 | Vasectomy and Prostate Cancer Risk in the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>Journal of Clinical Oncology</i> , <b>2017</b> , 35, 1297-1303  | 2.2 | 14        |
| 182 | Helicobacter pylori serological biomarkers of gastric cancer risk in the MCC-Spain case-control Study. <i>Cancer Epidemiology</i> , <b>2017</b> , 50, 76-84   | 2.8 | 12        |
| 181 | Coffee Drinking and Mortality in 10 European Countries: A Multinational Cohort Study. <i>Annals of Internal Medicine</i> , <b>2017</b> , 167, 236-247   | 8   | 127       |

|     |  |      |     |
|-----|--|------|-----|
| 180 | Sequence data and association statistics from 12,940 type 2 diabetes cases and controls. <i>Scientific Data</i> , <b>2017</b> , 4, 170179  | 8.2  | 22  |
| 179 | Post-Traumatic Stress Disorder and other mental disorders in the general population after LorcaS earthquakes, 2011 (Murcia, Spain): A cross-sectional study. <i>PLoS ONE</i> , <b>2017</b> , 12, e0179690  | 3.7  | 9   |
| 178 | Influence of Dopaminergic System Genetic Variation and Lifestyle Factors on Excessive Alcohol Consumption. <i>Alcohol and Alcoholism</i> , <b>2016</b> , 51, 258-67  | 3.5  | 6   |
| 177 | A genomic approach to therapeutic target validation identifies a glucose-lowering GLP1R variant protective for coronary heart disease. <i>Science Translational Medicine</i> , <b>2016</b> , 8, 341ra76  | 17.5 | 77  |
| 176 | Atlas of prostate cancer heritability in European and African-American men pinpoints tissue-specific regulation. <i>Nature Communications</i> , <b>2016</b> , 7, 10979   | 17.4 | 37  |
| 175 | Healthy Lifestyle and Risk of Cancer in the European Prospective Investigation Into Cancer and Nutrition Cohort Study. <i>Medicine (United States)</i> , <b>2016</b> , 95, e2850   | 1.8  | 31  |
| 174 | Combined effects of smoking and HPV16 in oropharyngeal cancer. <i>International Journal of Epidemiology</i> , <b>2016</b> , 45, 752-61   | 7.8  | 47  |
| 173 | Work, household, and leisure-time physical activity and risk of mortality in the EPIC-Spain cohort. <i>Preventive Medicine</i> , <b>2016</b> , 85, 106-112   | 4.3  | 23  |
| 172 | Colorectal cancer risk and nitrate exposure through drinking water and diet. <i>International Journal of Cancer</i> , <b>2016</b> , 139, 334-46  | 7.5  | 74  |
| 171 | Comparison of abdominal adiposity and overall obesity in relation to risk of small intestinal cancer in a European Prospective Cohort. <i>Cancer Causes and Control</i> , <b>2016</b> , 27, 919-27   | 2.8  | 6   |
| 170 | An epidemiological model for prediction of endometrial cancer risk in Europe. <i>European Journal of Epidemiology</i> , <b>2016</b> , 31, 51-60  | 12.1 | 29  |
| 169 | Plasma carotenoids, vitamin C, tocopherols, and retinol and the risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition cohort. <i>American Journal of Clinical Nutrition</i> , <b>2016</b> , 103, 454-64              | 7    | 69  |
| 168 | Life-course social position, obesity and diabetes risk in the EPIC-Spain Cohort. <i>European Journal of Public Health</i> , <b>2016</b> , 26, 439-45   | 2.1  | 4   |
| 167 | Menstrual and Reproductive Factors and Risk of Gastric and Colorectal Cancer in Spain. <i>PLoS ONE</i> , <b>2016</b> , 11, e0164620  | 3.7  | 9   |
| 166 | The Influence of Hormonal Factors on the Risk of Developing Cervical Cancer and Pre-Cancer: Results from the EPIC Cohort. <i>PLoS ONE</i> , <b>2016</b> , 11, e0147029   | 3.7  | 68  |
| 165 | The genetic architecture of type 2 diabetes. <i>Nature</i> , <b>2016</b> , 536, 41-47  | 50.4 | 704 |
| 164 | Prediagnostic selenium status and hepatobiliary cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. <i>American Journal of Clinical Nutrition</i> , <b>2016</b> , 104, 406-14  | 7    | 57  |
| 163 | No association between fish consumption and risk of stroke in the Spanish cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC-Spain): a 13½-year follow-up study. <i>Public Health Nutrition</i> , <b>2016</b> , 19, 674-81 | 3.3  | 12  |

|     |  |      |     |
|-----|--|------|-----|
| 162 | A Prospective Evaluation of Early Detection Biomarkers for Ovarian Cancer in the European EPIC Cohort. <i>Clinical Cancer Research</i> , <b>2016</b> , 22, 4664-75   | 12.9 | 58  |
| 161 | Association Between Low-Density Lipoprotein Cholesterol-Lowering Genetic Variants and Risk of Type 2 Diabetes: A Meta-analysis. <i>JAMA - Journal of the American Medical Association</i> , <b>2016</b> , 316, 1383-1391                                 | 27.4 | 225 |
| 160 | Population-based multicase-control study in common tumors in Spain (MCC-Spain): rationale and study design. <i>Gaceta Sanitaria</i> , <b>2015</b> , 29, 308-15   | 2.2  | 120 |
| 159 | Pre-diagnostic concordance with the WCRF/AICR guidelines and survival in European colorectal cancer patients: a cohort study. <i>BMC Medicine</i> , <b>2015</b> , 13, 107  | 11.4 | 45  |
| 158 | Genetic fine mapping and genomic annotation defines causal mechanisms at type 2 diabetes susceptibility loci. <i>Nature Genetics</i> , <b>2015</b> , 47, 1415-25   | 36.3 | 292 |
| 157 | Healthy lifestyle and risk of breast cancer among postmenopausal women in the European Prospective Investigation into Cancer and Nutrition cohort study. <i>International Journal of Cancer</i> , <b>2015</b> , 136, 2640-8                              | 7.5  | 70  |
| 156 | Association between different obesity measures and the risk of stroke in the EPIC Spanish cohort. <i>European Journal of Nutrition</i> , <b>2015</b> , 54, 365-75  | 5.2  | 22  |
| 155 | Reproductive and menstrual factors and risk of differentiated thyroid carcinoma: the EPIC study. <i>International Journal of Cancer</i> , <b>2015</b> , 136, 1218-27   | 7.5  | 48  |
| 154 | Smoking, Porphyromonas gingivalis and the immune response to citrullinated autoantigens before the clinical onset of rheumatoid arthritis in a Southern European nested case-control study. <i>BMC Musculoskeletal Disorders</i> , <b>2015</b> , 16, 331 | 2.8  | 28  |
| 153 | Subtypes of fruit and vegetables, variety in consumption and risk of colon and rectal cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , <b>2015</b> , 137, 2705-14                    | 7.5  | 32  |
| 152 | Prevalence of Mental Disorders in the South-East of Spain, One of the European Regions Most Affected by the Economic Crisis: The Cross-Sectional PEGASUS-Murcia Project. <i>PLoS ONE</i> , <b>2015</b> , 10, e0137293                                    | 3.7  | 23  |
| 151 | Fish consumption patterns and hair mercury levels in children and their mothers in 17 EU countries. <i>Environmental Research</i> , <b>2015</b> , 141, 58-68   | 7.9  | 84  |
| 150 | Human papillomavirus antibodies and future risk of anogenital cancer: a nested case-control study in the European prospective investigation into cancer and nutrition study. <i>Journal of Clinical Oncology</i> , <b>2015</b> , 33, 877-84              | 2.2  | 46  |
| 149 | Dietary intake of acrylamide and esophageal cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. <i>Cancer Causes and Control</i> , <b>2014</b> , 25, 639-46  | 2.8  | 16  |
| 148 | Weight change in middle adulthood and breast cancer risk in the EPIC-PANACEA study. <i>International Journal of Cancer</i> , <b>2014</b> , 135, 2887-99  | 7.5  | 47  |
| 147 | Prostate cancer (PCa) risk variants and risk of fatal PCa in the National Cancer Institute Breast and Prostate Cancer Cohort Consortium. <i>European Urology</i> , <b>2014</b> , 65, 1069-75   | 10.2 | 58  |
| 146 | Prospective seroepidemiologic study on the role of Human Papillomavirus and other infections in cervical carcinogenesis: evidence from the EPIC cohort. <i>International Journal of Cancer</i> , <b>2014</b> , 135, 440-52                               | 7.5  | 35  |
| 145 | Thyroid-stimulating hormone, thyroglobulin, and thyroid hormones and risk of differentiated thyroid carcinoma: the EPIC study. <i>Journal of the National Cancer Institute</i> , <b>2014</b> , 106, dju097   | 9.7  | 64  |

|     |   |      |     |
|-----|---|------|-----|
| 144 | t(14;18) Translocation: A predictive blood biomarker for follicular lymphoma. <i>Journal of Clinical Oncology</i> , <b>2014</b> , 32, 1347-55   | 2.2  | 86  |
| 143 | Gene-lifestyle interaction and type 2 diabetes: the EPIC interact case-cohort study. <i>PLoS Medicine</i> , <b>2014</b> , 11, e1001647  | 11.6 | 149 |
| 142 | Circulating biomarkers of one-carbon metabolism in relation to renal cell carcinoma incidence and survival. <i>Journal of the National Cancer Institute</i> , <b>2014</b> , 106,  | 9.7  | 19  |
| 141 | Aromatic adducts and lung cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) Spanish cohort. <i>Carcinogenesis</i> , <b>2014</b> , 35, 2047-54  | 4.6  | 9   |
| 140 | Prediagnostic circulating vitamin D levels and risk of hepatocellular carcinoma in European populations: a nested case-control study. <i>Hepatology</i> , <b>2014</b> , 60, 1222-30   | 11.2 | 75  |
| 139 | Abdominal obesity, weight gain during adulthood and risk of liver and biliary tract cancer in a European cohort. <i>International Journal of Cancer</i> , <b>2013</b> , 132, 645-57   | 7.5  | 127 |
| 138 | Evaluation of human papillomavirus antibodies and risk of subsequent head and neck cancer. <i>Journal of Clinical Oncology</i> , <b>2013</b> , 31, 2708-15  | 2.2  | 223 |
| 137 | The association of pattern of lifetime alcohol use and cause of death in the European prospective investigation into cancer and nutrition (EPIC) study. <i>International Journal of Epidemiology</i> , <b>2013</b> , 42, 1772-80                                  | 7.8  | 96  |
| 136 | Unfavourable life-course social gradient of coronary heart disease within Spain: a low-incidence welfare-state country. <i>International Journal of Public Health</i> , <b>2013</b> , 58, 65-77   | 4    | 4   |
| 135 | Intake of coffee, decaffeinated coffee, or tea does not affect risk for pancreatic cancer: results from the European Prospective Investigation into Nutrition and Cancer Study. <i>Clinical Gastroenterology and Hepatology</i> , <b>2013</b> , 11, 1486-92       | 6.9  | 15  |
| 134 | Cultural adaptation of the Latin American version of the World Health Organization Composite International Diagnostic Interview (WHO-CIDI) (v 3.0) for use in Spain. <i>Gaceta Sanitaria</i> , <b>2013</b> , 27, 325-31   | 2.2  | 23  |
| 133 | Risk of type 2 diabetes according to traditional and emerging anthropometric indices in Spain, a Mediterranean country with high prevalence of obesity: results from a large-scale prospective cohort study. <i>BMC Endocrine Disorders</i> , <b>2013</b> , 13, 7 | 3.3  | 26  |
| 132 | Fruit and vegetable consumption and mortality: European prospective investigation into cancer and nutrition. <i>American Journal of Epidemiology</i> , <b>2013</b> , 178, 590-602   | 3.8  | 108 |
| 131 | A structural equation modelling approach to explore the role of B vitamins and immune markers in lung cancer risk. <i>European Journal of Epidemiology</i> , <b>2013</b> , 28, 677-88   | 12.1 | 13  |
| 130 | Physical activity and risk of breast cancer overall and by hormone receptor status: the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , <b>2013</b> , 132, 1667-78   | 7.5  | 54  |
| 129 | Physical activity and risk of cerebrovascular disease in the European Prospective Investigation into Cancer and Nutrition-Spain study. <i>Stroke</i> , <b>2013</b> , 44, 111-8  | 6.7  | 28  |
| 128 | Validity of self-reported prevalent cases of stroke and acute myocardial infarction in the Spanish cohort of the EPIC study. <i>Journal of Epidemiology and Community Health</i> , <b>2013</b> , 67, 71-5   | 5.1  | 45  |
| 127 | Occupation and risk of lymphoid and myeloid leukaemia in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Occupational and Environmental Medicine</i> , <b>2013</b> , 70, 464-70   | 2.1  | 11  |

|     |   |     |     |
|-----|---|-----|-----|
| 126 | Dietary flavonoid and lignan intake and mortality in a Spanish cohort. <i>Epidemiology</i> , <b>2013</b> , 24, 726-33   | 3.1 | 54  |
| 125 | Hemochromatosis (HFE) gene mutations and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>Carcinogenesis</i> , <b>2013</b> , 34, 1244-50   | 4.6 | 28  |
| 124 | Genetic variation in the vitamin d pathway in relation to risk of prostate cancer--results from the breast and prostate cancer cohort consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2013</b> , 22, 688-96                                     | 4   | 34  |
| 123 | N-acetyltransferase 2 phenotype, occupation, and bladder cancer risk: results from the EPIC cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2013</b> , 22, 2055-65  | 4   | 22  |
| 122 | Consumption of dairy products and colorectal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>PLoS ONE</i> , <b>2013</b> , 8, e72715   | 3.7 | 64  |
| 121 | Educational level and risk of colorectal cancer in EPIC with specific reference to tumor location. <i>International Journal of Cancer</i> , <b>2012</b> , 130, 622-30   | 7.5 | 30  |
| 120 | Association of alcohol dehydrogenase polymorphisms and life-style factors with excessive alcohol intake within the Spanish population (EPIC-Spain). <i>Addiction</i> , <b>2012</b> , 107, 2117-27   | 4.6 | 10  |
| 119 | Dietary flavonoid and lignan intake and gastric adenocarcinoma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>American Journal of Clinical Nutrition</i> , <b>2012</b> , 96, 1398-408                                      | 7.1 | 71  |
| 118 | Olive oil intake and CHD in the European Prospective Investigation into Cancer and Nutrition Spanish cohort. <i>British Journal of Nutrition</i> , <b>2012</b> , 108, 2075-82   | 3.6 | 69  |
| 117 | Dietary fibre intake and risks of cancers of the colon and rectum in the European prospective investigation into cancer and nutrition (EPIC). <i>PLoS ONE</i> , <b>2012</b> , 7, e39361   | 3.7 | 179 |
| 116 | Consumption of fried foods and risk of coronary heart disease: Spanish cohort of the European Prospective Investigation into Cancer and Nutrition study. <i>BMJ, The</i> , <b>2012</b> , 344, e363  | 5.9 | 54  |
| 115 | A genome-wide association study identifies a novel susceptibility locus for renal cell carcinoma on 12p11.23. <i>Human Molecular Genetics</i> , <b>2012</b> , 21, 456-62  | 5.6 | 74  |
| 114 | Dietary intake of heme iron and risk of gastric cancer in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , <b>2012</b> , 130, 2654-63   | 7.5 | 30  |
| 113 | Dietary total antioxidant capacity and gastric cancer risk in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , <b>2012</b> , 131, E544-54   | 7.5 | 59  |
| 112 | Olive oil intake and breast cancer risk in the Mediterranean countries of the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , <b>2012</b> , 131, 2465-9  | 7.5 | 33  |
| 111 | Fruit and vegetable intake and the risk of gastric adenocarcinoma: a reanalysis of the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST) study after a longer follow-up. <i>International Journal of Cancer</i> , <b>2012</b> , 131, 2910-9 | 7.5 | 93  |
| 110 | Olive oil intake and mortality within the Spanish population (EPIC-Spain). <i>American Journal of Clinical Nutrition</i> , <b>2012</b> , 96, 142-9  | 7   | 108 |
| 109 | Trends in prostate cancer survival in Spain: results from population-based cancer registries. <i>Clinical and Translational Oncology</i> , <b>2012</b> , 14, 458-64   | 3.6 | 9   |



|     |   |      |     |
|-----|---|------|-----|
| 108 | Genetic variation in alcohol dehydrogenase (ADH1A, ADH1B, ADH1C, ADH7) and aldehyde dehydrogenase (ALDH2), alcohol consumption and gastric cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>Carcinogenesis</i> , <b>2012</b> , 33, 361-7 | 4.6  | 48  |
| 107 | Dietary glycemic index and glycemic load and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Clinical Nutrition</i> , <b>2012</b> , 96, 345-55  | 7    | 52  |
| 106 | Fiber intake and total and cause-specific mortality in the European Prospective Investigation into Cancer and Nutrition cohort. <i>American Journal of Clinical Nutrition</i> , <b>2012</b> , 96, 164-74  | 7    | 87  |
| 105 | Prospective study on physical activity and risk of in situ breast cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2012</b> , 21, 2209-19  | 4    | 13  |
| 104 | Lower educational level is a predictor of incident type 2 diabetes in European countries: the EPIC-InterAct study. <i>International Journal of Epidemiology</i> , <b>2012</b> , 41, 1162-73   | 7.8  | 103 |
| 103 | Aromatic DNA adducts and risk of gastrointestinal cancers: a case-cohort study within the EPIC-Spain. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2012</b> , 21, 685-92   | 4    | 23  |
| 102 | Impact of cigarette smoking on cancer risk in the European prospective investigation into cancer and nutrition study. <i>Journal of Clinical Oncology</i> , <b>2012</b> , 30, 4550-7  | 2.2  | 101 |
| 101 | Is concordance with World Cancer Research Fund/American Institute for Cancer Research guidelines for cancer prevention related to subsequent risk of cancer? Results from the EPIC study. <i>American Journal of Clinical Nutrition</i> , <b>2012</b> , 96, 150-63                        | 7    | 231 |
| 100 | Social inequalities and mortality in Europe--results from a large multi-national cohort. <i>PLoS ONE</i> , <b>2012</b> , 7, e39013  | 3.7  | 79  |
| 99  | Sources of pre-analytical variations in yield of DNA extracted from blood samples: analysis of 50,000 DNA samples in EPIC. <i>PLoS ONE</i> , <b>2012</b> , 7, e39821  | 3.7  | 26  |
| 98  | Aberrant DNA methylation of cancer-associated genes in gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>Cancer Letters</i> , <b>2011</b> , 311, 85-95  | 9.9  | 56  |
| 97  | A genome-wide association study of upper aerodigestive tract cancers conducted within the INHANCE consortium. <i>PLoS Genetics</i> , <b>2011</b> , 7, e1001333  | 6    | 136 |
| 96  | Genome-wide association study of renal cell carcinoma identifies two susceptibility loci on 2p21 and 11q13.3. <i>Nature Genetics</i> , <b>2011</b> , 43, 60-5   | 36.3 | 199 |
| 95  | Saturated fat intake and alcohol consumption modulate the association between the APOE polymorphism and risk of future coronary heart disease: a nested case-control study in the Spanish EPIC cohort. <i>Journal of Nutritional Biochemistry</i> , <b>2011</b> , 22, 487-94              | 6.3  | 24  |
| 94  | Prevalence of metabolic syndrome in Murcia Region, a southern European Mediterranean area with low cardiovascular risk and high obesity. <i>BMC Public Health</i> , <b>2011</b> , 11, 562   | 4.1  | 22  |
| 93  | Variety in vegetable and fruit consumption and risk of bladder cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , <b>2011</b> , 128, 2971-9   | 7.5  | 23  |
| 92  | Dietary factors and in situ and invasive cervical cancer risk in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , <b>2011</b> , 129, 449-59   | 7.5  | 38  |
| 91  | A cross-sectional analysis of the associations between adult height, BMI and serum concentrations of IGF-I and IGFBP-1 -2 and -3 in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Annals of Human Biology</i> , <b>2011</b> , 38, 194-202                   | 1.7  | 59  |

|    |  |      |     |
|----|--|------|-----|
| 90 | Adherence to the Mediterranean diet reduces mortality in the Spanish cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC-Spain). <i>British Journal of Nutrition</i> , <b>2011</b> , 106, 1581-91   | 3.6  | 107 |
| 89 | Infection with hepatitis B and C viruses and risk of lymphoid malignancies in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2011</b> , 20, 208-14   | 4    | 54  |
| 88 | Endogenous sex steroids and risk of cervical carcinoma: results from the EPIC study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2011</b> , 20, 2532-40  | 4    | 27  |
| 87 | Physical activity and gain in abdominal adiposity and body weight: prospective cohort study in 288,498 men and women. <i>American Journal of Clinical Nutrition</i> , <b>2011</b> , 93, 826-35   | 7    | 95  |
| 86 | Smoking, secondhand smoke, and cotinine levels in a subset of EPIC cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2011</b> , 20, 869-75   | 4    | 26  |
| 85 | Plasma phospholipid fatty acid concentrations and risk of gastric adenocarcinomas in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>American Journal of Clinical Nutrition</i> , <b>2011</b> , 94, 1304-13                                  | 7    | 34  |
| 84 | Alcohol consumption and gastric cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>American Journal of Clinical Nutrition</i> , <b>2011</b> , 94, 1266-75   | 7    | 70  |
| 83 | The contribution of risk factors to the higher incidence of invasive and in situ breast cancers in women with higher levels of education in the European prospective investigation into cancer and nutrition. <i>American Journal of Epidemiology</i> , <b>2011</b> , 173, 26-37 | 3.8  | 36  |
| 82 | Occupation and risk of lymphoma: a multicentre prospective cohort study (EPIC). <i>Occupational and Environmental Medicine</i> , <b>2011</b> , 68, 77-81   | 2.1  | 22  |
| 81 | Hepatocellular carcinoma risk factors and disease burden in a European cohort: a nested case-control study. <i>Journal of the National Cancer Institute</i> , <b>2011</b> , 103, 1686-95   | 9.7  | 167 |
| 80 | Red meat, dietary nitrosamines, and heme iron and risk of bladder cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2011</b> , 20, 555-9  | 4    | 37  |
| 79 | Characterizing associations and SNP-environment interactions for GWAS-identified prostate cancer risk markers--results from BPC3. <i>PLoS ONE</i> , <b>2011</b> , 6, e17142  | 3.7  | 49  |
| 78 | A multi-stage genome-wide association study of bladder cancer identifies multiple susceptibility loci. <i>Nature Genetics</i> , <b>2010</b> , 42, 978-84   | 36.3 | 408 |
| 77 | Plasma folate, related genetic variants, and colorectal cancer risk in EPIC. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2010</b> , 19, 1328-40  | 4    | 62  |
| 76 | Plasma vitamins B2, B6, and B12, and related genetic variants as predictors of colorectal cancer risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2010</b> , 19, 2549-61  | 4    | 52  |
| 75 | Menstrual and reproductive factors, exogenous hormone use, and gastric cancer risk in a cohort of women from the European Prospective Investigation Into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , <b>2010</b> , 172, 1384-93                              | 3.8  | 29  |
| 74 | Reproductive factors and exogenous hormone use in relation to risk of glioma and meningioma in a large European cohort study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2010</b> , 19, 2562-9  | 4    | 94  |
| 73 | Variety in fruit and vegetable consumption and the risk of lung cancer in the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2010</b> , 19, 2278-85   | 4    | 56  |



|    |   |      |     |
|----|---|------|-----|
| 72 | Adherence to a Mediterranean diet and risk of gastric adenocarcinoma within the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. <i>American Journal of Clinical Nutrition</i> , <b>2010</b> , 91, 381-90  | 7    | 158 |
| 71 | Phytosterol plasma concentrations and coronary heart disease in the prospective Spanish EPIC cohort. <i>Journal of Lipid Research</i> , <b>2010</b> , 51, 618-24  | 6.3  | 67  |
| 70 | Circulating C-reactive protein concentrations and risks of colon and rectal cancer: a nested case-control study within the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , <b>2010</b> , 172, 407-18  | 3.8  | 90  |
| 69 | Region-specific nutrient intake patterns exhibit a geographical gradient within and between European countries. <i>Journal of Nutrition</i> , <b>2010</b> , 140, 1280-6   | 4.1  | 86  |
| 68 | Vitamins B2 and B6 and genetic polymorphisms related to one-carbon metabolism as risk factors for gastric adenocarcinoma in the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2010</b> , 19, 28-38                                    | 4    | 31  |
| 67 | Serum B vitamin levels and risk of lung cancer. <i>JAMA - Journal of the American Medical Association</i> , <b>2010</b> , 303, 2377-85  | 27.4 | 122 |
| 66 | Common cholesteryl ester transfer protein gene variation related to high-density lipoprotein cholesterol is not associated with decreased coronary heart disease risk after a 10-year follow-up in a Mediterranean cohort: Modulation by alcohol consumption. <i>Atherosclerosis</i> , <b>2010</b> , 211, 531-8 | 3.1  | 16  |
| 65 | Prospective study of physical activity and risk of primary adenocarcinomas of the oesophagus and stomach in the EPIC (European Prospective Investigation into Cancer and nutrition) cohort. <i>Cancer Causes and Control</i> , <b>2010</b> , 21, 657-69   | 2.8  | 48  |
| 64 | Alcohol intake and pancreatic cancer: a pooled analysis from the pancreatic cancer cohort consortium (PanScan). <i>Cancer Causes and Control</i> , <b>2010</b> , 21, 1213-25  | 2.8  | 82  |
| 63 | Cardiovascular risk estimated after 13 years of follow-up in a low-incidence Mediterranean region with high-prevalence of cardiovascular risk factors. <i>BMC Public Health</i> , <b>2010</b> , 10, 640   | 4.1  | 9   |
| 62 | Is hospital discharge administrative data an appropriate source of information for cancer registries purposes? Some insights from four Spanish registries. <i>BMC Health Services Research</i> , <b>2010</b> , 10, 9  | 2.9  | 21  |
| 61 | Estimation of dietary sources and flavonoid intake in a Spanish adult population (EPIC-Spain). <i>Journal of the American Dietetic Association</i> , <b>2010</b> , 110, 390-8   |      | 151 |
| 60 | Cigarette smoking, environmental tobacco smoke exposure and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , <b>2010</b> , 126, 2394-403  | 7.5  | 86  |
| 59 | Fruit, vegetables, and colorectal cancer risk: the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , <b>2009</b> , 89, 1441-52  | 7    | 227 |
| 58 | Plasma phospholipid fatty acid profiles and their association with food intakes: results from a cross-sectional study within the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , <b>2009</b> , 89, 331-46   | 7    | 168 |
| 57 | Recent changes in breast cancer incidence in Spain, 1980-2004. <i>Journal of the National Cancer Institute</i> , <b>2009</b> , 101, 1584-91   | 9.7  | 77  |
| 56 | Aromatic DNA adducts and polymorphisms in metabolic genes in healthy adults: findings from the EPIC-Spain cohort. <i>Carcinogenesis</i> , <b>2009</b> , 30, 968-76  | 4.6  | 25  |
| 55 | Meat, eggs, dairy products, and risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>American Journal of Clinical Nutrition</i> , <b>2009</b> , 90, 602-12   | 7    | 85  |

|    |   |      |     |
|----|---|------|-----|
| 54 | Double-strand break DNA repair genotype predictive of later mortality and cancer incidence in a cohort of non-smokers. <i>DNA Repair</i> , <b>2009</b> , 8, 60-71   | 4.3  | 4   |
| 53 | Influence of the introduction of the ICD-10 on tendencies of mortality by causes (1980-2004). <i>Gaceta Sanitaria</i> , <b>2009</b> , 23, 144-6   | 2.2  | 18  |
| 52 | Consumption of vegetables and fruit and the risk of bladder cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , <b>2009</b> , 125, 2643-51   | 7.5  | 36  |
| 51 | Effects of public health interventions on industrial emissions and ambient air in Cartagena, Spain. <i>Environmental Science and Pollution Research</i> , <b>2009</b> , 16, 152-61  | 5.1  | 17  |
| 50 | Aromatic DNA adducts in relation to dietary and other lifestyle factors in Spanish adults. <i>European Food Research and Technology</i> , <b>2009</b> , 229, 549-559  | 3.4  | 8   |
| 49 | Polychlorinated biphenyls in Spanish adults: determinants of serum concentrations. <i>Environmental Research</i> , <b>2009</b> , 109, 620-8   | 7.9  | 96  |
| 48 | Serum levels of organochlorine pesticides in healthy adults from five regions of Spain. <i>Chemosphere</i> , <b>2009</b> , 76, 1518-24  | 8.4  | 44  |
| 47 | Accuracy of self-reported diabetes, hypertension and hyperlipidemia in the adult Spanish population. DINO study findings. <i>Revista Espanola De Cardiologia (English Ed)</i> , <b>2009</b> , 62, 143-52  | 0.7  | 56  |
| 46 | Adherence to the Mediterranean diet and risk of coronary heart disease in the Spanish EPIC Cohort Study. <i>American Journal of Epidemiology</i> , <b>2009</b> , 170, 1518-29   | 3.8  | 219 |
| 45 | Validez del diagnóstico referido de diabetes, hipertensión e hiperlipemia en población adulta española. Resultados del estudio DINO. <i>Revista Espanola De Cardiologia</i> , <b>2009</b> , 62, 143-152   | 1.5  | 78  |
| 44 | Lung cancer susceptibility locus at 5p15.33. <i>Nature Genetics</i> , <b>2008</b> , 40, 1404-6  | 36.3 | 466 |
| 43 | DNA repair polymorphisms and the risk of stomach adenocarcinoma and severe chronic gastritis in the EPIC-EURGAST study. <i>International Journal of Epidemiology</i> , <b>2008</b> , 37, 1316-25  | 7.8  | 62  |
| 42 | Alcohol consumption and the risk for prostate cancer in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2008</b> , 17, 1282-7   | 4    | 27  |
| 41 | Anthropometric characteristics and non-Hodgkin's lymphoma and multiple myeloma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Haematologica</i> , <b>2008</b> , 93, 1666-77  | 6.6  | 68  |
| 40 | Concentrations of resveratrol and derivatives in foods and estimation of dietary intake in a Spanish population: European Prospective Investigation into Cancer and Nutrition (EPIC)-Spain cohort. <i>British Journal of Nutrition</i> , <b>2008</b> , 100, 188-96                              | 3.6  | 119 |
| 39 | CYP17 genetic variation and risk of breast and prostate cancer from the National Cancer Institute Breast and Prostate Cancer Cohort Consortium (BPC3). <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2007</b> , 16, 2237-46   | 4    | 49  |
| 38 | Dietary carbohydrates, glycemic index, glycemic load, and endometrial cancer risk within the European Prospective Investigation into Cancer and Nutrition cohort. <i>American Journal of Epidemiology</i> , <b>2007</b> , 166, 912-23   | 3.8  | 48  |
| 37 | Fruit and vegetable intakes, dietary antioxidant nutrients, and total mortality in Spanish adults: findings from the Spanish cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC-Spain). <i>American Journal of Clinical Nutrition</i> , <b>2007</b> , 85, 1634-42 | 7    | 164 |

|    |   |      |     |
|----|---|------|-----|
| 36 | CagA+ Helicobacter pylori infection and gastric cancer risk in the EPIC-EURGAST study. <i>International Journal of Cancer</i> , <b>2007</b> , 120, 859-67   | 7.5  | 101 |
| 35 | Serum levels of C-peptide, IGFBP-1 and IGFBP-2 and endometrial cancer risk; results from the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , <b>2007</b> , 120, 2656-64  | 7.5  | 85  |
| 34 | Fruit and vegetable consumption and lung cancer risk: updated information from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , <b>2007</b> , 121, 1103-14   | 7.5  | 96  |
| 33 | Occupation and skin cancer: the results of the HELIOS-I multicenter case-control study. <i>BMC Public Health</i> , <b>2007</b> , 7, 180   | 4.1  | 48  |
| 32 | Alcohol intake and breast cancer risk: the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , <b>2007</b> , 18, 361-73   | 2.8  | 92  |
| 31 | Serum insulin-like growth factor (IGF)-I and IGF-binding protein-3 concentrations and prostate cancer risk: results from the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2007</b> , 16, 1121-7        | 4    | 79  |
| 30 | Smoking and myocardial infarction case-fatality: hospital and population approach. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2007</b> , 14, 561-7  |      | 17  |
| 29 | Serum IGF-I, its major binding protein (IGFBP-3) and epithelial ovarian cancer risk: the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Endocrine-Related Cancer</i> , <b>2007</b> , 14, 81-90   | 5.7  | 50  |
| 28 | Dietary patterns and survival of older Europeans: the EPIC-Elderly Study (European Prospective Investigation into Cancer and Nutrition). <i>Public Health Nutrition</i> , <b>2007</b> , 10, 590-8   | 3.3  | 111 |
| 27 | Physical activity and breast cancer risk: the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2007</b> , 16, 36-42  | 4    | 117 |
| 26 | The association of gastric cancer risk with plasma folate, cobalamin, and methylenetetrahydrofolate reductase polymorphisms in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2007</b> , 16, 2416-24 | 4    | 49  |
| 25 | Intake of fried foods is associated with obesity in the cohort of Spanish adults from the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , <b>2007</b> , 86, 198-205   | 7.5  | 87  |
| 24 | Body size and risk of renal cell carcinoma in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , <b>2006</b> , 118, 728-38   | 7.5  | 141 |
| 23 | Fruit and vegetable intake and the risk of stomach and oesophagus adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>International Journal of Cancer</i> , <b>2006</b> , 118, 2559-66  | 7.5  | 258 |
| 22 | Fruits and vegetables and renal cell carcinoma: findings from the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , <b>2006</b> , 118, 3133-9   | 7.5  | 61  |
| 21 | Serum C-peptide levels and breast cancer risk: results from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , <b>2006</b> , 119, 659-67   | 7.5  | 91  |
| 20 | Haplotype analysis of the HSD17B1 gene and risk of breast cancer: a comprehensive approach to multicenter analyses of prospective cohort studies. <i>Cancer Research</i> , <b>2006</b> , 66, 2468-75  | 10.1 | 58  |
| 19 | Body size and risk of colon and rectal cancer in the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>Journal of the National Cancer Institute</i> , <b>2006</b> , 98, 920-31  | 9.7  | 415 |

|    |   |      |     |
|----|---|------|-----|
| 18 | TP53 and KRAS2 mutations in plasma DNA of healthy subjects and subsequent cancer occurrence: a prospective study. <i>Cancer Research</i> , <b>2006</b> , 66, 6871-6   | 10.1 | 140 |
| 17 | Anthropometry, physical activity, and the risk of pancreatic cancer in the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2006</b> , 15, 879-85 <sup>4</sup>                         |      | 95  |
| 16 | Meat intake and risk of stomach and esophageal adenocarcinoma within the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>Journal of the National Cancer Institute</i> , <b>2006</b> , 98, 345-54                                      | 9.7  | 247 |
| 15 | Physical activity and risk of colon and rectal cancers: the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2006</b> , 15, 2398-407   | 4    | 167 |
| 14 | No association between polymorphisms in CYP2E1, GSTM1, NAT1, NAT2 and the risk of gastric adenocarcinoma in the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2006</b> , 15, 1043-5 | 4    | 25  |
| 13 | Polymorphisms in metabolic genes related to tobacco smoke and the risk of gastric cancer in the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2006</b> , 15, 2427-34                | 4    | 53  |
| 12 | Prevalence of diabetes in Murcia (Spain): a Mediterranean area characterised by obesity. <i>Diabetes Research and Clinical Practice</i> , <b>2006</b> , 71, 202-9   | 7.4  | 22  |
| 11 | Intake and food sources of nitrites and N-nitrosodimethylamine in Spain. <i>Public Health Nutrition</i> , <b>2006</b> , 9, 785-91   | 3.3  | 31  |
| 10 | Modified Mediterranean diet and survival: EPIC-elderly prospective cohort study. <i>BMJ, The</i> , <b>2005</b> , 330, 991   | 5.9  | 499 |
| 9  | Dietary patterns among older Europeans: the EPIC-Elderly study. <i>British Journal of Nutrition</i> , <b>2005</b> , 94, 100-13  | 3.6  | 121 |
| 8  | Dietary intake of polycyclic aromatic hydrocarbons in a Spanish population. <i>Journal of Food Protection</i> , <b>2005</b> , 68, 2190-5  | 2.5  | 61  |
| 7  | Meat, fish, and colorectal cancer risk: the European Prospective Investigation into cancer and nutrition. <i>Journal of the National Cancer Institute</i> , <b>2005</b> , 97, 906-16  | 9.7  | 603 |
| 6  | Is the association with fiber from foods in colorectal cancer confounded by folate intake?. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2005</b> , 14, 1552-6   | 4    | 101 |
| 5  | Consumption of vegetables and fruits and risk of breast cancer. <i>JAMA - Journal of the American Medical Association</i> , <b>2005</b> , 293, 183-93   | 27.4 | 190 |
| 4  | DNA adducts and lung cancer risk: a prospective study. <i>Cancer Research</i> , <b>2005</b> , 65, 8042-8  | 10.1 | 96  |
| 3  | Fruits and vegetables and lung cancer: Findings from the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , <b>2004</b> , 108, 269-76   | 7.5  | 100 |
| 2  | Changes in smoking habits in adults: results from a prospective study in Spain. <i>Annals of Epidemiology</i> , <b>2004</b> , 14, 235-43  | 6.4  | 12  |
| 1  | Legionnaires Disease outbreak in Murcia, Spain. <i>Emerging Infectious Diseases</i> , <b>2003</b> , 9, 915-21   | 10.2 | 134 |

