

Rob M J Liskamp

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1867699/publications.pdf>

Version: 2024-02-01

315
papers

15,310
citations

22099

59
h-index

24915

109
g-index

337
all docs

337
docs citations

337
times ranked

13194
citing authors

#	ARTICLE	IF	CITATIONS
1	Macromodel?an integrated software system for modeling organic and bioorganic molecules using molecular mechanics. Journal of Computational Chemistry, 1990, 11, 440-467.	1.5	3,727
2	Different Membrane Anchoring Positions of Tryptophan and Lysine in Synthetic Transmembrane $\hat{\pm}$ -Helical Peptides. Journal of Biological Chemistry, 1999, 274, 20839-20846.	1.6	298
3	Synthesis and Applications of Biomedical and Pharmaceutical Polymers via Click Chemistry Methodologies. Bioconjugate Chemistry, 2009, 20, 2001-2016.	1.8	266
4	Wedgelike Glycodendrimers as Inhibitors of Binding of Mammalian Galectins to Glycoproteins, Lactose Maxiclusters, and Cell Surface Glycoconjugates. ChemBioChem, 2001, 2, 822.	1.3	206
5	Improved targeting of the $\hat{\pm}$ $\hat{\nu}$ $\hat{2}$ 3 integrin by multimerisation of RGD peptides. European Journal of Nuclear Medicine and Molecular Imaging, 2007, 34, 267-273.	3.3	195
6	Synthesis of DOTA-conjugated multivalent cyclic-RGD peptide dendrimers via 1,3-dipolar cycloaddition and their biological evaluation: implications for tumor targeting and tumor imaging purposes. Organic and Biomolecular Chemistry, 2007, 5, 935.	1.5	180
7	Tilt Angles of Transmembrane Model Peptides in Oriented and Non-Oriented Lipid Bilayers as Determined by 2H Solid-State NMR. Biophysical Journal, 2004, 86, 3709-3721.	0.2	172
8	Sensitivity of Single Membrane-Spanning $\hat{\pm}$ -Helical Peptides to Hydrophobic Mismatch with a Lipid Bilayer:â€™ Effects on Backbone Structure, Orientation, and Extent of Membrane Incorporation. Biochemistry, 2001, 40, 5000-5010.	1.2	171
9	Islet Amyloid Polypeptide Inserts into Phospholipid Monolayers as Monomer. Journal of Molecular Biology, 2006, 356, 783-789.	2.0	170
10	Conformationally restricted amino acids and dipeptides, (non)peptidomimetics and secondary structure mimetics. Recueil Des Travaux Chimiques Des Pays-Bas, 1994, 113, 1-19.	0.0	167
11	Peptides and Proteins as a Continuing Exciting Source of Inspiration for Peptidomimetics. ChemBioChem, 2011, 12, 1626-1653.	1.3	144
12	Synthesis of Peptidosulfinamides and Peptidosulfonamides: Peptidomimetics Containing the Sulfinamide or Sulfonamide Transition-State Isostere. Journal of Organic Chemistry, 1995, 60, 5157-5169.	1.7	136
13	Structural Insight into the Recognition of the H3K4me3 Mark by the TFIID Subunit TAF3. Structure, 2008, 16, 1245-1256.	1.6	123
14	Efficient microwave-assisted synthesis of multivalent dendrimeric peptides using cycloaddition reaction (click) chemistry. Chemical Communications, 2005, , 4581.	2.2	120
15	Computer-assisted molecular modeling of tumor promoters: rationale for the activity of phorbol esters, teleocidin B, and aplysiatoxin.. Proceedings of the National Academy of Sciences of the United States of America, 1986, 83, 241-245.	3.3	117
16	Synthesis and Characterization of Enzymatically Biodegradable PEG and Peptide-Based Hydrogels Prepared by Click Chemistry. Biomacromolecules, 2010, 11, 1608-1614.	2.6	112
17	Rigidified multivalent lactose molecules and their interactions with mammalian galectins: a route to selective inhibitors. Organic and Biomolecular Chemistry, 2003, 1, 803-810.	1.5	111
18	Lipid Dependence of Membrane Anchoring Properties and Snorkeling Behavior of Aromatic and Charged Residues in Transmembrane Peptidesâ€™. Biochemistry, 2002, 41, 7190-7198.	1.2	106

#	ARTICLE	IF	CITATIONS
19	Solid-Phase Syntheses of Peptoids using Fmoc-Protected N-Substituted Glycines: The Synthesis of (Retro)Peptoids of Leu-Enkephalin and Substance P. <i>Chemistry - A European Journal</i> , 1998, 4, 1570-1580.	1.7	102
20	Glucocorticoid-Loaded Core-Cross-Linked Polymeric Micelles with Tailorable Release Kinetics for Targeted Therapy of Rheumatoid Arthritis. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 7254-7258.	7.2	102
21	Strong Inhibition of Cholera Toxin by Multivalent GM1 Derivatives. <i>ChemBioChem</i> , 2007, 8, 1500-1503.	1.3	101
22	High-Yielding Microwave-Assisted Synthesis of Triazole-Linked Glycodendrimers by Copper-Catalyzed [3+2] Cycloaddition. <i>European Journal of Organic Chemistry</i> , 2005, 2005, 3182-3185.	1.2	99
23	Specificity and Function of the Individual Amino Acids of an Important Determinant of Human Immunodeficiency Virus Type 1 that Induces Neutralizing Activity. <i>Journal of General Virology</i> , 1989, 70, 1505-1512.	1.3	96
24	Influence of Flanking Residues on Tilt and Rotation Angles of Transmembrane Peptides in Lipid Bilayers. A Solid-State ² H NMR Study. <i>Biochemistry</i> , 2005, 44, 1004-1012.	1.2	95
25	The Effects of Hydrophobic Mismatch between Phosphatidylcholine Bilayers and Transmembrane α -Helical Peptides Depend on the Nature of Interfacially Exposed Aromatic and Charged Residues. <i>Biochemistry</i> , 2002, 41, 8396-8404.	1.2	94
26	Synthesis of Cyclic Peptides by Ring-Closing Metathesis. <i>Journal of Organic Chemistry</i> , 2000, 65, 6187-6195.	1.7	93
27	Highly Efficient Coupling of α -Substituted Aminoethane Sulfonyl Azides with Thio Acids, toward a New Chemical Ligation Reaction. <i>Organic Letters</i> , 2005, 7, 1125-1128.	2.4	91
28	Site-specific N-alkylation of peptides on the solid phase. <i>Tetrahedron Letters</i> , 1998, 39, 1243-1246.	0.7	87
29	Inhibition of <i>Streptococcus suis</i> Adhesion by Dendritic Galabiose Compounds at Low Nanomolar Concentration. <i>Journal of Medicinal Chemistry</i> , 2004, 47, 6499-6508.	2.9	85
30	Multivalent Carbohydrate Recognition on a Glycodendrimer-Functionalized Flow-Through Chip. <i>ChemBioChem</i> , 2008, 9, 1836-1844.	1.3	83
31	Photocrosslinking and Click Chemistry Enable the Specific Detection of Proteins Interacting with Phospholipids at the Membrane Interface. <i>Chemistry and Biology</i> , 2009, 16, 3-14.	6.2	83
32	Synthesis of peptides containing a sulfinamide or a sulfonamide transition-state isostere. <i>Tetrahedron</i> , 1993, 49, 1133-1150.	1.0	82
33	The Vancomycin-Nisin(1 st -12) Hybrid Restores Activity against Vancomycin Resistant Enterococci. <i>Biochemistry</i> , 2008, 47, 12661-12663.	1.2	82
34	Opportunities for New Chemical Libraries: Unnatural Biopolymers and Diversomers. <i>Angewandte Chemie International Edition in English</i> , 1994, 33, 633-636.	4.4	81
35	Peptides containing a sulfinamide or a sulfonamide moiety: New transition-state analogues. <i>Tetrahedron Letters</i> , 1991, 32, 409-412.	0.7	77
36	Synthesis and cholera toxin binding properties of multivalent GM1 mimics. Electronic supplementary information (ESI) available: characterization of the polyvalent compounds ? imide by-products. See http://www.rsc.org/suppdata/ob/b4/b405344c/ . <i>Organic and Biomolecular Chemistry</i> , 2004, 2, 2113.	1.5	77

#	ARTICLE	IF	CITATIONS
37	Synthesis of DOTA-Conjugated Multimeric [Tyr ³]Octreotide Peptides via a Combination of Cu(I)-Catalyzed $\text{Huisgen} 1,3\text{-Dipolar Cycloaddition}$ and Thio Acid/Sulfonyl Azide $\text{Huisgen} 1,3\text{-Dipolar Cycloaddition}$ and Their in Vivo Evaluation. <i>Journal of Medicinal Chemistry</i> , 2010, 53, 3944-3953.	2.9	77
38	N-Terminal Residues of the Chemotaxis Inhibitory Protein of <i>Staphylococcus aureus</i> Are Essential for Blocking Formylated Peptide Receptor but Not C5a Receptor. <i>Journal of Immunology</i> , 2004, 173, 5704-5711.	0.4	76
39	Effects of linker variation on the in vitro and in vivo characteristics of an ^{111}In -labeled RGD peptide. <i>Nuclear Medicine and Biology</i> , 2007, 34, 29-35.	0.3	76
40	β -Sheet Structured β -Amyloid(1-40) Perturbs Phosphatidylcholine Model Membranes. <i>Journal of Molecular Biology</i> , 2007, 368, 982-997.	2.0	75
41	Strong inhibition of cholera toxin binding by galactose dendrimers. <i>Chemical Communications</i> , 2007, , 5043.	2.2	75
42	Enhanced Membrane Pore Formation by Multimeric/Oligomeric Antimicrobial Peptides. <i>Biochemistry</i> , 2007, 46, 13437-13442.	1.2	74
43	Solid-Phase Synthesis of Oligoureia Peptidomimetics Employing the Fmoc Protection Strategy. <i>Journal of Organic Chemistry</i> , 2001, 66, 8454-8462.	1.7	72
44	Selective Inhibition of the Immunoproteasome by Ligand-Induced Crosslinking of the Active Site. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 11969-11973.	7.2	71
45	Synthesis of Lactose Dendrimers and Multivalency Effects in Binding to the Cholera Toxin B Subunit. <i>European Journal of Organic Chemistry</i> , 2001, 2001, 4685.	1.2	70
46	Synthesis and Characterization of Biodegradable Peptide-Based Polymers Prepared by Microwave-Assisted Click Chemistry. <i>Biomacromolecules</i> , 2008, 9, 2834-2843.	2.6	69
47	Rolling Loop Scan: An Approach Featuring Ring-Closing Metathesis for Generating Libraries of Peptides with Molecular Shapes Mimicking Bioactive Conformations or Local Folding of Peptides and Proteins. <i>Angewandte Chemie - International Edition</i> , 1999, 38, 3684-3687.	7.2	68
48	Inhibition of Amyloid Fibril Formation of Human Amylin by N-Alkylated Amino Acid and -Hydroxy Acid Residue Containing Peptides. <i>Chemistry - A European Journal</i> , 2002, 8, 4285-4291.	1.7	68
49	Peptido Sulfonyl Fluorides as New Powerful Proteasome Inhibitors. <i>Journal of Medicinal Chemistry</i> , 2012, 55, 10995-11003.	2.9	67
50	Total synthesis of the antibiotic sparsomycin, a modified uracil amino acid monoxodithioacetal. <i>Journal of Organic Chemistry</i> , 1981, 46, 3273-3283.	1.7	66
51	Application of the $1,3\text{-Dipolar Cycloaddition}$ Reaction in Chemical Biology: Approaches Toward Multivalent Carbohydrates and Peptides and Peptide-Based Polymers. <i>QSAR and Combinatorial Science</i> , 2007, 26, 1181-1190.	1.5	65
52	Rapid Screening of Lectins for Multivalency Effects with a Glycodendrimer Microarray. <i>ChemBioChem</i> , 2010, 11, 1896-1904.	1.3	65
53	Solid-phase synthesis of a naturally occurring β -(1 \rightarrow 5)-linked d-galactofuranosyl heptamer containing the artificial linkage arm L-homoserine. <i>Tetrahedron Letters</i> , 1987, 28, 6695-6698.	0.7	64
54	Combinatorial Chemistry for Ligand Development in Catalysis: Synthesis and Catalysis Screening of Peptidosulfonamide Tweezers on the Solid Phase. <i>Journal of Organic Chemistry</i> , 2000, 65, 1750-1757.	1.7	64

#	ARTICLE	IF	CITATIONS
55	Development of a Novel Chemical Probe for the Selective Enrichment of Phosphorylated Serine- and Threonine-Containing Peptides. <i>ChemBioChem</i> , 2005, 6, 2271-2280.	1.3	64
56	Convenient Preparation of Bactericidal Hydrogels by Covalent Attachment of Stabilized Antimicrobial Peptides Using Thiol-ene Click Chemistry. <i>ACS Macro Letters</i> , 2014, 3, 477-480.	2.3	64
57	A New Chemical Probe for Proteomics of Carbohydrate-Binding Proteins. <i>ChemBioChem</i> , 2005, 6, 291-295.	1.3	63
58	Novel multivalent mannose compounds and their inhibition of the adhesion of type 1 fimbriated uropathogenic <i>E. coli</i> . <i>Tetrahedron: Asymmetry</i> , 2005, 16, 361-372.	1.8	62
59	Ring-Closing Alkyne Metathesis Approach toward the Synthesis of Alkyne Mimics of Thioether A-, B-, C-, and DE-Ring Systems of the Lantibiotic Nisin Z. <i>Organic Letters</i> , 2005, 7, 2961-2964.	2.4	62
60	^{125}I Integrin-targeting of intraperitoneally growing tumors with a radiolabeled RGD peptide. <i>International Journal of Cancer</i> , 2007, 120, 605-610.	2.3	61
61	Activity-based probes for rhomboid proteases discovered in a mass spectrometry-based assay. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 2472-2477.	3.3	60
62	Combinatorial chemistry of hydantoins. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1998, 8, 2375-2380.	1.0	59
63	Imprinted Polymers Displaying High Affinity for Sulfated Protein Fragments. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 8326-8329.	7.2	59
64	Approaches to the synthesis of ureapeptoid peptidomimetics. <i>Tetrahedron Letters</i> , 1997, 38, 5335-5338.	0.7	58
65	Adhesion Inhibition of F1C-Fimbriated <i>Escherichia coli</i> and <i>Pseudomonas aeruginosa</i> PAK and PAO by Multivalent Carbohydrate Ligands. <i>ChemBioChem</i> , 2003, 4, 1317-1325.	1.3	57
66	The Structure of the C5a Receptor-blocking Domain of Chemotaxis Inhibitory Protein of <i>Staphylococcus aureus</i> is Related to a Group of Immune Evasive Molecules. <i>Journal of Molecular Biology</i> , 2005, 353, 859-872.	2.0	57
67	Characterization and Activity of an Immobilized Antimicrobial Peptide Containing Bactericidal PEG-Hydrogel. <i>Biomacromolecules</i> , 2014, 15, 3390-3395.	2.6	57
68	Synthesis and catalytic application of amino acid based dendritic macromolecules. <i>Tetrahedron Letters</i> , 1999, 40, 1413-1416.	0.7	55
69	Chemoselective coupling of peptide fragments using the Staudinger ligation. <i>Tetrahedron Letters</i> , 2003, 44, 4515-4518.	0.7	53
70	A new chemical probe for the detection of the cancer-linked galectin-3. <i>Organic and Biomolecular Chemistry</i> , 2006, 4, 4387.	1.5	52
71	Synthesis of a novel amino acid based dendrimer. <i>Tetrahedron Letters</i> , 1997, 38, 631-634.	0.7	51
72	Increased stability of peptid-sulfonamide peptidomimetics towards protease catalyzed degradation. <i>Bioorganic and Medicinal Chemistry</i> , 1999, 7, 1043-1047.	1.4	51

#	ARTICLE	IF	CITATIONS
73	The rational design of TAP inhibitors using peptide substrate modifications and peptidomimetics. <i>European Journal of Immunology</i> , 1997, 27, 898-904.	1.6	50
74	Synthesis and ring-opening reactions of functionalized sultines. New approach to sparsomycin. <i>Journal of Organic Chemistry</i> , 1981, 46, 5408-5413.	1.7	48
75	Molecular diversity of peptidomimetics: Approaches to the solid-phase synthesis of peptidosulfonamides. <i>Bioorganic and Medicinal Chemistry</i> , 1996, 4, 667-672.	1.4	48
76	Synthesis of amides from unprotected amino acids by a simultaneous protection-activation strategy using dichlorodialkyl silanes. <i>Tetrahedron Letters</i> , 2002, 43, 9203-9207.	0.7	48
77	Synthesis of Peptide-Based Polymers by Microwave-Assisted Cycloaddition Backbone Polymerization. <i>Biomacromolecules</i> , 2007, 8, 327-330.	2.6	48
78	Synthesis of Bicyclic Alkene-Alkane-Bridged Nisin Mimics by Ring-Closing Metathesis and their Biochemical Evaluation as Lipid II Binders: toward the Design of Potential Novel Antibiotics. <i>ChemBioChem</i> , 2007, 8, 1540-1554.	1.3	48
79	Click Chemistry for ligation as well as for site-specific conjugation with peptides, fluorophores, and metal chelators. <i>Journal of Peptide Science</i> , 2010, 16, 1-5.	0.8	48
80	Potent and Highly Selective Inhibitors of the Proteasome Trypsin-like Site by Incorporation of Basic Side Chain Containing Amino Acid Derived Sulfonyl Fluorides. <i>Journal of Medicinal Chemistry</i> , 2018, 61, 5395-5411.	2.9	48
81	Peptoid-Peptide Hybrids That Bind Syk SH2 Domains Involved in Signal Transduction. <i>ChemBioChem</i> , 2001, 2, 171-179.	1.3	47
82	Synthesis of peptides containing the β^2 -substituted aminoethane sulfinamide or sulfonamide transition-state isostere derived from amino acids. <i>Tetrahedron Letters</i> , 1992, 33, 6389-6392.	0.7	46
83	Molecular Diversity of Novel Amino Acid Based Dendrimers. <i>Tetrahedron Letters</i> , 1997, 38, 3085-3088.	0.7	46
84	Detection of pathogenic <i>Streptococcus suis</i> bacteria using magnetic glycoparticles. <i>Organic and Biomolecular Chemistry</i> , 2010, 8, 2425.	1.5	46
85	A Versatile Method for the Conjugation of Proteins and Peptides to Poly[2-(dimethylamino)ethyl methacrylate]. <i>Bioconjugate Chemistry</i> , 1999, 10, 687-692.	1.8	45
86	Synthesis and biological evaluation of potent α -integrin receptor antagonists. <i>Nuclear Medicine and Biology</i> , 2006, 33, 953-961.	0.3	45
87	A practical solid phase synthesis of oligopeptidosulfonamide foldamers. <i>Tetrahedron Letters</i> , 2000, 41, 7991-7995.	0.7	44
88	Synthesis and biological evaluation of novel irreversible serine protease inhibitors using amino acid based sulfonyl fluorides as an electrophilic trap. <i>Bioorganic and Medicinal Chemistry</i> , 2011, 19, 2397-2406.	1.4	43
89	Synthesis of alkene dipeptide isosteres employing the Wittig-Still rearrangement. <i>Tetrahedron</i> , 1992, 48, 6425-6438.	1.0	42
90	Surface Plasmon Resonance Thermodynamic and Kinetic Analysis as a Strategic Tool in Drug Design. Distinct Ways for Phosphopeptides to Plug into Src- and Grb2 SH2 Domains. <i>Journal of Medicinal Chemistry</i> , 2005, 48, 753-763.	2.9	42

#	ARTICLE	IF	CITATIONS
91	Synthesis of Cyclic Peptidosulfonamides by Ring-Closing Metathesis. <i>Journal of Organic Chemistry</i> , 2004, 69, 3662-3668.	1.7	41
92	Self-Assembly of Amylin(20â€“29) Amide-Bond Derivatives into Helical Ribbons and Peptide Nanotubes rather than Fibrils. <i>Chemistry - A European Journal</i> , 2006, 12, 3714-3725.	1.7	41
93	Resin-Bound Sulfonyl Azides:â€‰Efficient Loading and Activation Strategy for the Preparation of the N-Acyl Sulfonamide Linker. <i>Journal of Organic Chemistry</i> , 2007, 72, 4574-4577.	1.7	41
94	The State of the Art of Chemical Biology. <i>ChemBioChem</i> , 2009, 10, 16-29.	1.3	41
95	Synthesis of Î²-aminoethanesulfonyl fluorides or 2-substituted taurine sulfonyl fluorides as potential protease inhibitors. <i>Tetrahedron Letters</i> , 2009, 50, 3391-3393.	0.7	41
96	Cellular uptake and localization of fluorescent derivatives of phorbol ester tumor promoters. <i>Biochemical and Biophysical Research Communications</i> , 1985, 131, 920-927.	1.0	40
97	Solid-phase synthesis of peptidosulfonamide containing peptides derived from Leu-enkephalin. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1996, 6, 3035-3040.	1.0	40
98	Structure of the Tyrosine-sulfated C5a Receptor N Terminus in Complex with Chemotaxis Inhibitory Protein of <i>Staphylococcus aureus</i> . <i>Journal of Biological Chemistry</i> , 2009, 284, 12363-12372.	1.6	40
99	Cu(I)- and Ru(II)-Mediated â€œClickâ€•Cyclization of Tripeptides Toward Vancomycin-Inspired Mimics. <i>Organic Letters</i> , 2011, 13, 3438-3441.	2.4	40
100	A Selectively Deprotectable Triazacyclophane Scaffold for the Construction of Artificial Receptors. <i>Organic Letters</i> , 2001, 3, 3499-3502.	2.4	39
101	Cyclotrimeratrylene (CTV) as a New Chiral Triacid Scaffold Capable of Inducing Triple Helix Formation of Collagen Peptides Containing either a Native Sequence or Pro-Hyp-Gly Repeats. <i>Chemistry - A European Journal</i> , 2002, 8, 4613-4621.	1.7	39
102	Proteasome inhibition by new dual warhead containing peptido vinyl sulfonyl fluorides. <i>Bioorganic and Medicinal Chemistry</i> , 2016, 24, 3429-3435.	1.4	39
103	Tweezers with Different Bite: Increasing the Affinity of Synthetic Receptors by Varying the Hinge Part. <i>Angewandte Chemie - International Edition</i> , 1998, 37, 1846-1850.	7.2	38
104	The Filament-specific Rep1-1 Repellent of the Phytopathogen <i>Ustilago maydis</i> Forms Functional Surface-active Amyloid-like Fibrils. <i>Journal of Biological Chemistry</i> , 2009, 284, 9153-9159.	1.6	38
105	Solid-phase synthesis of O-phosphorothioylserine- and -threonine-containing peptides as well as of O-phosphoserine- and -threonine-containing peptides. <i>Journal of Organic Chemistry</i> , 1993, 58, 1309-1317.	1.7	37
106	Synthesis and Evaluation of New Thiodigalactosideâ€•Based Chemical Probes to Label Galectinâ€•3. <i>ChemBioChem</i> , 2009, 10, 1724-1733.	1.3	36
107	Targeted Covalent Inhibition of Prolyl Oligopeptidase (POP): Discovery of Sulfonylfluoride Peptidomimetics. <i>Cell Chemical Biology</i> , 2018, 25, 1031-1037.e4.	2.5	36
108	An Efficient Synthesis of N-Protected Î²-Aminoethanesulfonyl Chlorides: Versatile Building Blocks for the Synthesis of Oligopeptidosulfonamides. <i>Synthesis</i> , 2000, 2000, 1579-1584.	1.2	35

#	ARTICLE	IF	CITATIONS
109	Cyclic phosphopeptides for interference with Grb2 SH2 domain signal transduction prepared by ring-closing metathesis and phosphorylation. <i>Organic and Biomolecular Chemistry</i> , 2003, 1, 3297.	1.5	35
110	Enzymatic Synthesis of C-Terminal Arylamides of Amino Acids and Peptides. <i>Journal of Organic Chemistry</i> , 2009, 74, 5145-5150.	1.7	35
111	Synthesis of 1,5-triazole bridged vancomycin CDE-ring bicyclic mimics using RuAAC macrocyclization. <i>Chemical Communications</i> , 2013, 49, 4498.	2.2	35
112	Structure-activity relationships of sparsomycin and its analogs. Inhibition of peptide bond formation in cell-free systems and of L1210 and bacterial cell growth. <i>Journal of Medicinal Chemistry</i> , 1987, 30, 325-333.	2.9	34
113	Reaction of N-trityl amino acids with BOP: Efficient synthesis of t-butyl esters as well as N-trityl serine- and threonine- β -lactones. <i>Tetrahedron Letters</i> , 1996, 37, 4237-4240.	0.7	34
114	Probing the Self-Assembly and the Accompanying Structural Changes of Hydrophobin SC3 on a Hydrophobic Surface by Mass Spectrometry. <i>Biophysical Journal</i> , 2004, 87, 1919-1928.	0.2	34
115	Versatile Conjugation of Octreotide to Dendrimers by Cycloaddition (Click) Chemistry to Yield High-Affinity Multivalent Cyclic Peptide Dendrimers. <i>Bioconjugate Chemistry</i> , 2009, 20, 1323-1331.	1.8	34
116	A novel N-myristylated synthetic octapeptide inhibits protein kinase C activity and partially reverses murine fibrosarcoma cell resistance to Adriamycin. <i>Investigational New Drugs</i> , 1991, 9, 169-179.	1.2	33
117	Replacement of the Intervening Amino Acid Sequence of a Syk-Binding Diphosphopeptide by a Nonpeptide Spacer with Preservation of High Affinity. <i>ChemBioChem</i> , 2002, 3, 238-242.	1.3	33
118	Pre-organization induced synthesis of a crossed alkene-bridged nisin Z DE-ring mimic by ring-closing metathesis. <i>Chemical Communications</i> , 2005, , 192.	2.2	33
119	Transformation of the amyloidogenic peptide amylin(20-29) into its corresponding peptoid and retropeptoid: Access to both an amyloid inhibitor and template for self-assembled supramolecular tapes. <i>Inorganic and Medicinal Chemistry Letters</i> , 2007, 17, 1837-1842.	1.0	33
120	Synthesis of multivalent <i>Streptococcus suis</i> adhesion inhibitors by enzymatic cleavage of polygalacturonic acid and click conjugation. <i>Organic and Biomolecular Chemistry</i> , 2008, 6, 1425.	1.5	33
121	Development of Selective Bisubstrate-Based Inhibitors Against Protein Kinase C (PKC) Isozymes By Using Dynamic Peptide Microarrays. <i>ChemBioChem</i> , 2009, 10, 2042-2051.	1.3	33
122	Inhibition of protein kinase C and calmodulin by the geometric isomers cis- and trans-tamoxifen. <i>Biopolymers</i> , 1990, 29, 97-104.	1.2	32
123	N-myristyl-Lys-Arg-Thr-Leu-Arg: A novel protein kinase C inhibitor. <i>Biochemical Pharmacology</i> , 1990, 39, 49-57.	2.0	32
124	Synthetic receptors based on peptidosulfonamide peptidomimetics. <i>Tetrahedron Letters</i> , 1996, 37, 8253-8256.	0.7	32
125	Synthesis of novel trivalent amino acid glycoconjugates based on the cyclotrimer triazine (CTV) scaffold. <i>Organic and Biomolecular Chemistry</i> , 2003, 1, 2661-2669.	1.5	32
126	Protein Flexibility and Ligand Rigidity: A Thermodynamic and Kinetic Study of ITAM-Based Ligand Binding to Syk Tandem SH2. <i>ChemBioChem</i> , 2005, 6, 2261-2270.	1.3	32

#	ARTICLE	IF	CITATIONS
127	Thermosensitive Peptide-Hybrid ABC Block Copolymers Obtained by ATRP: Synthesis, Self-Assembly, and Enzymatic Degradation. <i>Macromolecules</i> , 2012, 45, 842-851.	2.2	32
128	Absolute configuration of sparsomycin. A chiroptical study of sulfoxides. <i>Journal of the American Chemical Society</i> , 1981, 103, 1720-1723.	6.6	31
129	Photo-Crosslinking Analysis of Preferential Interactions between a Transmembrane Peptide and Matching Lipids. <i>Biochemistry</i> , 2004, 43, 4482-4489.	1.2	31
130	Alkene- and alkyne-bridged mimics of nisin as potential peptide-based antibiotics. <i>Journal of Molecular Catalysis A</i> , 2006, 254, 68-77.	4.8	31
131	Step-wise and pre-organization induced synthesis of a crossed alkene-bridged nisin Z DE-ring mimic by ring-closing metathesis. <i>Organic and Biomolecular Chemistry</i> , 2007, 5, 924.	1.5	31
132	A convenient synthesis of azido peptides by post-assembly diazo transfer on the solid phase applicable to large peptides. <i>Tetrahedron Letters</i> , 2002, 43, 3657-3660.	0.7	30
133	Peptide transformation leading to peptide-peptidosulfonamide hybrids and oligo peptidosulfonamides. <i>Molecular Diversity</i> , 2004, 8, 79-87.	2.1	30
134	Peptoid-peptide Hybrids as Potent Novel Melanocortin Receptor Ligands. <i>Journal of Medicinal Chemistry</i> , 2005, 48, 4224-4230.	2.9	30
135	Synthesis of Alkyne-Bridged Cyclic Tripeptides toward Constrained Mimics of Vancomycin. <i>Journal of Organic Chemistry</i> , 2006, 71, 1817-1824.	1.7	30
136	Preparation of <i>N</i> -Substituted <i>L</i> -Arginine Analogues Suitable for Solid Phase Peptide Synthesis. <i>Journal of Organic Chemistry</i> , 2008, 73, 7849-7851.	1.7	30
137	Scalable purification of the lantibiotic nisin and isolation of chemical/enzymatic cleavage fragments suitable for semi-synthesis. <i>Journal of Peptide Science</i> , 2013, 19, 692-699.	0.8	30
138	Major histocompatibility complex class II binding characteristics of peptoid-peptide hybrids. <i>Bioorganic and Medicinal Chemistry</i> , 2002, 10, 1939-1945.	1.4	29
139	Trivalent Ultrashort Lipopeptides are Potent pH Dependent Antifungal Agents. <i>Journal of Medicinal Chemistry</i> , 2012, 55, 1296-1302.	2.9	29
140	Synthesis of pyrazole containing β -amino acids via a highly regioselective condensation/aza-Michael reaction of β -aryl β -unsaturated ketones. <i>Organic and Biomolecular Chemistry</i> , 2015, 13, 4514-4523.	1.5	28
141	Structure-activity relationships of sparsomycin and its analogs: octylsparsomycin: The first analog more active than sparsomycin. <i>Journal of Medicinal Chemistry</i> , 1984, 27, 301-306.	2.9	27
142	A New Application of Modified Peptides and Peptidomimetics: Potential Anticancer Agents. <i>Angewandte Chemie International Edition in English</i> , 1994, 33, 305-307.	4.4	27
143	Synthesis in Solution of Peptoids using Fmoc-protected <i>N</i> -substituted Glycines. <i>Tetrahedron Letters</i> , 1995, 36, 6969-6972.	0.7	27
144	Synthesis and Screening of Libraries of Synthetic Tripodal Receptor Molecules with Three Different Amino Acid or Peptide Arms: Identification of Iron Binders. <i>ACS Combinatorial Science</i> , 2002, 4, 275-284.	3.3	27

#	ARTICLE	IF	CITATIONS
145	A convenient preparation of several N-linked glycoamino acid building blocks for efficient solid-phase synthesis of glycopeptides. <i>Journal of the Chemical Society, Perkin Transactions 1</i> , 2002, , 1042-1049.	1.3	27
146	Microwave-assisted, tin-mediated, regioselective 3-O-alkylation of galactosides. <i>Tetrahedron Letters</i> , 2004, 45, 6685-6687.	0.7	27
147	Synthesis and structural investigations of N-alkylated Î²-peptidosulfonamideâ€“peptide hybrids of the amyloidogenic amylin(20â€“29) sequence: implications of supramolecular folding for the design of peptide-based bionanomaterials. <i>Organic and Biomolecular Chemistry</i> , 2006, 4, 3587-3597.	1.5	27
148	Enzymatic synthesis of activated esters and their subsequent use in enzyme-based peptide synthesis. <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2011, 71, 79-84.	1.8	27
149	Improving the biological activity of the antimicrobial peptide anoplin by membrane anchoring through a lipophilic amino acid derivative. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2013, 23, 3749-3752.	1.0	27
150	Sequencing of peptoid peptidomimetics by Edman degradation. <i>Tetrahedron Letters</i> , 1998, 39, 3589-3592.	0.7	26
151	TAC-Scaffolded Tripeptides as Artificial Hydrolytic Receptors: A Combinatorial Approach Toward Esterase Mimics. <i>ACS Combinatorial Science</i> , 2008, 10, 814-824.	3.3	26
152	The N-terminal fragment of human islet amyloid polypeptide is non-fibrillogenic in the presence of membranes and does not cause leakage of bilayers of physiologically relevant lipid composition. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2010, 1798, 1805-1811.	1.4	26
153	Versatile convergent synthesis of a three peptide loop containing protein mimic of whooping cough pertactin by successive Cu(I)-catalyzed azide alkyne cycloaddition on an orthogonal alkyne functionalized TAC-scaffold. <i>Journal of Peptide Science</i> , 2014, 20, 235-239.	0.8	26
154	A new perspective on fungal metabolites: identification of bioactive compounds from fungi using zebrafish embryogenesis as read-out. <i>Scientific Reports</i> , 2019, 9, 17546.	1.6	26
155	Combinatorial solid-phase synthesis and screening of a diverse tripodal triazacyclophane (TAC)-based synthetic receptor library showing a remarkable selectivity towards a d-Ala-d-Ala containing ligand. <i>Tetrahedron</i> , 2004, 60, 8691-8697.	1.0	25
156	A novel strategy to mimic discontinuous protective epitopes using a synthetic scaffold. <i>Vaccine</i> , 2007, 25, 6807-6817.	1.7	25
157	Fully Enzymatic Peptide Synthesis using C-terminal tert-Butyl Ester Interconversion. <i>Advanced Synthesis and Catalysis</i> , 2010, 352, 2399-2404.	2.1	25
158	Synthesis, Antimicrobial Activity, and Membrane Permeabilizing Properties of C-Terminally Modified Nisin Conjugates Accessed by CuAAC. <i>Bioconjugate Chemistry</i> , 2013, 24, 2058-2066.	1.8	25
159	The presence of C/EBPÎ± and its degradation are both required for TRIB2-mediated leukaemia. <i>Oncogene</i> , 2016, 35, 5272-5281.	2.6	25
160	Comparing Mass Spectrometric Characteristics of Peptides and Peptoidsâ€“2â€. <i>Journal of Mass Spectrometry</i> , 1997, 32, 697-704.	0.7	24
161	Bio-inspired synthetic receptor molecules towards mimicry of vancomycin. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2001, 11, 1521-1525.	1.0	24
162	Characterization of a phosphorylated peptide and peptoid and peptoid-peptide hybrids by mass spectrometry. <i>Journal of Mass Spectrometry</i> , 2002, 37, 47-55.	0.7	24

#	ARTICLE	IF	CITATIONS
163	Synthesis and biological activity of polygalloyl-dendrimers as stable tannic acid mimics. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2002, 12, 1567-1570.	1.0	24
164	Nanomolar affinity, iminosugar-based chemical probes for specific labeling of lysosomal glucocerebrosidase. <i>Bioorganic and Medicinal Chemistry</i> , 2010, 18, 267-273.	1.4	24
165	Broad-Spectrum Antimalarial Activity of Peptido Sulfonyl Fluorides, a New Class of Proteasome Inhibitors. <i>Antimicrobial Agents and Chemotherapy</i> , 2013, 57, 3576-3584.	1.4	24
166	New properties of wheat bran: anti-biofilm activity and interference with bacteria quorum-sensing systems. <i>Environmental Microbiology</i> , 2014, 16, 1346-1353.	1.8	24
167	Synthesis in solution of peptoids using fmoc-protected n-substituted glycines. , 1995, 36, 6969-6969.		24
168	Total synthesis and absolute configuration of the natural dipeptide .gamma.-glutamylmarasmine. <i>Journal of Organic Chemistry</i> , 1987, 52, 1511-1517.	1.7	23
169	Inhibition of IL-2 receptor induction and IL-2 production in the human leukemic cell line Jurkat by a novel peptide inhibitor of protein kinase C. <i>Cellular Immunology</i> , 1990, 131, 242-252.	1.4	23
170	A general sequence independent solid phase method for the site specific synthesis of multiple sulfated-tyrosine containing peptides. <i>Chemical Communications</i> , 2009, , 2999.	2.2	23
171	A convenient solid phase synthesis of S-palmitoyl transmembrane peptides. <i>Tetrahedron Letters</i> , 2005, 46, 3341-3345.	0.7	22
172	Delayed fibril formation of amylin(20-29) by incorporation of alkene dipeptidosulfonamide isosteres obtained by solid phase olefin cross metathesis. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2008, 18, 78-84.	1.0	22
173	Influence of Trifluoroethanol on Membrane Interfacial Anchoring Interactions of Transmembrane α -Helical Peptides. <i>Biophysical Journal</i> , 2008, 94, 1315-1325.	0.2	22
174	A general approach for the non-stop solid phase synthesis of TAC-scaffolded loops towards protein mimics containing discontinuous epitopes. <i>Chemical Communications</i> , 2009, , 821-823.	2.2	22
175	A combinatorial approach toward smart libraries of discontinuous epitopes of HIV gp120 on a TAC synthetic scaffold. <i>Chemical Communications</i> , 2012, 48, 10007.	2.2	22
176	Chemical-Biological Exploration of the Limits of the Ras De- and Repalmitoylating Machinery. <i>ChemBioChem</i> , 2012, 13, 1017-1023.	1.3	22
177	Amino propynyl benzoic acid building block in rigid spacers of divalent ligands binding to the syk SH2 domains with equally high affinity as the natural ligand. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2003, 13, 1241-1244.	1.0	21
178	Peptidomimetic building blocks for the synthesis of sulfonamide peptoids. <i>Tetrahedron Letters</i> , 2000, 41, 1103-1106.	0.7	20
179	Discovery and in vivo evaluation of new melanocortin-4 receptor-selective peptides. <i>Peptides</i> , 2003, 24, 271-280.	1.2	20
180	Selection of synthetic receptors capable of sensing the difference in binding of d-Ala-d-Ala or d-Ala-d-Lac ligands by screening of a combinatorial CTV-based library. <i>Tetrahedron</i> , 2004, 60, 11145-11157.	1.0	20

#	ARTICLE	IF	CITATIONS
181	Synthesis of a novel potent cyclic peptide MC4-ligand by ring-closing metathesis. <i>Bioorganic and Medicinal Chemistry</i> , 2005, 13, 4221-4227.	1.4	20
182	The synthesis of amides and dipeptides from unprotected amino acids by a simultaneous protection-activation strategy using boron trifluoride diethyl etherate. <i>Tetrahedron Letters</i> , 2005, 46, 653-656.	0.7	20
183	Switching between low and high affinity for the Syk tandem SH2 domain by irradiation of azobenzene containing ITAM peptidomimetics. <i>Journal of Peptide Science</i> , 2009, 15, 685-691.	0.8	20
184	Enzymatic C-terminal amidation of amino acids and peptides. <i>Tetrahedron Letters</i> , 2012, 53, 3777-3779.	0.7	20
185	Synthesis of Cyclic (1±2)-Tripeptides as Potential Peptide Turn Mimetics. <i>Organic Letters</i> , 2002, 4, 2173-2176.	2.4	19
186	The M1 transmembrane segment of the nicotinic acetylcholine receptor interacts strongly with model membranes. <i>Magnetic Resonance in Chemistry</i> , 2004, 42, 148-154.	1.1	19
187	The M1 segment of the nicotinic acetylcholine receptor exhibits conformational flexibility in a membrane environment. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2004, 1665, 40-47.	1.4	19
188	Binding of a Diphosphorylated-ITAM peptide to spleen tyrosine kinase (Syk) induces distal conformational changes: A hydrogen exchange mass spectrometry study. <i>Journal of the American Society for Mass Spectrometry</i> , 2005, 16, 1039-1051.	1.2	19
189	Brilliant lipids. <i>Nature Methods</i> , 2005, 2, 14-15.	9.0	19
190	Selective enrichment of Ser-/Thr-phosphorylated peptides in the presence of Ser-/Thr-glycosylated peptides. <i>Proteomics</i> , 2006, 6, 6394-6399.	1.3	19
191	Detection of galectin-3 by novel peptidic photoprobes. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2007, 17, 376-378.	1.0	19
192	A photoswitchable ITAM peptidomimetic: Synthesis and real time surface plasmon resonance (SPR) analysis of the effects of cis-trans isomerization on binding. <i>Bioorganic and Medicinal Chemistry</i> , 2008, 16, 1393-1399.	1.4	19
193	TMTHSI, a superior 7-membered ring alkyne containing reagent for strain-promoted azide-alkyne cycloaddition reactions. <i>Chemical Science</i> , 2020, 11, 9011-9016.	3.7	19
194	Synthesis and Cholera Toxin Binding Properties of a Lactose-2-aminothiazoline Conjugate. <i>Organic Letters</i> , 2002, 4, 1807-1808.	2.4	18
195	Structure-Activity Studies on the Corticotropin Releasing Factor Antagonist Astressin, leading to a Minimal Sequence necessary for Antagonistic Activity. <i>ChemBioChem</i> , 2004, 5, 340-348.	1.3	18
196	Ring-closing metathesis for the synthesis of side chain knotted pentapeptides inspired by vancomycin. <i>Organic and Biomolecular Chemistry</i> , 2004, 2, 2658.	1.5	18
197	Synthesis of Novel Dendrimeric Systems Containing NLO Ligands. <i>European Journal of Organic Chemistry</i> , 2005, 2005, 487-495.	1.2	18
198	Possibilities and limitations in the rational design of modified peptides for T cell mediated immunotherapy. <i>Molecular Immunology</i> , 2005, 42, 365-373.	1.0	18

#	ARTICLE	IF	CITATIONS
199	Scaffolded amino acids as a close structural mimic of type-3 copper binding sites. <i>Chemical Communications</i> , 2007, , 4895.	2.2	18
200	Microwave-assisted click polymerization for the synthesis of Al ² (16-22) cyclic oligomers and their self-assembly into polymorphous aggregates. <i>Organic and Biomolecular Chemistry</i> , 2009, 7, 4517.	1.5	18
201	The role of the disulfide bond in the interaction of islet amyloid polypeptide with membranes. <i>European Biophysics Journal</i> , 2010, 39, 1359-1364.	1.2	18
202	Polar Hinges as Functionalized Conformational Constraints in (Bi)cyclic Peptides. <i>ChemBioChem</i> , 2017, 18, 387-395.	1.3	18
203	Limited plasticity in T cell recognition of modified T cell receptor contact residues in MHC class II bound peptides. <i>Molecular Immunology</i> , 2005, 42, 355-364.	1.0	17
204	Spacer Effects on in vivo Properties of DOTA-Conjugated Dimeric [Tyr ³]Ostreotatate Peptides Synthesized by a Cu ^I -Click and Sulfonamide-Ligation Method. <i>ChemBioChem</i> , 2011, 12, 750-760.		17
205	Synthesis of Cyclic Peptides Containing a Thioester Handle for Native Chemical Ligation. <i>Journal of Organic Chemistry</i> , 2012, 77, 10058-10064.	1.7	17
206	Semi-synthesis of biologically active nisin hybrids composed of the native lanthionine ABC-fragment and a cross-stapled synthetic DE-fragment. <i>Bioorganic and Medicinal Chemistry</i> , 2014, 22, 5345-5353.	1.4	17
207	Synthesis of a cyclic phosphopeptide containing a phosphodiester linkage. <i>Journal of the American Chemical Society</i> , 1989, 111, 9103-9105.	6.6	16
208	Catalytic conversions of diazosugars. <i>Tetrahedron Letters</i> , 2002, 43, 9601-9603.	0.7	16
209	Approaches to the Solid Phase of a Cyclotrimeratrylene Scaffold-Based Tripodal Library as Potential Artificial Receptors. <i>ACS Combinatorial Science</i> , 2003, 5, 794-801.	3.3	16
210	Synthesis, Screening and Evaluation of a Combined Library of Tweezer- and Tripodal Synthetic Receptors. <i>QSAR and Combinatorial Science</i> , 2004, 23, 546-559.	1.5	16
211	Enantioselective Cu ^{II} -Catalyzed Diels-Alder and Michael Addition Reactions in Water Using Bio-Inspired Triazacyclophane-Based Ligands. <i>European Journal of Organic Chemistry</i> , 2011, 2011, 1714-1720.	1.2	16
212	Scaffold optimization in discontinuous epitope containing protein mimics of gp120 using smart libraries. <i>Organic and Biomolecular Chemistry</i> , 2013, 11, 2676.	1.5	16
213	Scaffolded multiple cyclic peptide libraries for protein mimics by native chemical ligation. <i>Organic and Biomolecular Chemistry</i> , 2014, 12, 4471-4478.	1.5	16
214	Molecular construction of HIV-gp120 discontinuous epitope mimics by assembly of cyclic peptides on an orthogonal alkyne functionalized TAC-scaffold. <i>Organic and Biomolecular Chemistry</i> , 2016, 14, 701-710.	1.5	16
215	Potential peptidic proteasome inhibitors by incorporation of an electrophilic trap based on amino acid derived 1 \pm -substituted sulfonyl fluorides. <i>Bioorganic and Medicinal Chemistry</i> , 2017, 25, 5055-5063.	1.4	16
216	Solid-Phase Synthesis of Oligoureia Peptidomimetics. <i>European Journal of Organic Chemistry</i> , 1999, 1999, 2127-2135.	1.2	15

#	ARTICLE	IF	CITATIONS
217	A versatile and selective chemo-enzymatic synthesis of Î²-protected aspartic and Î³-protected glutamic acid derivatives. <i>Tetrahedron Letters</i> , 2009, 50, 2719-2721.	0.7	15
218	Synthesis and evaluation of novel macrocyclic antifungal peptides. <i>Bioorganic and Medicinal Chemistry</i> , 2011, 19, 6505-6517.	1.4	15
219	Fully Enzymatic N ^α -C ^α -Directed Peptide Synthesis Using C-Terminal Peptide Î±-Carboxamide to Ester Interconversion. <i>Advanced Synthesis and Catalysis</i> , 2011, 353, 1039-1044.	2.1	15
220	Cell-Penetrating Bisubstrate-Based Protein Kinase C Inhibitors. <i>ACS Chemical Biology</i> , 2013, 8, 1479-1487.	1.6	15
221	Design, Synthesis, and Evaluation of a Diazirine Photoaffinity Probe for Ligand-Based Receptor Capture Targeting G Protein-Coupled Receptors. <i>Molecular Pharmacology</i> , 2019, 95, 196-209.	1.0	15
222	Conformational analysis of functionalized sultines by nuclear magnetic resonance and x-ray crystallography. Application of a generalized Karplus equation. <i>Journal of the American Chemical Society</i> , 1983, 105, 5406-5414.	6.6	14
223	Flash vacuum thermolysis of functionalized .gamma.-sultines. <i>Journal of Organic Chemistry</i> , 1983, 48, 2733-2736.	1.7	14
224	Peptides containing the novel methylphosphinamide transition-state isostere. <i>Tetrahedron</i> , 1993, 49, 11055-11064.	1.0	14
225	Solution phase combinatorial chemistry using cyclotriveratrylene-based tripodal scaffolds. <i>Tetrahedron Letters</i> , 1999, 40, 9347-9351.	0.7	14
226	Stabilization of peptide guinea pig myelin basic protein 7285 by N-terminal acetylation?implications for immunological studies. <i>Molecular Immunology</i> , 2004, 40, 943-948.	1.0	14
227	Synthesis of cyclic peptidosulfonamides as scaffolds for MC4 pharmacophoric groups. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2005, 15, 287-290.	1.0	14
228	Synthesis and evaluation of linear CuAAC-oligomerized antifreeze neo-glycopeptides. <i>MedChemComm</i> , 2014, 5, 1159-1165.	3.5	14
229	Role of solution conformation and flexibility of short peptide ligands that bind to the p56lck SH2 domain. <i>Bioorganic and Medicinal Chemistry</i> , 2003, 11, 941-949.	1.4	13
230	ITAM-derived phosphopeptide-containing dendrimers as multivalent ligands for Syk tandem SH2 domain. <i>Organic and Biomolecular Chemistry</i> , 2009, 7, 4088.	1.5	13
231	Synthesis and structural characterization of the individual diastereoisomers of a cross-stapled alkene-bridged nisin DE-ring mimic. <i>Organic and Biomolecular Chemistry</i> , 2013, 11, 7486.	1.5	13
232	Synthesis of nisin AB dicarba analogs using ring-closing metathesis: influence of sp ³ versus sp ² hybridization of the Î±-carbon atom of residues dehydrobutyryne-2 and dehydroalanine-5 on the lipid II binding affinity. <i>Organic and Biomolecular Chemistry</i> , 2015, 13, 5997-6009.	1.5	13
233	Sizing of amino acid based dendrimers in Langmuir monolayers. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1998, , 1535-1538.	0.9	12
234	Tannic acid mimicking dendrimers as small intestine submucosa stabilizing nanomordants. <i>Biomaterials</i> , 2006, 27, 745-751.	5.7	12

#	ARTICLE	IF	CITATIONS
235	Preparation of novel alkylated arginine derivatives suitable for click-cycloaddition chemistry and their incorporation into pseudosubstrate- and bisubstrate-based kinase inhibitors. <i>Organic and Biomolecular Chemistry</i> , 2010, 8, 1629.	1.5	12
236	Bicycling into cells. <i>Nature Chemistry</i> , 2014, 6, 855-857.	6.6	12
237	Synthesis of bicyclic tripeptides inspired by the ABC-ring system of vancomycin through ruthenium-based cyclization chemistries. <i>Tetrahedron Letters</i> , 2017, 58, 4542-4546.	0.7	12
238	Immobilization by Surface Conjugation of Cyclic Peptides for Effective Mimicry of the HCV-Envelope E2 Protein as a Strategy toward Synthetic Vaccines. <i>Bioconjugate Chemistry</i> , 2018, 29, 1091-1101.	1.8	12
239	Syntheses of Amino Acid Based Phosphodiester Linkage-Containing Cryptands as well as Diphosphorylated Macrocycles. <i>Journal of Organic Chemistry</i> , 1994, 59, 2399-2408.	1.7	11
240	Solid-phase carbohydrate synthesis via on-bead protecting group chemistry. <i>Tetrahedron</i> , 2007, 63, 4290-4296.	1.0	11
241	Bioactive Macrocyclic Peptides and Peptide Mimics. , 0, , 1-27.		11
242	Synthesis and characterization of tailorable biodegradable thermoresponsive methacryloylamide polymers based on l-serine and l-threonine alkyl esters. <i>Polymer</i> , 2010, 51, 2479-2485.	1.8	11
243	Directed Modulation of Protein Kinase C Isozyme Selectivity with Bisubstrate-Based Inhibitors. <i>ChemMedChem</i> , 2012, 7, 2113-2121.	1.6	11
244	A facile synthesis of the GalNAc ² 1 ⁺ 4Gal target sequence of respiratory pathogens. <i>Carbohydrate Research</i> , 2005, 340, 2436-2442.	1.1	10
245	Synthesis and Evaluation of TAC-Based Inhibitors of Papain as Mimics of Cystatin B. <i>ChemBioChem</i> , 2007, 8, 1950-1956.	1.3	10
246	Mutual influence of backbone proline substitution and lipophilic tail character on the biological activity of simplified analogues of caspofungin. <i>Organic and Biomolecular Chemistry</i> , 2012, 10, 7491.	1.5	10
247	A Proteinaceous Fraction of Wheat Bran May Interfere in the Attachment of Enterotoxigenic E. Coli K88 (F4+) to Porcine Epithelial Cells. <i>PLoS ONE</i> , 2014, 9, e104258.	1.1	10
248	Synthetic antibody protein mimics of infliximab by molecular scaffolding on novel CycloTriVeratrilene (CTV) derivatives. <i>Organic and Biomolecular Chemistry</i> , 2018, 16, 5254-5274.	1.5	10
249	Probing the Lipid-Protein Interface Using Model Transmembrane Peptides with a Covalently Linked Acyl Chain. <i>Biophysical Journal</i> , 2011, 101, 1959-1967.	0.2	9
250	Enzymatic Fragment Condensation of Side Chain-Protected Peptides using Subtilisin A in Anhydrous Organic Solvents: A General Strategy for Industrial Peptide Synthesis. <i>Advanced Synthesis and Catalysis</i> , 2013, 355, 287-293.	2.1	9
251	A versatile spectrophotometric protein tyrosine phosphatase assay based on 3-nitrophosphotyrosine containing substrates. <i>Analytical Biochemistry</i> , 2014, 448, 9-13.	1.1	9
252	Efficient Synthesis of Protein Mimics by Sequential Native Chemical Ligation. <i>Organic Letters</i> , 2014, 16, 2138-2141.	2.4	9

#	ARTICLE	IF	CITATIONS
253	Synthesis of Leukotriene B4 Antagonists Labeled with In-111 or Tc-99m to Image Infectious and Inflammatory Foci. <i>Journal of Medicinal Chemistry</i> , 2005, 48, 6442-6453.	2.9	8
254	Synthesis and Applications of Î²-Aminoethanesulfonyl Azides. <i>Synthesis</i> , 2006, 2006, 455-460.	1.2	8
255	A peptide mimic of the chemotaxis inhibitory protein of <i>Staphylococcus aureus</i> : towards the development of novel anti-inflammatory compounds. <i>Amino Acids</i> , 2011, 40, 731-740.	1.2	8
256	pH-controlled aggregation polymorphism of amyloidogenic AÎ²(16â€“22): Insights for obtaining peptide tapes and peptide nanotubes, as function of the N-terminal capping moiety. <i>European Journal of Medicinal Chemistry</i> , 2014, 88, 55-65.	2.6	8
257	Triple-targeting Gram-negative selective antimicrobial peptides capable of disrupting the cell membrane and lipid A biosynthesis. <i>RSC Advances</i> , 2016, 6, 65418-65421.	1.7	8
258	An orthogonally protected CycloTriVeratrylene (CTV) as a highly pre-organized molecular scaffold for subsequent ligation of different cyclic peptides towards protein mimics. <i>Bioorganic and Medicinal Chemistry</i> , 2017, 25, 5008-5015.	1.4	8
259	An optimized solid phase synthesis strategy? including on-resin lactamization?of aestressin, its retro-, inverso-, and retro-inverso isomers as corticotropin releasing factor antagonists. <i>Biopolymers</i> , 2002, 63, 141-149.	1.2	7
260	Multivalent Presentation Strategies in Novel Inhibitors of Bacterial (Toxin) Adhesion and Synthetic Vaccines. <i>Anti-Infective Agents in Medicinal Chemistry</i> , 2008, 7, 193-200.	0.6	7
261	CHIPS binds to the phosphorylated N-terminus of the C5a-receptor. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010, 20, 3338-3340.	1.0	7
262	Tailoring Polyethers for Post-polymerization Functionalization by Cross Metathesis. <i>Organic Letters</i> , 2018, 20, 2253-2256.	2.4	7
263	Sulfoxide configuration in sparsomycin determines time-dependent and competitive inhibition of peptidyl transferase. <i>Biochemical and Biophysical Research Communications</i> , 1984, 125, 784-789.	1.0	6
264	Synthesis and structure of cyclic phosphopeptides containing a phosphodiester linkage. <i>Journal of Organic Chemistry</i> , 1993, 58, 3722-3730.	1.7	6
265	Investigating the Dynamic Nature of the Interactions between Nuclear Proteins and Histones upon DNA Damage Using an Immobilized Peptide Chemical Proteomics Approach. <i>Journal of Proteome Research</i> , 2006, 5, 2380-2388.	1.8	6
266	A convenient [2+2] cycloadditionâ€“cycloreversion reaction for the synthesis of 1,1-dicyanobuta-1,3-diene-scaffolded peptides as new imaging chromophores. <i>Tetrahedron Letters</i> , 2011, 52, 6963-6967.	0.7	6
267	Realâ€“Time Monitoring of the Dephosphorylating Activity of Protein Tyrosine Phosphatases Using Microarrays with 3â€“Nitrophosphotyrosine Substrates. <i>ChemPlusChem</i> , 2013, 78, 1349-1357.	1.3	6
268	Expedient synthesis of a novel asymmetric selectively deprotectable derivative of the ATAC scaffold. <i>Tetrahedron</i> , 2014, 70, 4002-4007.	1.0	6
269	Synthesis and cellular penetration properties of new phosphonium based cationic amphiphilic peptides. <i>MedChemComm</i> , 2018, 9, 982-987.	3.5	6
270	Determination of sparsomycin in plasma and urine of the dog by means of reversed-phase high-performance liquid chromatography and first pharmacokinetic results. <i>Biomedical Applications</i> , 1983, 275, 145-153.	1.7	5

#	ARTICLE	IF	CITATIONS
271	Modifizierte Peptide und Peptidmimetica als potentielle Tumorhemmer. <i>Angewandte Chemie</i> , 1994, 106, 313-315.	1.6	5
272	Structural analysis of high affinity divalent phosphopeptide hybrids of spleen tyrosine kinase. <i>International Journal of Mass Spectrometry</i> , 2003, 228, 879-890.	0.7	5
273	Mirror image supramolecular helical tapes formed by the enantiomeric-depsipeptide derivatives of the amyloidogenic peptide amylin(20â€“29). <i>Tetrahedron Letters</i> , 2008, 49, 987-991.	0.7	5
274	Versatile Selective \pm -Carboxylic Acid Esterification of N-Protected Amino Acids and Peptides by Alcalase. <i>Synthesis</i> , 2009, 2009, 809-814.	1.2	5
275	Direct Structural Comparison of a Rigid Cyclic Peptidic Scaffold Using Crystallography and NMR in Strained PH Polymer Gels. <i>European Journal of Organic Chemistry</i> , 2010, 2010, 4501-4507.	1.2	5
276	A conformationally constrained fused tricyclic nisin AB-ring system mimic toward an improved pyrophosphate binder of lipid II. <i>Tetrahedron</i> , 2014, 70, 7691-7699.	1.0	5
277	Highly potent antimicrobial peptide derivatives of bovine cateslytin. <i>RSC Advances</i> , 2016, 6, 94840-94844.	1.7	5
278	Computer-aided molecular modeling and design of DNA-inserting molecules. <i>Journal of Computer-Aided Molecular Design</i> , 1992, 6, 33-46.	1.3	4
279	Backboneâ€“modified amylin derivatives: implications for amyloid inhibitor design and as template for selfâ€“assembling bionanomaterials. <i>Journal of Peptide Science</i> , 2007, 13, 709-716.	0.8	4
280	Potential scorpionate antibiotics: Targeted hydrolysis of lipid II containing model membranes by vancomycinâ€“TACzyme conjugates and modulation of their antibacterial activity by Zn-ions. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2009, 19, 3721-3724.	1.0	4
281	Molecular Construction of Sulfonamide Antisense Oligonucleotides. <i>Journal of Organic Chemistry</i> , 2019, 84, 10635-10648.	1.7	4
282	pH Controlled Aggregation Morphology of AÎ²(16â€“22): Formation of Peptide Nanotubes, Helical Tapes and Amyloid Fibrils. <i>Advances in Experimental Medicine and Biology</i> , 2009, 611, 239-240.	0.8	4
283	Synthesis of a tricyclic hexapeptide â€“via two consecutive ruthenium-catalyzed macrocyclization stepsâ€“ with a constrained topology to mimic vancomycin's binding properties toward D-Ala-D-Ala dipeptide. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2022, 73, 128887.	1.0	4
284	Synthesis and evaluation of chloromethyl sulfoxides as a new class of selective irreversible cysteine protease inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , 2007, 15, 6985-6993.	1.4	3
285	Towards the synthesis of sulfonamide-based RNA mimetics. <i>Tetrahedron: Asymmetry</i> , 2010, 21, 469-475.	1.8	3
286	Cell permeable ITAM constructs for the modulation of mediator release in mast cells. <i>Organic and Biomolecular Chemistry</i> , 2011, 9, 820-833.	1.5	3
287	Accelerating sensory recovery after sciatic nerve crush: non-selective versus melanocortin MC4 receptor-selective peptides. <i>European Journal of Pharmacology</i> , 2004, 495, 145-152.	1.7	2
288	Synthesis and biological activity of N-terminal lipidated and/or fluorescently labeled conjugates of astressin as corticotropin releasing factor antagonists. <i>Bioorganic and Medicinal Chemistry</i> , 2004, 12, 5099-5106.	1.4	2

#	ARTICLE	IF	CITATIONS
289	Synthesis of the TACO Scaffold as a New Selectively Deprotectable Conformationally Restricted Triazacyclophane Based Scaffold. <i>Organic Letters</i> , 2014, 16, 3106-3109.	2.4	2
290	Peptide Microarrays for Real-Time Kinetic Profiling of Tyrosine Phosphatase Activity of Recombinant Phosphatases and Phosphatases in Lysates of Cells or Tissue Samples. <i>Methods in Molecular Biology</i> , 2016, 1447, 67-78.	0.4	2
291	Synthesis of tris-tertiary amine CycloTriVeratrilene (TACTV) derivatives as water soluble pre-organized three aromatic ring containing molecular scaffolds for the construction of protein mimics. <i>Tetrahedron Letters</i> , 2019, 60, 151245.	0.7	2
292	Improving the aqueous solubility of HCV E2 glycoprotein epitope mimics by cyclization using POLAR hinges. <i>Journal of Peptide Science</i> , 2020, 26, e3222.	0.8	2
293	Design and Synthesis of HCV-E2 Glycoprotein Epitope Mimics in Molecular Construction of Potential Synthetic Vaccines. <i>Viruses</i> , 2021, 13, 326.	1.5	2
294	CHAPTER 10. Chemical Approaches for Localization, Characterization and Mimicry of Peptide Epitopes. <i>RSC Drug Discovery Series</i> , 2013, , 263-284.	0.2	2
295	Thermodynamics of phosphotyrosine peptide-peptoid hybrids binding to the p56 ^{lck} SH2 domain. <i>Journal of Peptide Science</i> , 2010, 16, 322-328.	0.8	1
296	Nanostructure Determines Antifungal Activity of De Novo Designed pH Dependent Histidine Containing Ultra-Short Lipopeptides. <i>Biophysical Journal</i> , 2010, 98, 278a-279a.	0.2	1
297	Triazacyclophane (TAC)-scaffolded histidine and aspartic acid residues as mimics of non-heme metalloenzyme active sites. <i>Organic and Biomolecular Chemistry</i> , 2012, 10, 1088-1092.	1.5	1
298	Unusual binding of Grb2 protein to a bivalent polyproline-ligand immobilized on a SPR sensor: Intermolecular bivalent binding. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2013, 1834, 524-535.	1.1	1
299	Solid-Phase Syntheses of Peptoids using Fmoc-Protected N-Substituted Glycines: The Synthesis of (Retro)Peptoids of Leu-Enkephalin and Substance P. , 1998, 4, 1570.		1
300	Alkene/Alkane-Bridged Mimics of the Lantibiotic Nisin: Toward Novel Peptide-Based Antibiotics. <i>Advances in Experimental Medicine and Biology</i> , 2009, 611, 533-534.	0.8	1
301	Synthesis of Cyclic Peptidosulfonamides by Ring-Closing Metathesis.. <i>ChemInform</i> , 2004, 35, no.	0.1	0
302	Peptide Transformation Leading to Peptide-Peptidosulfonamide Hybrids and Oligo Peptidosulfonamides. <i>ChemInform</i> , 2005, 36, no.	0.1	0
303	Interference with Protein-Protein Interactions Involved in Protease Inhibitor Complex Formation. , 2006, , 212-213.		0
304	Peptide-Derived (Sulfonyl)Azides as Versatile Synthons in Chemoselective Bioconjugations. , 2006, , 198-199.		0
305	Synthesis of Cyclic Peptides via Transition Metal Catalyzed C-C Bond Formation. , 2006, , 50-52.		0
306	Synthesis and Biological Activity of Polygalloyl Dendrimers as Stable Tannic Acid Mimics.. <i>ChemInform</i> , 2002, 33, 66-66.	0.1	0

#	ARTICLE	IF	CITATIONS
307	A Simple Large-Scale Synthesis of Cbz-Protected Taurylsulfonyl Azide. <i>Synlett</i> , 2011, 2011, 2228-2230.	1.0	0
308	Convenient Stereoselective Synthesis of Substituted Ureido Glycosides Using Stable 4-Chlorophenylcarbamates without the Requirement of Lewis Acids. <i>Synlett</i> , 2014, 25, 205-208.	1.0	0
309	Azide-alkyne cycloaddition affording enzymatically tunable bisubstrate based inhibitors of histone acetyltransferase PCAF. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2014, 24, 113-116.	1.0	0
310	Peptoid-Peptide Hybrids: Design, Synthesis and MHC Binding. , 2001, , 1045-1046.		0
311	Peptide Transformation and Synthesis of Oligopeptidomimetics. , 2001, , 232-233.		0
312	Covalent Control of Shape and Folding in Peptides by Ring-Closing Metathesis. , 2001, , 127-129.		0
313	Synthesis and Binding Studies of Aminothiazoline-Carbohydrate Conjugates. , 2003, , 94.		0
314	Peptidomimetic Ligands for the Tandem SH2 Domain of the Syk Protein Involved in Signal Transduction. <i>Advances in Experimental Medicine and Biology</i> , 2009, 611, 81-82.	0.8	0
315	A New Efficient Post-Assembly Strategy for the Synthesis of Sulfated Peptides. , 2006, , 158-159.		0