

Jianying Huang

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1868234/jianying-huang-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

132
papers

8,706
citations

49
h-index

92
g-index

136
ext. papers

10,760
ext. citations

9
avg, IF

6.66
L-index

#	Paper	IF	Citations
132	A review of one-dimensional TiO ₂ nanostructured materials for environmental and energy applications. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 6772-6801	13	655
131	Designing Superhydrophobic Porous Nanostructures with Tunable Water Adhesion. <i>Advanced Materials</i> , 2009 , 21, 3799-3803	24	397
130	A review on special wettability textiles: theoretical models, fabrication technologies and multifunctional applications. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 31-55	13	394
129	Robust fluorine-free superhydrophobic PDMS@rGO fabrics for highly effective self-cleaning and efficient oil-water separation. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 12179-12187	13	336
128	One-dimensional TiO ₂ Nanotube Photocatalysts for Solar Water Splitting. <i>Advanced Science</i> , 2017 , 4, 1600152	15.2	295
127	Graphene aerogels for efficient energy storage and conversion. <i>Energy and Environmental Science</i> , 2018 , 11, 772-799	35.4	272
126	A review of TiO ₂ nanostructured catalysts for sustainable H ₂ generation. <i>International Journal of Hydrogen Energy</i> , 2017 , 42, 8418-8449	6.7	260
125	Recent Advances in TiO ₂ -Based Nanostructured Surfaces with Controllable Wettability and Adhesion. <i>Small</i> , 2016 , 12, 2203-24	11	228
124	Titanate and titania nanostructured materials for environmental and energy applications: a review. <i>RSC Advances</i> , 2015 , 5, 79479-79510	3.7	209
123	Rational design of materials interface at nanoscale towards intelligent oil-water separation. <i>Nanoscale Horizons</i> , 2018 , 3, 235-260	10.8	192
122	Bioinspired Special Wettability Surfaces: From Fundamental Research to Water Harvesting Applications. <i>Small</i> , 2017 , 13, 1602992	11	187
121	Robust translucent superhydrophobic PDMS/PMMA film by facile one-step spray for self-cleaning and efficient emulsion separation. <i>Chemical Engineering Journal</i> , 2017 , 330, 26-35	14.7	169
120	Markedly controllable adhesion of superhydrophobic spongelike nanostructure TiO ₂ films. <i>Langmuir</i> , 2008 , 24, 3867-73	4	169
119	Rational construction of highly transparent superhydrophobic coatings based on a non-particle, fluorine-free and water-rich system for versatile oil-water separation. <i>Chemical Engineering Journal</i> , 2018 , 333, 621-629	14.7	160
118	A self-roughened and biodegradable superhydrophobic coating with UV shielding, solar-induced self-healing and versatile oil-water separation ability. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 2122-2128	13	156
117	Constructing multifunctional MOF@rGO hydro-/aerogels by the self-assembly process for customized water remediation. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 11873-11881	13	147
116	Bioinspired Surfaces with Superamphiphobic Properties: Concepts, Synthesis, and Applications. <i>Advanced Functional Materials</i> , 2018 , 28, 1707415	15.6	146

115	Bioinspired Surfaces with Superwettability for Anti-Icing and Ice-Phobic Application: Concept, Mechanism, and Design. <i>Small</i> , 2017 , 13, 1701867	11	145
114	Bioinspired patterning with extreme wettability contrast on TiO ₂ nanotube array surface: a versatile platform for biomedical applications. <i>Small</i> , 2013 , 9, 2945-53	11	144
113	Crafting Mussel-Inspired Metal Nanoparticle-Decorated Ultrathin Graphitic Carbon Nitride for the Degradation of Chemical Pollutants and Production of Chemical Resources. <i>Advanced Materials</i> , 2019 , 31, e1806314	24	139
112	Superhydrophilic/Superhydrophobic micropattern on TiO ₂ nanotube films by photocatalytic lithography. <i>Electrochemistry Communications</i> , 2008 , 10, 387-391	5.1	127
111	3D Au-decorated BiMoO ₆ nanosheet/TiO ₂ nanotube array heterostructure with enhanced UV and visible-light photocatalytic activity. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 16412-16421	13	125
110	A novel strategy for fabricating robust superhydrophobic fabrics by environmentally-friendly enzyme etching. <i>Chemical Engineering Journal</i> , 2019 , 355, 290-298	14.7	120
109	A transparent superhydrophobic coating with mechanochemical robustness for anti-icing, photocatalysis and self-cleaning. <i>Chemical Engineering Journal</i> , 2020 , 399, 125746	14.7	119
108	Rational design of multi-layered superhydrophobic coating on cotton fabrics for UV shielding, self-cleaning and oil-water separation. <i>Materials and Design</i> , 2017 , 134, 342-351	8.1	119
107	Liquid mobility on superwettable surfaces for applications in energy and the environment. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 38-63	13	117
106	Recent Progress of Polysaccharide-Based Hydrogel Interfaces for Wound Healing and Tissue Engineering. <i>Advanced Materials Interfaces</i> , 2019 , 6, 1900761	4.6	103
105	Enhanced photocatalytic performances of n-TiO ₂ nanotubes by uniform creation of p-n heterojunctions with p-BiOCl quantum dots. <i>Nanoscale</i> , 2015 , 7, 11552-60	7.7	102
104	Progress in TiO nanotube coatings for biomedical applications: a review. <i>Journal of Materials Chemistry B</i> , 2018 , 6, 1862-1886	7.3	94
103	Metal-organic frameworks and their derivatives with graphene composites: preparation and applications in electrocatalysis and photocatalysis. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 2934-2961	13	93
102	Immobilization of Pt Nanoparticles via Rapid and Reusable Electropolymerization of Dopamine on TiO Nanotube Arrays for Reversible SERS Substrates and Nonenzymatic Glucose Sensors. <i>Small</i> , 2017 , 13, 1604240	11	91
101	Light-Driven Sustainable Hydrogen Production Utilizing TiO ₂ Nanostructures: A Review. <i>Small Methods</i> , 2019 , 3, 1800184	12.8	91
100	Understanding the Role of Dynamic Wettability for Condensate Microdrop Self-Propelling Based on Designed Superhydrophobic TiO Nanostructures. <i>Small</i> , 2017 , 13, 1600687	11	89
99	Facile construction of robust fluorine-free superhydrophobic TiO ₂ @fabrics with excellent anti-fouling, water-oil separation and UV-protective properties. <i>Materials and Design</i> , 2017 , 128, 1-8	8.1	86
98	Synthesis, characterization, and antimicrobial activities of sulfonated chitosan. <i>Carbohydrate Polymers</i> , 2017 , 155, 321-328	10.3	84

97	Effect of chitosan and its derivatives as antifungal and preservative agents on postharvest green asparagus. <i>Food Chemistry</i> , 2014 , 155, 105-11	8.5	81
96	Uniform carbon dots@TiO nanotube arrays with full spectrum wavelength light activation for efficient dye degradation and overall water splitting. <i>Nanoscale</i> , 2017 , 9, 16046-16058	7.7	77
95	Mechanically Resistant and Sustainable Cellulose-Based Composite Aerogels with Excellent Flame Retardant, Sound-Absorption, and Superantwetting Ability for Advanced Engineering Materials. <i>ACS Sustainable Chemistry and Engineering</i> , 2018 , 6, 927-936	8.3	77
94	Controllable wettability and adhesion on bioinspired multifunctional TiO ₂ nanostructure surfaces for liquid manipulation. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 18531-18538	13	76
93	Chitosan-based edible coatings for quality preservation of postharvest whiteleg shrimp (<i>Litopenaeus vannamei</i>). <i>Journal of Food Science</i> , 2012 , 77, C491-6	3.4	76
92	Durable antibacterial and UV-protective Ag/TiO@ fabrics for sustainable biomedical application. <i>International Journal of Nanomedicine</i> , 2017 , 12, 2593-2606	7.3	66
91	MoS Quantum Dots@TiO Nanotube Arrays: An Extended-Spectrum-Driven Photocatalyst for Solar Hydrogen Evolution. <i>ChemSusChem</i> , 2018 , 11, 1708-1721	8.3	65
90	Progress on particulate matter filtration technology: basic concepts, advanced materials, and performances. <i>Nanoscale</i> , 2020 , 12, 437-453	7.7	61
89	Multifunctional wettability patterns prepared by laser processing on superhydrophobic TiO nanostructured surfaces. <i>Journal of Materials Chemistry B</i> , 2015 , 3, 342-347	7.3	58
88	A semi-interpenetrating network ionic hydrogel for strain sensing with high sensitivity, large strain range, and stable cycle performance. <i>Chemical Engineering Journal</i> , 2020 , 385, 123912	14.7	58
87	Advanced Materials with Special Wettability toward Intelligent Oily Wastewater Remediation. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 67-87	9.5	57
86	Vertically-aligned Pt-decorated MoS ₂ nanosheets coated on TiO ₂ nanotube arrays enable high-efficiency solar-light energy utilization for photocatalysis and self-cleaning SERS devices. <i>Nano Energy</i> , 2020 , 71, 104579	17.1	54
85	Highly Flexible and Porous Nanoparticle-Loaded Films for Dye Removal by Graphene Oxide-Fungus Interaction. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 34638-34647	9.5	54
84	Recent Advances in Silicon-Based Electrodes: From Fundamental Research toward Practical Applications. <i>Advanced Materials</i> , 2021 , 33, e2004577	24	51
83	Defective black Ti ³⁺ self-doped TiO ₂ and reduced graphene oxide composite nanoparticles for boosting visible-light driven photocatalytic and photoelectrochemical activity. <i>Applied Surface Science</i> , 2019 , 467-468, 45-55	6.7	49
82	Pyridine-grafted chitosan derivative as an antifungal agent. <i>Food Chemistry</i> , 2016 , 196, 381-7	8.5	48
81	Selective formation of ordered arrays of octacalcium phosphate ribbons on TiO(2) nanotube surface by template-assisted electrodeposition. <i>Colloids and Surfaces B: Biointerfaces</i> , 2010 , 76, 117-22	6	47
80	Silk fibroin-derived nitrogen-doped carbon quantum dots anchored on TiO ₂ nanotube arrays for heterogeneous photocatalytic degradation and water splitting. <i>Nano Energy</i> , 2020 , 78, 105313	17.1	47

79	Insight into the interaction between chitosan and bovine serum albumin. <i>Carbohydrate Polymers</i> , 2017 , 176, 75-82	10.3	40
78	Controllable construction of ZnO/TiO ₂ patterning nanostructures by superhydrophilic/superhydrophobic templates. <i>New Journal of Chemistry</i> , 2010 , 34, 44-51	3.6	40
77	Inhibition of bacterial adhesion and biofilm formation of sulfonated chitosan against <i>Pseudomonas aeruginosa</i> . <i>Carbohydrate Polymers</i> , 2019 , 206, 412-419	10.3	40
76	Particulate Matter Capturing via Naturally Dried ZIF-8/Graphene Aerogels under Harsh Conditions. <i>IScience</i> , 2019 , 16, 133-144	6.1	39
75	Photothermal and Joule heating-assisted thermal management sponge for efficient cleanup of highly viscous crude oil. <i>Journal of Hazardous Materials</i> , 2021 , 403, 124090	12.8	39
74	Multifunctional superamphiphobic fabrics with asymmetric wettability for one-way fluid transport and templated patterning. <i>Cellulose</i> , 2017 , 24, 1129-1141	5.5	38
73	Antibacterial activity evaluation of quaternary chitin against <i>Escherichia coli</i> and <i>Staphylococcus aureus</i> . <i>International Journal of Biological Macromolecules</i> , 2013 , 52, 85-91	7.9	37
72	Preparation of highly crystalline nitrogen-doped carbon dots and their application in sequential fluorescent detection of Fe and ascorbic acid. <i>Food Chemistry</i> , 2020 , 326, 126935	8.5	36
71	Polydopamine-Inspired Design and Synthesis of Visible-Light-Driven Ag @elongated TiO ₂ NTs Core/Shell Nanocomposites for Sustainable Hydrogen Generation. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 558-568	8.3	34
70	Preparation of chitosan/poly vinyl alcohol films and their inhibition of biofilm formation against <i>Pseudomonas aeruginosa</i> PAO1. <i>International Journal of Biological Macromolecules</i> , 2018 , 118, 2131-2137	7.9	32
69	Controlled synthesis of high-ortho-substitution phenol-formaldehyde resins. <i>Journal of Applied Polymer Science</i> , 2005 , 97, 652-658	2.9	32
68	Flame retardance and thermal stability of wool fabric treated by boron containing silica sols. <i>Materials and Design</i> , 2015 , 85, 796-799	8.1	31
67	Superhydrophilic/Superhydrophobic Template: A Simple Approach to Micro- and Nanostructure Patterning of TiO ₂ Films. <i>Journal of the Electrochemical Society</i> , 2009 , 156, D480	3.9	31
66	In-situ formation of unsaturated defect sites on converted CoNi alloy/Co-Ni LDH to activate MoS ₂ nanosheets for pH-universal hydrogen evolution reaction. <i>Chemical Engineering Journal</i> , 2021 , 412, 128556	14.7	31
65	Namib desert beetle inspired special patterned fabric with programmable and gradient wettability for efficient fog harvesting. <i>Journal of Materials Science and Technology</i> , 2021 , 61, 85-92	9.1	30
64	Preparation, Antibacterial, and Antioxidant Activities of Silver/Chitosan Composites. <i>Journal of Carbohydrate Chemistry</i> , 2014 , 33, 298-312	1.7	29
63	Evaluation antibacterial activity of quaternary-based chitin/chitosan derivatives in vitro. <i>Journal of Food Science</i> , 2013 , 78, M90-7	3.4	28
62	Co-solvent induced self-roughness superhydrophobic coatings with self-healing property for versatile oil-water separation. <i>Applied Surface Science</i> , 2018 , 459, 512-519	6.7	27

61	Mechanically Reinforced Localized Structure Design to Stabilize Solid-Electrolyte Interface of the Compositated Electrode of Si Nanoparticles and TiO Nanotubes. <i>Small</i> , 2020 , 16, e2002094	11	26
60	Boosting heterojunction interaction in electrochemical construction of MoS ₂ quantum dots@TiO ₂ nanotube arrays for highly effective photoelectrochemical performance and electrocatalytic hydrogen evolution. <i>Electrochemistry Communications</i> , 2018 , 93, 152-157	5.1	26
59	Underwater, Multifunctional Superhydrophobic Sensor for Human Motion Detection. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 4740-4749	9.5	26
58	Fabrication of patterned CdS/TiO ₂ heterojunction by wettability template-assisted electrodeposition. <i>Materials Letters</i> , 2010 , 64, 1309-1312	3.3	25
57	Synthesis of sulfonated chitosan and its antibiofilm formation activity against E. coli and S. aureus. <i>International Journal of Biological Macromolecules</i> , 2019 , 129, 980-988	7.9	24
56	Synthesis, antioxidant and cathepsin D inhibition activity of quaternary ammonium chitosan derivatives. <i>Carbohydrate Polymers</i> , 2016 , 136, 884-91	10.3	24
55	Reducing Oxygen Evolution Reaction Overpotential in Cobalt-Based Electrocatalysts via Optimizing the "Microparticles-in-Spider Web" Electrode Configurations. <i>Small</i> , 2020 , 16, e1907029	11	23
54	Magnetic responsive and flexible composite superhydrophobic photothermal film for passive anti-icing/active deicing. <i>Chemical Engineering Journal</i> , 2022 , 427, 130922	14.7	23
53	Multi-functional hybrid protonated titanate nanobelts with tunable wettability. <i>Soft Matter</i> , 2011 , 7, 6313	3.6	22
52	Charged graphene aerogel filter enabled superior particulate matter removal efficiency in harsh environment. <i>Chemical Engineering Journal</i> , 2020 , 395, 125086	14.7	22
51	Controllable Superhydrophobic Coating on Cotton Fabric by UV Induced Thiol-ene Reaction for Wettability Patterning and Device Metallization. <i>Advanced Materials Interfaces</i> , 2017 , 4, 1700268	4.6	21
50	Silver/chitosan-based Janus particles: Synthesis, characterization, and assessment of antimicrobial activity in vivo and vitro. <i>Food Research International</i> , 2015 , 78, 433-441	7	21
49	Effect of Chitosan as an Antifungal and Preservative Agent on Postharvest Blueberry. <i>Journal of Food Quality</i> , 2016 , 39, 516-523	2.7	20
48	TiO ₂ nanotube arrays decorated with Au and Bi ₂ S ₃ nanoparticles for efficient Fe ³⁺ ions detection and dye photocatalytic degradation. <i>Journal of Materials Science and Technology</i> , 2020 , 39, 28-38	9.1	20
47	Multifunctional TiO ₂ -Based Particles: The Effect of Fluorination Degree and Liquid Surface Tension on Wetting Behavior. <i>Particle and Particle Systems Characterization</i> , 2015 , 32, 355-363	3.1	19
46	In vivo and in vitro efficient textile wastewater remediation by <i>Aspergillus niger</i> biosorbent. <i>Nanoscale Advances</i> , 2019 , 1, 168-176	5.1	18
45	Rational designed structured superhydrophobic iron oxide surface towards sustainable anti-corrosion and self-cleaning. <i>Chemical Engineering Journal</i> , 2021 , 416, 127768	14.7	18
44	Bioinspired structural and functional designs towards interfacial solar steam generation for clean water production. <i>Materials Chemistry Frontiers</i> , 2021 , 5, 1510-1524	7.8	14

43	Robust amphiprotic konjac glucomannan cross-linked chitosan aerogels for efficient water remediation. <i>Cellulose</i> , 2019 , 26, 6785-6796	5.5	13
42	Bioinspired fabrication SERS substrate based on superwetable patterned platform for multiphase high-sensitive detecting. <i>Composites Communications</i> , 2018 , 10, 151-156	6.7	13
41	A superhydrophobic TPU/CNTs@SiO ₂ coating with excellent mechanical durability and chemical stability for sustainable anti-fouling and anti-corrosion. <i>Chemical Engineering Journal</i> , 2022 , 434, 134605	14.7	12
40	Rational Construction of LaFeO ₃ Perovskite Nanoparticle-Modified TiO ₂ Nanotube Arrays for Visible-Light Driven Photocatalytic Activity. <i>Coatings</i> , 2018 , 8, 374	2.9	11
39	Molybdenum sulfide cocatalyst activation upon photodeposition of cobalt for improved photocatalytic hydrogen production activity of ZnCdS. <i>Chemical Engineering Journal</i> , 2021 , 425, 131478	14.7	11
38	Fog catcher brushes with environmental friendly slippery alumina micro-needle structured surface for efficient fog-harvesting. <i>Journal of Cleaner Production</i> , 2021 , 315, 127862	10.3	10
37	Batch affinity adsorption of His-tagged proteins with EDTA-based chitosan. <i>Applied Microbiology and Biotechnology</i> , 2016 , 100, 879-91	5.7	9
36	A multifunctional and environmentally-friendly method to fabricate superhydrophilic and self-healing coatings for sustainable antifogging. <i>Chemical Engineering Journal</i> , 2021 , 409, 128228	14.7	9
35	Solar-assisted isotropically thermoconductive sponge for highly viscous crude oil spill remediation. <i>IScience</i> , 2021 , 24, 102665	6.1	9
34	Effect of chitosan pre-soaking on the growth and quality of yellow soybean sprouts. <i>Journal of the Science of Food and Agriculture</i> , 2019 , 99, 1596-1603	4.3	9
33	Noble-metal-free metallic MoC combined with CdS for enhanced visible-light-driven photocatalytic hydrogen evolution. <i>Journal of Cleaner Production</i> , 2021 , 322, 129018	10.3	9
32	Smart surfaces with reversibly switchable wettability: Concepts, synthesis and applications.. <i>Advances in Colloid and Interface Science</i> , 2021 , 300, 102584	14.3	8
31	Selective antifungal activity of chitosan and sulfonated chitosan against postharvest fungus isolated from blueberry. <i>Journal of Food Biochemistry</i> , 2018 , 42, e12658	3.3	8
30	An effective and low-consumption foam finishing strategy for robust functional fabrics with on-demand special wettability. <i>Chemical Engineering Journal</i> , 2021 , 426, 131245	14.7	8
29	Hydrogel materials for sustainable water resources harvesting & treatment: Synthesis, mechanism and applications. <i>Chemical Engineering Journal</i> , 2022 , 439, 135756	14.7	8
28	Polyaniline/Poly(acrylamide-co-sodium acrylate) Porous Conductive Hydrogels with High Stretchability by Freeze-Thaw-Shrink Treatment for Flexible Electrodes. <i>Macromolecular Materials and Engineering</i> , 2020 , 305, 1900737	3.9	7
27	One-step cyclization: synthesis of N-heteroalkyl-N'-tosylpiperazines. <i>Journal of Organic Chemistry</i> , 2012 , 77, 7506-11	4.2	7
26	Robust Superhydrophobic rGO/PPy/PDMS Coatings on a Polyurethane Sponge for Underwater Pressure and Temperature Sensing. <i>ACS Applied Materials & Interfaces</i> , 2021 ,	9.5	7

25	Fabrication of superhydrophobic surfaces inspired by lotus effect of plant leaves via swelling-vesiculating-cracking method. <i>Chemical Engineering Journal</i> , 2020 , 400, 125935	14.7	6
24	Freestanding MoS ₂ @carbonized cellulose aerogel derived from waste cotton for sustainable and highly efficient particulate matter capturing. <i>Separation and Purification Technology</i> , 2021 , 254, 117571	8.3	6
23	Studies on Lyotropic Liquid-Crystalline N-Alkyl Chitosans in Formic Acid. <i>Macromolecular Bioscience</i> , 2002 , 2, 131	5.5	5
22	Kinetics of water absorption expansion of rice during soaking at different temperatures and correlation analysis upon the influential factors. <i>Food Chemistry</i> , 2021 , 346, 128912	8.5	5
21	Effects of post-harvest stigmasterol treatment on quality-related parameters and antioxidant enzymes of green asparagus (<i>Asparagus officinalis</i> L.). <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2016 , 33, 1785-1792	3.2	5
20	One-pot loading of cadmium sulfide onto tungsten carbide for efficient photocatalytic H ₂ evolution under visible light irradiation. <i>Chemical Engineering Journal</i> , 2022 , 434, 134689	14.7	4
19	A sandwich-like structured superhydrophobic fabric for versatile and highly efficient emulsion separation. <i>Separation and Purification Technology</i> , 2021 , 275, 119253	8.3	4
18	Preparation and characterization of chitosan/poly(vinyl alcohol)/graphene oxide films and studies on their antibiofilm formation activity. <i>Journal of Biomedical Materials Research - Part A</i> , 2020 , 108, 2015-2022	5.4	3
17	Chitosan/cellulose-based beads for the affinity purification of histidine-tagged proteins. <i>Preparative Biochemistry and Biotechnology</i> , 2018 , 48, 352-360	2.4	3
16	Rapid and Controllable Design of Robust Superwetable Microchips by a Click Reaction for Efficient -Phthalaldehyde and Glucose Detection. <i>ACS Biomaterials Science and Engineering</i> , 2019 , 5, 6186-6195	5.5	3
15	Advances in particulate matter filtration: materials, performance, and application. <i>Green Energy and Environment</i> , 2022 ,	5.7	3
14	A visualization and quantification method to evaluate the water-absorbing characteristics of rice. <i>Food Chemistry</i> , 2020 , 331, 127050	8.5	2
13	Effect of Chitosan/BSA Addition on the Physical Stability of Sunflower Oil Emulsions. <i>Journal of Food Quality</i> , 2019 , 2019, 1-8	2.7	2
12	Surface plasmon resonance metal-coupled biomass carbon modified TiO ₂ nanorods for photoelectrochemical water splitting. <i>Chinese Journal of Chemical Engineering</i> , 2021 ,	3.2	2
11	Superwetting patterned PDMS/PMMA materials by facile one-step electro-spraying for signal expression and liquid transportation. <i>Chemical Engineering Journal</i> , 2021 , 431, 133206	14.7	2
10	An environmentally friendly fluorine-free sandwich coating based on a nonwoven fabric for efficient unidirectional water transport. <i>Chemical Communications</i> , 2021 , 57, 12623-12626	5.8	2
9	Antibacterial and Antibiofilm Formation Activities of Pyridinium-Based Cationic Pillar[5]arene Against. <i>Journal of Agricultural and Food Chemistry</i> , 2021 , 69, 4276-4283	5.7	2
8	Self-assembly of chiral BINOL cages imine condensation. <i>Chemical Communications</i> , 2021 , 57, 9088-9091	5.8	2

7	Fluorescent Detection of Organophosphorus Pesticides Using Carbon Dots Derived from Broccoli. <i>Arabian Journal for Science and Engineering</i> ,1	2.5	2
6	Biosynthesis of chitosan-coated iron oxide (FeO) hybrid nanocomposites from leaf extracts of L. and study on their antibacterial potentials. <i>3 Biotech</i> , 2021 , 11, 271	2.8	1
5	Coupled porosity and heterojunction engineering: MOF-derived porous CoO embedded on TiO nanotube arrays for water remediation. <i>Chemosphere</i> , 2021 , 274, 129799	8.4	1
4	In situ recycling of particulate matter for a high-performance supercapacitor and oxygen evolution reaction. <i>Materials Chemistry Frontiers</i> , 2021 , 5, 2742-2748	7.8	1
3	Tea polyphenols mediated biogenic synthesis of chitosan-coated cerium oxide (CS/CeO) nanocomposites and their potent antimicrobial capabilities.. <i>Environmental Science and Pollution Research</i> , 2022 , 1	5.1	1
2	Isolation and identification of nucleosides/nucleotides raising testosterone and NO levels of mice serum from Chinese chive (<i>Allium tuberosum</i>) leaves. <i>Andrologia</i> , 2019 , 51, e13191	2.4	0
1	Rational construction of superhydrophobic PDMS/PTW@cotton fabric for efficient UV/NIR light shielding. <i>Cellulose</i> ,1	5.5	0