

Rosaria Maddalena Ruggeri

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1868577/publications.pdf>

Version: 2024-02-01

108
papers

2,566
citations

201575

27
h-index

243529

44
g-index

116
all docs

116
docs citations

116
times ranked

2983
citing authors

#	ARTICLE	IF	CITATIONS
1	Hypopituitarism Secondary to Head Trauma. Journal of Clinical Endocrinology and Metabolism, 2000, 85, 1353-1361.	1.8	368
2	Subacute thyroiditis in a patient infected with SARS-COV-2: an endocrine complication linked to the COVID-19 pandemic. Hormones, 2021, 20, 219-221.	0.9	124
3	Autoimmune comorbidities in Hashimoto's thyroiditis: different patterns of association in adulthood and childhood/adolescence. European Journal of Endocrinology, 2017, 176, 133-141.	1.9	103
4	Oxidative Stress and Advanced Glycation End Products in Hashimoto's Thyroiditis. Thyroid, 2016, 26, 504-511.	2.4	74
5	Usefulness of L-Carnitine, A Naturally Occurring Peripheral Antagonist of Thyroid Hormone Action, in Iatrogenic Hyperthyroidism: A Randomized, Double-Blind, Placebo-Controlled Clinical Trial. Journal of Clinical Endocrinology and Metabolism, 2001, 86, 3579-3594.	1.8	60
6	Prader-Willi syndrome: An update on endocrine and metabolic complications. Reviews in Endocrine and Metabolic Disorders, 2019, 20, 239-250.	2.6	58
7	Nutritional status and follicular-derived thyroid cancer: An update. Critical Reviews in Food Science and Nutrition, 2021, 61, 25-59.	5.4	57
8	SARS-COV-2-related immune-inflammatory thyroid disorders: facts and perspectives. Expert Review of Clinical Immunology, 2021, 17, 737-759.	1.3	55
9	Endocrine and metabolic adverse effects of immune checkpoint inhibitors: an overview (what) Tj ETQq1 1 0.784314 1.8 BT / Overlock 10	1.8	51
10	MANAGEMENT OF ENDOCRINE DISEASE: L-Thyroxine replacement therapy in the frail elderly: a challenge in clinical practice. European Journal of Endocrinology, 2017, 177, R199-R217.	1.9	50
11	Autoimmune endocrine diseases. Minerva Endocrinology, 2018, 43, 305-322.	0.6	50
12	Thyroid hormone autoantibodies in primary Sjögren syndrome and rheumatoid arthritis are more prevalent than in autoimmune thyroid disease, becoming progressively more frequent in these diseases. Journal of Endocrinological Investigation, 2002, 25, 447-454.	1.8	46
13	Alemtuzumab-induced thyroid events in multiple sclerosis: a systematic review and meta-analysis. Journal of Endocrinological Investigation, 2020, 43, 219-229.	1.8	44
14	Influence of Dietary Habits on Oxidative Stress Markers in Hashimoto's Thyroiditis. Thyroid, 2021, 31, 96-105.	2.4	43
15	Obesity in Prader-Willi syndrome: physiopathological mechanisms, nutritional and pharmacological approaches. Journal of Endocrinological Investigation, 2021, 44, 2057-2070.	1.8	43
16	^{99m} Tc-Methoxy-Isobutyl-Isonitrile Scintigraphy Is a Useful Tool for Assessing the Risk of Malignancy in Thyroid Nodules with Indeterminate Fine-Needle Cytology. Thyroid, 2016, 26, 1101-1109.	2.4	41
17	Vitamin D receptor gene polymorphisms/haplotypes and serum 25(OH)D3 levels in Hashimoto's thyroiditis. Endocrine, 2017, 55, 599-606.	1.1	40
18	The management of neuroendocrine tumours: A nutritional viewpoint. Critical Reviews in Food Science and Nutrition, 2019, 59, 1046-1057.	5.4	40

#	ARTICLE	IF	CITATIONS
19	Severe head trauma in patients with unexplained central hypothyroidism. <i>American Journal of Medicine</i> , 2004, 116, 767-771.	0.6	39
20	Undetectable or low (<1 ng/ml) postsurgical thyroglobulin values do not rule out metastases in early stage differentiated thyroid cancer patients. <i>Oncotarget</i> , 2018, 9, 17491-17500.	0.8	39
21	HGF/c-met system targeting PI3K/AKT and STAT3/phosphorylated-STAT3 pathways in pituitary adenomas: an immunohistochemical characterization in view of targeted therapies. <i>Endocrine</i> , 2013, 44, 735-743.	1.1	38
22	Is Malignant Nodule Topography an Additional Risk Factor for Metastatic Disease in Low-Risk Differentiated Thyroid Cancer?. <i>Thyroid</i> , 2014, 24, 1607-1611.	2.4	35
23	Serum interleukin-23 (IL-23) is increased in Hashimoto's thyroiditis. <i>Endocrine Journal</i> , 2014, 61, 359-363.	0.7	35
24	Could AGE/RAGE-Related Oxidative Homeostasis Dysregulation Enhance Susceptibility to Pathogenesis of Cardio-Metabolic Complications in Childhood Obesity?. <i>Frontiers in Endocrinology</i> , 2019, 10, 426.	1.5	31
25	Searching for the most effective thyrotropin (TSH) threshold to rule-out autonomously functioning thyroid nodules in iodine deficient regions. <i>Endocrine</i> , 2016, 54, 757-761.	1.1	30
26	Diabetes and pancreatic neuroendocrine tumours: Which interplays, if any?. <i>Cancer Treatment Reviews</i> , 2018, 67, 1-9.	3.4	30
27	Co-expression of interleukin-6 (IL-6) and interleukin-6 receptor (IL-6R) in thyroid nodules is associated with co-expression of CD30 ligand/CD30 receptor. <i>Journal of Endocrinological Investigation</i> , 2002, 25, 959-966.	1.8	29
28	Differentiating malignant from benign thyroid nodules with indeterminate cytology by 99mTc-MIBI scan: a new quantitative method for improving diagnostic accuracy. <i>Scientific Reports</i> , 2017, 7, 6147.	1.6	29
29	Increased serum interleukin-37 (IL-37) levels correlate with oxidative stress parameters in Hashimoto's thyroiditis. <i>Journal of Endocrinological Investigation</i> , 2019, 42, 199-205.	1.8	27
30	Epidemiology of pancreatic neuroendocrine neoplasms: a gender perspective. <i>Endocrine</i> , 2020, 69, 441-450.	1.1	26
31	Follicular Variant of Papillary Thyroid Carcinoma Presenting as Toxic Nodule in an Adolescent: Coexistent Polymorphism of the <i>TSHR</i> and <i>GsIα</i> Genes. <i>Thyroid</i> , 2013, 23, 239-242.	2.4	25
32	Parathyroid carcinoma presenting as normocalcemic hyperparathyroidism. <i>Journal of Bone and Mineral Metabolism</i> , 2012, 30, 367-372.	1.3	24
33	HypoparaNet: A Database of Chronic Hypoparathyroidism Based on Expert Medical-Surgical Centers in Italy. <i>Calcified Tissue International</i> , 2018, 103, 151-163.	1.5	23
34	SARS-CoV-2 vaccine may trigger thyroid autoimmunity: real-life experience and review of the literature. <i>Journal of Endocrinological Investigation</i> , 2022, 45, 2283-2289.	1.8	22
35	Increased frequency of the rs2066853 variant of aryl hydrocarbon receptor gene in patients with acromegaly. <i>Clinical Endocrinology</i> , 2014, 81, 249-253.	1.2	21
36	Thyroid remnant ablation in differentiated thyroid cancer. <i>Nuclear Medicine Communications</i> , 2015, 36, 1100-1106.	0.5	21

#	ARTICLE	IF	CITATIONS
37	Distinctive expression of STAT3 in papillary thyroid carcinomas and a subset of follicular adenomas. <i>Histology and Histopathology</i> , 2003, 18, 393-9.	0.5	21
38	Clinical usefulness of 99mTc-MIBI scintigraphy in the postsurgical evaluation of patients with differentiated thyroid cancer. <i>Nuclear Medicine Communications</i> , 2010, 31, 274-279.	0.5	20
39	Coexistence of Graves' disease, papillary thyroid carcinoma and unilateral benign struma ovarii: Case report and review of the literature. <i>Metabolism: Clinical and Experimental</i> , 2013, 62, 1350-1356.	1.5	20
40	Association of parathyroid carcinoma and thyroid disorders: A clinical review. <i>Endocrine</i> , 2017, 56, 19-26.	1.1	20
41	Nanostructures: between natural environment and medical practice. <i>Reviews on Environmental Health</i> , 2018, 33, 295-307.	1.1	18
42	Immunoexpression of the CD30 ligand/CD30 and IL-6/IL-6R signals in thyroid autoimmune diseases. <i>Histology and Histopathology</i> , 2006, 21, 249-56.	0.5	18
43	Serum interleukin-6 levels are increased in HIV-infected patients that develop autoimmune disease during long-term follow-up. <i>Immunobiology</i> , 2018, 223, 264-268.	0.8	17
44	Expected and paradoxical effects of obesity on cancer treatment response. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2021, 22, 681-702.	2.6	17
45	Serum levels of advanced glycation end products (AGEs) are increased and their soluble receptor (sRAGE) reduced in Hashimoto's thyroiditis. <i>Journal of Endocrinological Investigation</i> , 2020, 43, 1337-1342.	1.8	17
46	Iodine nutrition optimization: are there risks for thyroid autoimmunity?. <i>Journal of Endocrinological Investigation</i> , 2021, 44, 1827-1835.	1.8	17
47	Expression of CD30 Ligand and CD30 Receptor in Normal Thyroid and Benign and Malignant Thyroid Nodules. <i>Thyroid</i> , 2001, 11, 621-628.	2.4	16
48	Cardiovascular events in acromegaly: distinct role of Agatston and Framingham score in the 5-year prediction. <i>Endocrine</i> , 2014, 47, 206-12.	1.1	16
49	Radioiodine uptake in a renal cyst mimicking a metastasis in a patient affected by differentiated thyroid cancer: case report and review of the literature. <i>Annals of Nuclear Medicine</i> , 2014, 28, 472-476.	1.2	16
50	Effects of GH replacement therapy on thyroid volume and nodule development in GH deficient adults: a retrospective cohort study. <i>European Journal of Endocrinology</i> , 2015, 172, 543-552.	1.9	16
51	Treatment of hyperthyroidism with radioiodine targeted activity: A comparison between two dosimetric methods. <i>Physica Medica</i> , 2016, 32, 847-853.	0.4	16
52	Primary Neuroendocrine Neoplasms of the Breast: Still Open Issues. <i>Frontiers in Endocrinology</i> , 2020, 11, 610230.	1.5	16
53	Early preablation rhTSH-stimulated thyroglobulin predicts outcome of differentiated thyroid cancer (DTC) patients. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 2466-2475.	3.3	16
54	Central Nervous System Vasculitis after Starting Methimazole in a Woman with Graves' Disease. <i>Thyroid</i> , 2008, 18, 1011-1013.	2.4	15

#	ARTICLE	IF	CITATIONS
55	Serum hepatocyte growth factor is increased in Hashimoto's thyroiditis whether or not it is associated with nodular goiter as compared with healthy non-goitrous individuals. <i>Journal of Endocrinological Investigation</i> , 2009, 32, 465-469.	1.8	15
56	Hepatocyte Growth Factor/C-Met Axis in Thyroid Cancer: From Diagnostic Biomarker to Therapeutic Target. <i>Biomarker Insights</i> , 2017, 12, 117727191770112.	1.0	15
57	MicroRNAs expression in pituitary tumors: differences related to functional status, pathological features, and clinical behavior. <i>Journal of Endocrinological Investigation</i> , 2020, 43, 947-958.	1.8	15
58	Clinico-pathological significance of cell-type-specific loss of heterozygosity on chromosome 7q21: analysis of 318 microdissected thyroid lesions. <i>Endocrine-Related Cancer</i> , 2004, 11, 365-376.	1.6	14
59	Development of Hashimoto's Thyroiditis After Subacute Thyroiditis: An Unusual Patient. <i>Thyroid</i> , 2009, 19, 73-74.	2.4	14
60	HER2 Analysis in Sporadic Thyroid Cancer of Follicular Cell Origin. <i>International Journal of Molecular Sciences</i> , 2016, 17, 2040.	1.8	14
61	Coexistence of diffuse large B-cell lymphoma and papillary thyroid carcinoma in a patient affected by Hashimoto's thyroiditis. <i>Archives of Endocrinology and Metabolism</i> , 2017, 61, 643-646.	0.3	14
62	The tyrosine kinase receptor c-met, its cognate ligand HGF and the tyrosine kinase receptor trasducers STAT3, PI3K and RHO in thyroid nodules associated with Hashimoto's thyroiditis: an immunohistochemical characterization. <i>European Journal of Histochemistry</i> , 2010, 54, 24.	0.6	13
63	Chronic idiopathic urticaria and Graves' disease. <i>Journal of Endocrinological Investigation</i> , 2013, 36, 531-6.	1.8	13
64	Serum interleukin-22 (IL-22) is increased in the early stage of Hashimoto's thyroiditis compared to non-autoimmune thyroid disease and healthy controls. <i>Hormones</i> , 2002, 13, 338-44.	0.9	12
65	Association of Autonomously Functioning Thyroid Nodules with Hashimoto's Thyroiditis: Study on A Large Series of Patients. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2011, 119, 621-627.	0.6	12
66	An uncommon case of Marine-Lenhart syndrome. <i>Arquivos Brasileiros De Endocrinologia E Metabologia</i> , 2014, 58, 398-401.	1.3	12
67	Multicentre clinical evaluation of the new highly sensitive Elecsys® thyroglobulin <sc> assay in patients with differentiated thyroid carcinoma. <i>Clinical Endocrinology</i> , 2018, 88, 295-302.	1.2	12
68	Recombinant human thyrotropin (rhTSH) versus Levo-thyroxine withdrawal in radioiodine therapy of differentiated thyroid cancer patients: differences in abdominal absorbed dose. <i>Endocrine</i> , 2019, 65, 132-137.	1.1	12
69	HGF/C-MET system pathways in benign and malignant histotypes of thyroid nodules: an immunohistochemical characterization. <i>Histology and Histopathology</i> , 2012, 27, 113-21.	0.5	12
70	Isthmus topography is a risk factor for persistent disease in patients with differentiated thyroid cancer. <i>European Journal of Endocrinology</i> , 2021, 185, 397-404.	1.9	11
71	Immunoexpression of Multidrug-Resistance Protein 2 and Cyclooxygenase 2 in Medullary Thyroid Carcinomas. <i>Archives of Pathology and Laboratory Medicine</i> , 2006, 130, 1014-1019.	1.2	11
72	Spontaneous recovery from isolated post-traumatic central hypogonadism in a woman. <i>Hormones</i> , 2010, 9, 332-337.	0.9	10

#	ARTICLE	IF	CITATIONS
73	Thyroid hemiagenesis, Graves' disease and differentiated thyroid cancer: a very rare association: case report and review of literature. <i>Hormones</i> , 2015, 14, 451-8.	0.9	10
74	Non-specific rheumatic manifestations in patients with Hashimoto's thyroiditis: a pilot cross-sectional study. <i>Journal of Endocrinological Investigation</i> , 2020, 43, 87-94.	1.8	10
75	Hyaluronan oligosaccharides modulate inflammatory response, NIS and thyroglobulin expression in human thyrocytes. <i>Archives of Biochemistry and Biophysics</i> , 2020, 694, 108598.	1.4	9
76	Non-functioning pituitary adenomas infrequently harbor G-protein gene mutations. <i>Journal of Endocrinological Investigation</i> , 2008, 31, 946-949.	1.8	8
77	Parathyroid carcinoma as a challenging diagnosis: Report of three cases. <i>Hormones</i> , 2012, 11, 368-376.	0.9	8
78	TP53 polymorphism may contribute to genetic susceptibility to develop Hashimoto's thyroiditis. <i>Journal of Endocrinological Investigation</i> , 2015, 38, 1175-1182.	1.8	8
79	Cell proliferation parameters and apoptosis indices in pituitary macroadenomas. <i>Journal of Endocrinological Investigation</i> , 2012, 35, 473-8.	1.8	8
80	Lack of association between autonomously functioning thyroid nodules and germline polymorphisms of the thyrotropin receptor and <i>GLIS</i> genes in a mild to moderate iodine-deficient Caucasian population. <i>Journal of Endocrinological Investigation</i> , 2014, 37, 625-630.	1.8	7
81	Skin fibrosis correlates with circulating thyrotropin levels in systemic sclerosis: translational association with Hashimoto's thyroiditis. <i>Endocrine</i> , 2016, 51, 291-297.	1.1	7
82	Correlation of cardio-metabolic parameters with vitamin D status in healthy premenopausal women. <i>Journal of Endocrinological Investigation</i> , 2017, 40, 1337-1343.	1.8	7
83	Recent insights into the pathogenesis of autoimmune hypophysitis. <i>Expert Review of Clinical Immunology</i> , 2021, 17, 1175-1185.	1.3	7
84	BRAF (V600E) mutation in isthmus malignant thyroid nodules. <i>Clinical Endocrinology</i> , 2016, 84, 152-153.	1.2	6
85	Supra-Acetabular Brown Tumor due to Primary Hyperparathyroidism Associated with Chronic Renal Failure. <i>Scientific World Journal</i> , The, 2010, 10, 799-805.	0.8	5
86	Increased serum interleukin-22 levels in patients with PRL-secreting and non-functioning pituitary macroadenomas. <i>Pituitary</i> , 2014, 17, 76-80.	1.6	5
87	Abnormal radioiodine uptake on post-therapy whole body scan and sodium/iodine symporter expression in a dermoid cyst of the ovary: report of a case and review of the literature. <i>Archives of Endocrinology and Metabolism</i> , 2015, 59, 351-354.	0.3	5
88	Hypoparathyroidism and pseudohypoparathyroidism in pregnancy: an Italian retrospective observational study. <i>Orphanet Journal of Rare Diseases</i> , 2021, 16, 421.	1.2	5
89	The unusual association of Graves' disease, chronic spontaneous urticaria, and premature ovarian failure: report of a case and HLA haplotype characterization. <i>Arquivos Brasileiros De Endocrinologia E Metabologia</i> , 2013, 57, 748-752.	1.3	4
90	Comment on: "Technical note: Single time point dose estimate for exponential clearance" [Med. Phys. 45(5), 2318-2324 (2018)]. <i>Medical Physics</i> , 2019, 46, 2776-2779.	1.6	4

#	ARTICLE	IF	CITATIONS
91	Expression of hepatocyte growth factor in Hashimoto's thyroiditis with nodular lesions. <i>European Journal of Histochemistry</i> , 2007, 51, 193-8.	0.6	4
92	Expression of P53 and isoforms in benign and malignant lesions of the head and neck. <i>Histology and Histopathology</i> , 2017, 32, 371-377.	0.5	4
93	Combined BRAFV600E analysis and 99mTc-MIBI scintigraphy can be a useful diagnostic tool in differentiated thyroid cancer patients with incomplete bio-chemical response to first radioiodine therapy (RAIT): a pilot investigation. <i>Journal of Endocrinological Investigation</i> , 2018, 41, 1283-1288.	1.8	3
94	Serum Levels of Soluble Receptor for Advanced Glycation End Products Are Reduced in Euthyroid Children with Newly Diagnosed Hashimoto's Thyroiditis: A Pilot Study. <i>Hormone Research in Paediatrics</i> , 2021, 94, 144-150.	0.8	3
95	An analytical model for improving absorbed dose calculation accuracy in non spherical autonomous functioning thyroid nodule. <i>Quarterly Journal of Nuclear Medicine and Molecular Imaging</i> , 2011, 55, 560-6.	0.4	3
96	On Possible Impairment of Smell and Taste Ability in Posttraumatic Hypopituitarism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 1427-1428.	1.8	2
97	Accidental Discovery of Lung Metastases From Differentiated Thyroid Cancer by 99mTc Sodium Pertechnetate Scan in a Patient With Secondary Hyperparathyroidism. <i>Clinical Nuclear Medicine</i> , 2012, 37, 895-896.	0.7	2
98	Prognosis of patients with differentiated thyroid carcinomas having a preoperative cytological report of indeterminate at low or high risk. A multicenter study. <i>Endocrine</i> , 2019, 66, 557-562.	1.1	2
99	Morphometric characteristics, cell proliferation parameters and apoptosis indices do not correlate with tendency to relapse in non-functioning pituitary macroadenomas. <i>Endocrine</i> , 2013, 43, 464-466.	1.1	1
100	Serum Interleukin-37 (IL-37) levels were increased and correlated with oxidative stress parameters in Hashimoto's Thyroiditis (HT) patients. <i>Endocrine Abstracts</i> , 0, , .	0.0	1
101	Immunoreactions for P53 isoforms are associated with ultrastructural proliferative profiles in benign thyroid nodules. <i>Histology and Histopathology</i> , 2016, 31, 1079-87.	0.5	1
102	Bilateral cyclic cheek lesions related to premenstrual syndrome: a multifactorial pathogenesis?. <i>Archives of Gynecology and Obstetrics</i> , 2009, 279, 927-929.	0.8	0
103	Anticorpi circolanti leganti gli ormoni tiroidei: frequenza e interferenza sui risultati dei dosaggi ormonali. <i>L Endocrinologo</i> , 2012, 13, 248-253.	0.0	0
104	Radioiodine Therapy of Benign Thyroid Diseases. , 2019, , 11-33.		0
105	Comment on "Prevalence of undifferentiated inflammatory arthropathy in patients with Hashimoto's thyroiditis in an endocrinology clinic" by Luis M. Valderrama-Hinds and co-workers. <i>Int J Rheum Dis</i> 2019; 22: 1985-1989. <i>International Journal of Rheumatic Diseases</i> , 2020, 23, 597-598.	0.9	0
106	Comment on: Report of One Case of Malignancy Among 17 Autonomous Thyroid Nodules in Children and Adolescents. <i>Journal of Paediatrics and Child Health</i> , 2021, , .	0.4	0
107	Serum thyroxine levels are associated with increased systolic pulmonary arterial pressure in systemic sclerosis. <i>Clinical and Experimental Rheumatology</i> , 2017, 35 Suppl 106, 220.	0.4	0
108	Malignant thyroid nodule topography as additional risk factor for lymph-node metastases in differentiated thyroid cancer patients. <i>European Archives of Oto-Rhino-Laryngology</i> , 2022, , 1.	0.8	0