

# John Dixon

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/187136/john-dixon-publications-by-citations.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

74  
papers

10,416  
citations

56  
h-index

79  
g-index

79  
ext. papers

11,342  
ext. citations

6.6  
avg, IF

6.23  
L-index

#	Paper	IF	Citations
74	Adjustable gastric banding and conventional therapy for type 2 diabetes: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , <b>2008</b> , 299, 316-23	27.4	1073
73	Nonalcoholic fatty liver disease: Improvement in liver histological analysis with weight loss. <i>Hepatology</i> , <b>2004</b> , 39, 1647-54	11.2	591
72	The effect of obesity on health outcomes. <i>Molecular and Cellular Endocrinology</i> , <b>2010</b> , 316, 104-8	4.4	500
71	Systematic review of medium-term weight loss after bariatric operations. <i>Obesity Surgery</i> , <b>2006</b> , 16, 1032-40	3.40	394
70	Treatment of mild to moderate obesity with laparoscopic adjustable gastric banding or an intensive medical program: a randomized trial. <i>Annals of Internal Medicine</i> , <b>2006</b> , 144, 625-33	8	371
69	The laparoscopic adjustable gastric band (Lap-Band): a prospective study of medium-term effects on weight, health and quality of life. <i>Obesity Surgery</i> , <b>2002</b> , 12, 652-60	3.7	330
68	Changes in fat-free mass during significant weight loss: a systematic review. <i>International Journal of Obesity</i> , <b>2007</b> , 31, 743-50	5.5	271
67	Laparoscopic adjustable gastric banding in severely obese adolescents: a randomized trial. <i>JAMA - Journal of the American Medical Association</i> , <b>2010</b> , 303, 519-26	27.4	265
66	Health outcomes of severely obese type 2 diabetic subjects 1 year after laparoscopic adjustable gastric banding. <i>Diabetes Care</i> , <b>2002</b> , 25, 358-63	14.6	259
65	Preoperative weight loss with a very-low-energy diet: quantitation of changes in liver and abdominal fat by serial imaging. <i>American Journal of Clinical Nutrition</i> , <b>2006</b> , 84, 304-311	7	256
64	Bariatric surgery for type 2 diabetes. <i>Lancet, The</i> , <b>2012</b> , 379, 2300-11	40	223
63	Factors associated with percent change in visceral versus subcutaneous abdominal fat during weight loss: findings from a systematic review. <i>International Journal of Obesity</i> , <b>2008</b> , 32, 619-28	5.5	217
62	American Association of Clinical Endocrinologists, The Obesity Society, and American Society for Metabolic & Bariatric Surgery Medical Guidelines for Clinical Practice for the perioperative nutritional, metabolic, and nonsurgical support of the bariatric surgery patient. <i>Surgery for Obesity and Related Diseases</i> , <b>2008</b> , 4, S109-84	3	217
61	Night eating syndrome and nocturnal snacking: association with obesity, binge eating and psychological distress. <i>International Journal of Obesity</i> , <b>2007</b> , 31, 1722-30	5.5	207
60	A prospective randomized trial of placement of the laparoscopic adjustable gastric band: comparison of the perigastric and pars flaccida pathways. <i>Obesity Surgery</i> , <b>2005</b> , 15, 820-6	3.7	204
59	American Association of Clinical Endocrinologists, The Obesity Society, and American Society for Metabolic & Bariatric Surgery medical guidelines for clinical practice for the perioperative nutritional, metabolic, and nonsurgical support of the bariatric surgery patient. <i>Obesity</i> , <b>2009</b> , 17 Suppl 1, S1-70, v	8	200
58	Surgical vs conventional therapy for weight loss treatment of obstructive sleep apnea: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , <b>2012</b> , 308, 1142-9	27.4	198

57	Laparoscopic adjustable gastric banding induces prolonged satiety: a randomized blind crossover study. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2005</b> , 90, 813-9	5.6	198
56	Quality of life after lap-band placement: influence of time, weight loss, and comorbidities. <i>Obesity</i> , <b>2001</b> , 9, 713-21		175
55	Predicting the glycemic response to gastric bypass surgery in patients with type 2 diabetes. <i>Diabetes Care</i> , <b>2013</b> , 36, 20-6	14.6	164
54	Predicting sleep apnea and excessive day sleepiness in the severely obese: indicators for polysomnography. <i>Chest</i> , <b>2003</b> , 123, 1134-41	5.3	162
53	Indications for Surgery for Obesity and Weight-Related Diseases: Position Statements from the International Federation for the Surgery of Obesity and Metabolic Disorders (IFSO). <i>Obesity Surgery</i> , <b>2016</b> , 26, 1659-96	3.7	158
52	Weight loss and non-alcoholic fatty liver disease: falls in gamma-glutamyl transferase concentrations are associated with histologic improvement. <i>Obesity Surgery</i> , <b>2006</b> , 16, 1278-86	3.7	151
51	Impaired activation of AMP-kinase and fatty acid oxidation by globular adiponectin in cultured human skeletal muscle of obese type 2 diabetics. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2005</b> , 90, 3665-72	5.6	148
50	Marked improvement in asthma after Lap-Band surgery for morbid obesity. <i>Obesity Surgery</i> , <b>1999</b> , 9, 385-9	3.7	147
49	American Association of Clinical Endocrinologists, The Obesity Society, and American Society for Metabolic & Bariatric Surgery Medical guidelines for clinical practice for the perioperative nutritional, metabolic, and nonsurgical support of the bariatric surgery patient. <i>Endocrine Practice</i> , <b>2008</b> , 14 Suppl 1, 1-83	3.2	142
48	Pre-operative predictors of weight loss at 1-year after Lap-Band surgery. <i>Obesity Surgery</i> , <b>2001</b> , 11, 200-3	3.7	138
47	Gastroesophageal reflux in obesity: the effect of lap-band placement. <i>Obesity Surgery</i> , <b>1999</b> , 9, 527-31	3.7	136
46	Cost-effectiveness of surgically induced weight loss for the management of type 2 diabetes: modeled lifetime analysis. <i>Diabetes Care</i> , <b>2009</b> , 32, 567-74	14.6	114
45	Polysomnography before and after weight loss in obese patients with severe sleep apnea. <i>International Journal of Obesity</i> , <b>2005</b> , 29, 1048-54	5.5	114
44	Improvements in insulin sensitivity and beta-cell function (HOMA) with weight loss in the severely obese. Homeostatic model assessment. <i>Diabetic Medicine</i> , <b>2003</b> , 20, 127-34	3.5	112
43	Substantial intentional weight loss and mortality in the severely obese. <i>Annals of Surgery</i> , <b>2007</b> , 246, 1028-33	7.8	105
42	Obesity and the white blood cell count: changes with sustained weight loss. <i>Obesity Surgery</i> , <b>2006</b> , 16, 251-7	3.7	103
41	Patient motivation for bariatric surgery: characteristics and impact on outcomes. <i>Obesity Surgery</i> , <b>2004</b> , 14, 392-8	3.7	103
40	Lap-band: outcomes and results. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , <b>2003</b> , 13, 265-70	2.1	102

39	Eating behavior as a prognostic factor for weight loss after gastric bypass. <i>Obesity Surgery</i> , <b>2007</b> , 17, 445-51	3.7	96
38	Body image: appearance orientation and evaluation in the severely obese. Changes with weight loss. <i>Obesity Surgery</i> , <b>2002</b> , 12, 65-71	3.7	94
37	Hunger control and regular physical activity facilitate weight loss after laparoscopic adjustable gastric banding. <i>Obesity Surgery</i> , <b>2008</b> , 18, 833-40	3.7	93
36	The effects of exercise training in addition to energy restriction on functional capacities and body composition in obese adults during weight loss: a systematic review. <i>PLoS ONE</i> , <b>2013</b> , 8, e81692	3.7	89
35	The suppressor of cytokine signaling 3 inhibits leptin activation of AMP-kinase in cultured skeletal muscle of obese humans. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2006</b> , 91, 3592-7	5.6	89
34	Pregnancy after Lap-Band surgery: management of the band to achieve healthy weight outcomes. <i>Obesity Surgery</i> , <b>2001</b> , 11, 59-65	3.7	89
33	2011 Young Investigator Award winner: Increased fat mass is associated with high levels of low back pain intensity and disability. <i>Spine</i> , <b>2011</b> , 36, 1320-5	3.3	80
32	Delayed introduction of solid feeding reduces child overweight and obesity at 10 years. <i>International Journal of Obesity</i> , <b>2010</b> , 34, 1475-9	5.5	78
31	Pro-fibrotic polymorphisms predictive of advanced liver fibrosis in the severely obese. <i>Journal of Hepatology</i> , <b>2003</b> , 39, 967-71	13.4	77
30	Cost-efficacy of surgically induced weight loss for the management of type 2 diabetes: a randomized controlled trial. <i>Diabetes Care</i> , <b>2009</b> , 32, 580-4	14.6	76
29	Bariatric surgery: an IDF statement for obese Type 2 diabetes. <i>Surgery for Obesity and Related Diseases</i> , <b>2011</b> , 7, 433-47	3	74
28	Minimal reporting requirements for weight loss: current methods not ideal. <i>Obesity Surgery</i> , <b>2005</b> , 15, 1034-9	3.7	74
27	Lipid profile in the severely obese: changes with weight loss after lap-band surgery. <i>Obesity</i> , <b>2002</b> , 10, 903-10		73
26	Relationship between obesity and foot pain and its association with fat mass, fat distribution, and muscle mass. <i>Arthritis Care and Research</i> , <b>2012</b> , 64, 262-8	4.7	66
25	Sweet eating is not a predictor of outcome after Lap-Band placement. Can we finally bury the myth?. <i>Obesity Surgery</i> , <b>2002</b> , 12, 789-94	3.7	64
24	Ghrelin modulates sympathetic nervous system activity and stress response in lean and overweight men. <i>Hypertension</i> , <b>2011</b> , 58, 43-50	8.5	61
23	Gastric bypass in Type 2 diabetes with BMI <i>Diabetic Medicine</i> , <b>2013</b> , 30, e127-34	3.5	60
22	Obesity, weight loss and bariatric surgery. <i>Medical Journal of Australia</i> , <b>2005</b> , 183, 310-4	4	60

21	Elevated homocysteine levels with weight loss after Lap-Band surgery: higher folate and vitamin B12 levels required to maintain homocysteine level. <i>International Journal of Obesity</i> , <b>2001</b> , 25, 219-27	5.5	60
20	Health-related quality of life after renal denervation in patients with treatment-resistant hypertension. <i>Hypertension</i> , <b>2012</b> , 60, 1479-84	8.5	58
19	Night eating syndrome: impact on bariatric surgery. <i>Obesity Surgery</i> , <b>2006</b> , 16, 811-20	3.7	58
18	Shoulder pain is a common problem following laparoscopic adjustable gastric band surgery. <i>Obesity Surgery</i> , <b>2005</b> , 15, 1111-7	3.7	51
17	Revisional surgery for morbid obesity--conversion to the Lap-Band system. <i>Obesity Surgery</i> , <b>2000</b> , 10, 557-63	3.7	49
16	Obesity and diabetes: the impact of bariatric surgery on type-2 diabetes. <i>World Journal of Surgery</i> , <b>2009</b> , 33, 2014-21	3.3	47
15	Alcohol consumption in the severely obese: relationship with the metabolic syndrome. <i>Obesity</i> , <b>2002</b> , 10, 245-52		47
14	Neck circumference a good predictor of raised insulin and free androgen index in obese premenopausal women: changes with weight loss. <i>Clinical Endocrinology</i> , <b>2002</b> , 57, 769-78	3.4	46
13	Dyslipidemia is associated with sympathetic nervous activation and impaired endothelial function in young females. <i>American Journal of Hypertension</i> , <b>2013</b> , 26, 250-6	2.3	45
12	The effects of dietary weight loss with or without exercise training on liver enzymes in obese metabolic syndrome subjects. <i>Diabetes, Obesity and Metabolism</i> , <b>2012</b> , 14, 139-48	6.7	44
11	Surgery as an effective early intervention for diabetes: why the reluctance?. <i>Diabetes Care</i> , <b>2005</b> , 28, 472-4	14.6	41
10	Association of weight gain with incident knee pain, stiffness, and functional difficulties: a longitudinal study. <i>Arthritis Care and Research</i> , <b>2013</b> , 65, 34-43	4.7	33
9	Obesity Paradox in Hypertension: Is This Because Sympathetic Activation in Obesity-Hypertension Takes a Benign Form?. <i>Hypertension</i> , <b>2018</b> , 71, 22-33	8.5	33
8	Obesity and chronic disease: always offender or often just accomplice?. <i>British Journal of Nutrition</i> , <b>2009</b> , 102, 1238-42	3.6	31
7	European Society of Hypertension Working Group on Obesity Antihypertensive effects of weight loss: myth or reality?. <i>Journal of Hypertension</i> , <b>2010</b> , 28, 637-43	1.9	30
6	Severe gastroesophageal reflux is associated with reduced carbon monoxide diffusing capacity. <i>Chest</i> , <b>2003</b> , 123, 1932-8	5.3	25
5	European Society of Hypertension Working Group on Obesity Obesity-induced hypertension and target organ damage: current knowledge and future directions. <i>Journal of Hypertension</i> , <b>2009</b> , 27, 207-11	11.9	24
4	Medical devices for the treatment of obesity. <i>Nature Reviews Gastroenterology and Hepatology</i> , <b>2017</b> , 14, 553-564	24.2	14

3	Anthropogens in Lifestyle Medicine. <i>American Journal of Lifestyle Medicine</i> , <b>2015</b> , 9, 232-240	1.9	5
2	Bariatric surgery for the treatment of severe complex obesity: An update. <i>Nutrition and Dietetics</i> , <b>2013</b> , 70, 172-174	2.5	1
1	Safety and effectiveness of bariatric surgery: Roux-en-y gastric bypass is superior to gastric banding in the management of morbidly obese patients: a response. <i>Patient Safety in Surgery</i> , <b>2009</b> , 3, 17	3	1