

John Dixon

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/187136/john-dixon-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

74
papers

10,416
citations

56
h-index

79
g-index

79
ext. papers

11,342
ext. citations

6.6
avg, IF

6.23
L-index

#	Paper	IF	Citations
74	Obesity Paradox in Hypertension: Is This Because Sympathetic Activation in Obesity-Hypertension Takes a Benign Form?. <i>Hypertension</i> , 2018 , 71, 22-33	8.5	33
73	Medical devices for the treatment of obesity. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2017 , 14, 553-564	24.2	14
72	Indications for Surgery for Obesity and Weight-Related Diseases: Position Statements from the International Federation for the Surgery of Obesity and Metabolic Disorders (IFSO). <i>Obesity Surgery</i> , 2016 , 26, 1659-96	3.7	158
71	Anthropogens in Lifestyle Medicine. <i>American Journal of Lifestyle Medicine</i> , 2015 , 9, 232-240	1.9	5
70	Gastric bypass in Type 2 diabetes with BMI Diabetic Medicine, 2013 , 30, e127-34	3.5	60
69	Association of weight gain with incident knee pain, stiffness, and functional difficulties: a longitudinal study. <i>Arthritis Care and Research</i> , 2013 , 65, 34-43	4.7	33
68	Predicting the glycemic response to gastric bypass surgery in patients with type 2 diabetes. <i>Diabetes Care</i> , 2013 , 36, 20-6	14.6	164
67	Dyslipidemia is associated with sympathetic nervous activation and impaired endothelial function in young females. <i>American Journal of Hypertension</i> , 2013 , 26, 250-6	2.3	45
66	Bariatric surgery for the treatment of severe complex obesity: An update. <i>Nutrition and Dietetics</i> , 2013 , 70, 172-174	2.5	1
65	The effects of exercise training in addition to energy restriction on functional capacities and body composition in obese adults during weight loss: a systematic review. <i>PLoS ONE</i> , 2013 , 8, e81692	3.7	89
64	Relationship between obesity and foot pain and its association with fat mass, fat distribution, and muscle mass. <i>Arthritis Care and Research</i> , 2012 , 64, 262-8	4.7	66
63	Bariatric surgery for type 2 diabetes. <i>Lancet, The</i> , 2012 , 379, 2300-11	40	223
62	The effects of dietary weight loss with or without exercise training on liver enzymes in obese metabolic syndrome subjects. <i>Diabetes, Obesity and Metabolism</i> , 2012 , 14, 139-48	6.7	44
61	Surgical vs conventional therapy for weight loss treatment of obstructive sleep apnea: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2012 , 308, 1142-9	27.4	198
60	Health-related quality of life after renal denervation in patients with treatment-resistant hypertension. <i>Hypertension</i> , 2012 , 60, 1479-84	8.5	58
59	2011 Young Investigator Award winner: Increased fat mass is associated with high levels of low back pain intensity and disability. <i>Spine</i> , 2011 , 36, 1320-5	3.3	80
58	Bariatric surgery: an IDF statement for obese Type 2 diabetes. <i>Surgery for Obesity and Related Diseases</i> , 2011 , 7, 433-47	3	74

57	Ghrelin modulates sympathetic nervous system activity and stress response in lean and overweight men. <i>Hypertension</i> , 2011 , 58, 43-50	8.5	61
56	Delayed introduction of solid feeding reduces child overweight and obesity at 10 years. <i>International Journal of Obesity</i> , 2010 , 34, 1475-9	5.5	78
55	Laparoscopic adjustable gastric banding in severely obese adolescents: a randomized trial. <i>JAMA - Journal of the American Medical Association</i> , 2010 , 303, 519-26	27.4	265
54	The effect of obesity on health outcomes. <i>Molecular and Cellular Endocrinology</i> , 2010 , 316, 104-8	4.4	500
53	European Society of Hypertension Working Group on Obesity Antihypertensive effects of weight loss: myth or reality?. <i>Journal of Hypertension</i> , 2010 , 28, 637-43	1.9	30
52	Cost-effectiveness of surgically induced weight loss for the management of type 2 diabetes: modeled lifetime analysis. <i>Diabetes Care</i> , 2009 , 32, 567-74	14.6	114
51	Obesity and chronic disease: always offender or often just accomplice?. <i>British Journal of Nutrition</i> , 2009 , 102, 1238-42	3.6	31
50	Cost-efficacy of surgically induced weight loss for the management of type 2 diabetes: a randomized controlled trial. <i>Diabetes Care</i> , 2009 , 32, 580-4	14.6	76
49	Obesity and diabetes: the impact of bariatric surgery on type-2 diabetes. <i>World Journal of Surgery</i> , 2009 , 33, 2014-21	3.3	47
48	Safety and effectiveness of bariatric surgery: Roux-en-y gastric bypass is superior to gastric banding in the management of morbidly obese patients: a response. <i>Patient Safety in Surgery</i> , 2009 , 3, 17	3	1
47	American Association of Clinical Endocrinologists, The Obesity Society, and American Society for Metabolic & Bariatric Surgery medical guidelines for clinical practice for the perioperative nutritional, metabolic, and nonsurgical support of the bariatric surgery patient. <i>Obesity</i> , 2009 , 17 Suppl 1, S1-70, v	8	200
46	European Society of Hypertension Working Group on Obesity Obesity-induced hypertension and target organ damage: current knowledge and future directions. <i>Journal of Hypertension</i> , 2009 , 27, 207-11	1.9	24
45	Factors associated with percent change in visceral versus subcutaneous abdominal fat during weight loss: findings from a systematic review. <i>International Journal of Obesity</i> , 2008 , 32, 619-28	5.5	217
44	American Association of Clinical Endocrinologists, The Obesity Society, and American Society for Metabolic & Bariatric Surgery Medical Guidelines for Clinical Practice for the perioperative nutritional, metabolic, and nonsurgical support of the bariatric surgery patient. <i>Surgery for Obesity and Related Diseases</i> , 2008 , 18, S109-84	3	217
43	Adjustable gastric banding and conventional therapy for type 2 diabetes: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2008 , 299, 316-23	27.4	1073
42	American Association of Clinical Endocrinologists, The Obesity Society, and American Society for Metabolic & Bariatric Surgery Medical guidelines for clinical practice for the perioperative nutritional, metabolic, and nonsurgical support of the bariatric surgery patient. <i>Endocrine Practice</i> , 2008 , 14 Suppl 1, 1-83	3.2	142
41	Hunger control and regular physical activity facilitate weight loss after laparoscopic adjustable gastric banding. <i>Obesity Surgery</i> , 2008 , 18, 833-40	3.7	93
40	Changes in fat-free mass during significant weight loss: a systematic review. <i>International Journal of Obesity</i> , 2007 , 31, 743-50	5.5	271

39	Night eating syndrome and nocturnal snacking: association with obesity, binge eating and psychological distress. <i>International Journal of Obesity</i> , 2007 , 31, 1722-30	5.5	207
38	Eating behavior as a prognostic factor for weight loss after gastric bypass. <i>Obesity Surgery</i> , 2007 , 17, 445-51	3.7	96
37	Substantial intentional weight loss and mortality in the severely obese. <i>Annals of Surgery</i> , 2007 , 246, 1028-33	7.8	105
36	The suppressor of cytokine signaling 3 inhibits leptin activation of AMP-kinase in cultured skeletal muscle of obese humans. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 3592-7	5.6	89
35	Preoperative weight loss with a very-low-energy diet: quantitation of changes in liver and abdominal fat by serial imaging. <i>American Journal of Clinical Nutrition</i> , 2006 , 84, 304-311	7	256
34	Treatment of mild to moderate obesity with laparoscopic adjustable gastric banding or an intensive medical program: a randomized trial. <i>Annals of Internal Medicine</i> , 2006 , 144, 625-33	8	371
33	Obesity and the white blood cell count: changes with sustained weight loss. <i>Obesity Surgery</i> , 2006 , 16, 251-7	3.7	103
32	Night eating syndrome: impact on bariatric surgery. <i>Obesity Surgery</i> , 2006 , 16, 811-20	3.7	58
31	Systematic review of medium-term weight loss after bariatric operations. <i>Obesity Surgery</i> , 2006 , 16, 1033-40	3.7	394
30	Weight loss and non-alcoholic fatty liver disease: falls in gamma-glutamyl transferase concentrations are associated with histologic improvement. <i>Obesity Surgery</i> , 2006 , 16, 1278-86	3.7	151
29	A prospective randomized trial of placement of the laparoscopic adjustable gastric band: comparison of the perigastric and pars flaccida pathways. <i>Obesity Surgery</i> , 2005 , 15, 820-6	3.7	204
28	Minimal reporting requirements for weight loss: current methods not ideal. <i>Obesity Surgery</i> , 2005 , 15, 1034-9	3.7	74
27	Shoulder pain is a common problem following laparoscopic adjustable gastric band surgery. <i>Obesity Surgery</i> , 2005 , 15, 1111-7	3.7	51
26	Polysomnography before and after weight loss in obese patients with severe sleep apnea. <i>International Journal of Obesity</i> , 2005 , 29, 1048-54	5.5	114
25	Obesity, weight loss and bariatric surgery. <i>Medical Journal of Australia</i> , 2005 , 183, 310-4	4	60
24	Impaired activation of AMP-kinase and fatty acid oxidation by globular adiponectin in cultured human skeletal muscle of obese type 2 diabetics. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 3665-72	5.6	148
23	Laparoscopic adjustable gastric banding induces prolonged satiety: a randomized blind crossover study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 813-9	5.6	198
22	Surgery as an effective early intervention for diabetes: why the reluctance?. <i>Diabetes Care</i> , 2005 , 28, 472-4	14.6	41

21	Patient motivation for bariatric surgery: characteristics and impact on outcomes. <i>Obesity Surgery</i> , 2004 , 14, 392-8	3.7	103
20	Nonalcoholic fatty liver disease: Improvement in liver histological analysis with weight loss. <i>Hepatology</i> , 2004 , 39, 1647-54	11.2	591
19	Lap-band: outcomes and results. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2003 , 13, 265-70	2.1	102
18	Predicting sleep apnea and excessive day sleepiness in the severely obese: indicators for polysomnography. <i>Chest</i> , 2003 , 123, 1134-41	5.3	162
17	Severe gastroesophageal reflux is associated with reduced carbon monoxide diffusing capacity. <i>Chest</i> , 2003 , 123, 1932-8	5.3	25
16	Improvements in insulin sensitivity and beta-cell function (HOMA) with weight loss in the severely obese. Homeostatic model assessment. <i>Diabetic Medicine</i> , 2003 , 20, 127-34	3.5	112
15	Pro-fibrotic polymorphisms predictive of advanced liver fibrosis in the severely obese. <i>Journal of Hepatology</i> , 2003 , 39, 967-71	13.4	77
14	Neck circumference a good predictor of raised insulin and free androgen index in obese premenopausal women: changes with weight loss. <i>Clinical Endocrinology</i> , 2002 , 57, 769-78	3.4	46
13	Lipid profile in the severely obese: changes with weight loss after lap-band surgery. <i>Obesity</i> , 2002 , 10, 903-10		73
12	Alcohol consumption in the severely obese: relationship with the metabolic syndrome. <i>Obesity</i> , 2002 , 10, 245-52		47
11	Sweet eating is not a predictor of outcome after Lap-Band placement. Can we finally bury the myth?. <i>Obesity Surgery</i> , 2002 , 12, 789-94	3.7	64
10	The laparoscopic adjustable gastric band (Lap-Band): a prospective study of medium-term effects on weight, health and quality of life. <i>Obesity Surgery</i> , 2002 , 12, 652-60	3.7	330
9	Body image: appearance orientation and evaluation in the severely obese. Changes with weight loss. <i>Obesity Surgery</i> , 2002 , 12, 65-71	3.7	94
8	Health outcomes of severely obese type 2 diabetic subjects 1 year after laparoscopic adjustable gastric banding. <i>Diabetes Care</i> , 2002 , 25, 358-63	14.6	259
7	Pregnancy after Lap-Band surgery: management of the band to achieve healthy weight outcomes. <i>Obesity Surgery</i> , 2001 , 11, 59-65	3.7	89
6	Pre-operative predictors of weight loss at 1-year after Lap-Band surgery. <i>Obesity Surgery</i> , 2001 , 11, 200-7	3.7	138
5	Quality of life after lap-band placement: influence of time, weight loss, and comorbidities. <i>Obesity</i> , 2001 , 9, 713-21		175
4	Elevated homocysteine levels with weight loss after Lap-Band surgery: higher folate and vitamin B12 levels required to maintain homocysteine level. <i>International Journal of Obesity</i> , 2001 , 25, 219-27	5.5	60

3	Revisional surgery for morbid obesity--conversion to the Lap-Band system. <i>Obesity Surgery</i> , 2000 , 10, 557-63	3.7	49
2	Gastroesophageal reflux in obesity: the effect of lap-band placement. <i>Obesity Surgery</i> , 1999 , 9, 527-31	3.7	136
1	Marked improvement in asthma after Lap-Band surgery for morbid obesity. <i>Obesity Surgery</i> , 1999 , 9, 385-9	3.7	147