

In-Chang Cho

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1871750/in-chang-cho-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

27
papers

266
citations

10
h-index

16
g-index

27
ext. papers

297
ext. citations

3
avg, IF

2.73
L-index

#	Paper	IF	Citations
27	Trends in End-of-Life Resource Utilization and Costs among Prostate Cancer Patients from 2006 to 2015: A Nationwide Population-Based Study. <i>World Journal of Men's Health</i> , 2021 , 39, 158-167	6.8	2
26	Changes in Antibiotic Resistance of Acute Bacterial Prostatitis in a Korean Single Center. <i>Urogenital Tract Infection</i> , 2019 , 14, 14	0	
25	Clinical Course of the Benign Prostate Hyplasia Patients during the Intermittent Use of 5-Alpha Reductase Inhibitors. <i>Urogenital Tract Infection</i> , 2019 , 14, 93	0	
24	Analysis of Trends of 3 Major Benign Prostatic Hyperplasia Surgery in the Last 5 Years. <i>The Korean Journal of Urological Oncology</i> , 2019 , 17, 160-167	0.1	
23	Relationship of Prostate-Specific Antigen Level With Obesity Indices in Korean Middle-Aged Population. <i>The Korean Journal of Urological Oncology</i> , 2018 , 16, 103-109	0.1	
22	Patient's Factors Correlated with Prostate Volume Recovery after 5 Alpha Reductase Inhibitor Discontinuation. <i>Urogenital Tract Infection</i> , 2018 , 13, 79	0	1
21	Semen parameters from 2002 to 2013 in Korea young population: A preliminary report. <i>Korean Journal of Urology</i> , 2015 , 56, 831-6		1
20	Efficacy of scrotal Doppler ultrasonography with the Valsalva maneuver, standing position, and resting-Valsalva ratio for varicocele diagnosis. <i>Korean Journal of Urology</i> , 2015 , 56, 144-9		13
19	Body mass index, waist-to-hip ratio, and metabolic syndrome as predictors of middle-aged men's health. <i>Korean Journal of Urology</i> , 2015 , 56, 386-92		14
18	Oncologic aspects of long-term followed incidental prostate cancer detected by cystoprostatectomy in Korean patients. <i>Prostate International</i> , 2015 , 3, 56-61	3.4	6
17	Treatment outcome of docetaxel plus prednisolone for metastatic castration-resistant prostate cancer in Korea. <i>Journal of Cancer Research and Therapeutics</i> , 2014 , 10, 251-7	1.2	2
16	Prostate volume measurement by transrectal ultrasonography: comparison of height obtained by use of transaxial and midsagittal scanning. <i>Korean Journal of Urology</i> , 2014 , 55, 470-4		11
15	Overestimation of nuclear matrix protein 22 in concentrated urine. <i>Urology</i> , 2013 , 82, 1059-64	1.6	8
14	Relationship of estimated glomerular filtration rate with lower urinary tract symptoms/benign prostatic hyperplasia measures in middle-aged men with moderate to severe lower urinary tract symptoms. <i>Urology</i> , 2013 , 82, 1381-5	1.6	7
13	Validation of the MSKCC and Heng risk criteria models for predicting survival in patients with metastatic renal cell carcinoma treated with sunitinib. <i>Annals of Surgical Oncology</i> , 2013 , 20, 4397-404	3.1	31
12	Current status of targeted therapy for advanced renal cell carcinoma. <i>Korean Journal of Urology</i> , 2012 , 53, 217-28		39
11	Adjuvant intravesical instillation for primary T1G3 bladder cancer: BCG versus MMC in Korea. <i>Anticancer Research</i> , 2012 , 32, 1493-8	2.3	6

10	Runt-related transcription factor 3 methylation as a possible prognosticator in muscle-invasive bladder cancer. <i>Cancer Biomarkers</i> , 2011 , 10, 205-11	3.8	3
9	A four-gene signature predicts disease progression in muscle invasive bladder cancer. <i>Molecular Medicine</i> , 2011 , 17, 478-85	6.2	50
8	Prostate volume has prognostic value only in pathologic T2 radical prostatectomy specimens. <i>Journal of Korean Medical Science</i> , 2011 , 26, 807-13	4.7	12
7	Role of pelvic lymph node dissection in prostate cancer treatment. <i>Korean Journal of Urology</i> , 2011 , 52, 437-45		8
6	Three-gene signature predicts disease progression of non-muscle invasive bladder cancer. <i>Oncology Letters</i> , 2011 , 2, 679-684	2.6	13
5	Paclitaxel and cisplatin chemotherapy for metastatic urothelial carcinoma after failure of two courses of platinum-based regimens. <i>International Journal of Urology</i> , 2011 , 18, 350-7	2.3	9
4	Renal safety and efficacy of cisplatin-based chemotherapy in patients with a solitary kidney after nephroureterectomy for urothelial carcinoma of the upper urinary tract. <i>Cancer Chemotherapy and Pharmacology</i> , 2011 , 67, 769-74	3.5	12
3	Prostate specific membrane antigen mRNA in blood as a potential predictor of biochemical recurrence after radical prostatectomy. <i>Journal of Korean Medical Science</i> , 2010 , 25, 1291-5	4.7	7
2	Bcl-2 as a predictive factor for biochemical recurrence after radical prostatectomy: an interim analysis. <i>Cancer Research and Treatment</i> , 2010 , 42, 157-62	5.2	10
1	Effects of Metabolic Syndrome on Chronic Kidney Disease. <i>Korean Journal of Urology</i> , 2009 , 50, 261		1