

Wen Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1874636/publications.pdf>

Version: 2024-02-01

89
papers

5,992
citations

76196

40
h-index

71532

76
g-index

91
all docs

91
docs citations

91
times ranked

3269
citing authors

#	ARTICLE	IF	CITATIONS
1	Thermoelectric properties of $(\text{GeTe})_{1-x}[(\text{Ag}_2\text{Te})_{0.4}(\text{Sb}_2\text{Te}_3)_{0.6}]_x$ alloys. <i>Rare Metals</i> , 2022, 41, 921-930.	3.6	15
2	Pressure and doping effects on the structural stability of thermoelectric BaAg_2Te_2 . <i>Journal of Physics Condensed Matter</i> , 2022, 34, 065401.	0.7	0
3	Ultralow lattice thermal conductivity enables high thermoelectric performance in BaAg_2Te_2 alloys. <i>Materials Today Physics</i> , 2022, 22, 100591.	2.9	14
4	A record thermoelectric efficiency in tellurium-free modules for low-grade waste heat recovery. <i>Nature Communications</i> , 2022, 13, 237.	5.8	99
5	Multiband transport enables thermoelectric enhancements in the SrMg_2Bi_2 compound. <i>Journal of Applied Physics</i> , 2022, 131, 135101.	1.1	0
6	Thermally insulative thermoelectric argyrodites. <i>Materials Today</i> , 2021, 48, 198-213.	8.3	52
7	Substitutions and dislocations enabled extraordinary n-type thermoelectric PbTe . <i>Materials Today Physics</i> , 2021, 17, 100355.	2.9	44
8	Manipulation of Defects for High-Performance Thermoelectric PbTe -Based Alloys. <i>Small Structures</i> , 2021, 2, 2100016.	6.9	10
9	Realizing a 14% single-leg thermoelectric efficiency in GeTe alloys. <i>Science Advances</i> , 2021, 7, .	4.7	91
10	Compromise between band structure and phonon scattering in efficient n- $\text{Mg}_3\text{Sb}_2\text{-Bi}$ thermoelectrics. <i>Materials Today Physics</i> , 2021, 18, 100362.	2.9	41
11	Preparation and thermoelectric properties of ZnTe-doped $\text{Bi}_{0.5}\text{Sb}_{1.5}\text{Te}_3$ single crystal. <i>Materials Letters</i> , 2021, 292, 129619.	1.3	5
12	Thermoelectric Transport Properties of $\text{TmAg}_{1-x}\text{Cu}_x\text{-Te}_2$ solid solutions. <i>Journal of Materiomics</i> , 2021, 7, 886-893.	2.8	3
13	Manipulation of hole and band for thermoelectric enhancements in SrCd_2Sb_2 Zintl compound. <i>Chemical Engineering Journal</i> , 2021, 420, 130530.	6.6	19
14	Nearly isotropic transport properties in anisotropically structured n-type single-crystalline Mg_3Sb_2 . <i>Materials Today Physics</i> , 2021, 21, 100508.	2.9	17
15	Ultralow and glass-like lattice thermal conductivity in crystalline BaAg_2Te_2 : Strong fourth-order anharmonicity and crucial diffusive thermal transport. <i>Materials Today Physics</i> , 2021, 21, 100487.	2.9	17
16	An over 10% module efficiency obtained using non- Bi_2Te_3 thermoelectric materials for recovering heat of ~ 600 K. <i>Energy and Environmental Science</i> , 2021, 14, 6506-6513.	15.6	66
17	Facile template-free preparation of silver-coated Cu_3SbS_4 hollow spheres with enhanced photoelectric properties. <i>Journal of Materials Chemistry C</i> , 2021, 10, 301-311.	2.7	2
18	Ternary thermoelectric AB_2C_2 Zintls. <i>Journal of Alloys and Compounds</i> , 2020, 821, 153497.	2.8	19

#	ARTICLE	IF	CITATIONS
19	Near-room-temperature rhombohedral Ge ₁ -Pb ₁ Te thermoelectrics. <i>Materials Today Physics</i> , 2020, 15, 100260.	2.9	20
20	Thermoelectric Enhancements in PbTe Alloys Due to Dislocation-Induced Strains and Converged Bands. <i>Advanced Science</i> , 2020, 7, 1902628.	5.6	78
21	Na-doping enables both dislocations and holes in EuMg ₂ Sb ₂ for thermoelectric enhancements. <i>Journal of Materials Chemistry A</i> , 2020, 8, 8345-8351.	5.2	20
22	Cu Interstitials Enable Carriers and Dislocations for Thermoelectric Enhancements in n-PbTe _{0.75} Se _{0.25} . <i>CheM</i> , 2020, 6, 523-537.	5.8	69
23	Evaluation of Thermoelectric Properties of Ag _{0.366} Sb _{0.558} Te. <i>Annalen Der Physik</i> , 2020, 532, 1900561.	0.9	5
24	Thermoelectric properties of Cu ₄ Ge ₃ Se ₅ with an intrinsic disordered zinc blende structure. <i>Journal of Materials Chemistry A</i> , 2020, 8, 3431-3437.	5.2	9
25	Thermoelectric p-Type Ag ₉ GaTe ₆ with an Intrinsically Low Lattice Thermal Conductivity. <i>ACS Applied Energy Materials</i> , 2020, 3, 1892-1898.	2.5	19
26	GeTe Thermoelectrics. <i>Joule</i> , 2020, 4, 986-1003.	11.7	215
27	Manipulation of Band Degeneracy and Lattice Strain for Extraordinary PbTe Thermoelectrics. <i>Research</i> , 2020, 2020, 8151059.	2.8	23
28	Promising cubic MnGeTe ₂ thermoelectrics. <i>Science China Materials</i> , 2019, 62, 379-388.	3.5	16
29	Band and Phonon Engineering for Thermoelectric Enhancements of Rhombohedral GeTe. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 30756-30762.	4.0	37
30	Revelation of Inherently High Mobility Enables Mg ₃ Sb ₂ as a Sustainable Alternative to Bi ₂ Te ₃ Thermoelectrics. <i>Advanced Science</i> , 2019, 6, 1802286.	5.6	71
31	Transport Properties of CdSb Alloys with a Promising Thermoelectric Performance. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 27098-27103.	4.0	12
32	Extraordinary Role of Bi for Improving Thermoelectrics in Low-Solubility SnTe-CdTe Alloys. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 26093-26099.	4.0	35
33	Extraordinary n-Type Mg ₃ SbBi Thermoelectrics Enabled by Yttrium Doping. <i>Advanced Materials</i> , 2019, 31, e1903387.	11.1	120
34	Solute manipulation enabled band and defect engineering for thermoelectric enhancements of SnTe. <i>Informa-Materials</i> , 2019, 1, 571-581.	8.5	36
35	Efficient Sc-Doped Mg _{3.05} Sc _x SbBi Thermoelectrics Near Room Temperature. <i>Chemistry of Materials</i> , 2019, 31, 8987-8994.	3.2	55
36	Low lattice thermal conductivity by alloying SnTe with AgSbTe ₂ and CaTe/MnTe. <i>Applied Physics Letters</i> , 2019, 115, .	1.5	15

#	ARTICLE	IF	CITATIONS
37	Transport properties of p-type CaMg ₂ Bi ₂ thermoelectrics. Journal of Materiomics, 2019, 5, 567-573.	2.8	21
38	Evaluation of thermoelectric CdSnAs ₂ with intrinsically low effective mass. Journal of Alloys and Compounds, 2019, 809, 151772.	2.8	4
39	Alloying for orbital alignment enables thermoelectric enhancement of EuCd ₂ Sb ₂ . Journal of Materials Chemistry A, 2019, 7, 12773-12778.	5.2	42
40	Fabrication and Thermoelectric Properties of Single-Crystal Argyrodite Ag ₈ SnSe ₆ . Chemistry of Materials, 2019, 31, 2603-2610.	3.2	35
41	Thermoelectric properties of p-type MnSe. Journal of Alloys and Compounds, 2019, 789, 953-959.	2.8	14
42	Band manipulation for high thermoelectric performance in SnTe through heavy CdSe-alloying. Journal of Materiomics, 2019, 5, 111-117.	2.8	17
43	SnTe-Based Thermoelectrics. , 2019, , 63-81.		1
44	MnTe ₂ as a novel promising thermoelectric material. Journal of Materiomics, 2018, 4, 215-220.	2.8	19
45	Crystal Structure Induced Ultralow Lattice Thermal Conductivity in Thermoelectric Ag ₉ AlSe ₆ . Advanced Energy Materials, 2018, 8, 1800030.	10.2	88
46	Single parabolic band behavior of thermoelectric p-type Cu ₄ Mn ₂ Te ₄ . Journal of Alloys and Compounds, 2018, 753, 93-99.	2.8	8
47	Low-Symmetry Rhombohedral GeTe Thermoelectrics. Joule, 2018, 2, 976-987.	11.7	402
48	Thermoelectric Transport Properties of Cd _x Bi _y Ge _{1-x-y} Te Alloys. ACS Applied Materials & Interfaces, 2018, 10, 39904-39911.	4.0	41
49	Manipulation of Band Structure and Interstitial Defects for Improving Thermoelectric SnTe. Advanced Functional Materials, 2018, 28, 1803586.	7.8	183
50	Advances in Thermoelectric Mg ₃ Sb ₂ and Its Derivatives. Small Methods, 2018, 2, 1800022.	4.6	66
51	Manipulation of Solubility and Interstitial Defects for Improving Thermoelectric SnTe Alloys. ACS Energy Letters, 2018, 3, 1969-1974.	8.8	69
52	Interstitial Defects Improving Thermoelectric SnTe in Addition to Band Convergence. ACS Energy Letters, 2017, 2, 563-568.	8.8	123
53	Promoting SnTe as an Eco-Friendly Solution for p-PbTe Thermoelectric via Band Convergence and Interstitial Defects. Advanced Materials, 2017, 29, 1605887.	11.1	317
54	Substitutional defects enhancing thermoelectric CuGaTe ₂ . Journal of Materials Chemistry A, 2017, 5, 5314-5320.	5.2	87

#	ARTICLE	IF	CITATIONS
55	Lattice Dislocations Enhancing Thermoelectric PbTe in Addition to Band Convergence. <i>Advanced Materials</i> , 2017, 29, 1606768.	11.1	365
56	Sb induces both doping and precipitation for improving the thermoelectric performance of elemental Te. <i>Inorganic Chemistry Frontiers</i> , 2017, 4, 1066-1072.	3.0	45
57	Vacancy-induced dislocations within grains for high-performance PbSe thermoelectrics. <i>Nature Communications</i> , 2017, 8, 13828.	5.8	360
58	Promising thermoelectric performance in van der Waals layered SnSe ₂ . <i>Materials Today Physics</i> , 2017, 3, 127-136.	2.9	95
59	High Thermoelectric Performance of Ag ₉ GaSe ₆ Enabled by Low Cutoff Frequency of Acoustic Phonons. <i>Joule</i> , 2017, 1, 816-830.	11.7	195
60	Thermoelectric Properties of SnS with Na-Doping. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 34033-34041.	4.0	118
61	Advances in Environment-Friendly SnTe Thermoelectrics. <i>ACS Energy Letters</i> , 2017, 2, 2349-2355.	8.8	109
62	Performance optimization and single parabolic band behavior of thermoelectric MnTe. <i>Journal of Materials Chemistry A</i> , 2017, 5, 19143-19150.	5.2	53
63	Single parabolic band transport in p-type EuZn ₂ Sb ₂ thermoelectrics. <i>Journal of Materials Chemistry A</i> , 2017, 5, 24185-24192.	5.2	38
64	Thermoelectric properties of Ni-doped BaSi ₂ . <i>Functional Materials Letters</i> , 2016, 09, 1650017.	0.7	5
65	First-principles study on band structures and electrical transports of doped-SnTe. <i>Journal of Materiomics</i> , 2016, 2, 158-164.	2.8	22
66	Vacancy scattering for enhancing the thermoelectric performance of CuGaTe ₂ solid solutions. <i>Journal of Materials Chemistry A</i> , 2016, 4, 15464-15470.	5.2	106
67	Low Sound Velocity Contributing to the High Thermoelectric Performance of Ag ₈ SnSe ₆ . <i>Advanced Science</i> , 2016, 3, 1600196.	5.6	215
68	Thermoelectric Properties of Cu ₂ SnSe ₄ with Intrinsic Vacancy. <i>Chemistry of Materials</i> , 2016, 28, 6227-6232.	3.2	115
69	Thermoelectric properties of GeSe. <i>Journal of Materiomics</i> , 2016, 2, 331-337.	2.8	67
70	Interstitial Point Defect Scattering Contributing to High Thermoelectric Performance in SnTe. <i>Advanced Electronic Materials</i> , 2016, 2, 1600019.	2.6	235
71	Tellurium as a high-performance elemental thermoelectric. <i>Nature Communications</i> , 2016, 7, 10287.	5.8	369
72	Single parabolic band behavior of thermoelectric p-type CuGaTe ₂ . <i>Journal of Materials Chemistry C</i> , 2016, 4, 209-214.	2.7	94

#	ARTICLE	IF	CITATIONS
73	Band and scattering tuning for high performance thermoelectric Sn _{1-x} MnxTe alloys. Journal of Materiomics, 2015, 1, 307-315.	2.8	193
74	Synthesis and structural control of silicon and silicide nanowires/microrods using metal chloride sources. Japanese Journal of Applied Physics, 2015, 54, 07JD02.	0.8	4
75	Significant band engineering effect of YbTe for high performance thermoelectric PbTe. Journal of Materials Chemistry C, 2015, 3, 12410-12417.	2.7	61
76	Growth of MnSi _{1.7} Layers on MnSi Substrate by Molten Salt Method. Journal of Electronic Materials, 2014, 43, 1487-1491.	1.0	5
77	Syntheses and structural characterizations of CrSi ₂ nanostructures using Si substrates under CrCl ₂ vapor. Journal of Crystal Growth, 2013, 365, 11-18.	0.7	9
78	Shape modification of Si nanowires by using faceted silicide catalysts nucleated in Au-Si catalyst solution during the growth. AIP Advances, 2013, 3, .	0.6	8
79	SYNTHESES OF NANOSTRUCTURE BUNDLES BASED ON SEMICONDUCTING METAL SILICIDES. Functional Materials Letters, 2013, 06, 1340011.	0.7	1
80	Synthesis of Si nanowires using Au catalyst accompanied with silicide nanoparticle formation. Physica Status Solidi C: Current Topics in Solid State Physics, 2013, 10, 1789-1792.	0.8	7
81	Synthesis of Mg ₂ Si and MnSi _{1.7} nanowire bundles using Si nanowire arrays as templates. Physica Status Solidi C: Current Topics in Solid State Physics, 2013, 10, 1800-1803.	0.8	2
82	Synthesis of Mg ₂ Si nanorod arrays by the heat treatment of Si nanorod arrays under Mg vapor. Physica Status Solidi C: Current Topics in Solid State Physics, 2013, 10, 1796-1799.	0.8	2
83	<i>In vivo</i> degradation and bone response of a composite coating on Mg-Zn-Ca alloy prepared by microarc oxidation and electrochemical deposition. Journal of Biomedical Materials Research - Part B Applied Biomaterials, 2012, 100B, 533-543.	1.6	70
84	Preparation and <i>in vitro</i> degradation of the composite coating with high adhesion strength on biodegradable Mg-Zn-Ca alloy. Materials Characterization, 2011, 62, 1158-1165.	1.9	50
85	Characterization and corrosion properties of TiO ₂ /HA composite coatings on Mg-Zn alloy. Surface and Interface Analysis, 2011, 43, 1575-1580.	0.8	9
86	Corrosion behavior of TiO ₂ films on Mg-Zn alloy in simulated body fluid. Applied Surface Science, 2011, 257, 4464-4467.	3.1	21
87	N-grams based feature selection and text representation for Chinese Text Classification. International Journal of Computational Intelligence Systems, 2009, 2, 365-374.	1.6	27
88	Step-coordination algorithm of traffic control based on multi-agent system. International Journal of Automation and Computing, 2009, 6, 308-313.	4.5	7
89	Syntheses and Structural Control of Silicide, Oxide and Metallic Nano-Structured Materials. Solid State Phenomena, 0, 213, 35-41.	0.3	1