

Atsushi Shibata

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1874775/publications.pdf>

Version: 2024-02-01

79
papers

5,304
citations

159525

30
h-index

88593

70
g-index

80
all docs

80
docs citations

80
times ranked

6822
citing authors

#	ARTICLE	IF	CITATIONS
1	γ H2AX foci analysis for monitoring DNA double-strand break repair: Strengths, limitations and optimization. <i>Cell Cycle</i> , 2010, 9, 662-669.	1.3	545
2	DNA double-strand break repair pathway regulates PD-L1 expression in cancer cells. <i>Nature Communications</i> , 2017, 8, 1751.	5.8	497
3	DNA Double-Strand Break Repair Pathway Choice Is Directed by Distinct MRE11 Nuclease Activities. <i>Molecular Cell</i> , 2014, 53, 7-18.	4.5	466
4	ATM and Artemis promote homologous recombination of radiation-induced DNA double-strand breaks in G2. <i>EMBO Journal</i> , 2009, 28, 3413-3427.	3.5	457
5	Factors determining DNA double-strand break repair pathway choice in G2 phase. <i>EMBO Journal</i> , 2011, 30, 1079-1092.	3.5	381
6	53BP1-dependent robust localized KAP-1 phosphorylation is essential for heterochromatic DNA double-strand break repair. <i>Nature Cell Biology</i> , 2010, 12, 177-184.	4.6	289
7	Human Rad52 Promotes XPG-Mediated R-loop Processing to Initiate Transcription-Associated Homologous Recombination Repair. <i>Cell</i> , 2018, 175, 558-570.e11.	13.5	229
8	DNA Double-Strand Break Resection Occurs during Non-homologous End Joining in G1 but Is Distinct from Resection during Homologous Recombination. <i>Molecular Cell</i> , 2017, 65, 671-684.e5.	4.5	184
9	Regulation of repair pathway choice at two-ended DNA double-strand breaks. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2017, 803-805, 51-55.	0.4	141
10	BRCA1 Directs the Repair Pathway to Homologous Recombination by Promoting 53BP1 Dephosphorylation. <i>Cell Reports</i> , 2017, 18, 520-532.	2.9	136
11	Novel Approaches to Improve the Efficacy of Immuno-Radiotherapy. <i>Frontiers in Oncology</i> , 2019, 9, 156.	1.3	119
12	Sensitization to Radiation and Alkylating Agents by Inhibitors of Poly(ADP-ribose) Polymerase Is Enhanced in Cells Deficient in DNA Double-Strand Break Repair. <i>Molecular Cancer Therapeutics</i> , 2010, 9, 1775-1787.	1.9	118
13	Endogenously induced DNA double strand breaks arise in heterochromatic DNA regions and require ataxia telangiectasia mutated and Artemis for their repair. <i>Nucleic Acids Research</i> , 2011, 39, 6986-6997.	6.5	111
14	Co-operation of BRCA1 and POH1 relieves the barriers posed by 53BP1 and RAP80 to resection. <i>Nucleic Acids Research</i> , 2013, 41, 10298-10311.	6.5	99
15	Role of ATM and the Damage Response Mediator Proteins 53BP1 and MDC1 in the Maintenance of G ₂ /M Checkpoint Arrest. <i>Molecular and Cellular Biology</i> , 2010, 30, 3371-3383.	1.1	97
16	Opposing roles for 53BP1 during homologous recombination. <i>Nucleic Acids Research</i> , 2013, 41, 9719-9731.	6.5	74
17	Base excision repair regulates PD-L1 expression in cancer cells. <i>Oncogene</i> , 2019, 38, 4452-4466.	2.6	70
18	SETDB1, HP1 and SUV39 promote repositioning of 53BP1 to extend resection during homologous recombination in G2 cells. <i>Nucleic Acids Research</i> , 2015, 43, 7931-7944.	6.5	69

#	ARTICLE	IF	CITATIONS
19	Visualisation of $\hat{1}^3\text{H}2\text{AX}$ Foci Caused by Heavy Ion Particle Traversal; Distinction between Core Track versus Non-Track Damage. <i>PLoS ONE</i> , 2013, 8, e70107.	1.1	68
20	Clustered DNA double-strand break formation and the repair pathway following heavy-ion irradiation. <i>Journal of Radiation Research</i> , 2019, 60, 69-79.	0.8	67
21	Roles for 53BP1 in the repair of radiation-induced DNA double strand breaks. <i>DNA Repair</i> , 2020, 93, 102915.	1.3	61
22	Parp-1 deficiency causes an increase of deletion mutations and insertions/rearrangements in vivo after treatment with an alkylating agent. <i>Oncogene</i> , 2005, 24, 1328-1337.	2.6	59
23	The pendulum of the Ku-Ku clock. <i>DNA Repair</i> , 2018, 71, 164-171.	1.3	52
24	3D-structured illumination microscopy reveals clustered DNA double-strand break formation in widespread $\hat{1}^3\text{H}2\text{AX}$ foci after high LET heavy-ion particle radiation. <i>Oncotarget</i> , 2017, 8, 109370-109381.	0.8	51
25	Visualization of complex DNA double-strand breaks in a tumor treated with carbon ion radiotherapy. <i>Scientific Reports</i> , 2016, 6, 22275.	1.6	49
26	Combination of Anti-Cancer Drugs with Molecular Chaperone Inhibitors. <i>International Journal of Molecular Sciences</i> , 2019, 20, 5284.	1.8	43
27	Regulation of programmed death ligand 1 expression in response to DNA damage in cancer cells: Implications for precision medicine. <i>Cancer Science</i> , 2019, 110, 3415-3423.	1.7	42
28	ATM's Role in the Repair of DNA Double-Strand Breaks. <i>Genes</i> , 2021, 12, 1370.	1.0	38
29	Carbon-Ion Beam Irradiation Kills X-Ray-Resistant p53-Null Cancer Cells by Inducing Mitotic Catastrophe. <i>PLoS ONE</i> , 2014, 9, e115121.	1.1	37
30	Differential involvement of phosphatidylinositol 3-kinase-related protein kinases in hyperphosphorylation of replication protein A2 in response to replication-mediated DNA double-strand breaks. <i>Genes To Cells</i> , 2006, 11, 237-246.	0.5	35
31	Robustness of Clonogenic Assays as a Biomarker for Cancer Cell Radiosensitivity. <i>International Journal of Molecular Sciences</i> , 2019, 20, 4148.	1.8	33
32	Analysis of Human Syndromes with Disordered Chromatin Reveals the Impact of Heterochromatin on the Efficacy of ATM-Dependent G ₂ /M Checkpoint Arrest. <i>Molecular and Cellular Biology</i> , 2011, 31, 4022-4035.	1.1	32
33	A historical reflection on our understanding of radiation-induced DNA double strand break repair in somatic mammalian cells; interfacing the past with the present. <i>International Journal of Radiation Biology</i> , 2019, 95, 945-956.	1.0	31
34	Aquarius is required for proper CtIP expression and homologous recombination repair. <i>Scientific Reports</i> , 2017, 7, 13808.	1.6	30
35	The EGFR mutation status affects the relative biological effectiveness of carbon-ion beams in non-small cell lung carcinoma cells. <i>Scientific Reports</i> , 2015, 5, 11305.	1.6	29
36	Mitotic catastrophe is a putative mechanism underlying the weak correlation between sensitivity to carbon ions and cisplatin. <i>Scientific Reports</i> , 2017, 7, 40588.	1.6	29

#	ARTICLE	IF	CITATIONS
37	Inhibition of the HDAC/Suv39/G9a pathway restores the expression of DNA damage-dependent major histocompatibility complex class I-related chain A and B in cancer cells. <i>Oncology Reports</i> , 2017, 38, 693-702.	1.2	25
38	Genomic DNA damage and ATR-Chk1 signaling determine oncolytic adenoviral efficacy in human ovarian cancer cells. <i>Journal of Clinical Investigation</i> , 2011, 121, 1283-1297.	3.9	25
39	Canonical DNA non-homologous end-joining; capacity versus fidelity. <i>British Journal of Radiology</i> , 2020, 93, 20190966.	1.0	24
40	Radiosensitivity Differences between EGFR Mutant and Wild-Type Lung Cancer Cells are Larger at Lower Doses. <i>International Journal of Molecular Sciences</i> , 2019, 20, 3635.	1.8	22
41	Role of Parp-1 in suppressing spontaneous deletion mutation in the liver and brain of mice at adolescence and advanced age. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2009, 664, 20-27.	0.4	20
42	DNA Repair and Signaling in Immune-Related Cancer Therapy. <i>Frontiers in Molecular Biosciences</i> , 2020, 7, 205.	1.6	20
43	DNA double-strand break end resection: a critical relay point for determining the pathway of repair and signaling. <i>Genome Instability & Disease</i> , 2020, 1, 155-171.	0.5	18
44	UBC13-Mediated Ubiquitin Signaling Promotes Removal of Blocking Adducts from DNA Double-Strand Breaks. <i>IScience</i> , 2020, 23, 101027.	1.9	17
45	Roles for the DNA-PK complex and 53BP1 in protecting ends from resection during DNA double-strand break repair. <i>Journal of Radiation Research</i> , 2020, 61, 718-726.	0.8	17
46	High linear energy transfer carbon-ion irradiation upregulates PD-L1 expression more significantly than X-rays in human osteosarcoma U2OS cells. <i>Journal of Radiation Research</i> , 2021, 62, 773-781.	0.8	17
47	Mutational analysis of uterine cervical cancer that survived multiple rounds of radiotherapy. <i>Oncotarget</i> , 2018, 9, 32642-32652.	0.8	16
48	Analysis of radiotherapy-induced alteration of CD8+ T cells and PD-L1 expression in patients with uterine cervical squamous cell carcinoma. <i>Oncology Letters</i> , 2021, 21, 446.	0.8	16
49	Carbon-ion beams effectively induce growth inhibition and apoptosis in human neural stem cells compared with glioblastoma A172 cells. <i>Journal of Radiation Research</i> , 2015, 56, 856-861.	0.8	15
50	RAD51 and BRCA2 Enhance Oncolytic Adenovirus Type 5 Activity in Ovarian Cancer. <i>Molecular Cancer Research</i> , 2016, 14, 44-55.	1.5	15
51	Regulation of pairing between broken DNA-containing chromatin regions by Ku80, DNA-PKcs, ATM, and 53BP1. <i>Scientific Reports</i> , 2017, 7, 41812.	1.6	15
52	Pre-Exposure to Ionizing Radiation Stimulates DNA Double Strand Break End Resection, Promoting the Use of Homologous Recombination Repair. <i>PLoS ONE</i> , 2015, 10, e0122582.	1.1	13
53	Relative Biological Effectiveness of Carbon Ions for Head-and-Neck Squamous Cell Carcinomas According to Human Papillomavirus Status. <i>Journal of Personalized Medicine</i> , 2020, 10, 71.	1.1	13
54	DNA damage promotes HLA class I presentation by stimulating a pioneer round of translation-associated antigen production. <i>Molecular Cell</i> , 2022, 82, 2557-2570.e7.	4.5	13

#	ARTICLE	IF	CITATIONS
55	One-step Protocol for Evaluation of the Mode of Radiation-induced Clonogenic Cell Death by Fluorescence Microscopy. <i>Journal of Visualized Experiments</i> , 2017, , .	0.2	12
56	FGFR Signaling as a Candidate Therapeutic Target for Cancers Resistant to Carbon Ion Radiotherapy. <i>International Journal of Molecular Sciences</i> , 2019, 20, 4563.	1.8	12
57	Identification of DNA double strand breaks at chromosome boundaries along the track of particle irradiation. <i>Genes Chromosomes and Cancer</i> , 2016, 55, 650-660.	1.5	11
58	Modulation of immune responses by DNA damage signaling. <i>DNA Repair</i> , 2021, 104, 103135.	1.3	8
59	DNA Double-Strand Break Repair Pathway Choice Is Directed by Distinct MRE11 Nuclease Activities. <i>Molecular Cell</i> , 2014, 53, 361.	4.5	7
60	Deep learning-assisted literature mining for in vitro radiosensitivity data. <i>Radiotherapy and Oncology</i> , 2019, 139, 87-93.	0.3	7
61	Comparison of Clonogenic Survival Data Obtained by Pre- and Post-Irradiation Methods. <i>Journal of Personalized Medicine</i> , 2020, 10, 171.	1.1	7
62	Expression of non-homologous end joining factor, Ku80, is negatively correlated with PD-L1 expression in cancer cells after X-ray irradiation. <i>Oncology Letters</i> , 2021, 23, 29.	0.8	7
63	Analysis of programmed death-ligand 1 expression in primary normal human dermal fibroblasts after DNA damage. <i>Human Immunology</i> , 2018, 79, 627-631.	1.2	6
64	Induction of Micronuclei in Cervical Cancer Treated with Radiotherapy. <i>Journal of Personalized Medicine</i> , 2020, 10, 110.	1.1	6
65	Reporting of methodologies used for clonogenic assays to determine radiosensitivity. <i>Journal of Radiation Research</i> , 2020, 61, 828-831.	0.8	5
66	⁶⁴ Cu-ATSM Predicts Efficacy of Carbon Ion Radiotherapy Associated with Cellular Antioxidant Capacity. <i>Cancers</i> , 2021, 13, 6159.	1.7	5
67	p53 deficiency augments nucleolar instability after ionizing irradiation. <i>Oncology Reports</i> , 2019, 42, 2293-2302.	1.2	4
68	Efficient method for mapping and characterizing structures of deletion mutations in δ mice using Southern blot analysis with oligo DNA probes. <i>Environmental and Molecular Mutagenesis</i> , 2004, 43, 204-207.	0.9	3
69	Genome Maintenance Mechanisms at the Chromatin Level. <i>International Journal of Molecular Sciences</i> , 2021, 22, 10384.	1.8	3
70	Mechanism of chromosome rearrangement arising from single-strand breaks. <i>Biochemical and Biophysical Research Communications</i> , 2021, 572, 191-196.	1.0	3
71	RAP80 suppresses the vulnerability of R-loops during DNA double-strand break repair. <i>Cell Reports</i> , 2022, 38, 110335.	2.9	3
72	RNF8 promotes high linear energy transfer carbon-ion-induced DNA double-stranded break repair in serum-starved human cells. <i>DNA Repair</i> , 2020, 91-92, 102872.	1.3	2

#	ARTICLE	IF	CITATIONS
73	Quantitative volumetric analysis of the Golgi apparatus following X-ray irradiation by super-resolution 3D-SIM microscopy. <i>Medical Molecular Morphology</i> , 2021, 54, 166-172.	0.4	2
74	Radiosensitization by the Selective Pan-FGFR Inhibitor LY2874455. <i>Cells</i> , 2022, 11, 1727.	1.8	1
75	Molecular Mechanism of PD-L1 Upregulation in Cancer Cells after X-Ray Irradiation. <i>International Journal of Radiation Oncology Biology Physics</i> , 2017, 99, S163.	0.4	0
76	ATM: Its Recruitment, Activation, Signalling and Contribution to Tumour Suppression. <i>Cancer Drug Discovery and Development</i> , 2018, , 129-154.	0.2	0
77	Abstract 591: Host cell DNA damage and inflammation responses determine oncolytic adenovirus efficacy in ovarian cancer. , 2010, , .		0
78	Other Determinants of Sensitivity. <i>Cancer Drug Discovery and Development</i> , 2015, , 363-379.	0.2	0
79	8.2.2ã€œDNA Damage and Repair by Particle Beam. <i>Radioisotopes</i> , 2019, 68, 693-700.	0.1	0