

Samuel Lenell

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1875657/publications.pdf>

Version: 2024-02-01

10
papers

120
citations

1478505

6
h-index

1588992

8
g-index

10
all docs

10
docs citations

10
times ranked

114
citing authors

#	ARTICLE	IF	CITATIONS
1	Neurointensive care of traumatic brain injury in the elderly—age-specific secondary insult levels and optimal physiological levels to target need to be defined. <i>Acta Neurochirurgica</i> , 2022, 164, 117-128.	1.7	2
2	Prognosis in moderate-severe traumatic brain injury in a Swedish cohort and external validation of the IMPACT models. <i>Acta Neurochirurgica</i> , 2022, 164, 615-624.	1.7	4
3	Endovascular treatment of type 1 and type 4 non-saccular aneurysms of cerebral arteries — a single-Centre experience. <i>Interventional Neuroradiology</i> , 2021, 27, 372-387.	1.1	0
4	Pre-injury antithrombotic agents predict intracranial hemorrhagic progression, but not worse clinical outcome in severe traumatic brain injury. <i>Acta Neurochirurgica</i> , 2021, 163, 1403-1413.	1.7	9
5	Decompressive Craniectomy in Traumatic Brain Injury—Craniectomy-Related and Cranioplasty-Related Complications in a Single Center. <i>World Neurosurgery</i> , 2021, 148, e508-e517.	1.3	12
6	Use of Distal Intracranial Catheters for Better Working View of Cerebral Aneurysms Hidden by Parent Artery or Its Branches: A Technical Note. <i>Neurointervention</i> , 2021, 16, 267-274.	0.8	0
7	Clinical outcome and prognostic factors in elderly traumatic brain injury patients receiving neurointensive care. <i>Acta Neurochirurgica</i> , 2019, 161, 1243-1254.	1.7	17
8	Decompressive craniectomy in traumatic brain injury: usage and clinical outcome in a single centre. <i>Acta Neurochirurgica</i> , 2018, 160, 229-237.	1.7	41
9	Promising clinical outcome of elderly with TBI after modern neurointensive care. <i>Acta Neurochirurgica</i> , 2016, 158, 125-133.	1.7	25
10	Updated periodic evaluation of standardized neurointensive care shows that it is possible to maintain a high level of favorable outcome even with increasing mean age. <i>Acta Neurochirurgica</i> , 2015, 157, 417-425.	1.7	10