Inger Ã~ynebrÃ¥ten

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1875685/publications.pdf Version: 2024-02-01



INCED Ã~VNERDÂ¥TEN

#	Article	IF	CITATIONS
1	Antibody-mediated delivery of T-cell epitopes to antigen-presenting cells induce strong CD4 and CD8 T-cell responses. Vaccine, 2021, 39, 1583-1592.	1.7	Ο
2	The Immune Landscape of Human Primary Lung Tumors Is Th2 Skewed. Frontiers in Immunology, 2021, 12, 764596.	2.2	31
3	Involvement of autophagy in MHC class I antigen presentation. Scandinavian Journal of Immunology, 2020, 92, e12978.	1.3	19
4	The immune microenvironment in typical carcinoid lung tumour, a brief report of four cases. Scandinavian Journal of Immunology, 2020, 92, e12893.	1.3	6
5	Antibody combinations for optimized staining of macrophages in human lung tumours. Scandinavian Journal of Immunology, 2020, 92, e12889.	1.3	16
6	A human endothelial cell-based recycling assay for screening of FcRn targeted molecules. Nature Communications, 2018, 9, 621.	5.8	59
7	Both Type I and Type II Interferons Can Activate Antitumor M1 Macrophages When Combined With TLR Stimulation. Frontiers in Immunology, 2018, 9, 2520.	2.2	86
8	Immune Cell Composition in Human Non-small Cell Lung Cancer. Frontiers in Immunology, 2018, 9, 3101.	2.2	202
9	Immune Class Regulation and Its Medical Significance Part II of a Report of a Workshop on Foundational Concepts of Immune Regulation. Scandinavian Journal of Immunology, 2017, 85, 242-250.	1.3	4
10	Immunological Tolerance. Part I of a Report of a Workshop on Foundational Concepts of Immune Regulation. Scandinavian Journal of Immunology, 2017, 85, 84-94.	1.3	11
11	Multi-staining registration of large histology images. , 2017, , .		9
12	Toll-Like Receptor Ligands and Interferon- ^{ĵ3} Synergize for Induction of Antitumor M1 Macrophages. Frontiers in Immunology, 2017, 8, 1383.	2.2	166
13	Generation and Functional In Vitro Analysis of Semliki Forest Virus Vectors Encoding TNF-α and IFN-γ. Frontiers in Immunology, 2017, 8, 1667.	2.2	13
14	Coupling of HIV-1 Antigen to the Selective Autophagy Receptor SQSTM1/p62 Promotes T-Cell-Mediated Immunity. Frontiers in Immunology, 2016, 7, 167.	2.2	16
15	Rituximab efficiently depletes B cells in lung tumorsÂand normal lung tissue. F1000Research, 2016, 5, 38.	0.8	15
16	Oligomerized, filamentous surface presentation of RANTES/CCL5 on vascular endothelial cells. Scientific Reports, 2015, 5, 9261.	1.6	22
17	Lactobacillus plantarum displaying CCL3 chemokine in fusion with HIV-1 Gag derived antigen causes increased recruitment of T cells. Microbial Cell Factories, 2015, 14, 169.	1.9	26
18	Increased Generation of HIV-1 gp120-Reactive CD8+ T Cells by a DNA Vaccine Construct Encoding the Chemokine CCL3. PLoS ONE, 2014, 9, e104814.	1.1	11

Inger Ã~ynebrÃ¥ten

#	Article	IF	CITATIONS
19	DNA Vaccines: MHC II-Targeted Vaccine Protein Produced by Transfected Muscle Fibres Induces a Local Inflammatory Cell Infiltrate in Mice. PLoS ONE, 2014, 9, e108069.	1.1	10
20	CD40/APC-specific antibodies with three T-cell epitopes loaded in the constant domains induce CD4+ T-cell responses. Protein Engineering, Design and Selection, 2012, 25, 89-96.	1.0	3
21	Generation of Antibodyâ€Producing Hybridomas Following One Single Immunization with a Targeted DNA Vaccine. Scandinavian Journal of Immunology, 2012, 75, 379-388.	1.3	17
22	Serglycin Is a Major Proteoglycan in Polarized Human Endothelial Cells and Is Implicated in the Secretion of the Chemokine GROα/CXCL1. Journal of Biological Chemistry, 2011, 286, 2636-2647.	1.6	48
23	Molecular Requirements for Sorting of the Chemokine Interleukin-8/CXCL8 to Endothelial Weibel-Palade Bodies. Journal of Biological Chemistry, 2009, 284, 23532-23539.	1.6	20
24	Endocytosis and degradation of serglycin in liver sinusoidal endothelial cells. Molecular and Cellular Biochemistry, 2006, 287, 43-52.	1.4	7
25	Tissue Transglutaminase-Mediated Formation and Cleavage of Histamine-Gliadin Complexes: Biological Effects and Implications for Celiac Disease. Journal of Immunology, 2005, 174, 1657-1663.	0.4	38
26	Characterization of a Novel Chemokine-Containing Storage Granule in Endothelial Cells: Evidence for Preferential Exocytosis Mediated by Protein Kinase A and Diacylglycerol. Journal of Immunology, 2005, 175, 5358-5369.	0.4	60
27	Rapid chemokine secretion from endothelial cells originates from 2 distinct compartments. Blood, 2004, 104, 314-320.	0.6	102
28	Serglycin secreted by leukocytes is efficiently eliminated from the circulation by sinusoidal scavenger endothelial cells in the liver. Journal of Leukocyte Biology, 2000, 67, 183-188.	1.5	35