Andrew J Taylor

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1878643/andrew-j-taylor-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

137	7,325	39	84
papers	citations	h-index	g-index
151	8,937 ext. citations	5.4	5.71
ext. papers		avg, IF	L-index

#	Paper	IF	Citations
137	Development and validation of a comprehensive early risk prediction model for patients with undifferentiated acute chest pain <i>IJC Heart and Vasculature</i> , 2022 , 40, 101043	2.4	O
136	Association between pre-hospital chest pain severity and myocardial injury in ST elevation myocardial infarction: A post-hoc analysis of the AVOID study. <i>IJC Heart and Vasculature</i> , 2021 , 37, 100	8 39 4	
135	Differentiating Nonischemic Dilated Cardiomyopathy With Incidental Infarction From Ischemic Cardiomyopathy by Geometric Indices Derived From Cardiovascular Magnetic Resonance. <i>Journal of Thoracic Imaging</i> , 2021 , 36, 248-253	5.6	3
134	The results of a single-center experience with HeartMate 3 in a biventricular configuration. <i>Journal of Heart and Lung Transplantation</i> , 2021 , 40, 193-200	5.8	6
133	A prospective STudy using invAsive haemodynamic measurements foLLowing catheter ablation for AF and early HFpEF: STALL AF-HFpEF. <i>European Journal of Heart Failure</i> , 2021 , 23, 785-796	12.3	16
132	Acute electrical, autonomic and structural effects of binge drinking: Insights into the Rholiday heart syndromeR <i>International Journal of Cardiology</i> , 2021 , 331, 100-105	3.2	3
131	An open-label, non-inferiority randomized controlled trial of lidocAine Versus Opioids In MyocarDial Infarction study (AVOID-2 study) methods paper. <i>Contemporary Clinical Trials</i> , 2021 , 105, 106411	2.3	3
130	Maximal Wall Thickness Measurement in Hypertrophic Cardiomyopathy: Biomarker Variability and its Impact on Clinical Care. <i>JACC: Cardiovascular Imaging</i> , 2021 , 14, 2123-2134	8.4	2
129	Cost-Effectiveness of Cardiovascular Magnetic Resonance in Diagnosing Coronary Artery Disease in the Australian Health Care System. <i>Heart Lung and Circulation</i> , 2021 , 30, 380-387	1.8	5
128	Interpretation of clinical studies in electrophysiology: statistical considerations for the clinician. <i>Europace</i> , 2021 , 23, 821-827	3.9	2
127	Noninvasive Identification of Carditis in Acute Rheumatic Fever <i>JACC: Cardiovascular Imaging</i> , 2021 , 15, 707-707	8.4	
126	Catheter Ablation Versus Medication in Atrial Fibrillation and Systolic Dysfunction: Late Outcomes of CAMERA-MRI Study. <i>JACC: Clinical Electrophysiology</i> , 2020 , 6, 1721-1731	4.6	4
125	Measuring atrial stasis during sinus rhythm in patients with paroxysmal atrial fibrillation using 4 Dimensional flow imaging: 4D flow imaging of atrial stasis. <i>International Journal of Cardiology</i> , 2020 , 315, 45-50	3.2	4
124	T mapping performance and measurement repeatability: results from the multi-national T mapping standardization phantom program (T1MES). <i>Journal of Cardiovascular Magnetic Resonance</i> , 2020 , 22, 31	6.9	10
123	CSANZ Imaging Council Position Statement on Echocardiography Services During the COVID-19 Pandemic. <i>Heart Lung and Circulation</i> , 2020 , 29, e78-e83	1.8	7
122	Echocardiographic screening to determine progression of latent rheumatic heart disease in endemic areas: A systematic review and meta-analysis. <i>PLoS ONE</i> , 2020 , 15, e0234196	3.7	3
121	Alcohol Abstinence in Drinkers with Atrial Fibrillation. <i>New England Journal of Medicine</i> , 2020 , 382, 20-	28 59.2	130

120	The Relationship Between Mechanical Dispersion and Late Gadolinium Enhancement in Patients With Nonischemic Cardiomyopathy. <i>JACC: Cardiovascular Imaging</i> , 2020 , 13, 2687-2689	8.4	
119	Prehospital opioid dose and myocardial injury in patients with ST elevation myocardial infarction. <i>Open Heart</i> , 2020 , 7,	3	6
118	The Cardiac Society of Australia and New Zealand Position Statement on the Diagnosis and Management of Arrhythmogenic Right Ventricular Cardiomyopathy (2019 Update). <i>Heart Lung and Circulation</i> , 2020 , 29, 40-48	1.8	2
117	Impact of sex, socio-economic status, and remoteness on therapy and survival in heart failure. <i>ESC Heart Failure</i> , 2019 , 6, 944-952	3.7	3
116	A Single-Center Experience of the Optimal Initial Immunosuppressive Strategy for Preventing Early Acute Cellular Rejection in Orthotopic Heart Transplantation Associated With Renal Dysfunction. <i>Progress in Transplantation</i> , 2019 , 29, 327-334	1.1	
115	Tocilizumab Patterns of Use, Effectiveness, and Safety in Patients with Rheumatoid Arthritis: Final Results from a Set of Multi-National Non-Interventional Studies. <i>Rheumatology and Therapy</i> , 2019 , 6, 231-243	4.4	5
114	Effects of empagliflozin treatment on cardiac function and structure in patients with type 2 diabetes: a cardiac magnetic resonance study. <i>Internal Medicine Journal</i> , 2019 , 49, 1006-1010	1.6	24
113	Reduction in mortality from implantable cardioverter-defibrillators in non-ischaemic cardiomyopathy patients is dependent on the presence of left ventricular scar. <i>European Heart Journal</i> , 2019 , 40, 542-550	9.5	55
112	Atrial Remodeling Following Catheter Ablation for Atrial Fibrillation-Mediated Cardiomyopathy: Long-Term Follow-Up of CAMERA-MRI Study. <i>JACC: Clinical Electrophysiology</i> , 2019 , 5, 681-688	4.6	16
111	Reply to letter by Frey et al. regarding the article: Reduction in mortality from implantable cardioverter-defibrillators in non-ischaemic cardiomyopathy patients is dependent on the presence of left ventricular scar. <i>European Heart Journal</i> , 2019 , 40, 2997	9.5	
110	Cardioversion of atrial fibrillation in obese patients: Results from the Cardioversion-BMI randomized controlled trial. <i>Journal of Cardiovascular Electrophysiology</i> , 2019 , 30, 155-161	2.7	22
109	Relation of Alcohol Consumption to Left Ventricular Fibrosis Using Cardiac Magnetic Resonance Imaging. <i>American Journal of Cardiology</i> , 2019 , 123, 460-465	3	5
108	Comparison of Magnetic Resonance Analysis of Myocardial Scarring With Biomarker Release Following S-T Elevation Myocardial Infarction. <i>Heart Lung and Circulation</i> , 2019 , 28, 397-405	1.8	3
107	Trends and Clinical Outcomes in Patients Undergoing Primary Percutaneous Revascularisation for ST-Elevation Myocardial Infarction: A Single Centre Experience. <i>Heart Lung and Circulation</i> , 2018 , 27, 683-692	1.8	
106	The ventricular residence time distribution derived from 4D flow particle tracing: a novel marker of myocardial dysfunction. <i>International Journal of Cardiovascular Imaging</i> , 2018 , 34, 1927-1935	2.5	1
105	Absence of late gadolinium enhancement on cardiac magnetic resonance imaging in ventricular fibrillation and nonischemic cardiomyopathy. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2018 , 41, 11	09 ¹ 1611	5 ²
104	Mechanisms responsible for increased circulating levels of galectin-3 in cardiomyopathy and heart failure. <i>Scientific Reports</i> , 2018 , 8, 8213	4.9	30
103	Biatrial Electrical and Structural Atrial Changes in Heart Failure: Electroanatomic Mapping in Persistent Atrial Fibrillation in Humans. <i>JACC: Clinical Electrophysiology</i> , 2018 , 4, 87-96	4.6	12

102	Regular Alcohol Consumption Is Associated With Impaired Atrial Mechanical Function in the Atrial Fibrillation Population: A Cross-Sectional MRI-Based Study. <i>JACC: Clinical Electrophysiology</i> , 2018 , 4, 1451-1459	4.6	14
101	Regression of Diffuse Ventricular Fibrosis Following Restoration of Sinus Rhythm With Catheter Ablation in Patients With Atrial Fibrillation and Systolic Dysfunction: A Substudy of the CAMERA MRI Trial. <i>JACC: Clinical Electrophysiology</i> , 2018 , 4, 999-1007	4.6	27
100	Microvascular leakage in acute myocardial infarction: characterization by histology, biochemistry, and magnetic resonance imaging. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2017 , 312, H1068-H1075	5.2	15
99	Cardiac magnetic resonance imaging in suspected blunt cardiac injury: A prospective, pilot, cohort study. <i>Injury</i> , 2017 , 48, 1013-1019	2.5	10
98	Catheter Ablation Versus Medical Rate Control in Atrial Fibrillation and Systolic Dysfunction: The CAMERA-MRI Study. <i>Journal of the American College of Cardiology</i> , 2017 , 70, 1949-1961	15.1	262
97	A comparison of the electrophysiologic and electroanatomic characteristics between the right and left atrium in persistent atrial fibrillation: Is the right atrium a window into the left?. <i>Journal of Cardiovascular Electrophysiology</i> , 2017 , 28, 1109-1116	2.7	9
96	SASHA versus ShMOLLI: a comparison of T1 mapping methods in health and dilated cardiomyopathy at 3 T. <i>International Journal of Cardiovascular Imaging</i> , 2017 , 33, 1551-1560	2.5	12
95	Determining the Optimal Dose of Adenosine for Unmasking Dormant Pulmonary Vein Conduction Following Atrial Fibrillation Ablation: Electrophysiological and Hemodynamic Assessment. DORMANT-AF Study. <i>Journal of Cardiovascular Electrophysiology</i> , 2017 , 28, 13-22	2.7	5
94	Feasibility of Antegrade Contrast-enhanced US Nephrostograms to Evaluate Ureteral Patency. <i>Radiology</i> , 2017 , 283, 273-279	20.5	13
93	Assessment of the accuracy of common clinical thresholds for cardiac morphology and function by transthoracic echocardiography. <i>Journal of Echocardiography</i> , 2017 , 15, 27-36	1.6	3
92	Clinical recommendations for cardiovascular magnetic resonance mapping of T1, T2, T2* and extracellular volume: A consensus statement by the Society for Cardiovascular Magnetic Resonance (SCMR) endorsed by the European Association for Cardiovascular Imaging (EACVI). <i>Journal of</i>	6.9	588
91	Systemic inflammation is associated with myocardial fibrosis, diastolic dysfunction, and cardiac hypertrophy in patients with hypertrophic cardiomyopathy. <i>American Journal of Translational Research (discontinued)</i> , 2017 , 9, 5063-5073	3	38
90	Patterns of tocilizumab use, effectiveness and safety in patients with rheumatoid arthritis: core data results from a set of multinational observational studies. <i>Clinical and Experimental Rheumatology</i> , 2017 , 35, 899-906	2.2	12
89	Early Implantation of Primary Prevention Implantable Cardioverter Defibrillators for Patients with Newly Diagnosed Severe Nonischemic Cardiomyopathy. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2016 , 39, 992-8	1.6	7
88	Severe left ventricular hypertrophy and marked cardiac fibrosis in Danon disease. <i>International Journal of Cardiology</i> , 2016 , 221, 14-6	3.2	5
87	Biomarker validation of cardiac magnetic resonance analysis of regional myocardial fibrosis in ischaemic heart disease. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2016 , 18, P77	6.9	2
86	Programmed Ventricular Stimulation to Risk Stratify for Early Cardioverter-Defibrillator Implantation to Prevent Tachyarrhythmias following Acute Myocardial Infarction (PROTECT-ICD): Trial Protocol, Background and Significance. <i>Heart Lung and Circulation</i> , 2016 , 25, 1055-1062	1.8	23
85	Cardiogenic shock secondary to methamphetamine induced cardiomyopathy requiring veno-arterial extra-corporeal membrane oxygenation. <i>International Journal of Cardiology</i> , 2016 , 207–134-5	3.2	11

(2014-2016)

Response to Letter Regarding Article, "Air Versus Oxygen in ST-Segment-Elevation Myocardial Infarction". <i>Circulation</i> , 2016 , 133, e29	16.7	3
Cardiac remodelling identified by cardiovascular magnetic resonance in patients with hepatitis C infection and liver disease. <i>International Journal of Cardiovascular Imaging</i> , 2016 , 32, 629-36	2.5	8
Effect of supplemental oxygen exposure on myocardial injury in ST-elevation myocardial infarction. <i>Heart</i> , 2016 , 102, 444-51	5.1	28
T1 Mapping: Basic Techniques and Clinical Applications. <i>JACC: Cardiovascular Imaging</i> , 2016 , 9, 67-81	8.4	239
The Impact of Known Heart Disease on Long-Term Outcomes of Catheter Ablation in Patients with Atrial Fibrillation and Left Ventricular Systolic Dysfunction: A Multicenter International Study. Journal of Cardiovascular Electrophysiology, 2016 , 27, 281-9	2.7	16
Diffuse Ventricular Fibrosis on Cardiac Magnetic Resonance Imaging Associates With Ventricular Tachycardia in Patients With Hypertrophic Cardiomyopathy. <i>Journal of Cardiovascular Electrophysiology</i> , 2016 , 27, 571-80	2.7	42
Late gadolinium enhancement identified with cardiac magnetic resonance imaging in sarcoidosis patients is associated with long-term ventricular arrhythmia and sudden cardiac death. <i>European Heart Journal Cardiovascular Imaging</i> , 2015 , 16, 634-41	4.1	57
T 1 Mapping Techniques in Assessment of Ventricular Stiffness. <i>Current Cardiovascular Imaging Reports</i> , 2015 , 8, 1	0.7	4
Impact of cardiac magnetic resonance imaging leardiac contusion with intramural hemorrhage. <i>Circulation Journal</i> , 2015 , 79, 216-7	2.9	2
Cardiac Magnetic Resonance Imaging in Ventricular Remodelling. <i>Current Cardiovascular Imaging Reports</i> , 2015 , 8, 1	0.7	
Air Versus Oxygen in ST-Segment-Elevation Myocardial Infarction. <i>Circulation</i> , 2015 , 131, 2143-50	16.7	335
Circulating microRNAs as biomarkers for diffuse myocardial fibrosis in patients with hypertrophic cardiomyopathy. <i>Journal of Translational Medicine</i> , 2015 , 13, 314	8.5	130
Transplantation of a Donor Heart Following a Lightning Strike: MRI Identification of Myocardial Injury. <i>Heart Lung and Circulation</i> , 2015 , 24, e200-1	1.8	
Reverse cardiac remodeling after renal denervation: Atrial electrophysiologic and structural changes associated with blood pressure lowering. <i>Heart Rhythm</i> , 2015 , 12, 982-90	6.7	45
Histological validation of cardiac magnetic resonance analysis of regional and diffuse interstitial myocardial fibrosis. <i>European Heart Journal Cardiovascular Imaging</i> , 2015 , 16, 14-22	4.1	145
Pulmonary vein isolation: the impact of pulmonary venous anatomy on long-term outcome of catheter ablation for paroxysmal atrial fibrillation. <i>Heart Rhythm</i> , 2014 , 11, 549-56	6.7	51
Magnetic resonance post-contrast T1 mapping in the human atrium: validation and impact on clinical outcome after catheter ablation for atrial fibrillation. <i>Heart Rhythm</i> , 2014 , 11, 1551-9	6.7	36
Diffuse ventricular fibrosis measured by Tlmapping on cardiac MRI predicts success of catheter ablation for atrial fibrillation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2014 , 7, 834-40	6.4	20
	Infarction". Circulation, 2016, 133, e29 Cardiac remodelling identified by cardiovascular magnetic resonance in patients with hepatitis C infection and liver disease. International Journal of Cardiovascular Imaging, 2016, 32, 629-36 Effect of supplemental oxygen exposure on myocardial injury in ST-elevation myocardial infarction. Heart, 2016, 102, 444-51 T1 Mapping: Basic Techniques and Clinical Applications. JACC: Cardiovascular Imaging, 2016, 9, 67-81 The Impact of Known Heart Disease on Long-Term Outcomes of Catheter Ablation in Patients with Atrial Fibrillation and Left Ventricular Systolic Dysfunction: A Multicenter International Study. Journal of Cardiovascular Electrophysiology, 2016, 27, 281-9 Diffuse Ventricular Fibrosis on Cardiac Magnetic Resonance Imaging Associates With Ventricular Tachycardia in Patients With Hypertrophic Cardiomyopathy. Journal of Cardiovascular Electrophysiology, 2016, 27, 571-80 Late gadolinium enhancement identified with cardiac magnetic resonance imaging in sarcoidosis patients is associated with long-term ventricular arrhythmia and sudden cardiac death. European Heart Journal Cardiovascular Imaging, 2015, 16, 634-41 T1 Mapping Techniques in Assessment of Ventricular Stiffness. Current Cardiovascular Imaging Reports, 2015, 8, 1 Impact of cardiac magnetic resonance imaging itardiac contusion with intramural hemorrhage. Circulation Journal, 2015, 79, 216-7 Cardiac Magnetic Resonance Imaging in Ventricular Remodelling. Current Cardiovascular Imaging Reports, 2015, 8, 1 Air Versus Oxygen in ST-Segment-Elevation Myocardial Infarction. Circulation, 2015, 131, 2143-50 Circulating microRNAs as biomarkers for diffuse myocardial fibrosis in patients with hypertrophic cardiomyopathy. Journal of Translational Medicine, 2015, 13, 314 Transplantation of a Donor Heart Following a Lightning Strike: MRI Identification of Myocardial Injury. Heart Lung and Circulation, 2015, 24, e200-1 Reverse cardiac remodeling after renal denervation: Heart Rhythm, 2015, 12, 982-90 Histological	Infarction". Circulation, 2016, 133, e29 Cardiac remodelling identified by cardiovascular magnetic resonance in patients with hepatitis C infection and liver disease. International Journal of Cardiovascular Imaging, 2016, 32, 629-36 Effect of supplemental oxygen exposure on myocardial injury in ST-elevation myocardial infarction. Heart, 2016, 102, 444-51 T1 Mapping: Basic Techniques and Clinical Applications. JACC: Cardiovascular Imaging, 2016, 9, 67-81 Atrial Fibrillation and Left Ventricular Systolic Dysfunction: A Multicenter International Study. Journal of Cardiovascular Electrophysiology, 2016, 27, 281-9 Diffuse Ventricular Fibrosis on Cardiac Magnetic Resonance Imaging Associates With Ventricular Tachycardia in Patients With Hypertrophic Cardiomyopathy. Journal of Cardiovascular Electrophysiology, 2016, 27, 571-80 Late gadolinium enhancement identified with cardiac magnetic resonance imaging in sarcoidosis patients is associated with long-term ventricular arrhythmia and sudden cardiac death. European Heart Journal Cardiovascular Imaging, 2015, 16, 634-41 T1 Mapping Techniques in Assessment of Ventricular Stiffness. Current Cardiovascular Imaging Reports, 2015, 8, 1 Air Versus Oxygen in ST-Segment-Elevation Myocardial Infarction. Circulation, 2015, 131, 2143-50 Circulating microRNAs as biomarkers for diffuse myocardial fibrosis in patients with hypertrophic cardiomyopathy. Journal of Translational Medicine, 2015, 13, 314 Transplantation of a Donor Heart Following a Lightning Strike: MRI Identification of Myocardial Injury. Heart Lung and Circulation, 2015, 24, e200-1 Reverse cardiac remodeling after renal denervation: Atrial electrophysiologic and structural changes associated with blood pressure lowering. Heart Rhythm, 2015, 12, 982-90 Magnetic resonance post-contrast T1 mapping in the human atrium: validation and impact on clinical outcome after catheter ablation for atrial fibrillation. Heart Rhythm, 2014, 11, 1551-9 Diffuse ventricular fibrosis measured by Tlinapping on cardiac MRI predict

66	T1 Mapping in Heart Failure. Current Cardiovascular Imaging Reports, 2014, 7, 1	0.7	
65	Bright muscle, weak heart, bad start?. <i>Heart Lung and Circulation</i> , 2014 , 23, 293-4	1.8	1
64	A comprehensive evaluation of myocardial fibrosis in hypertrophic cardiomyopathy with cardiac magnetic resonance imaging: linking genotype with fibrotic phenotype. <i>European Heart Journal Cardiovascular Imaging</i> , 2014 , 15, 1108-16	4.1	61
63	Evaluating the utility of circulating biomarkers of collagen synthesis in hypertrophic cardiomyopathy. <i>Circulation: Heart Failure</i> , 2014 , 7, 271-8	7.6	34
62	Plasma lipidomic analysis predicts non-calcified coronary artery plaque in asymptomatic patients at intermediate risk of coronary artery disease. <i>European Heart Journal Cardiovascular Imaging</i> , 2014 , 15, 908-16	4.1	21
61	Diffuse myocardial fibrosis evaluated by post-contrast t1 mapping correlates with left ventricular stiffness. <i>Journal of the American College of Cardiology</i> , 2014 , 63, 1112-8	15.1	73
60	Sinus rhythm restores ventricular function in patients with cardiomyopathy and no late gadolinium enhancement on cardiac magnetic resonance imaging who undergo catheter ablation for atrial fibrillation. <i>Heart Rhythm</i> , 2013 , 10, 1334-9	6.7	41
59	Cardiac Imaging in FIP1L1-PDGFRA. Journal of the American College of Cardiology, 2013 , 62, 1304	15.1	
58	Utility of cardiac magnetic resonance imaging, echocardiography and electrocardiography for the prediction of clinical response and long-term survival following cardiac resynchronisation therapy. <i>International Journal of Cardiovascular Imaging</i> , 2013 , 29, 1303-11	2.5	8
57	Impact of cardiac magnetic resonance imaging on cardiac device and surgical therapy: a prospective study. <i>International Journal of Cardiovascular Imaging</i> , 2013 , 29, 855-64	2.5	3
57 56		2.5	3
	study. International Journal of Cardiovascular Imaging, 2013, 29, 855-64 Macrophage migration inhibitory factor for the early prediction of infarct size. Journal of the		
56	study. International Journal of Cardiovascular Imaging, 2013, 29, 855-64 Macrophage migration inhibitory factor for the early prediction of infarct size. Journal of the American Heart Association, 2013, 2, e000226 Diffuse ventricular fibrosis is a late outcome of tachycardia-mediated cardiomyopathy after	6	39
56 55	Study. International Journal of Cardiovascular Imaging, 2013, 29, 855-64 Macrophage migration inhibitory factor for the early prediction of infarct size. Journal of the American Heart Association, 2013, 2, e000226 Diffuse ventricular fibrosis is a late outcome of tachycardia-mediated cardiomyopathy after successful ablation. Circulation: Arrhythmia and Electrophysiology, 2013, 6, 697-704 Letter by Ellims et al regarding article, "myocardial tissue characterization using magnetic resonance noncontrast t1 mapping in hypertrophic and dilated cardiomyopathy". Circulation:	6.4	39
565554	Macrophage migration inhibitory factor for the early prediction of infarct size. Journal of the American Heart Association, 2013, 2, e000226 Diffuse ventricular fibrosis is a late outcome of tachycardia-mediated cardiomyopathy after successful ablation. Circulation: Arrhythmia and Electrophysiology, 2013, 6, 697-704 Letter by Ellims et al regarding article, "myocardial tissue characterization using magnetic resonance noncontrast t1 mapping in hypertrophic and dilated cardiomyopathy". Circulation: Cardiovascular Imaging, 2013, 6, e1 Letter by Iles and Taylor regarding article, "Comprehensive validation of cardiovascular magnetic resonance techniques for the assessment of myocardial extracellular volume". Circulation:	6 6.4 3.9	39
56555453	Macrophage migration inhibitory factor for the early prediction of infarct size. <i>Journal of the American Heart Association</i> , 2013 , 2, e000226 Diffuse ventricular fibrosis is a late outcome of tachycardia-mediated cardiomyopathy after successful ablation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2013 , 6, 697-704 Letter by Ellims et al regarding article, "myocardial tissue characterization using magnetic resonance noncontrast t1 mapping in hypertrophic and dilated cardiomyopathy". <i>Circulation: Cardiovascular Imaging</i> , 2013 , 6, e1 Letter by lles and Taylor regarding article, "Comprehensive validation of cardiovascular magnetic resonance techniques for the assessment of myocardial extracellular volume". <i>Circulation: Cardiovascular Imaging</i> , 2013 , 6, e25 Associations between fibrocytes and postcontrast myocardial T1 times in hypertrophic	6 6.4 3.9	39 46
5655545352	Macrophage migration inhibitory factor for the early prediction of infarct size. <i>Journal of the American Heart Association</i> , 2013 , 2, e000226 Diffuse ventricular fibrosis is a late outcome of tachycardia-mediated cardiomyopathy after successful ablation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2013 , 6, 697-704 Letter by Ellims et al regarding article, "myocardial tissue characterization using magnetic resonance noncontrast t1 mapping in hypertrophic and dilated cardiomyopathy". <i>Circulation: Cardiovascular Imaging</i> , 2013 , 6, e1 Letter by Iles and Taylor regarding article, "Comprehensive validation of cardiovascular magnetic resonance techniques for the assessment of myocardial extracellular volume". <i>Circulation: Cardiovascular Imaging</i> , 2013 , 6, e25 Associations between fibrocytes and postcontrast myocardial T1 times in hypertrophic cardiomyopathy. <i>Journal of the American Heart Association</i> , 2013 , 2, e000270 Pro-inflammatory action of MIF in acute myocardial infarction via activation of peripheral blood	6 6.4 3.9 3.9	39 46 2 20

(2010-2012)

48	Cardiac magnetic resonance imaging predicts recovery of left ventricular function in acute onset cardiomyopathy. <i>Heart Lung and Circulation</i> , 2012 , 21, 30-5	1.8	20
47	Diffuse myocardial fibrosis in hypertrophic cardiomyopathy can be identified by cardiovascular magnetic resonance, and is associated with left ventricular diastolic dysfunction. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2012 , 14, 76	6.9	99
46	Acute left ventricular remodeling following myocardial infarction: coupling of regional healing with remote extracellular matrix expansion. <i>JACC: Cardiovascular Imaging</i> , 2012 , 5, 884-93	8.4	79
45	Rapid clozapine dose titration and concomitant sodium valproate increase the risk of myocarditis with clozapine: a case-control study. <i>Schizophrenia Research</i> , 2012 , 141, 173-8	3.6	87
44	Maximal oxygen consumption is best predicted by measures of cardiac size rather than function in healthy adults. <i>European Journal of Applied Physiology</i> , 2012 , 112, 2139-47	3.4	48
43	Effect of iron chelation on myocardial infarct size and oxidative stress in ST-elevation-myocardial infarction. <i>Circulation: Cardiovascular Interventions</i> , 2012 , 5, 270-8	6	56
42	Clozapine-induced myocarditis and baseline echocardiography. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012 , 46, 1006-7	2.6	14
41	Continuation of clozapine following mild myocarditis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012 , 46, 910-1	2.6	14
40	Observations from 8 cases of clozapine rechallenge after development of myocarditis. <i>Journal of Clinical Psychiatry</i> , 2012 , 73, 252-4	4.6	27
39	Myocardial fibrosis predicts appropriate device therapy in patients with implantable cardioverter-defibrillators for primary prevention of sudden cardiac death. <i>Journal of the American College of Cardiology</i> , 2011 , 57, 821-8	15.1	229
38	Clinical course and analysis of ten fatal cases of clozapine-induced myocarditis and comparison with 66 surviving cases. <i>Schizophrenia Research</i> , 2011 , 128, 161-5	3.6	41
37	A new algorithm for the management of stable coronary artery disease incorporating CT coronary angiography and fractional flow reserve: how we can improve outcomes and reduce costs. <i>Medical Journal of Australia</i> , 2011 , 194, 666-7	4	1
36	Disproportionate exercise load and remodeling of the athlete® right ventricle. <i>Medicine and Science in Sports and Exercise</i> , 2011 , 43, 974-81	1.2	236
35	Management of the no-reflow phenomenon. <i>Pharmacology & Therapeutics</i> , 2011 , 132, 72-85	13.9	21
34	A new monitoring protocol for clozapine-induced myocarditis based on an analysis of 75 cases and 94 controls. <i>Australian and New Zealand Journal of Psychiatry</i> , 2011 , 45, 458-65	2.6	140
33	Diagnostic performance of multisequential cardiac magnetic resonance imaging in acute cardiac allograft rejection. <i>European Journal of Heart Failure</i> , 2010 , 12, 45-51	12.3	47
32	Combined dyssynchrony and scar imaging with cardiac magnetic resonance imaging predicts clinical response and long-term prognosis following cardiac resynchronization therapy. <i>Europace</i> , 2010 , 12, 708	<u> 33</u>	31
31	Myocardial fibrosis in hypertrophic cardiomyopathy. <i>New England Journal of Medicine</i> , 2010 , 363, 1971; author reply 1971	59.2	3

30	Primary cardiac lymphoma. Journal of the American College of Cardiology, 2010, 55, e23	15.1	4
29	One- and two-dimensional estimation of right and left ventricular size and function-comparison with cardiac magnetic resonance imaging volumetric analysis. <i>Heart Lung and Circulation</i> , 2010 , 19, 541-	- 8 ^{1.8}	4
28	Acute oedema in the evaluation of microvascular reperfusion and myocardial salvage in reperfused myocardial infarction with cardiac magnetic resonance imaging. <i>European Journal of Radiology</i> , 2010 , 74, e12-7	4.7	17
27	Diagnostic characteristics of clozapine-induced myocarditis identified by an analysis of 38 cases and 47 controls. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 976-81	4.6	73
26	Cardiac magnetic resonance imaging in the evaluation of cardiac sarcoidosis: an Australian single-centre experience. <i>Internal Medicine Journal</i> , 2009 , 39, 77-82	1.6	18
25	An unexpected pericardial tumour. Internal Medicine Journal, 2009, 39, 339-40	1.6	
24	Recovery from anthracycline cardiomyopathy after long-term support with a continuous flow left ventricular assist device. <i>Journal of Heart and Lung Transplantation</i> , 2009 , 28, 101-3	5.8	27
23	Athleteß heart: the potential for multimodality imaging to address the critical remaining questions. <i>JACC: Cardiovascular Imaging</i> , 2009 , 2, 350-63	8.4	59
22	Case report and review: epicardial coronary artery fibromuscular dysplasia. <i>Heart Lung and Circulation</i> , 2009 , 18, 151-4	1.8	23
21	Right ventricular ejection fraction, measured during inter-stage cardiac magnetic resonance imaging, predicts outcome for patients with hypoplastic left heart syndrome. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009 , 11,	6.9	78
20	Characterisation of the long-term effects of anthracycline-associated myocardial toxicity using cardiac MRI; a pilot study. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009 , 11,	6.9	78
19	A prospective audit of paediatric cardiac MRI under general anaesthesia; practise and problems. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009 , 11,	6.9	3
18	Outcomes following de novo CNI-free immunosuppression after heart transplantation: a single-center experience. <i>American Journal of Transplantation</i> , 2009 , 9, 140-8	8.7	17
17	Cardiac sarcoidosis. Internal Medicine Journal, 2008, 38, 270-7	1.6	41
16	The salvaged area at risk in reperfused acute myocardial infarction as visualized by cardiovascular magnetic resonance. <i>Journal of the American College of Cardiology</i> , 2008 , 51, 1581-7	15.1	737
15	Evaluation of diffuse myocardial fibrosis in heart failure with cardiac magnetic resonance contrast-enhanced T1 mapping. <i>Journal of the American College of Cardiology</i> , 2008 , 52, 1574-80	15.1	579
14	Utility of myocardial fibrosis and fatty infiltration detected by cardiac magnetic resonance imaging in the diagnosis of arrhythmogenic right ventricular dysplasiaa single centre experience. <i>Heart Lung and Circulation</i> , 2008 , 17, 478-83	1.8	27
13	Antioxidant therapy for severe cardiac failure induced by iron overload secondary to dyserythropoietic anaemia. <i>Heart Lung and Circulation</i> , 2007 , 16, 394-7	1.8	2

LIST OF PUBLICATIONS

12	Improvement in cardiac adrenergic function post biventricular pacing for heart failure. <i>Europace</i> , 2007 , 9, 751-6	3.9	21
11	Elective percutaneous coronary intervention immediately impairs resting microvascular perfusion assessed by cardiac magnetic resonance imaging. <i>American Heart Journal</i> , 2006 , 151, 891.e1-7	4.9	19
10	Cardiac troponin I concentrations, but not electrocardiographic results, predict an extended hospital stay after coronary artery bypass graft surgery. <i>Clinical Chemistry</i> , 2005 , 51, 40-6	5.5	30
9	Delayed enhancement and T2-weighted cardiovascular magnetic resonance imaging differentiate acute from chronic myocardial infarction. <i>Circulation</i> , 2004 , 109, 2411-6	16.7	420
8	Detection of acutely impaired microvascular reperfusion after infarct angioplasty with magnetic resonance imaging. <i>Circulation</i> , 2004 , 109, 2080-5	16.7	139
7	Serotonin blockade protects against early microvascular constriction following atherosclerotic plaque rupture. <i>European Journal of Pharmacology</i> , 2004 , 486, 85-9	5.3	4
6	Diet but not aerobic exercise training reduces skeletal muscle TNF-alpha in overweight humans. <i>Diabetologia</i> , 2004 , 47, 630-7	10.3	23
5	Myocardial endothelin-1 release and indices of inflammation during angioplasty for acute myocardial infarction and stable coronary artery disease. <i>American Heart Journal</i> , 2004 , 148, e10	4.9	17
4	Relation of local platelet glycoprotein IIb/IIIa independent activation during coronary angioplasty in acute myocardial infarction to recovery of left ventricular function. <i>American Journal of Cardiology</i> , 2003 , 92, 446-50	3	
3	Experimental rupture of atherosclerotic lesions increases distal vascular resistance: a limiting factor to the success of infarct angioplasty. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2002 , 22, 153-60	9.4	25
2	Internal medicine. <i>Medical Journal of Australia</i> , 2001 , 174, 9-11	4	
1	Efficacy and safety of direct stenting in coronary angioplasty. <i>Journal of Invasive Cardiology</i> , 2000 , 12, 560-5	0.7	13