
Juan M Marchante-GayÃ³n

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1881039/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Evaluation of multi-collector inductively coupled plasma mass spectrometry (MC-ICP-MS) for sulfur metabolic studies using ³⁴ S-labelled yeast. Journal of Analytical Atomic Spectrometry, 2015, 30, 1764-1773.	3.0	8
2	Sulfur analysis by inductively coupled plasma-mass spectrometry: A review. Spectrochimica Acta, Part B: Atomic Spectroscopy, 2015, 108, 35-52.	2.9	53
3	Sulphur tracer experiments in laboratory animals using 34S-labelled yeast. Analytical and Bioanalytical Chemistry, 2013, 405, 2889-2899.	3.7	8
4	Determination of Priority Polybrominated Diphenyl Ethers by Isotope Dilution Gas Chromatography(Electron Ionization)MS Using81Br-Labeled Standards. Analytical Chemistry, 2011, 83, 3024-3032.	6.5	11
5	Determination of ultra-trace levels of priority PBDEs in water samples by isotope dilution GC(ECNI)MS using 81Br-labelled standards. Analytical and Bioanalytical Chemistry, 2011, 401, 2639-2649.	3.7	12
6	Development of a Direct Procedure for the Measurement of Sulfur Isotope Variability in Beers by MC-ICP-MS. Journal of Agricultural and Food Chemistry, 2010, 58, 4043-4050.	5.2	11
7	Synthesis of 81Br-Labeled Polybrominated Diphenyl Ethers and Their Characterization Using GC(El)MS and GC(ICP)MS. Analytical Chemistry, 2010, 82, 2879-2887.	6.5	16
8	Evaluation of different analytical strategies for the quantification of sulfur-containing biomolecules by HPLC-ICP-MS: Application to the characterisation of 34S-labelled yeast. Journal of Analytical Atomic Spectrometry, 2010, 25, 989.	3.0	32
9	Titanium levels in the organs and blood of rats with a titanium implant, in the absence of wear, as determined by double-focusing ICP-MS. Analytical and Bioanalytical Chemistry, 2009, 393, 335-343.	3.7	78
10	Measurement of longitudinal sulfur isotopic variations by laser ablation MC-ICP-MS in single human hair strands. Analytical and Bioanalytical Chemistry, 2009, 394, 225-233.	3.7	41
11	High-resolution ICP–MS determination of Ti, V, Cr, Co, Ni, and Mo in human blood and urine of patients implanted with a hip or knee prosthesis. Analytical and Bioanalytical Chemistry, 2008, 391, 2583-2589.	3.7	86
12	Internal correction of spectral interferences and mass bias in ICP-MS using isotope pattern deconvolution: Application to the determination of selenium in biological samples by isotope dilution analysis. Journal of Analytical Atomic Spectrometry, 2008, 23, 579.	3.0	20
13	HPLCâ^'ICPMS and Stable Isotope-Labeled Approaches To Assess Quantitatively Ti(IV) Uptake by Transferrin in Human Blood Serum. Analytical Chemistry, 2008, 80, 8702-8711.	6.5	34
14	Determination of trihalomethanes in drinking water by GC-ICP-MS using compound independent calibration with internal standard. Journal of Analytical Atomic Spectrometry, 2007, 22, 1138.	3.0	21
15	Biosynthesis of sulfur-34 labelled yeast and its characterisation by multicollector-ICP-MS. Journal of Analytical Atomic Spectrometry, 2007, 22, 1105.	3.0	23
16	Application of Isotope Dilution Analysis for the Evaluation of Extraction Conditions in the Determination of Total Selenium and Selenomethionine in Yeast-Based Nutritional Supplements. Journal of Agricultural and Food Chemistry, 2006, 54, 1557-1563.	5.2	36
17	Elemental analysis of silicon based minerals by ultrasonic slurry sampling electrothermal vaporisation ICP-MS. Talanta, 2006, 68, 869-875.	5.5	14
18	Selenium bioaccessibility assessment in selenized yeast after "in vitro―gastrointestinal digestion using two-dimensional chromatography and mass spectrometry. Journal of Chromatography A, 2006, 1110, 108-116.	3.7	62

#	Article	IF	CITATIONS
19	Isotope dilution analysis for elemental speciation: a tutorial review. Spectrochimica Acta, Part B: Atomic Spectroscopy, 2005, 60, 151-207.	2.9	341
20	ICP-MS multielemental determination of metals potentially released from dental implants and articular prostheses in human biological fluids. Analytical and Bioanalytical Chemistry, 2005, 382, 1001-1009.	3.7	45
21	Biosynthesis of isotopically enriched selenomethionine: application to its accurate determination in selenium-enriched yeast by isotope dilution analysis-HPLC-ICP-MS. Journal of Analytical Atomic Spectrometry, 2004, 19, 1230-1235.	3.0	47
22	Double-focusing ICP-MS for the analysis of biological materials. Analytical and Bioanalytical Chemistry, 2004, 379, 335-337.	3.7	9
23	Quantitative speciation of selenium in human serum by affinity chromatography coupled to post-column isotope dilution analysis ICP-MS. Journal of Analytical Atomic Spectrometry, 2003, 18, 1210-1216.	3.0	123
24	Determination of selenium in biological materials by isotope dilution analysis with an octapole reaction system ICP-MS. Journal of Analytical Atomic Spectrometry, 2003, 18, 11-16.	3.0	88
25	Total determination and quantitative speciation analysis of selenium in yeast and wheat flour by isotope dilution analysis ICP-MS. Journal of Analytical Atomic Spectrometry, 2003, 18, 1243-1247.	3.0	98
26	Speciation of essential elements in human serum using anion-exchange chromatography coupled to post-column isotope dilution analysis with double focusing ICP-MS. Journal of Analytical Atomic Spectrometry, 2001, 16, 587-592.	3.0	92
27	Reference Values for Trace and Ultratrace Elements in Human Serum Determined by Double-Focusing ICP-MS. Biological Trace Element Research, 2001, 82, 259-272.	3.5	55
28	Comparison of different nebulisers and chromatographic techniques for the speciation of selenium in nutritional commercial supplements by hexapole collision and reaction cell ICP-MS. Journal of Analytical Atomic Spectrometry, 2000, 15, 1093-1102.	3.0	71
29	Multielemental trace analysis of biological materials using double focusing inductively coupled plasma mass spectrometry detection. Analytica Chimica Acta, 1999, 400, 307-320.	5.4	37
30	Multi-elemental trace analysis of human serum by double-focusing ICP-MS. Journal of Analytical Atomic Spectrometry, 1999, 14, 193-198.	3.0	59
31	Accurate determination of iron, copper and zinc in human serum by isotope dilution analysis using double focusing ICP-MS. Journal of Analytical Atomic Spectrometry, 1999, 14, 1505-1510.	3.0	54
32	Comparison of electrothermal atomic absorption spectrometry, quadrupole inductively coupled plasma mass spectrometry and double-focusing sector field inductively coupled plasma mass spectrometry for the determination of aluminium in human serum. Journal of Analytical Atomic Spectrometry, 1998, 13, 283-287.	3.0	27
33	Different Quantification Approaches for the Analysis of Biological and Environmental Samples Using Inductively Coupled Plasma Mass Spectrometry. , 1997, 32, 556-564.		22
34	Selenium speciation by coupling vesicle mediated HPLC with off-line ETAAS and on-line focused microwave digestion HG-AAS detection. Analytical and Bioanalytical Chemistry, 1996, 355, 615-622.	3.7	29
35	Vesicle-mediated high-performance liquid chromatography coupled to atomic detection for speciation of toxic elements. Journal of Chromatography A, 1994, 683, 233-243.	3.7	34
36	Determination of chromium in biological fluids by electrothermal atomic absorption spectrometry using wall, platform and probe atomization from different graphite surfaces. Journal of Analytical Atomic Spectrometry, 1994, 9, 117-123.	3.0	22

#	Article	IF	CITATIONS
37	Determination of lead in human urine using electrothermal atomic absorption spectrometry with probe atomization and deuterium background correction. Journal of Analytical Atomic Spectrometry, 1993, 8, 731-736.	3.0	10
38	Determination of cadmium in human urine using electrothermal atomic absorption spectrometry with probe atomization and deuterium background correction. Journal of Analytical Atomic Spectrometry, 1992, 7, 1079-1083.	3.0	9
39	Platform, wall and probe electrothermal atomization for the determination of aluminium in clinical fluids. Journal of Analytical Atomic Spectrometry, 1992, 7, 743-747.	3.0	14