


List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1881129/publications.pdf Version: 2024-02-01



FENC YU

| # | Article | IF | CITATIONS |
|----|--|-------------|---------------|
| 1 | DNA damage-induced translocation of mitochondrial factor HIGD1A into the nucleus regulates homologous recombination and radio/chemo-sensitivity. Oncogene, 2022, 41, 1918-1930. | 2.6 | 12 |
| 2 | Identification and characterization of long non-coding RNA Carip in modulating spatial learning and memory. Cell Reports, 2022, 38, 110398. | 2.9 | 11 |
| 3 | Water, Food Availability, and Anthropogenic Influence Determine the Nesting-Site Selection of a Desert-Dwelling Bird, Xinjiang Ground-Jay (Podoces biddulphi). Sustainability, 2021, 13, 5838. | 1.6 | 2 |
| 4 | Przewalski's Horses (Equus ferus przewalskii) Responses to Unmanned Aerial Vehicles Flights under Semireserve Conditions: Conservation Implication. International Journal of Zoology, 2021, 2021, 1-6. | 0.3 | 2 |
| 5 | Habitat suitability assessment for the Great Bustard Otis tarda tarda in Tacheng Basin, western China. Global Ecology and Conservation, 2021, 32, e01926. | 1.0 | 4 |
| 6 | Defining priorities for global snow leopard conservation landscapes. Biological Conservation, 2020, 241, 108387. | 1.9 | 55 |
| 7 | Enlarged Egg Size Increases Offspring Fitness of a Frog Species on the Zhoushan Archipelago of China. Scientific Reports, 2019, 9, 11653. | 1.6 | 8 |
| 8 | More invaders do not result in heavier impacts: The effects of nonâ€native bullfrogs on native anurans are mitigated by high densities of nonâ€native crayfish. Journal of Animal Ecology, 2018, 87, 850-862. | 1.3 | 31 |
| 9 | Alpha-ketoglutarate protects Streptomyces coelicolor from visible light-induced phototoxicity. Biochemistry and Biophysics Reports, 2017, 9, 22-28. | 0.7 | 3 |
| 10 | Group size and disturbance effects on group vigilance in the Great Bustard <i>Otis tarda</i> in western China. Bird Study, 2015, 62, 438-442. | 0.4 | 7 |
| 11 | Impact of great gerbils (Rhombomys opimus) on desert plant communities. Journal of Arid Land, 2015, 7, 852-859. | 0.9 | 3 |
| 12 | The energy-maintenance strategy of goitered gazelles Gazella subgutturosa during rut. Behavioural Processes, 2014, 103, 5-8. | 0.5 | 2 |
| 13 | A survey for Batrachochytrium salamandrivorans in Chinese amphibians. Environmental Epigenetics, 2014, 60, 729-735. | 0.9 | 17 |
| 14 | Vigilance in Black-Necked Cranes: Effects of Predation Vulnerability and Flock Size. Wilson Journal of Ornithology, 2013, 125, 208-212. | 0.1 | 12 |
| 15 | The effects of the Taklimakan Desert Highway on endemic birds Podoces biddulphi. Transportation Research, Part D: Transport and Environment, 2013, 20, 12-14. | 3.2 | 4 |
| 16 | Group size effect on vigilance and daytime activity budgets of the <i>Equus kiang</i> (Equidae,) Tj ETQq0 0 0 rgB | T /Qyerlocl | k 10 Tf 50 14 |

| 17 | Test of the activity budget hypothesis on Asiatic ibex in Tian Shan Mountains of Xinjiang, China. European Journal of Wildlife Research, 2012, 58, 71-75. | 0.7 | 8 |
|----|--|-----|---|
| 18 | Winter habitat use of snow leopards in Tomur National Nature Reserve of Xinjiang, Northwest China. Journal of Arid Land, 2012, 4, 191-195. | 0.9 | 8 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Reduced predator species richness drives the body gigantism of a frog species on the Zhoushan Archipelago in China. Journal of Animal Ecology, 2011, 80, 171-182. | 1.3 | 27 |