

Thomas D Shipp

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1881956/publications.pdf>

Version: 2024-02-01

99
papers

3,747
citations

116194

36
h-index

156644

58
g-index

101
all docs

101
docs citations

101
times ranked

2204
citing authors

#	ARTICLE	IF	CITATIONS
1	Hysterotomy Extension at Cesarean Delivery and Future Uterine Rupture. <i>Obstetrics and Gynecology</i> , 2021, 137, 271-272.	1.2	3
2	Special Report of the Society for Maternal-Fetal Medicine Placenta Accreta Spectrum Ultrasound Marker Task Force: Consensus definition of markers and approach to the ultrasound examination in pregnancies at risk for placenta accreta spectrum. <i>American Journal of Obstetrics and Gynecology</i> , 2021, 224, B2-B14.	0.7	71
3	Prior Cesarean Section Surgical Characteristics and Subsequent Uterine Rupture [30P]. <i>Obstetrics and Gynecology</i> , 2020, 135, 175S.	1.2	0
4	ACR Appropriateness Criteria® Placenta Accreta Spectrum Disorder. <i>Journal of the American College of Radiology</i> , 2020, 17, S207-S214.	0.9	14
5	ACR Appropriateness Criteria® Second and Third Trimester Vaginal Bleeding. <i>Journal of the American College of Radiology</i> , 2020, 17, S497-S504.	0.9	7
6	ACR Appropriateness Criteria® Assessment of Gravid Cervix. <i>Journal of the American College of Radiology</i> , 2020, 17, S26-S35.	0.9	1
7	ACR Appropriateness Criteria® Clinically Suspected Adnexal Mass, No Acute Symptoms. <i>Journal of the American College of Radiology</i> , 2019, 16, S77-S93.	0.9	34
8	ACR Appropriateness Criteria® Growth Disturbances-Risk of Fetal Growth Restriction. <i>Journal of the American College of Radiology</i> , 2019, 16, S116-S125.	0.9	3
9	Assessment of the Placental Cord Insertion Using 3-Dimensional Ultrasound at the Time of the Structural Fetal Survey. <i>Journal of Ultrasound in Medicine</i> , 2019, 38, 1791-1796.	0.8	0
10	ACR Appropriateness Criteria® Staging and Follow-Up of Ovarian Cancer. <i>Journal of the American College of Radiology</i> , 2018, 15, S198-S207.	0.9	44
11	ACR Appropriateness Criteria® First Trimester Vaginal Bleeding. <i>Journal of the American College of Radiology</i> , 2018, 15, S69-S77.	0.9	19
12	281: Does three-dimensional (3d) scanning of the placenta improve the diagnosis of morbidly adherent placentation (map)? <i>American Journal of Obstetrics and Gynecology</i> , 2017, 216, S171.	0.7	0
13	ACR Appropriateness Criteria® Ovarian Cancer Screening. <i>Journal of the American College of Radiology</i> , 2017, 14, S490-S499.	0.9	10
14	ACR Appropriateness Criteria® Multiple Gestations. <i>Journal of the American College of Radiology</i> , 2017, 14, S476-S489.	0.9	14
15	663: 3-Dimensional assessment of the cervix: A novel technique to define normative values. <i>American Journal of Obstetrics and Gynecology</i> , 2016, 214, S351-S352.	0.7	0
16	ACR Appropriateness Criteria® Acute Pelvic Pain in the Reproductive Age Group. <i>Ultrasound Quarterly</i> , 2016, 32, 108-115.	0.3	47
17	ACR Appropriateness Criteria Assessment of Fetal Well-Being. <i>Journal of the American College of Radiology</i> , 2016, 13, 1483-1493.	0.9	4
18	Reorganizing to meet the demands of the future. <i>Journal of the American Society of Echocardiography</i> , 2016, 29, A19.	1.2	0

#	ARTICLE	IF	CITATIONS
19	Fetal adrenal gland volume and preterm birth: a prospective third-trimester screening evaluation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016, 29, 1552-1555.	0.7	12
20	Consider ultrasound first for imaging the female pelvis. <i>American Journal of Obstetrics and Gynecology</i> , 2015, 212, 450-455.	0.7	40
21	ACR Appropriateness Criteria Pelvic Floor Dysfunction. <i>Journal of the American College of Radiology</i> , 2015, 12, 134-142.	0.9	24
22	ACR Appropriateness Criteria® Infertility. <i>Ultrasound Quarterly</i> , 2015, 31, 37-44.	0.3	10
23	ACR Appropriateness Criteria® Pretreatment Evaluation and Follow-Up of Endometrial Cancer. <i>Ultrasound Quarterly</i> , 2014, 30, 21-28.	0.3	40
24	Uterine Artery Embolization of Cervical Varices Before Second-Trimester Abortion. <i>Obstetrics and Gynecology</i> , 2014, 123, 458-462.	1.2	8
25	What Is the Importance of Second-Trimester "Soft Markers" for Trisomy 21 After an 11-to 14-Week Aneuploidy Screening Scan?. <i>Journal of Ultrasound in Medicine</i> , 2014, 33, 1747-1752.	0.8	13
26	Detection of Fetal Structural Anomalies in a Basic First-Trimester Screening Program for Aneuploidy. <i>Journal of Ultrasound in Medicine</i> , 2014, 33, 1737-1745.	0.8	44
27	ACR Appropriateness Criteria Staging and Follow-up of Ovarian Cancer. <i>Journal of the American College of Radiology</i> , 2013, 10, 822-827.	0.9	47
28	Sonographic predictors of ovarian malignancy. <i>Journal of Clinical Ultrasound</i> , 2013, 41, 269-274.	0.4	16
29	535: Fetal adrenal gland volume and prediction of preterm birth. <i>American Journal of Obstetrics and Gynecology</i> , 2013, 208, S228-S229.	0.7	0
30	ACR Appropriateness Criteria® Growth Disturbances " Risk of Intrauterine Growth Restriction. <i>Ultrasound Quarterly</i> , 2013, 29, 147-151.	0.3	9
31	ACR Appropriateness Criteria® Clinically Suspected Adnexal Mass. <i>Ultrasound Quarterly</i> , 2013, 29, 79-86.	0.3	21
32	ACR Appropriateness Criteria® First Trimester Bleeding. <i>Ultrasound Quarterly</i> , 2013, 29, 91-96.	0.3	33
33	ACR Appropriateness Criteria® Second and Third Trimester Bleeding. <i>Ultrasound Quarterly</i> , 2013, 29, 293-301.	0.3	10
34	Absent Fetal Nasal Bone. <i>Journal of Ultrasound in Medicine</i> , 2013, 32, 2131-2134.	0.8	19
35	Single- Versus Double-Layer Closure of the Hysterotomy Incision During Cesarean Delivery and Risk of Uterine Rupture. <i>Obstetrical and Gynecological Survey</i> , 2012, 67, 14-15.	0.2	0
36	ACR Appropriateness Criteria® Multiple Gestations. <i>Ultrasound Quarterly</i> , 2012, 28, 149-155.	0.3	11

#	ARTICLE	IF	CITATIONS
37	Variations in Management of Mild Prenatal Hydronephrosis Among Maternal-Fetal Medicine Obstetricians, and Pediatric Urologists and Radiologists. <i>Journal of Urology</i> , 2012, 188, 1935-1939.	0.2	51
38	177: Early neonatal weight loss differs by mode of delivery in healthy term and late preterm neonates. <i>American Journal of Obstetrics and Gynecology</i> , 2012, 206, S91.	0.7	1
39	381: Absent fetal nasal bone: what does it mean for the euploid fetus?. <i>American Journal of Obstetrics and Gynecology</i> , 2012, 206, S177.	0.7	1
40	ACR Appropriateness Criteria® on Abnormal Vaginal Bleeding. <i>Journal of the American College of Radiology</i> , 2011, 8, 460-468.	0.9	28
41	Single- versus double-layer closure of the hysterotomy incision during cesarean delivery and risk of uterine rupture. <i>International Journal of Gynecology and Obstetrics</i> , 2011, 115, 5-10.	1.0	152
42	ACR Appropriateness Criteria® Assessment of Gravid Cervix. <i>Ultrasound Quarterly</i> , 2011, 27, 275-280.	0.3	4
43	ACR Appropriateness Criteria® Acute Pelvic Pain in the Reproductive Age Group. <i>Ultrasound Quarterly</i> , 2011, 27, 205-210.	0.3	26
44	Importance of Renal Abnormalities First Identified in the Third Trimester After Normal Findings on a Detailed Second-Trimester Structural Fetal Survey. <i>Journal of Ultrasound in Medicine</i> , 2011, 30, 1567-1572.	0.8	8
45	The Width of the Uterine Cavity is Narrower in Patients With an Embedded Intrauterine Device (IUD) Compared to a Normally Positioned IUD. <i>Journal of Ultrasound in Medicine</i> , 2010, 29, 1453-1456.	0.8	36
46	Tricks for Obtaining a Nuchal Translucency Measurement on the Fetus in a Difficult Position. <i>Journal of Ultrasound in Medicine</i> , 2010, 29, 1261-1264.	0.8	3
47	Structural Anomalies in Early Embryonic Death. <i>Journal of Ultrasound in Medicine</i> , 2010, 29, 445-453.	0.8	9
48	Width of the Normal Uterine Cavity in Premenopausal Women and Effect of Parity. <i>Obstetrics and Gynecology</i> , 2010, 116, 305-310.	1.2	30
49	Assessment of the rate of uterine rupture at the first prenatal visit: A preliminary evaluation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008, 21, 129-133.	0.7	11
50	Which Patients Benefit from a 3D Reconstructed Coronal View of the Uterus Added to Standard Routine 2D Pelvic Sonography?. <i>American Journal of Roentgenology</i> , 2008, 190, 626-629.	1.0	41
51	Fetal Anomalies and Syndromes Associated with Monochorionic Twins. , 2008, , 603-633.		1
52	What Does Magnetic Resonance Imaging Add to the Prenatal Sonographic Diagnosis of Ventriculomegaly?. <i>Journal of Ultrasound in Medicine</i> , 2007, 26, 1513-1522.	0.8	111
53	Assessment of the third-trimester fetus using 3-dimensional volumes: A pilot study. <i>Journal of Clinical Ultrasound</i> , 2007, 35, 231-237.	0.4	18
54	Improving the Efficiency of Gynecologic Sonography With 3-Dimensional Volumes. <i>Journal of Ultrasound in Medicine</i> , 2006, 25, 165-171.	0.8	46

#	ARTICLE	IF	CITATIONS
55	Is 3-dimensional volume sonography an effective alternative method to the standard 2-dimensional technique of measuring the nuchal translucency?. <i>Journal of Clinical Ultrasound</i> , 2006, 34, 118-122.	0.4	9
56	Three-dimensional US of the Fetus: Volume Imaging. <i>Radiology</i> , 2006, 238, 988-996.	3.6	119
57	Does ultrasound have a role in the evaluation of postmenopausal bleeding and among postmenopausal women with endometrial cancer?. <i>Menopause</i> , 2005, 12, 8-11.	0.8	3
58	How Sonographic Tomography Will Change the Face of Obstetric Sonography. <i>Journal of Ultrasound in Medicine</i> , 2005, 24, 371-378.	0.8	71
59	What Factors Are Associated with Parents' Desire To Know the Sex of Their Unborn Child?. <i>Birth</i> , 2004, 31, 272-279.	1.1	45
60	Trial of Labor After Cesarean: So, What Are the Risks?. <i>Clinical Obstetrics and Gynecology</i> , 2004, 47, 365-377.	0.6	21
61	Postâ€cesarean delivery fever and uterine rupture in a subsequent trial of labor. <i>Obstetrics and Gynecology</i> , 2003, 101, 136-139.	1.2	38
62	Impact of single- or double-layer closure on uterine rupture. <i>American Journal of Obstetrics and Gynecology</i> , 2003, 188, 601.	0.7	3
63	Ultrasound assessment of ovarian volume: does ovarian size matter?. <i>Menopause</i> , 2003, 10, 193-195.	0.8	1
64	Post-Cesarean Delivery Fever and Uterine Rupture in a Subsequent Trial of Labor. <i>Obstetrics and Gynecology</i> , 2003, 101, 136-139.	1.2	27
65	The Making of an Advanced Practice Sonographer. <i>Journal of Ultrasound in Medicine</i> , 2003, 22, 865-867.	0.8	12
66	Impact of single- or double-layer closure on uterine rupture. <i>American Journal of Obstetrics and Gynecology</i> , 2003, 188, 0601-0601.	0.7	3
67	Fetal Nose Bone Length. <i>Journal of Ultrasound in Medicine</i> , 2002, 21, 1387-1394.	0.8	135
68	The Association of Maternal Age and Symptomatic Uterine Rupture During a Trial of Labor After Prior Cesarean Delivery. <i>Obstetrics and Gynecology</i> , 2002, 99, 585-588.	1.2	1
69	The Genetic Sonogram. <i>Journal of Ultrasound in Medicine</i> , 2002, 21, 1087-1096.	0.8	195
70	The association of maternal age and symptomatic uterine rupture during a trial of labor after prior cesarean delivery. <i>Obstetrics and Gynecology</i> , 2002, 99, 585-588.	1.2	54
71	Second trimester ultrasound screening for chromosomal abnormalities. <i>Prenatal Diagnosis</i> , 2002, 22, 296-307.	1.1	87
72	Interdelivery interval and risk of symptomatic uterine rupture. <i>Obstetrics and Gynecology</i> , 2001, 97, 175-177.	1.2	96

#	ARTICLE	IF	CITATIONS
73	Oxytocin dose and the risk of uterine rupture in trial of labor after cesarean. <i>Obstetrics and Gynecology</i> , 2001, 97, 381-384.	1.2	36
74	Trial of labor after 40 weeks' gestation in women with prior cesarean. <i>Obstetrics and Gynecology</i> , 2001, 97, 391-393.	1.2	42
75	Trial of Labor After 40 Weeks¼ Gestation in Women With Prior Cesarean. <i>Obstetrics and Gynecology</i> , 2001, 97, 391-393.	1.2	29
76	157 Prediction of the rate of uterine rupture using an obstetrical scoring system. <i>American Journal of Obstetrics and Gynecology</i> , 2001, 185, S124.	0.7	1
77	The use of helical computed tomography in pregnancy for the diagnosis of acute appendicitis. <i>American Journal of Obstetrics and Gynecology</i> , 2001, 184, 954-957.	0.7	99
78	Outcomes of trial of labor following previous cesarean delivery among women with fetuses weighing >4000 g. <i>American Journal of Obstetrics and Gynecology</i> , 2001, 185, 903-905.	0.7	110
79	Interdelivery Interval and Risk of Symptomatic Uterine Rupture. <i>Obstetrics and Gynecology</i> , 2001, 97, 175-177.	1.2	60
80	Oxytocin Dose and the Risk of Uterine Rupture in Trial of Labor After Cesarean. <i>Obstetrics and Gynecology</i> , 2001, 97, 381-384.	1.2	22
81	Labor After Previous Cesarean. <i>Obstetrics and Gynecology</i> , 2000, 95, 913-916.	1.2	0
82	The sonographic diagnosis of Dandy-Walker and Dandy-Walker variant: associated findings and outcomes. , 2000, 20, 328-332.		130
83	Isolated polydactyly: prenatal diagnosis and perinatal outcome. <i>Prenatal Diagnosis</i> , 2000, 20, 905-908.	1.1	24
84	Effect of previous vaginal delivery on the risk of uterine rupture during a subsequent trial of labor. <i>American Journal of Obstetrics and Gynecology</i> , 2000, 183, 1184-1186.	0.7	130
85	Labor after previous cesarean: influence of prior indication and parity. <i>Obstetrics and Gynecology</i> , 2000, 95, 913-916.	1.2	49
86	The sonographic diagnosis of Dandy-Walker and Dandy-Walker variant: associated findings and outcomes. , 2000, 20, 328.		5
87	Rate of uterine rupture during a trial of labor in women with one or two prior cesarean deliveries. <i>American Journal of Obstetrics and Gynecology</i> , 1999, 181, 872-876.	0.7	156
88	Uterine rupture during induced or augmented labor in gravid women with one prior cesarean delivery. <i>American Journal of Obstetrics and Gynecology</i> , 1999, 181, 882-886.	0.7	193
89	Does the 10-MHz transvaginal transducer improve the diagnostic certainty that an intrauterine fluid collection is a true gestational sac?. , 1999, 27, 374-377.		7
90	Intrapartum uterine rupture and dehiscence in patients with prior lower uterine segment vertical and transverse incisions1. <i>Obstetrics and Gynecology</i> , 1999, 94, 735-740.	1.2	58

#	ARTICLE	IF	CITATIONS
91	Amnion-Chorion Separation After 17 Weeks ¼ Gestation. <i>Obstetrics and Gynecology</i> , 1999, 94, 1024-1026.	1.2	23
92	Intrapartum Uterine Rupture and Dehiscence in Patients With Prior Lower Uterine Segment Vertical and Transverse Incisions. <i>Obstetrics and Gynecology</i> , 1999, 94, 735-740.	1.2	42
93	Trial of labor after cesarean delivery: The effect of previous vaginal delivery. <i>American Journal of Obstetrics and Gynecology</i> , 1998, 179, 938-941.	0.7	84
94	The significance of prenatally identified isolated clubfoot: Is amniocentesis indicated?. <i>American Journal of Obstetrics and Gynecology</i> , 1998, 178, 600-602.	0.7	59
95	The Iliac Angle as a Sonographic Marker for Down Syndrome in Second-Trimester Fetuses. <i>Obstetrical and Gynecological Survey</i> , 1997, 89, 446-450.	0.2	1
96	The iliac angle as a sonographic marker for down syndrome in second-trimester fetuses. <i>Obstetrics and Gynecology</i> , 1997, 89, 446-450.	1.2	31
97	Fetal origin of amniotic fluid polymorphonuclear leukocytes. <i>American Journal of Obstetrics and Gynecology</i> , 1997, 176, 77-81.	0.7	154
98	THE ASSOCIATION OF EARLY-ONSET FETAL GROWTH RESTRICTION, ELEVATED MATERNAL SERUM ALPHA-FETOPROTEIN, AND THE DEVELOPMENT OF SEVERE PRE-ECLAMPSIA. , 1997, 17, 305-309.		10
99	Levorotation of the Fetal Cardiac Axis: A Clue for the Presence of Congenital Heart Disease. <i>Obstetrics and Gynecology</i> , 1995, 85, 97-102.	1.2	67