

Alice Kong

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1881961/alice-kong-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

165
papers

4,703
citations

38
h-index

62
g-index

175
ext. papers

5,776
ext. citations

6.6
avg. IF

5.01
L-index

#	Paper	IF	Citations
165	Mental morbidities and chronic fatigue in severe acute respiratory syndrome survivors: long-term follow-up. <i>Archives of Internal Medicine</i> , 2009 , 169, 2142-7		338
164	Modulation of circulating and adipose tissue adiponectin levels by antidiabetic therapy. <i>Diabetes</i> , 2003 , 52, 667-74	0.9	186
163	Differential effects of metformin and troglitazone on cardiovascular risk factors in patients with type 2 diabetes. <i>Diabetes Care</i> , 2002 , 25, 542-9	14.6	164
162	Glomerular filtration rate, cardiorenal end points, and all-cause mortality in type 2 diabetic patients. <i>Diabetes Care</i> , 2006 , 29, 2046-52	14.6	158
161	Troglitazone but not metformin restores insulin-stimulated phosphoinositide 3-kinase activity and increases p110beta protein levels in skeletal muscle of type 2 diabetic subjects. <i>Diabetes</i> , 2002 , 51, 443-8	8.9	142
160	Metabolic syndrome predicts new onset of chronic kidney disease in 5,829 patients with type 2 diabetes: a 5-year prospective analysis of the Hong Kong Diabetes Registry. <i>Diabetes Care</i> , 2008 , 31, 2357-61	14.6	134
159	Associations of hyperglycemia and insulin usage with the risk of cancer in type 2 diabetes: the Hong Kong diabetes registry. <i>Diabetes</i> , 2010 , 59, 1254-60	0.9	128
158	The use of aldosterone-renin ratio as a diagnostic test for primary hyperaldosteronism and its test characteristics under different conditions of blood sampling. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 72-8	5.6	122
157	Diabetes and its comorbidities--where East meets West. <i>Nature Reviews Endocrinology</i> , 2013 , 9, 537-47	15.2	102
156	Regulation of glucose transport and insulin signaling by troglitazone or metformin in adipose tissue of type 2 diabetic subjects. <i>Diabetes</i> , 2002 , 51, 30-6	0.9	92
155	The Lancet Commission on diabetes: using data to transform diabetes care and patient lives. <i>Lancet, The</i> , 2021 , 396, 2019-2082	40	90
154	Development and validation of a total coronary heart disease risk score in type 2 diabetes mellitus. <i>American Journal of Cardiology</i> , 2008 , 101, 596-601	3	89
153	Development and validation of stroke risk equation for Hong Kong Chinese patients with type 2 diabetes: the Hong Kong Diabetes Registry. <i>Diabetes Care</i> , 2007 , 30, 65-70	14.6	89
152	Relationship of sleep quantity and quality with 24-hour urinary catecholamines and salivary awakening cortisol in healthy middle-aged adults. <i>Sleep</i> , 2011 , 34, 225-33	1.1	88
151	Premature mortality and comorbidities in young-onset diabetes: a 7-year prospective analysis. <i>American Journal of Medicine</i> , 2014 , 127, 616-24	2.4	80
150	Development and validation of an all-cause mortality risk score in type 2 diabetes. <i>Archives of Internal Medicine</i> , 2008 , 168, 451-7		79
149	Prospective study on the incidences of cardiovascular-renal complications in Chinese patients with young-onset type 1 and type 2 diabetes. <i>Diabetes Care</i> , 2014 , 37, 149-57	14.6	70

148	Use of sulphonylurea and cancer in type 2 diabetes-The Hong Kong Diabetes Registry. <i>Diabetes Research and Clinical Practice</i> , 2010 , 90, 343-51	7.4	69
147	Independent associations between low-density lipoprotein cholesterol and cancer among patients with type 2 diabetes mellitus. <i>Cmaj</i> , 2008 , 179, 427-37	3.5	67
146	Increased bone mineral density in patients with chronic hypoparathyroidism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003 , 88, 3155-9	5.6	58
145	Low HDL cholesterol, metformin use, and cancer risk in type 2 diabetes: the Hong Kong Diabetes Registry. <i>Diabetes Care</i> , 2011 , 34, 375-80	14.6	56
144	Diabetes-related distress and physical and psychological health in chinese type 2 diabetic patients. <i>Diabetes Care</i> , 2011 , 34, 1094-6	14.6	56
143	Measuring depression with CES-D in Chinese patients with type 2 diabetes: the validity and its comparison to PHQ-9. <i>BMC Psychiatry</i> , 2015 , 15, 198	4.2	55
142	Adipocyte differentiation-related protein in human skeletal muscle: relationship to insulin sensitivity. <i>Obesity</i> , 2005 , 13, 1321-9		55
141	Associations between microRNA (miR-21, 126, 155 and 221), albuminuria and heavy metals in Hong Kong Chinese adolescents. <i>Clinica Chimica Acta</i> , 2012 , 413, 1053-7	6.2	53
140	Severe hypoglycemia identifies vulnerable patients with type 2 diabetes at risk for premature death and all-site cancer: the Hong Kong diabetes registry. <i>Diabetes Care</i> , 2014 , 37, 1024-31	14.6	52
139	Hematocrit, independent of chronic kidney disease, predicts adverse cardiovascular outcomes in chinese patients with type 2 diabetes. <i>Diabetes Care</i> , 2006 , 29, 2439-44	14.6	51
138	Fat redistribution and adipocyte transformation in uninephrectomized rats. <i>Kidney International</i> , 2008 , 74, 467-77	9.9	49
137	BMI and waist circumference in predicting cardiovascular risk factor clustering in Chinese adolescents. <i>Obesity</i> , 2007 , 15, 494-503	8	48
136	Secular trends in all-cause and cause-specific mortality rates in people with diabetes in Hong Kong, 2001-2016: a retrospective cohort study. <i>Diabetologia</i> , 2020 , 63, 757-766	10.3	47
135	Risk factors in V-shaped risk associations with all-cause mortality in type 2 diabetes-The Hong Kong Diabetes Registry. <i>Diabetes/Metabolism Research and Reviews</i> , 2008 , 24, 238-46	7.5	46
134	Overweight, family history of diabetes and attending schools of lower academic grading are independent predictors for metabolic syndrome in Hong Kong Chinese adolescents. <i>Archives of Disease in Childhood</i> , 2007 , 92, 224-8	2.2	45
133	A community-based study on the association between insomnia and hypothalamic-pituitary-adrenal axis: sex and pubertal influences. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, 2277-87	5.6	43
132	Association between obesity and atopy in Chinese schoolchildren. <i>International Archives of Allergy and Immunology</i> , 2009 , 149, 133-40	3.7	42
131	Effects of treatment targets on subsequent cardiovascular events in Chinese patients with type 2 diabetes. <i>Diabetes Care</i> , 2007 , 30, 953-9	14.6	41

130	Aspects of Multicomponent Integrated Care Promote Sustained Improvement in Surrogate Clinical Outcomes: A Systematic Review and Meta-analysis. <i>Diabetes Care</i> , 2018 , 41, 1312-1320	14.6	41
129	Sirt3 Deficiency Increased the Vulnerability of Pancreatic Beta Cells to Oxidative Stress-Induced Dysfunction. <i>Antioxidants and Redox Signaling</i> , 2017 , 27, 962-976	8.4	40
128	Regulation of skeletal muscle morphology in type 2 diabetic subjects by troglitazone and metformin: relationship to glucose disposal. <i>Metabolism: Clinical and Experimental</i> , 2003 , 52, 540-6	12.7	40
127	Measurement of pubertal status with a Chinese self-report Pubertal Development Scale. <i>Maternal and Child Health Journal</i> , 2010 , 14, 466-73	2.4	38
126	Use of anti-diabetic drugs and glycaemic control in type 2 diabetes-tThe Hong Kong Diabetes Registry. <i>Diabetes Research and Clinical Practice</i> , 2008 , 82, 346-52	7.4	38
125	Low LDL cholesterol, albuminuria, and statins for the risk of cancer in type 2 diabetes: the Hong Kong diabetes registry. <i>Diabetes Care</i> , 2009 , 32, 1826-32	14.6	37
124	Diabetes and cancer: the mechanistic implications of epidemiological analyses from the Hong Kong Diabetes Registry. <i>Diabetes/Metabolism Research and Reviews</i> , 2012 , 28, 379-87	7.5	35
123	Tissue-specific expression and regulation of GSK-3 in human skeletal muscle and adipose tissue. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2006 , 291, E891-8	6	34
122	Predicting values of lipids and white blood cell count for all-site cancer in type 2 diabetes. <i>Endocrine-Related Cancer</i> , 2008 , 15, 597-607	5.7	33
121	Additive interaction between the renin-angiotensin system and lipid metabolism for cancer in type 2 diabetes. <i>Diabetes</i> , 2009 , 58, 1518-25	0.9	32
120	Adherence to oral hypoglycemic agents in 26,782 Chinese patients: a cohort study. <i>Journal of Clinical Pharmacology</i> , 2011 , 51, 1474-82	2.9	30
119	Association between physical activity and cardiovascular risk in Chinese youth independent of age and pubertal stage. <i>BMC Public Health</i> , 2010 , 10, 303	4.1	29
118	Reference values for serum levels of insulin-like growth factor (IGF-1) and IGF-binding protein 3 (IGFBP-3) and their ratio in Chinese adolescents. <i>Clinical Biochemistry</i> , 2007 , 40, 1093-9	3.5	29
117	Use of net reclassification improvement (NRI) method confirms the utility of combined genetic risk score to predict type 2 diabetes. <i>PLoS ONE</i> , 2013 , 8, e83093	3.7	29
116	From Hong Kong Diabetes Register to JADE Program to RAMP-DM for Data-Driven Actions. <i>Diabetes Care</i> , 2019 , 42, 2022-2031	14.6	29
115	Peri-operative hyperglycemia: a consideration for general surgery?. <i>American Journal of Surgery</i> , 2010 , 199, 240-8	2.7	28
114	Lipid control and use of lipid-regulating drugs for prevention of cardiovascular events in Chinese type 2 diabetic patients: a prospective cohort study. <i>Cardiovascular Diabetology</i> , 2010 , 9, 77	8.7	28
113	Drug-induced endocrine and metabolic disorders. <i>Drug Safety</i> , 2007 , 30, 215-45	5.1	28

112	The problem of obesity among adolescents in Hong Kong: a comparison using various diagnostic criteria. <i>BMC Pediatrics</i> , 2008 , 8, 10	2.6	27
111	Independent associations of alanine aminotransferase (ALT) levels with cardiovascular risk factor clustering in Chinese adolescents. <i>Journal of Hepatology</i> , 2008 , 49, 115-22	13.4	26
110	Diet quality is inversely associated with obesity in Chinese adults with type 2 diabetes. <i>Nutrition Journal</i> , 2018 , 17, 63	4.3	25
109	A new tool to detect kidney disease in Chinese type 2 diabetes patients: comparison of EZSCAN with standard screening methods. <i>Diabetes Technology and Therapeutics</i> , 2011 , 13, 937-43	8.1	25
108	High risk for cardiovascular disease in Chinese type 2 diabetic patients with major depression--a 7-year prospective analysis of the Hong Kong Diabetes Registry. <i>Journal of Affective Disorders</i> , 2013 , 149, 129-35	6.6	24
107	Additive interaction of hyperglycemia and albuminuria on risk of ischemic stroke in type 2 diabetes: Hong Kong Diabetes Registry. <i>Diabetes Care</i> , 2008 , 31, 2294-300	14.6	24
106	Aberrant expression of soluble co-stimulatory molecules and adhesion molecules in type 2 diabetic patients with nephropathy. <i>Journal of Clinical Immunology</i> , 2008 , 28, 36-43	5.7	23
105	Secular trends in incidence of type 1 and type 2 diabetes in Hong Kong: A retrospective cohort study. <i>PLoS Medicine</i> , 2020 , 17, e1003052	11.6	21
104	Additive effects of blood glucose lowering drugs, statins and renin-angiotensin system blockers on all-site cancer risk in patients with type 2 diabetes. <i>BMC Medicine</i> , 2014 , 12, 76	11.4	21
103	Self-reported body weight and height: an assessment tool for identifying children with overweight/obesity status and cardiometabolic risk factors clustering. <i>Maternal and Child Health Journal</i> , 2013 , 17, 282-91	2.4	21
102	Hypoglycaemia, chronic kidney disease and death in type 2 diabetes: the Hong Kong diabetes registry. <i>BMC Endocrine Disorders</i> , 2014 , 14, 48	3.3	21
101	Aldose reductase genotypes and cardiorenal complications: an 8-year prospective analysis of 1,074 type 2 diabetic patients. <i>Diabetes Care</i> , 2008 , 31, 2148-53	14.6	21
100	Detecting people at high risk of type 2 diabetes- How do we find them and who should be treated?. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2016 , 30, 345-55	6.5	19
99	Chronic kidney disease and associated cardiovascular risk factors in chinese with type 2 diabetes. <i>Diabetes and Metabolism Journal</i> , 2012 , 36, 433-42	5	19
98	Microbiota engraftment after faecal microbiota transplantation in obese subjects with type 2 diabetes: a 24-week, double-blind, randomised controlled trial. <i>Gut</i> , 2021 ,	19.2	19
97	Delivery of integrated diabetes care using logistics and information technology--the Joint Asia Diabetes Evaluation (JADE) program. <i>Diabetes Research and Clinical Practice</i> , 2014 , 106 Suppl 2, S295-304	7.4	18
96	A randomized controlled trial to investigate the impact of a low glycemic index (GI) diet on body mass index in obese adolescents. <i>BMC Public Health</i> , 2014 , 14, 180	4.1	17
95	Low triglyceride and nonuse of statins is associated with cancer in type 2 diabetes mellitus: the Hong Kong Diabetes Registry. <i>Cancer</i> , 2011 , 117, 862-71	6.4	17

94	Sleep and Obesity. <i>Journal of Obesity and Metabolic Syndrome</i> , 2018 , 27, 4-24	4.4	17
93	Diabetes-Related Complications and Mortality in Patients With Young-Onset Latent Autoimmune Diabetes: A 14-Year Analysis of the Prospective Hong Kong Diabetes Register. <i>Diabetes Care</i> , 2019 , 42, 1042-1050	14.6	16
92	Enhancers and attenuators of risk associations of chronic hepatitis B virus infection with hepatocellular carcinoma in type 2 diabetes. <i>Endocrine-Related Cancer</i> , 2013 , 20, 161-71	5.7	16
91	Hong Kong Chinese school children with elevated urine melamine levels: a prospective follow up study. <i>BMC Public Health</i> , 2011 , 11, 354	4.1	16
90	Acute renal failure following oral sodium phosphate bowel preparation in diabetes. <i>Diabetes Care</i> , 2007 , 30, 182-3	14.6	16
89	Interactome-transcriptome analysis discovers signatures complementary to GWAS Loci of Type 2 Diabetes. <i>Scientific Reports</i> , 2016 , 6, 35228	4.9	16
88	Prevention and Care Programs Addressing the Growing Prevalence of Diabetes in China. <i>Current Diabetes Reports</i> , 2016 , 16, 130	5.6	15
87	Borderline ankle-brachial index is associated with increased prevalence of micro- and macrovascular complications in type 2 diabetes: A cross-sectional analysis of 12,772 patients from the Joint Asia Diabetes Evaluation Program. <i>Diabetes and Vascular Disease Research</i> , 2015 , 12, 334-41	3.3	15
86	Obesity, clinical, and genetic predictors for glycemic progression in Chinese patients with type 2 diabetes: A cohort study using the Hong Kong Diabetes Register and Hong Kong Diabetes Biobank. <i>PLoS Medicine</i> , 2020 , 17, e1003209	11.6	15
85	Type 2 Diabetes Promotes Cell Centrosome Amplification via AKT-ROS-Dependent Signalling of ROCK1 and 14-3-3. <i>Cellular Physiology and Biochemistry</i> , 2018 , 47, 356-367	3.9	15
84	Safety of atorvastatin in Asian patients within clinical trials. <i>Cardiovascular Therapeutics</i> , 2016 , 34, 431-440	3.9	14
83	Depressive Symptoms, Co-Morbidities, and Glycemic Control in Hong Kong Chinese Elderly Patients With Type 2 Diabetes Mellitus. <i>Frontiers in Endocrinology</i> , 2018 , 9, 261	5.7	14
82	Serum concentrations of insulin-like growth factor-I, insulin-like growth factor binding protein-3 and cardiovascular risk factors in adolescents. <i>Annals of Clinical Biochemistry</i> , 2011 , 48, 263-9	2.2	14
81	Cold-vapour atomic absorption spectrometry underestimates total mercury in blood and urine compared to inductively-coupled plasma mass spectrometry: an important factor for determining mercury reference intervals. <i>Pathology</i> , 2009 , 41, 467-72	1.6	14
80	Validity of glycated hemoglobin in screening and diagnosing type 2 diabetes mellitus in Chinese subjects. <i>Korean Journal of Internal Medicine</i> , 2012 , 27, 41-6	2.5	14
79	Gender, diabetes education, and psychosocial factors are associated with persistent poor glycemic control in patients with type 2 diabetes in the Joint Asia Diabetes Evaluation (JADE) program. <i>Journal of Diabetes</i> , 2016 , 8, 109-19	3.8	13
78	Glycaemia control and the risk of hospitalisation for infection in patients with type 2 diabetes: Hong Kong Diabetes Registry. <i>Diabetes/Metabolism Research and Reviews</i> , 2017 , 33, e2923	7.5	13
77	White blood cell count and renin-angiotensin system inhibitors for the risk of cancer in type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2010 , 87, 117-25	7.4	13

76	Effects of albuminuria and renal dysfunction on development of dyslipidaemia in type 2 diabetes--the Hong Kong Diabetes Registry. <i>Nephrology Dialysis Transplantation</i> , 2008 , 23, 2834-40	4.3	13
75	Shortened Relative Leukocyte Telomere Length Is Associated With Prevalent and Incident Cardiovascular Complications in Type 2 Diabetes: Analysis From the Hong Kong Diabetes Register. <i>Diabetes Care</i> , 2020 , 43, 2257-2265	14.6	13
74	Genetic and clinical variables identify predictors for chronic kidney disease in type 2 diabetes. <i>Kidney International</i> , 2016 , 89, 411-20	9.9	12
73	Practical considerations for the use of sodium-glucose co-transporter type 2 inhibitors in treating hyperglycemia in type 2 diabetes. <i>Current Medical Research and Opinion</i> , 2016 , 32, 1097-108	2.5	12
72	Trends in diabetes-related complications in Hong Kong, 2001-2016: a retrospective cohort study. <i>Cardiovascular Diabetology</i> , 2020 , 19, 60	8.7	11
71	Association of self-reported recurrent mild hypoglycemia with incident cardiovascular disease and all-cause mortality in patients with type 2 diabetes: Prospective analysis of the Joint Asia Diabetes Evaluation Registry. <i>Medicine (United States)</i> , 2016 , 95, e5183	1.8	11
70	Associations of pubertal stage and body mass index with cardiometabolic risk in Hong Kong Chinese children: A cross-sectional study. <i>BMC Pediatrics</i> , 2015 , 15, 136	2.6	11
69	Synergistic effects of low LDL cholesterol with other factors for the risk of cancer in type 2 diabetes: the Hong Kong Diabetes Registry. <i>Acta Diabetologica</i> , 2012 , 49 Suppl 1, S185-93	3.9	11
68	The type 2 diabetes gene product STARD10 is a phosphoinositide-binding protein that controls insulin secretory granule biogenesis. <i>Molecular Metabolism</i> , 2020 , 40, 101015	8.8	10
67	Natural history and outcome in Chinese patients with gastroenteropancreatic neuroendocrine tumours: - a 17-year retrospective analysis. <i>BMC Endocrine Disorders</i> , 2016 , 16, 12	3.3	10
66	Use of thiazolidinedione and cancer risk in Type 2 diabetes: the Hong Kong diabetes registry. <i>Diabetes Research and Clinical Practice</i> , 2012 , 97, e13-7	7.4	10
65	Evaluation of functional and malignant adrenal incidentalomas. <i>Archives of Internal Medicine</i> , 2010 , 170, 2017-20		10
64	Metabolic syndrome by the new IDF criteria in Hong Kong Chinese adolescents and its prediction by using body mass index. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2008 , 97, 1738-42	3.1	10
63	Effects of chronic hyperglycaemia on incident stroke in Hong Kong Chinese patients with type 2 diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2007 , 23, 220-6	7.5	10
62	Hypoglycemia and Comorbidities in Type 2 Diabetes. <i>Current Diabetes Reports</i> , 2015 , 15, 80	5.6	9
61	Cadmium and lead in Hong Kong school children. <i>Pathology</i> , 2012 , 44, 626-31	1.6	9
60	Associations of overweight with insulin resistance, beta-cell function and inflammatory markers in Chinese adolescents. <i>Pediatric Diabetes</i> , 2008 , 9, 488-95	3.6	9
59	Regular mailing of personalized feedback reports improves glycemic control in diabetes: A randomized controlled trial. <i>Journal of Diabetes</i> , 2017 , 9, 536-538	3.8	8

58	Family conflict and lower morning cortisol in adolescents and adults: modulation of puberty. <i>Scientific Reports</i> , 2016 , 6, 22531	4.9	8
57	Determinants of hospitalization in Chinese patients with type 2 diabetes receiving a peer support intervention and JADE integrated care: the PEARL randomised controlled trial. <i>Clinical Diabetes and Endocrinology</i> , 2018 , 4, 5	4.7	8
56	PTGDR is not a major candidate gene for asthma and atopy in Chinese children. <i>Pediatric Allergy and Immunology</i> , 2009 , 20, 556-62	4.2	8
55	Guidance on the management of familial hypercholesterolaemia in Hong Kong: an expert panel consensus viewpoint. <i>Hong Kong Medical Journal</i> , 2018 , 24, 408-415	0.7	8
54	Trends in Glucose-Lowering Drug Use, Glycemic Control, and Severe Hypoglycemia in Adults With Diabetes in Hong Kong, 2002-2016. <i>Diabetes Care</i> , 2020 , 43, 2967-2974	14.6	8
53	Temporal trends in rates of infection-related hospitalisations in Hong Kong people with and without diabetes, 2001-2016: a retrospective study. <i>Diabetologia</i> , 2021 , 64, 109-118	10.3	7
52	Circulating branched-chain amino acids and incident heart failure in type 2 diabetes: The Hong Kong Diabetes Register. <i>Diabetes/Metabolism Research and Reviews</i> , 2020 , 36, e3253	7.5	6
51	Curvilinear associations of sleep patterns during weekdays and weekends with glycemic control in type 2 diabetes: the Hong Kong Diabetes Registry. <i>Acta Diabetologica</i> , 2017 , 54, 151-162	3.9	6
50	A novel mutation of SLC22A12 gene causing primary renal hypouricemia in a patient with metabolic syndrome. <i>Clinica Chimica Acta</i> , 2008 , 398, 157-8	6.2	6
49	Interactive effects of testosterone and the androgen receptor CAG repeat length polymorphism on cardiovascular-renal events and mortality in men with diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2019 , 35, e3081	7.5	6
48	Health-Related Quality of Life after Bariatric Surgery and its Correlation with Glycaemic Status in Hong Kong Chinese Adults. <i>Obesity Surgery</i> , 2016 , 26, 538-45	3.7	5
47	Pharmacoepidemiological profiles of oral hypoglycemic agents among 28,773 Chinese patients with diabetes. <i>Diabetes Research and Clinical Practice</i> , 2012 , 96, 319-25	7.4	5
46	Cancer risk in type 2 diabetes. <i>Current Diabetes Reports</i> , 2012 , 12, 325-8	5.6	5
45	Association of technologically assisted integrated care with clinical outcomes in type 2 diabetes in Hong Kong using the prospective JADE Program: A retrospective cohort analysis. <i>PLoS Medicine</i> , 2020 , 17, e1003367	11.6	5
44	Secular trends in rates of hospitalisation for lower extremity amputation and 1-year mortality in people with diabetes in Hong Kong, 2001-2016: a retrospective cohort study. <i>Diabetologia</i> , 2020 , 63, 2689-2698	10.3	5
43	Association of serum 25(OH)Vit-D levels with risk of pediatric fractures: a systematic review and meta-analysis. <i>Osteoporosis International</i> , 2021 , 32, 1287-1300	5.3	5
42	Shortened relative leukocyte telomere length is associated with all-cause mortality in type 2 diabetes- analysis from the Hong Kong Diabetes Register. <i>Diabetes Research and Clinical Practice</i> , 2021 , 173, 108649	7.4	5
41	A polysaccharide extract from the medicinal plant Maidong inhibits the IKK-NF- κ B pathway and IL-1 β -induced islet inflammation and increases insulin secretion. <i>Journal of Biological Chemistry</i> , 2020 , 295, 12573-12587	5.4	4

40	Progression to treatment failure among Chinese patients with type 2 diabetes initiated on metformin versus sulphonylurea monotherapy--The Hong Kong Diabetes Registry. <i>Diabetes Research and Clinical Practice</i> , 2016 , 112, 57-64	7.4	4
39	Renin angiotensin system inhibitors may attenuate low LDL cholesterol-related cancer risk in type 2 diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2014 , 30, 415-23	7.5	4
38	Associations of the growth hormone receptor (GHR) gene polymorphisms with adiposity and IGF-I activity in adolescents. <i>Clinical Endocrinology</i> , 2010 , 73, 313-22	3.4	4
37	Real-world data reveal unmet clinical needs in insulin treatment in Asian people with type 2 diabetes: the Joint Asia Diabetes Evaluation (JADE) Register. <i>Diabetes, Obesity and Metabolism</i> , 2020 , 22, 669-679	6.7	4
36	Long-term metformin use and risk of pneumonia and related death in type 2 diabetes: a registry-based cohort study. <i>Diabetologia</i> , 2021 , 64, 1760-1765	10.3	4
35	Pancreatic Sirtuin 3 Deficiency Promotes Hepatic Steatosis by Enhancing 5-Hydroxytryptamine Synthesis in Mice With Diet-Induced Obesity. <i>Diabetes</i> , 2021 , 70, 119-131	0.9	4
34	Modifying Effect of Body Mass Index on Survival in Elderly Type 2 Diabetic Patients: Hong Kong Diabetes Registry. <i>Journal of the American Medical Directors Association</i> , 2016 , 17, 276.e15-22	5.9	3
33	A 21-year-old pregnant woman with hypertension and proteinuria. <i>PLoS Medicine</i> , 2009 , 6, e1000037	11.6	3
32	Effects of a Technology-Assisted Integrated Diabetes Care Program on Cardiometabolic Risk Factors Among Patients With Type 2 Diabetes in the Asia-Pacific Region: The JADE Program Randomized Clinical Trial. <i>JAMA Network Open</i> , 2021 , 4, e217557	10.4	3
31	Young age at diabetes diagnosis amplifies the effect of diabetes duration on risk of chronic kidney disease: a prospective cohort study. <i>Diabetologia</i> , 2021 , 64, 1990-2000	10.3	3
30	Trends in kidney failure and kidney replacement therapy in people with diabetes in Hong Kong, 2002-2015: A retrospective cohort study. <i>The Lancet Regional Health - Western Pacific</i> , 2021 , 11, 100165	5	3
29	Sudomotor dysfunction independently predicts incident cardiovascular-renal events and all-cause death in type 2 diabetes: the Joint Asia Diabetes Evaluation register. <i>Nephrology Dialysis Transplantation</i> , 2019 , 34, 1320-1328	4.3	3
28	Development of genome-wide polygenic risk scores for lipid traits and clinical applications for dyslipidemia, subclinical atherosclerosis, and diabetes cardiovascular complications among East Asians. <i>Genome Medicine</i> , 2021 , 13, 29	14.4	3
27	Life-threatening hypokalemic paralysis in a young bodybuilder. <i>Case Reports in Endocrinology</i> , 2014 , 2014, 483835	1.2	2
26	Risk associations of long-term HbA1c variability and obesity on cancer events and cancer-specific death in 15,286 patients with diabetes - A prospective cohort study.. <i>The Lancet Regional Health - Western Pacific</i> , 2022 , 18, 100315	5	2
25	CYP2C19 Loss-of-function Polymorphisms are Associated with Reduced Risk of Sulfonylurea Treatment Failure in Chinese Patients with Type 2 Diabetes. <i>Clinical Pharmacology and Therapeutics</i> , 2021 ,	6.1	2
24	Influence of and Polymorphisms on the Pharmacokinetics and Pharmacodynamics of Bisoprolol in Hypertensive Chinese Patients. <i>Frontiers in Medicine</i> , 2021 , 8, 683498	4.9	2
23	Relative leucocyte telomere length is associated with incident end-stage kidney disease and rapid decline of kidney function in type 2 diabetes: analysis from the Hong Kong Diabetes Register. <i>Diabetologia</i> , 2021 , 65, 375	10.3	2

22	Hsp74/14-3-3 ζ Complex Mediates Centrosome Amplification by High Glucose, Insulin, and Palmitic Acid. <i>Proteomics</i> , 2019 , 19, e1800197	4.8	1
21	Temporal changes in obesity and sleep habits in Hong Kong Chinese school children: a prospective study. <i>Scientific Reports</i> , 2019 , 9, 5881	4.9	1
20	PHF11 is not a major candidate gene for asthma or eczema in Chinese children. <i>Pediatric Pulmonology</i> , 2010 , 45, 890-7	3.5	1
19	Antihypertensive therapy and incidence of type 2 diabetes in an elderly cohort: response to Padwal et al. <i>Diabetes Care</i> , 2005 , 28, 762; author reply 762-3	14.6	1
18	An uncommon cause of Cushing's syndrome in a 70-year-old man. <i>Hong Kong Medical Journal</i> , 2014 , 20, 335-8	0.7	1
17	An Intervention to Change Illness Representations and Self-Care of Individuals With Type 2 Diabetes: A Randomized Controlled Trial. <i>Psychosomatic Medicine</i> , 2021 , 83, 71-84	3.7	1
16	Data Resource Profile: The Hong Kong Diabetes Surveillance Database (HKDSD).. <i>International Journal of Epidemiology</i> , 2021 ,	7.8	1
15	Decreased cortical bone density and mechanical strength with associated elevated bone turnover markers at peri-pubertal peak height velocity: a cross-sectional and longitudinal cohort study of 396 girls with adolescent idiopathic scoliosis. <i>Osteoporosis International</i> , 2021 , 1	5.3	1
14	Glycemic Variability and Time in Range During Self-titration of Once Daily Insulin Glargine 300 U/ml Versus Neutral Protamine Hagedorn Insulin in Insulin-naïve Chinese Type 2 Diabetes Patients. <i>Diabetes Therapy</i> , 2021 , 12, 1399-1413	3.6	1
13	Associations of the HOMA2-%B and HOMA2-IR with Progression to Diabetes and Glycaemic Deterioration in Young and Middle-aged Chinese.. <i>Diabetes/Metabolism Research and Reviews</i> , 2022 , e3525	7.5	1
12	A proof-of-concept study to evaluate the efficacy and safety of BT1320 on post-prandial hyperglycaemia in Chinese subjects with pre-diabetes. <i>BMC Endocrine Disorders</i> , 2018 , 18, 59	3.3	0
11	Skin autofluorescence is associated with higher risk of cardiovascular events in Chinese adults with type 2 diabetes: A prospective cohort study from the Hong Kong Diabetes Biobank. <i>Journal of Diabetes and Its Complications</i> , 2021 , 35, 108015	3.2	0
10	Effect of a Web-Based Management Guide on Risk Factors in Patients With Type 2 Diabetes and Diabetic Kidney Disease: A JADE Randomized Clinical Trial.. <i>JAMA Network Open</i> , 2022 , 5, e223862	10.4	0
9	Lack of Effects of Renin-Angiotensin-Aldosterone System Activity and Beta-Adrenoceptor Pathway Polymorphisms on the Response to Bisoprolol in Hypertension.. <i>Frontiers in Cardiovascular Medicine</i> , 2022 , 9, 842875	5.4	0
8	Autotaxin signaling facilitates cell dedifferentiation and dysfunction induced by Sirtuin 3 deficiency.. <i>Molecular Metabolism</i> , 2022 , 101493	8.8	0
7	Integratome analysis of adipose tissues reveals abnormal epigenetic regulation of adipogenesis, inflammation, and insulin signaling in obese individuals with type 2 diabetes.. <i>Clinical and Translational Medicine</i> , 2021 , 11, e596	5.7	0
6	Coping skills and glycaemic control: the mediating role of diabetes distress. <i>Acta Diabetologica</i> , 2021 , 58, 1071-1079	3.9	
5	Secular trends in incidence of type 1 and type 2 diabetes in Hong Kong: A retrospective cohort study 2020 , 17, e1003052		

- 4 Secular trends in incidence of type 1 and type 2 diabetes in Hong Kong: A retrospective cohort study **2020**, 17, e1003052
- 3 Secular trends in incidence of type 1 and type 2 diabetes in Hong Kong: A retrospective cohort study **2020**, 17, e1003052
- 2 Secular trends in incidence of type 1 and type 2 diabetes in Hong Kong: A retrospective cohort study **2020**, 17, e1003052
- 1 Secular trends in incidence of type 1 and type 2 diabetes in Hong Kong: A retrospective cohort study **2020**, 17, e1003052