

Đ'Đ,Đ°Ñ,Đ¾Ñ€ Đ¢Đ°Ñ€Đ°Đ±Ñ<Đ°Đ,Đ¹/

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1883857/publications.pdf>

Version: 2024-02-01

51  
papers

3,803  
citations

136950

32  
h-index

182427

51  
g-index

54  
all docs

54  
docs citations

54  
times ranked

5699  
citing authors

#	ARTICLE	IF	CITATIONS
1	Satb2 Is a Postmitotic Determinant for Upper-Layer Neuron Specification in the Neocortex. <i>Neuron</i> , 2008, 57, 378-392.	8.1	577
2	Comparative aspects of cerebral cortical development. <i>European Journal of Neuroscience</i> , 2006, 23, 921-934.	2.6	237
3	Novel transcription factor <i>Satb2</i> interacts with matrix attachment region DNA elements in a tissue-specific manner and demonstrates cell-type-dependent expression in the developing mouse CNS. <i>European Journal of Neuroscience</i> , 2005, 21, 658-668.	2.6	210
4	Sip1 regulates sequential fate decisions by feedback signaling from postmitotic neurons to progenitors. <i>Nature Neuroscience</i> , 2009, 12, 1373-1380.	14.8	193
5	Primordial germ cell migration in the chick and mouse embryo: the role of the chemokine SDF-1/CXCL12. <i>Developmental Biology</i> , 2004, 272, 351-361.	2.0	191
6	Prospero-related homeobox 1 gene ( <i>Prox1</i> ) is regulated by canonical Wnt signaling and has a stage-specific role in adult hippocampal neurogenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 5807-5812.	7.1	170
7	<i>Satb2</i> Haploinsufficiency Phenocopies 2q32-q33 Deletions, whereas Loss Suggests a Fundamental Role in the Coordination of Jaw Development. <i>American Journal of Human Genetics</i> , 2006, 79, 668-678.	6.2	158
8	FLRT2 and FLRT3 act as repulsive guidance cues for Unc5-positive neurons. <i>EMBO Journal</i> , 2011, 30, 2920-2933.	7.8	135
9	Molecular mechanisms of cortical differentiation. <i>European Journal of Neuroscience</i> , 2006, 23, 857-868.	2.6	124
10	<i>Zeb2</i> is essential for Schwann cell differentiation, myelination and nerve repair. <i>Nature Neuroscience</i> , 2016, 19, 1050-1059.	14.8	123
11	SATB2 interacts with chromatin-remodeling molecules in differentiating cortical neurons. <i>European Journal of Neuroscience</i> , 2008, 27, 865-873.	2.6	120
12	AP2 $\beta$ regulates basal progenitor fate in a region- and layer-specific manner in the developing cortex. <i>Nature Neuroscience</i> , 2009, 12, 1229-1237.	14.8	101
13	<i>Bcl11a</i> ( <i>Ctip1</i> ) Controls Migration of Cortical Projection Neurons through Regulation of <i>Sema3c</i> . <i>Neuron</i> , 2015, 87, 311-325.	8.1	90
14	Smad-interacting protein-1 ( <i>Zfhx1b</i> ) acts upstream of Wnt signaling in the mouse hippocampus and controls its formation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 12919-12924.	7.1	89
15	miR-128 regulates neuronal migration, outgrowth and intrinsic excitability via the intellectual disability gene <i>Phf6</i> . <i>ELife</i> , 2015, 4, .	6.0	81
16	Neuronal Basic Helix-Loop-Helix Proteins <i>Neurod2/6</i> Regulate Cortical Commissure Formation before Midline Interactions. <i>Journal of Neuroscience</i> , 2013, 33, 641-651.	3.6	78
17	Protooncogene <i>Ski</i> cooperates with the chromatin-remodeling factor <i>Satb2</i> in specifying callosal neurons. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 3546-3551.	7.1	76
18	The Role of <i>Neurod</i> Genes in Brain Development, Function, and Disease. <i>Frontiers in Molecular Neuroscience</i> , 2021, 14, 662774.	2.9	73

#	ARTICLE	IF	CITATIONS
19	Human endogenous retrovirus HERV-K(HML-2) RNA causes neurodegeneration through Toll-like receptors. <i>JCI Insight</i> , 2020, 5, .	5.0	68
20	Unc5C and DCC act downstream of Ctip2 and Satb2 and contribute to corpus callosum formation. <i>Nature Communications</i> , 2014, 5, 3708.	12.8	66
21	<i><sc>Satb2</sc></i>, modularity, and the evolvability of the vertebrate jaw. <i>Evolution &amp; Development</i> , 2011, 13, 549-564.	2.0	61
22	Ntf3 acts downstream of Sip1 in cortical postmitotic neurons to control progenitor cell fate through feedback signaling. <i>Development (Cambridge)</i> , 2014, 141, 3324-3330.	2.5	59
23	Molecular regulation of the developing commissural plate. <i>Journal of Comparative Neurology</i> , 2010, 518, 3645-3661.	1.6	56
24	Behavioural and functional characterization of Kv10.1 (Eag1) knockout mice. <i>Human Molecular Genetics</i> , 2013, 22, 2247-2262.	2.9	56
25	Sip1 Downstream Effector ninein Controls Neocortical Axonal Growth, Ipsilateral Branching, and Microtubule Growth and Stability. <i>Neuron</i> , 2015, 85, 998-1012.	8.1	50
26	Polarity Acquisition in Cortical Neurons Is Driven by Synergistic Action of Sox9-Regulated Wwp1 and Wwp2 E3Übiquitin Ligases and Intronic miR-140. <i>Neuron</i> , 2018, 100, 1097-1115.e15.	8.1	50
27	A Mammalian Conserved Element Derived from SINE Displays Enhancer Properties Recapitulating Satb2 Expression in Early-Born Callosal Projection Neurons. <i>PLoS ONE</i> , 2011, 6, e28497.	2.5	49
28	Control of Postnatal Apoptosis in the Neocortex by RhoA-Subfamily GTPases Determines Neuronal Density. <i>Journal of Neuroscience</i> , 2010, 30, 4221-4231.	3.6	47
29	Neocortical dendritic complexity is controlled during development by NOMA-GAP-dependent inhibition of Cdc42 and activation of cofilin. <i>Genes and Development</i> , 2012, 26, 1743-1757.	5.9	47
30	Coordinately Co-opted Multiple Transposable Elements Constitute an Enhancer for wnt5a Expression in the Mammalian Secondary Palate. <i>PLoS Genetics</i> , 2016, 12, e1006380.	3.5	47
31	A novel mode of tangential migration of cortical projection neurons. <i>Developmental Biology</i> , 2006, 298, 299-311.	2.0	42
32	Role of Zeb2/Sip1 in neuronal development. <i>Brain Research</i> , 2019, 1705, 24-31.	2.2	39
33	Neonatal Hyperoxia Perturbs Neuronal Development in the Cerebellum. <i>Molecular Neurobiology</i> , 2018, 55, 3901-3915.	4.0	28
34	Protein Synthesis in the Developing Neocortex at Near-Atomic Resolution Reveals Ebp1-Mediated Neuronal Proteostasis at the 60S Tunnel Exit. <i>Molecular Cell</i> , 2021, 81, 304-322.e16.	9.7	27
35	mTORC1 and mTORC2 Differentially Regulate Cell Fate Programs to Coordinate Osteoblastic Differentiation in Mesenchymal Stromal Cells. <i>Scientific Reports</i> , 2019, 9, 20071.	3.3	25
36	<i>Pax6</i> regulates craniofacial form through its control of an essential cephalic ectodermal patterning center. <i>Genesis</i> , 2011, 49, 307-325.	1.6	24

#	ARTICLE	IF	CITATIONS
37	Olig3 regulates early cerebellar development. <i>ELife</i> , 2021, 10, .	6.0	24
38	The murine ortholog of Kaufman oculocerebrofacial syndrome protein Ube3b regulates synapse number by ubiquitinating Ppp3cc. <i>Molecular Psychiatry</i> , 2021, 26, 1980-1995.	7.9	18
39	Srsf10 and the minor spliceosome control tissue-specific and dynamic SR protein expression. <i>ELife</i> , 2020, 9, .	6.0	18
40	Postnatal subventricular zone of the neocortex contributes GFAP+ cells to the rostral migratory stream under the control of Sip1. <i>Developmental Biology</i> , 2012, 366, 341-356.	2.0	17
41	Activation of EphA Receptors Mediates the Recruitment of the Adaptor Protein Slap, Contributing to the Downregulation of <i>N</i> -Methyl-D-Aspartate Receptors. <i>Molecular and Cellular Biology</i> , 2013, 33, 1442-1455.	2.3	11
42	Molecular Evolution, Neurodevelopmental Roles and Clinical Significance of HECT-Type UBE3 E3 Ubiquitin Ligases. <i>Cells</i> , 2020, 9, 2455.	4.1	9
43	OUP accepted manuscript. <i>Human Molecular Genetics</i> , 2021, 30, 2068-2081.	2.9	7
44	Cellular retinaldehyde-binding protein (CRALBP) is a direct downstream target of transcription factor Pax6. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2012, 1820, 151-156.	2.4	6
45	Activity-Dependent Transposition. <i>EMBO Reports</i> , 2017, 18, 346-348.	4.5	5
46	Satb2 Cre/+ mouse as a tool to investigate cell fate determination in the developing neocortex. <i>Journal of Neuroscience Methods</i> , 2017, 291, 113-121.	2.5	5
47	Ablation of Vti1a/1b Triggers Neural Progenitor Pool Depletion and Cortical Layer 5 Malformation in Late-embryonic Mouse Cortex. <i>Neuroscience</i> , 2021, 463, 303-316.	2.3	5
48	TrkB-dependent EphrinA reverse signaling regulates callosal axon fasciculate growth downstream of Neurod2/6. <i>Cerebral Cortex</i> , 2023, 33, 1752-1767.	2.9	4
49	Split chloramphenicol acetyl-transferase assay reveals self-ubiquitylation-dependent regulation of UBE3B. <i>Journal of Molecular Biology</i> , 2021, 433, 167276.	4.2	3
50	Adhesion dynamics in the neocortex determine the start of migration and the post-migratory orientation of neurons. <i>Science Advances</i> , 2021, 7, .	10.3	2
51	SNAP to attention: A SNARE complex regulates neuronal progenitor polarity. <i>Journal of Cell Biology</i> , 2021, 220, .	5.2	0