

Catherine Sherrington

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1885187/catherine-sherrington-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

354 papers	18,681 citations	65 h-index	131 g-index
383 ext. papers	22,200 ext. citations	3.9 avg, IF	6.83 L-index

#	Paper	IF	Citations
354	Reliability of the PEDro Scale for Rating Quality of Randomized Controlled Trials. <i>Physical Therapy</i> , 2003 , 83, 713-721	3.3	2544
353	Interventions for preventing falls in older people living in the community. <i>The Cochrane Library</i> , 2012 , CD007146	5.2	1237
352	Effective exercise for the prevention of falls: a systematic review and meta-analysis. <i>Journal of the American Geriatrics Society</i> , 2008 , 56, 2234-43	5.6	906
351	Reliability of the PEDro scale for rating quality of randomized controlled trials. <i>Physical Therapy</i> , 2003 , 83, 713-21	3.3	897
350	Evidence for physiotherapy practice: a survey of the Physiotherapy Evidence Database (PEDro). <i>Australian Journal of Physiotherapy</i> , 2002 , 48, 43-9		528
349	Exercise to prevent falls in older adults: an updated meta-analysis and best practice recommendations. <i>NSW Public Health Bulletin</i> , 2011 , 22, 78-83		498
348	Exercise to prevent falls in older adults: an updated systematic review and meta-analysis. <i>British Journal of Sports Medicine</i> , 2017 , 51, 1750-1758	10.3	436
347	Physical activity interventions for people with mental illness: a systematic review and meta-analysis. <i>Journal of Clinical Psychiatry</i> , 2014 , 75, 964-74	4.6	392
346	The comparative ability of eight functional mobility tests for predicting falls in community-dwelling older people. <i>Age and Ageing</i> , 2008 , 37, 430-5	3	333
345	A critical review of the long-term disability outcomes following hip fracture. <i>BMC Geriatrics</i> , 2016 , 16, 158	4.1	321
344	Older people's perspectives on participation in physical activity: a systematic review and thematic synthesis of qualitative literature. <i>British Journal of Sports Medicine</i> , 2015 , 49, 1268-76	10.3	297
343	Falls in Older People: Risk Factors and Strategies for Prevention 2007 ,		286
342	PEDro. A database of randomized trials and systematic reviews in physiotherapy. <i>Manual Therapy</i> , 2000 , 5, 223-6		280
341	Exercise for preventing falls in older people living in the community. <i>The Cochrane Library</i> , 2019 , 1, CD013424	3.2	269
340	Adherence to exercise programs for older people is influenced by program characteristics and personal factors: a systematic review. <i>Journal of Physiotherapy</i> , 2014 , 60, 151-6	2.9	254
339	A multifactorial interdisciplinary intervention reduces frailty in older people: randomized trial. <i>BMC Medicine</i> , 2013 , 11, 65	11.4	231
338	There was evidence of convergent and construct validity of Physiotherapy Evidence Database quality scale for physiotherapy trials. <i>Journal of Clinical Epidemiology</i> , 2010 , 63, 920-5	5.7	191

337	Balance and falls in Parkinson's disease: a meta-analysis of the effect of exercise and motor training. <i>Movement Disorders</i> , 2011 , 26, 1605-15	7	188
336	Cluster randomised trial of a targeted multifactorial intervention to prevent falls among older people in hospital. <i>BMJ, The</i> , 2008 , 336, 758-60	5.9	161
335	The effect of an individualized fall prevention program on fall risk and falls in older people: a randomized, controlled trial. <i>Journal of the American Geriatrics Society</i> , 2005 , 53, 1296-304	5.6	161
334	Home environment risk factors for falls in older people and the efficacy of home modifications. <i>Age and Ageing</i> , 2006 , 35 Suppl 2, ii55-ii59	3	159
333	Exercise for falls prevention in Parkinson disease: a randomized controlled trial. <i>Neurology</i> , 2015 , 84, 304-12	6.5	151
332	The effects of an exercise program on fall risk factors in people with Parkinson's disease: a randomized controlled trial. <i>Movement Disorders</i> , 2010 , 25, 1217-25	7	141
331	Three simple clinical tests to accurately predict falls in people with Parkinson's disease. <i>Movement Disorders</i> , 2013 , 28, 655-62	7	127
330	Home exercise to improve strength and walking velocity after hip fracture: a randomized controlled trial. <i>Archives of Physical Medicine and Rehabilitation</i> , 1997 , 78, 208-12	2.8	127
329	Cochrane reviews used more rigorous methods than non-Cochrane reviews: survey of systematic reviews in physiotherapy. <i>Journal of Clinical Epidemiology</i> , 2009 , 62, 1021-30	5.7	119
328	Challenges for Evidence-Based Physical Therapy: Accessing and Interpreting High-Quality Evidence on Therapy. <i>Physical Therapy</i> , 2004 , 84, 644-654	3.3	119
327	A randomized controlled trial of weight-bearing versus non-weight-bearing exercise for improving physical ability after usual care for hip fracture. <i>Archives of Physical Medicine and Rehabilitation</i> , 2004 , 85, 710-6	2.8	115
326	Multifactorial and multiple component interventions for preventing falls in older people living in the community. <i>The Cochrane Library</i> , 2018 , 7, CD012221	5.2	114
325	Physiological and psychological predictors of walking speed in older community-dwelling people. <i>Gerontology</i> , 2005 , 51, 390-5	5.5	106
324	Frailty Intervention Trial (FIT). <i>BMC Geriatrics</i> , 2008 , 8, 27	4.1	104
323	Validity of the activity tracker for measuring steps in community-dwelling older adults. <i>BMJ Open Sport and Exercise Medicine</i> , 2015 , 1, e000013	3.4	100
322	Prevalence and correlates of participation in fall prevention exercise/physical activity by older adults. <i>Preventive Medicine</i> , 2012 , 55, 613-7	4.3	100
321	Treating frailty--a practical guide. <i>BMC Medicine</i> , 2011 , 9, 83	11.4	100
320	Exercise augmentation compared with usual care for post-traumatic stress disorder: a randomized controlled trial. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 131, 350-9	6.5	98

319	Exercise to enhance mobility and prevent falls after stroke: the community stroke club randomized trial. <i>Neurorehabilitation and Neural Repair</i> , 2012 , 26, 1046-57	4.7	97
318	Interventions for improving mobility after hip fracture surgery in adults. <i>The Cochrane Library</i> , 2011 , CD001704	5.2	96
317	An evaluation of footwear worn at the time of fall-related hip fracture. <i>Age and Ageing</i> , 2003 , 32, 310-4	3	96
316	The development and validation of a brief performance-based fall risk assessment tool for use in primary care. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2010 , 65, 896-903	6.4	93
315	A description of the trials, reviews, and practice guidelines indexed in the PEDro database. <i>Physical Therapy</i> , 2008 , 88, 1068-77	3.3	93
314	Physical activity interventions to prevent falls among older people: update of the evidence. <i>Journal of Science and Medicine in Sport</i> , 2004 , 7, 43-51	4.4	86
313	Maximising functional recovery following hip fracture in frail seniors. <i>Best Practice and Research in Clinical Rheumatology</i> , 2013 , 27, 771-88	5.3	85
312	Self-management intervention for chronic pain in older adults: a randomised controlled trial. <i>Pain</i> , 2013 , 154, 824-35	8	84
311	Effect of a multifactorial interdisciplinary intervention on mobility-related disability in frail older people: randomised controlled trial. <i>BMC Medicine</i> , 2012 , 10, 120	11.4	83
310	Reliability of simple portable tests of physical performance in older people after hip fracture. <i>Clinical Rehabilitation</i> , 2005 , 19, 496-504	3.3	83
309	Physical and psychological factors associated with stair negotiation performance in older people. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2007 , 62, 1259-65	6.4	79
308	Telerehabilitation services for stroke. <i>The Cochrane Library</i> , 2013 , CD010255	5.2	78
307	La prévention des fractures chez les aînés: qu'en disent les faits cliniques?. <i>Physiotherapy Canada / Physiothérapie Canada</i> , 2011 , 63, 149-151	0.8	78
306	A randomised trial of weight-bearing versus non-weight-bearing exercise for improving physical ability in inpatients after hip fracture. <i>Australian Journal of Physiotherapy</i> , 2003 , 49, 15-22		78
305	Standard set of health outcome measures for older persons. <i>BMC Geriatrics</i> , 2018 , 18, 36	4.1	76
304	Reported quality of randomized controlled trials of physiotherapy interventions has improved over time. <i>Journal of Clinical Epidemiology</i> , 2011 , 64, 594-601	5.7	75
303	CENTRAL, PEDro, PubMed, and EMBASE are the most comprehensive databases indexing randomized controlled trials of physical therapy interventions. <i>Physical Therapy</i> , 2011 , 91, 190-7	3.3	75
302	Economic evaluation of a multifactorial, interdisciplinary intervention versus usual care to reduce frailty in frail older people. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 41-8	5.9	73

301	Prescribing exercise interventions for patients with chronic conditions. <i>Cmaj</i> , 2016 , 188, 510-518	3.5	73
300	Effect of a multifactorial, interdisciplinary intervention on risk factors for falls and fall rate in frail older people: a randomised controlled trial. <i>Age and Ageing</i> , 2014 , 43, 616-22	3	73
299	The relative contribution of physical and cognitive fall risk factors in people with Parkinson's disease: a large prospective cohort study. <i>Neurorehabilitation and Neural Repair</i> , 2014 , 28, 282-90	4.7	73
298	Validity of Different Activity Monitors to Count Steps in an Inpatient Rehabilitation Setting. <i>Physical Therapy</i> , 2017 , 97, 581-588	3.3	72
297	Telerehabilitation services for stroke. <i>The Cochrane Library</i> , 2020 , 1, CD010255	5.2	72
296	What is the role of falls?. <i>Best Practice and Research in Clinical Rheumatology</i> , 2005 , 19, 913-35	5.3	72
295	Exercise for preventing falls in older people living in the community: an abridged Cochrane systematic review. <i>British Journal of Sports Medicine</i> , 2020 , 54, 885-891	10.3	71
294	The extra resource burden of in-hospital falls: a cost of falls study. <i>Medical Journal of Australia</i> , 2015 , 203, 367	4	70
293	Incidence of and risk factors for falls among adults with an intellectual disability. <i>Journal of Intellectual Disability Research</i> , 2010 , 54, 1045-57	3.2	70
292	Reliability of clinical tests of foot and ankle characteristics in older people. <i>Journal of the American Podiatric Medical Association</i> , 2003 , 93, 380-7	1	69
291	The Footwear Assessment Form: a reliable clinical tool to assess footwear characteristics of relevance to postural stability in older adults. <i>Clinical Rehabilitation</i> , 2000 , 14, 657-64	3.3	68
290	A post-hospital home exercise program improved mobility but increased falls in older people: a randomised controlled trial. <i>PLoS ONE</i> , 2014 , 9, e104412	3.7	66
289	6-PACK programme to decrease fall injuries in acute hospitals: cluster randomised controlled trial. <i>BMJ, The</i> , 2016 , 352, h6781	5.9	65
288	A 12-week Iyengar yoga program improved balance and mobility in older community-dwelling people: a pilot randomized controlled trial. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2013 , 68, 1068-75	6.4	64
287	Reduced muscle power is associated with slower walking velocity and falls in people with Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2010 , 16, 261-4	3.6	63
286	Yoga-based exercise improves balance and mobility in people aged 60 and over: a systematic review and meta-analysis. <i>Age and Ageing</i> , 2016 , 45, 21-9	3	62
285	Indexing of randomised controlled trials of physiotherapy interventions: a comparison of AMED, CENTRAL, CINAHL, EMBASE, hooked on evidence, PEDro, PsycINFO and PubMed. <i>Physiotherapy</i> , 2009 , 95, 151-6	3	59
284	Evidence-based practice -- imperfect but necessary. <i>Physiotherapy Theory and Practice</i> , 2001 , 17, 201-211	11.5	59

283	Mobility training after hip fracture: a randomised controlled trial. <i>Age and Ageing</i> , 2009 , 38, 74-80	3	58
282	Structured exercise improves mobility after hip fracture: a meta-analysis with meta-regression. <i>British Journal of Sports Medicine</i> , 2016 , 50, 346-55	10.3	57
281	Exercise and Sports Science Australia position statement on exercise and falls prevention in older people. <i>Journal of Science and Medicine in Sport</i> , 2011 , 14, 489-95	4.4	57
280	Physical activity improves strength, balance and endurance in adults aged 40-65 years: a systematic review. <i>Journal of Physiotherapy</i> , 2012 , 58, 145-56	2.9	55
279	Physiotherapy in the prevention of falls in older people. <i>Journal of Physiotherapy</i> , 2015 , 61, 54-60	2.9	53
278	Bradykinesia, muscle weakness and reduced muscle power in Parkinson's disease. <i>Movement Disorders</i> , 2009 , 24, 1344-51	7	53
277	The impact of a home-based walking programme on falls in older people: the Easy Steps randomised controlled trial. <i>Age and Ageing</i> , 2015 , 44, 377-83	3	51
276	Reducing risk of falling in older people discharged from hospital: a randomized controlled trial comparing seated exercises, weight-bearing exercises, and social visits. <i>Archives of Physical Medicine and Rehabilitation</i> , 2009 , 90, 1317-24	2.8	51
275	Eliciting older people's preferences for exercise programs: a best-worst scaling choice experiment. <i>Journal of Physiotherapy</i> , 2015 , 61, 34-41	2.9	50
274	Exercise and motor training in people with Parkinson's disease: a systematic review of participant characteristics, intervention delivery, retention rates, adherence, and adverse events in clinical trials. <i>Parkinson's Disease</i> , 2012 , 2012, 854328	2.6	50
273	A novel Dance Dance Revolution (DDR) system for in-home training of stepping ability: basic parameters of system use by older adults. <i>British Journal of Sports Medicine</i> , 2011 , 45, 441-5	10.3	50
272	Social Dancing and Incidence of Falls in Older Adults: A Cluster Randomised Controlled Trial. <i>PLoS Medicine</i> , 2016 , 13, e1002112	11.6	50
271	INVITED COMMENTARY: Rating the Quality of Trials in Systematic Reviews of Physical Therapy Interventions. <i>Cardiopulmonary Physical Therapy Journal</i> , 2010 , 21, 20-26	1	49
270	Exercise therapy for prevention of falls in people with Parkinson's disease: a protocol for a randomised controlled trial and economic evaluation. <i>BMC Neurology</i> , 2009 , 9, 4	3.1	49
269	Leg muscle power is enhanced by training in people with Parkinson's disease: a randomized controlled trial. <i>Clinical Rehabilitation</i> , 2014 , 28, 275-88	3.3	48
268	Validity and reliability of assessment tools for measuring unsupported sitting in people with a spinal cord injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 2009 , 90, 1571-7	2.8	43
267	Increased prevalence of fall risk factors in older people following hip fracture. <i>Gerontology</i> , 1998 , 44, 340-4	5.5	43
266	A physiological profile approach to falls risk assessment and prevention	333-356	42

265	What is the effect of health coaching on physical activity participation in people aged 60 years and over? A systematic review of randomised controlled trials. <i>British Journal of Sports Medicine</i> , 2017 , 51, 1425-1432	10.3	41
264	Identifying older people at high risk of future falls: development and validation of a screening tool for use in emergency departments. <i>Emergency Medicine Journal</i> , 2013 , 30, 918-22	1.5	41
263	Evidence on Physical Activity and the Prevention of Frailty and Sarcopenia Among Older People: A Systematic Review to Inform the World Health Organization Physical Activity Guidelines. <i>Journal of Physical Activity and Health</i> , 2020 , 17, 1247-1258	2.5	41
262	Use of fresnel prism glasses to treat stroke patients with hemispatial neglect. <i>Archives of Physical Medicine and Rehabilitation</i> , 2006 , 87, 1668-72	2.8	40
261	PEDro: a database of randomised controlled trials in physiotherapy. <i>Health Information Management Journal</i> , 1998 , 28, 186-8	2.6	40
260	Effectiveness of a multifactorial intervention on preventing development of frailty in pre-frail older people: study protocol for a randomised controlled trial. <i>BMJ Open</i> , 2015 , 5, e007091	3	39
259	Agreement between the Cochrane risk of bias tool and Physiotherapy Evidence Database (PEDro) scale: A meta-epidemiological study of randomized controlled trials of physical therapy interventions. <i>PLoS ONE</i> , 2019 , 14, e0222770	3.7	38
258	Evidence on physical activity and falls prevention for people aged 65+ years: systematic review to inform the WHO guidelines on physical activity and sedentary behaviour. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020 , 17, 144	8.4	38
257	Effect of interventions using physical activity trackers on physical activity in people aged 60 years and over: a systematic review and meta-analysis. <i>British Journal of Sports Medicine</i> , 2020 , 54, 1188-1194	10.3	38
256	Can social dancing prevent falls in older adults? a protocol of the Dance, Aging, Cognition, Economics (DANCE) fall prevention randomised controlled trial. <i>BMC Public Health</i> , 2013 , 13, 477	4.1	37
255	Correlation between the Journal Impact Factor and three other journal citation indices. <i>Scientometrics</i> , 2010 , 85, 81-93	3	37
254	Development of a tool for prediction of falls in rehabilitation settings (Predict_FIRST): a prospective cohort study. <i>Journal of Rehabilitation Medicine</i> , 2010 , 42, 482-8	3.4	36
253	Companion dog acquisition and mental well-being: a 'community-based three-arm controlled study. <i>BMC Public Health</i> , 2019 , 19, 1428	4.1	34
252	Many randomized trials of physical therapy interventions are not adequately registered: a survey of 200 published trials. <i>Physical Therapy</i> , 2013 , 93, 299-309	3.3	34
251	Home-based step training using videogame technology in people with Parkinson's disease: a single-blinded randomised controlled trial. <i>Clinical Rehabilitation</i> , 2018 , 32, 299-311	3.3	33
250	Video and computer-based interactive exercises are safe and improve task-specific balance in geriatric and neurological rehabilitation: a randomised trial. <i>Journal of Physiotherapy</i> , 2016 , 62, 20-8	2.9	32
249	ICF participation restriction is common in frail, community-dwelling older people: an observational cross-sectional study. <i>Physiotherapy</i> , 2011 , 97, 26-32	3	32
248	Group exercise can improve participants' mobility in an outpatient rehabilitation setting: a randomized controlled trial. <i>Clinical Rehabilitation</i> , 2008 , 22, 493-502	3.3	32

247	Mobilisation strategies after hip fracture surgery in adults. <i>Cochrane Database of Systematic Reviews</i> , 2007 , CD001704		32
246	Core journals of evidence-based physiotherapy practice. <i>Physiotherapy Theory and Practice</i> , 2001 , 17, 143-151	1.5	32
245	Exercise dose and mobility outcome in a comprehensive stroke unit: description and prediction from a prospective cohort study. <i>Journal of Rehabilitation Medicine</i> , 2012 , 44, 824-9	3.4	31
244	A novel weight-bearing strengthening program during rehabilitation of older people is feasible and improves standing up more than a non-weight-bearing strengthening program: a randomised trial. <i>Australian Journal of Physiotherapy</i> , 2007 , 53, 147-53		31
243	Physiotherapy following fragility fractures. <i>Injury</i> , 2018 , 49, 1413-1417	2.5	30
242	Core journals that publish clinical trials of physical therapy interventions. <i>Physical Therapy</i> , 2010 , 90, 1631-40	3.3	30
241	Evidence on physical activity and osteoporosis prevention for people aged 65+ years: a systematic review to inform the WHO guidelines on physical activity and sedentary behaviour. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020 , 17, 150	8.4	30
240	Cultural influences on exercise participation and fall prevention: a systematic review and narrative synthesis. <i>Disability and Rehabilitation</i> , 2016 , 38, 724-732	2.4	29
239	Do exercise interventions designed to prevent falls affect participation in life roles? A systematic review and meta-analysis. <i>Age and Ageing</i> , 2011 , 40, 666-74	3	29
238	Challenges for evidence-based physical therapy: accessing and interpreting high-quality evidence on therapy. <i>Physical Therapy</i> , 2004 , 84, 644-54	3.3	29
237	Long-term outcomes from training in self-management of chronic pain in an elderly population: a randomized controlled trial. <i>Pain</i> , 2017 , 158, 86-95	8	28
236	Reproducibility of measures of leg muscle power, leg muscle strength, postural sway and mobility in people with Parkinson's disease. <i>Gait and Posture</i> , 2012 , 36, 639-42	2.6	28
235	Fall-related hospitalization in people with Parkinson's disease. <i>European Journal of Neurology</i> , 2017 , 24, 523-529	6	25
234	Motor and cognitive impairments in Parkinson disease: relationships with specific balance and mobility tasks. <i>Neurorehabilitation and Neural Repair</i> , 2013 , 27, 63-71	4.7	25
233	Exercise intervention to prevent falls and enhance mobility in community dwellers after stroke: a protocol for a randomised controlled trial. <i>BMC Neurology</i> , 2009 , 9, 38	3.1	25
232	Economic evaluation of a falls prevention exercise program among people With Parkinson's disease. <i>Movement Disorders</i> , 2016 , 31, 53-61	7	25
231	Effective physiotherapy. <i>BMJ: British Medical Journal</i> , 2001 , 323, 788-90		24
230	Muscle strength, mobility, quality of life and falls in patients on maintenance haemodialysis: A prospective study. <i>Nephrology</i> , 2017 , 22, 220-227	2.2	23

229	Can a tailored exercise and home hazard reduction program reduce the rate of falls in community dwelling older people with cognitive impairment: protocol paper for the i-FOCIS randomised controlled trial. <i>BMC Geriatrics</i> , 2014 , 14, 89	4.1	23
228	Nurse-assessed metabolic monitoring: a file audit of risk factor prevalence and impact of an intervention to enhance measurement of waist circumference. <i>International Journal of Mental Health Nursing</i> , 2014 , 23, 252-6	3.8	23
227	Disability is an Independent Predictor of Falls and Recurrent Falls in People with Parkinson's Disease Without a History of Falls: A One-Year Prospective Study. <i>Journal of Parkinson's Disease</i> , 2015 , 5, 855-64	5.3	22
226	Older fallers attended to by an ambulance but not transported to hospital: a vulnerable population at high risk of future falls. <i>Australian and New Zealand Journal of Public Health</i> , 2013 , 37, 179-85	2.3	22
225	Predictors of adherence to a structured exercise program and physical activity participation in community dwellers after stroke. <i>Stroke Research and Treatment</i> , 2012 , 2012, 136525	1.7	22
224	An interactive videogame for arm and hand exercise in people with Parkinson's disease: A randomized controlled trial. <i>Parkinsonism and Related Disorders</i> , 2017 , 41, 66-72	3.6	21
223	Management of hip fractures in older people in Beijing: a retrospective audit and comparison with evidence-based guidelines and practice in the UK. <i>Osteoporosis International</i> , 2016 , 27, 677-81	5.3	21
222	Exercise and physical training improve physical function in older adults with visual impairments but their effect on falls is unclear: a systematic review. <i>Journal of Physiotherapy</i> , 2014 , 60, 130-5	2.9	21
221	Evidence of detraining after 12-week home-based exercise programs designed to reduce fall-risk factors in older people recently discharged from hospital. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012 , 93, 1685-91	2.8	21
220	The Extent and Quality of Evidence in Neurological Physiotherapy: An Analysis of the Physiotherapy Evidence Database (PEDro). <i>Brain Impairment</i> , 2000 , 1, 130-140	1	21
219	Exercise and fall prevention self-management to reduce mobility-related disability and falls after fall-related lower limb fracture in older people: protocol for the RESTORE (Recovery Exercises and STepping On afterR fracturE) randomised controlled trial. <i>BMC Geriatrics</i> , 2016 , 16, 34	4.1	20
218	Risk factors for frequent falls in people with Parkinson's disease. <i>Journal of Parkinson's Disease</i> , 2014 , 4, 699-703	5.3	20
217	Neighborhood walkability, fear and risk of falling and response to walking promotion: The Easy Steps to Health 12-month randomized controlled trial. <i>Preventive Medicine Reports</i> , 2015 , 2, 704-10	2.6	20
216	Economic modelling of a public health programme for fall prevention. <i>Age and Ageing</i> , 2015 , 44, 409-14	3	20
215	Self-reported chronic pain is associated with physical performance in older people leaving aged care rehabilitation. <i>Clinical Interventions in Aging</i> , 2014 , 9, 259-65	4	20
214	Reduced muscle strength is the major determinant of reduced leg muscle power in Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2012 , 18, 974-7	3.6	20
213	Predictors of exercise adherence in older people living in retirement villages. <i>Preventive Medicine</i> , 2011 , 52, 480-1	4.3	20
212	Effect of affordable technology on physical activity levels and mobility outcomes in rehabilitation: a protocol for the Activity and MObility USiNg Technology (AMOUNT) rehabilitation trial. <i>BMJ Open</i> , 2016 , 6, e012074	3	20

211	Cost-effectiveness of a Home-Exercise Program Among Older People After Hospitalization. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 490-6	5.9	19
210	Integrated solutions for sustainable fall prevention in primary care, the iSOLVE project: a type 2 hybrid effectiveness-implementation design. <i>Implementation Science</i> , 2017 , 12, 12	8.4	19
209	Amount of exercise in the first week after stroke predicts walking speed and unassisted walking. <i>Neurorehabilitation and Neural Repair</i> , 2012 , 26, 932-8	4.7	19
208	A simple tool predicted probability of falling after aged care inpatient rehabilitation. <i>Journal of Clinical Epidemiology</i> , 2011 , 64, 779-86	5.7	19
207	Exercise augmentation compared to usual care for post traumatic stress disorder: a randomised controlled trial (the REAP study: Randomised Exercise Augmentation for PTSD). <i>BMC Psychiatry</i> , 2011 , 11, 115	4.2	19
206	Measures of physical functioning after hip fracture: construct validity and responsiveness of performance-based and self-reported measures. <i>Age and Ageing</i> , 2012 , 41, 659-64	3	19
205	Can the Alexander Technique improve balance and mobility in older adults with visual impairments? A randomized controlled trial. <i>Clinical Rehabilitation</i> , 2015 , 29, 244-60	3.3	18
204	Assessing physical activity in people with posttraumatic stress disorder: feasibility and concurrent validity of the International Physical Activity Questionnaire--short form and actigraph accelerometers. <i>BMC Research Notes</i> , 2014 , 7, 576	2.3	18
203	Many participants in inpatient rehabilitation can quantify their exercise dosage accurately: an observational study. <i>Journal of Physiotherapy</i> , 2011 , 57, 117-22	2.9	18
202	The 6-PACK programme to decrease fall-related injuries in acute hospitals: protocol for a cluster randomised controlled trial. <i>Injury Prevention</i> , 2011 , 17, e5	3.2	18
201	Dose-response relationship of resistance training in older adults: a meta-analysis. <i>British Journal of Sports Medicine</i> , 2011 , 45, 233-4	10.3	18
200	Minimising disability and falls in older people through a post-hospital exercise program: a protocol for a randomised controlled trial and economic evaluation. <i>BMC Geriatrics</i> , 2009 , 9, 8	4.1	18
199	Rating the quality of trials in systematic reviews of physical therapy interventions. <i>Cardiopulmonary Physical Therapy Journal</i> , 2010 , 21, 20-6	1	18
198	A combined physical activity and fall prevention intervention improved mobility-related goal attainment but not physical activity in older adults: a randomised trial. <i>Journal of Physiotherapy</i> , 2019 , 65, 16-22	2.9	18
197	A multifactorial intervention for frail older people is more than twice as effective among those who are compliant: complier average causal effect analysis of a randomised trial. <i>Journal of Physiotherapy</i> , 2017 , 63, 40-44	2.9	17
196	Dog Ownership and Mortality in England: A Pooled Analysis of Six Population-based Cohorts. <i>American Journal of Preventive Medicine</i> , 2018 , 54, 289-293	6.1	17
195	Exercise for falls prevention in community-dwelling older adults: trial and participant characteristics, interventions and bias in clinical trials from a systematic review. <i>BMJ Open Sport and Exercise Medicine</i> , 2019 , 5, e000663	3.4	17
194	Risk factors, incidence, consequences and prevention strategies for falls and fall-injury within older indigenous populations: a systematic review. <i>Australian and New Zealand Journal of Public Health</i> , 2016 , 40, 564-568	2.3	16

193	Is exercise effective in promoting mental well-being in older age? A systematic review. <i>British Journal of Sports Medicine</i> , 2011 , 45, 1079-80	10.3	16
192	Making fall prevention routine in primary care practice: perspectives of allied health professionals. <i>BMC Health Services Research</i> , 2018 , 18, 598	2.9	15
191	Predicting participation restriction in community-dwelling older men: the Concord Health and Ageing in Men Project. <i>Age and Ageing</i> , 2014 , 43, 31-7	3	15
190	A systematic review of the responsiveness of lower limb physical performance measures in inpatient care after stroke. <i>BMC Neurology</i> , 2013 , 13, 4	3.1	14
189	The minimum sit-to-stand height test: reliability, responsiveness and relationship to leg muscle strength. <i>Clinical Rehabilitation</i> , 2012 , 26, 656-63	3.3	14
188	Mobility-related disability three months after aged care rehabilitation can be predicted with a simple tool: an observational study. <i>Journal of Physiotherapy</i> , 2010 , 56, 121-7	2.9	14
187	Effectiveness of a physical exercise intervention program in improving functional mobility in older adults after hip fracture in later stage rehabilitation: protocol of a randomized clinical trial (REATIVE Study). <i>BMC Geriatrics</i> , 2016 , 16, 198	4.1	14
186	Risk factors for falls among older community dwellers in Shenzhen, China. <i>Injury Prevention</i> , 2019 , 25, 31-35	3.2	14
185	Validity and reliability of a simple 'low-tech' test for measuring choice stepping reaction time in older people. <i>Clinical Rehabilitation</i> , 2016 , 30, 1128-1135	3.3	13
184	Responsiveness of the ten-metre walk test, Step Test and Motor Assessment Scale in inpatient care after stroke. <i>BMC Neurology</i> , 2014 , 14, 129	3.1	13
183	A systematic review of the unit costs of allied health and community services used by older people in Australia. <i>BMC Health Services Research</i> , 2013 , 13, 69	2.9	13
182	What is the effect of a combined physical activity and fall prevention intervention enhanced with health coaching and pedometers on older adults' physical activity levels and mobility-related goals? Study protocol for a randomised controlled trial. <i>BMC Public Health</i> , 2015 , 15, 477	4.1	13
181	Implementing falls prevention research into policy and practice in Australia: past, present and future. <i>Journal of Safety Research</i> , 2011 , 42, 517-20	4	13
180	Interventions Promoting Physical Activity Among Older Adults: A Systematic Review and Meta-Analysis. <i>Gerontologist</i> , 2020 , 60, 583-599	5	13
179	Among Inpatients, Posttraumatic Stress Disorder Symptom Severity Is Negatively Associated With Time Spent Walking. <i>Journal of Nervous and Mental Disease</i> , 2016 , 204, 15-9	1.8	13
178	Additional standing balance circuit classes during inpatient rehabilitation improved balance outcomes: an assessor-blinded randomised controlled trial. <i>Age and Ageing</i> , 2015 , 44, 580-6	3	12
177	Digitally enabled aged care and neurological rehabilitation to enhance outcomes with Activity and MObility USiNg Technology (AMOUNT) in Australia: A randomised controlled trial. <i>PLoS Medicine</i> , 2020 , 17, e1003029	11.6	12
176	PrevenTing Falls in a high-risk, vision-impaired population through specialist ORientation and Mobility services: protocol for the PlATFORM randomised trial. <i>Injury Prevention</i> , 2018 , 24, 459-466	3.2	12

175	Impaired weight transfer persists at least four months after hip fracture and rehabilitation. <i>Clinical Rehabilitation</i> , 2010 , 24, 565-73	3.3	12
174	New horizons in falls prevention and management for older adults: a global initiative. <i>Age and Ageing</i> , 2021 , 50, 1499-1507	3	12
173	Effectiveness of Senior Dance on risk factors for falls in older adults (DanSE): a study protocol for a randomised controlled trial. <i>BMJ Open</i> , 2016 , 6, e013995	3	12
172	Effectiveness of a multifactorial falls prevention program in community-dwelling older people when compared to usual care: study protocol for a randomised controlled trial (Prevquedas Brazil). <i>BMC Geriatrics</i> , 2013 , 13, 27	4.1	11
171	The role of exercise for fall prevention in older age. <i>Motriz Revista De Educacao Fisica</i> , 2013 , 19, 541-547	0.9	11
170	The effect of walking on falls in older people: the 'Easy Steps to Health' randomized controlled trial study protocol. <i>BMC Public Health</i> , 2011 , 11, 888	4.1	11
169	Balance and functional training and health in adults: an overview of systematic reviews. <i>Applied Physiology, Nutrition and Metabolism</i> , 2020 , 45, S180-S196	3	11
168	Health coaching and pedometers to enhance physical activity and prevent falls in community-dwelling people aged 60 years and over: study protocol for the Coaching for Healthy AGEing (CHANGE) cluster randomised controlled trial. <i>BMJ Open</i> , 2016 , 6, e012277	3	11
167	Smallest worthwhile effect of exercise programs to prevent falls among older people: estimates from benefit-harm trade-off and discrete choice methods. <i>Age and Ageing</i> , 2016 , 45, 806-812	3	11
166	Evaluation of Clinical Practice Guidelines on Fall Prevention and Management for Older Adults: A Systematic Review.. <i>JAMA Network Open</i> , 2021 , 4, e2138911	10.4	11
165	Implementing the 27 PRISMA 2020 Statement items for systematic reviews in the sport and exercise medicine, musculoskeletal rehabilitation and sports science fields: the PERSiST (implementing Prisma in Exercise, Rehabilitation, Sport medicine and Sports science) guidance. <i>British Journal of Sports Medicine</i> , 2021 ,	10.3	10
164	Environmental interventions for preventing falls in older people living in the community. <i>The Cochrane Library</i> , 2019 ,	5.2	10
163	Tailored Exercise and Home Hazard Reduction Program for Fall Prevention in Older People With Cognitive Impairment: The i-FOCIS Randomized Controlled Trial. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021 , 76, 655-665	6.4	10
162	Interventions for preventing falls in Parkinson's disease. <i>The Cochrane Library</i> , 2015 ,	5.2	9
161	Exercise to Reduce Mobility Disability and Prevent Falls After Fall-Related Leg or Pelvic Fracture: RESTORE Randomized Controlled Trial. <i>Journal of General Internal Medicine</i> , 2020 , 35, 2907-2916	4	9
160	First Nation Elders' perspectives on healthy ageing in NSW, Australia. <i>Australian and New Zealand Journal of Public Health</i> , 2018 , 42, 361-364	2.3	9
159	A novel approach to the issue of physical inactivity in older age. <i>Preventive Medicine Reports</i> , 2015 , 2, 595-7	2.6	9
158	The 6-PACK programme to decrease falls and fall-related injuries in acute hospitals: protocol for an economic evaluation alongside a cluster randomised controlled trial. <i>Injury Prevention</i> , 2012 , 18, e2	3.2	9

157	In-hospital falls and fall-related injuries: a protocol for a cost of fall study. <i>Injury Prevention</i> , 2013 , 19, 363	3.2	9
156	Key issues to consider and innovative ideas on fall prevention in the geriatric department of a teaching hospital. <i>Australasian Journal on Ageing</i> , 2018 , 37, 140-143	1.5	8
155	A systematic review and meta-analysis of exercise-based falls prevention strategies in adults aged 50+ years with visual impairment. <i>Ophthalmic and Physiological Optics</i> , 2018 , 38, 456-467	4.1	8
154	Predictors of Adherence to a Falls Prevention Exercise Program for People with Parkinson's Disease. <i>Movement Disorders Clinical Practice</i> , 2015 , 2, 395-401	2.2	8
153	Physiotherapy Evidence Database. <i>Physiotherapy</i> , 2000 , 86, 55	3	8
152	Internet-based implementation of non-pharmacological interventions of the "people getting a grip on arthritis" educational program: an international online knowledge translation randomized controlled trial design protocol. <i>JMIR Research Protocols</i> , 2015 , 4, e19	2	8
151	An 11-year review of hip fracture hospitalisations, health outcomes, and predictors of access to in-hospital rehabilitation for adults [65 years living with and without dementia: a population-based cohort study. <i>Osteoporosis International</i> , 2020 , 31, 465-474	5.3	8
150	Effect of Senior Dance (DanSE) on Fall Risk Factors in Older Adults: A Randomized Controlled Trial. <i>Physical Therapy</i> , 2020 , 100, 600-608	3.3	8
149	"Someone's Got My Back": Older People's Experience of the Coaching for Healthy Ageing Program for Promoting Physical Activity and Preventing Falls. <i>Journal of Aging and Physical Activity</i> , 2020 , 29, 296-307	1.6	8
148	Access to rehabilitation services for older adults living with dementia or in a residential aged care facility following a hip fracture: healthcare professionals' views. <i>Disability and Rehabilitation</i> , 2021 , 43, 834-845	2.4	8
147	Men's perspectives on fall risk and fall prevention following participation in a group-based programme conducted at Men's Sheds, Australia. <i>Health and Social Care in the Community</i> , 2017 , 25, 1118-1126	2.6	7
146	Flexed Truncal Posture in Parkinson Disease: Measurement Reliability and Relationship With Physical and Cognitive Impairments, Mobility, and Balance. <i>Journal of Neurologic Physical Therapy</i> , 2017 , 41, 107-113	4.1	7
145	A mixed methods evaluation of yoga as a fall prevention strategy for older people in India. <i>Pilot and Feasibility Studies</i> , 2018 , 4, 74	1.9	7
144	PEDro scale can only rate what papers report. <i>Australian Journal of Physiotherapy</i> , 2008 , 54, 288		7
143	Fall prevention services for older Aboriginal people: investigating availability and acceptability. <i>Public Health Research and Practice</i> , 2016 , 26,	5.1	7
142	A scoping review of physical activity interventions for older adults. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021 , 18, 82	8.4	7
141	Untapping the Health Enhancing Potential of Vigorous Intermittent Lifestyle Physical Activity (VILPA): Rationale, Scoping Review, and a 4-Pillar Research Framework. <i>Sports Medicine</i> , 2021 , 51, 1-10	10.6	7
140	Dosage and predictors of arm practice during inpatient stroke rehabilitation: an inception cohort study. <i>Disability and Rehabilitation</i> , 2021 , 43, 640-647	2.4	7

139	Impact of the Alexander technique on well-being: a randomised controlled trial involving older adults with visual impairment. <i>Australasian journal of optometry, The</i> , 2017 , 100, 633-641	2.7	6
138	The uptake of the hip fracture core outcome set: analysis of 20 years of hip fracture trials. <i>Age and Ageing</i> , 2019 , 48, 595-598	3	6
137	Fall-related hospitalisations of older Aboriginal and Torres Strait Islander people and other Australians. <i>Medical Journal of Australia</i> , 2017 , 207, 31-35	4	6
136	External validation of approaches to prediction of falls during hospital rehabilitation stays and development of a new simpler tool. <i>Journal of Rehabilitation Medicine</i> , 2018 , 50, 216-222	3.4	6
135	Improving balance and mobility in people over 50 years of age with vision impairments: can the Alexander Technique help? A study protocol for the VISIBILITY randomised controlled trial. <i>Injury Prevention</i> , 2014 , 20, e3	3.2	6
134	da Costa and colleagues' criticism of PEDro scores is not supported by the data. <i>Journal of Clinical Epidemiology</i> , 2013 , 66, 1192-3	5.7	6
133	Most functional outcomes are similar for men and women after hip fracture: a secondary analysis of the enhancing mobility after hip fracture trial. <i>BMC Geriatrics</i> , 2014 , 14, 140	4.1	6
132	Strategies for recruitment in general practice settings: the iSOLVE fall prevention pragmatic cluster randomised controlled trial. <i>BMC Medical Research Methodology</i> , 2019 , 19, 236	4.7	6
131	The Ironbark program: Implementation and impact of a community-based fall prevention pilot program for older Aboriginal and Torres Strait Islander people. <i>Health Promotion Journal of Australia</i> , 2018 , 29, 189-198	1.7	6
130	Responsiveness of five measures of arm function in acute stroke rehabilitation. <i>Clinical Rehabilitation</i> , 2018 , 32, 1098-1107	3.3	6
129	Associations of Impaired Renal Function With Declines in Muscle Strength and Muscle Function in Older Men: Findings From the CHAMP Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2019 , 74, 1812-1820	6.4	5
128	Management of hospitalised osteoporotic vertebral fractures. <i>Archives of Osteoporosis</i> , 2020 , 15, 14	2.9	5
127	Yarning about fall prevention: community consultation to discuss falls and appropriate approaches to fall prevention with older Aboriginal and Torres Strait Islander people. <i>BMC Public Health</i> , 2017 , 18, 77	4.1	5
126	Implementation fidelity of a nurse-led falls prevention program in acute hospitals during the 6-PACK trial. <i>BMC Health Services Research</i> , 2017 , 17, 383	2.9	5
125	Computerized tracking to train dexterity after cerebellar tumour: a single-case experimental study. <i>Brain Injury</i> , 2009 , 23, 702-6	2.1	5
124	Trends in fall-related ambulance use and hospitalisation among older adults in NSW, 2006-2013: a retrospective, population-based study. <i>Public Health Research and Practice</i> , 2017 , 27,	5.1	5
123	Is a yoga-based program with potential to decrease falls perceived to be acceptable to community-dwelling people older than 60?. <i>Public Health Research and Practice</i> , 2018 , 28,	5.1	5
122	"People Associate Us with Movement so It's an Awesome Opportunity": Perspectives from Physiotherapists on Promoting Physical Activity, Exercise and Sport. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	5

121	Active women over 50: study protocol for RCT of a low-dose information and support program to promote physical activity behaviour change. <i>BMC Public Health</i> , 2019 , 19, 1225	4.1	4
120	Exercise for preventing falls in older people living in the community. <i>The Cochrane Library</i> , 2016 ,	5.2	4
119	Effect of cognitive-only and cognitive-motor training on preventing falls in community-dwelling older people: protocol for the smartstep randomised controlled trial. <i>BMJ Open</i> , 2019 , 9, e029409	3	4
118	Does a fall prevention educational programme improve knowledge and change exercise prescribing behaviour in health and exercise professionals? A study protocol for a randomised controlled trial. <i>BMJ Open</i> , 2014 , 4, e007032	3	4
117	Falls in older people: Risk factors and strategies for prevention (2nd edn) - by Stephen Lord, Catherine Sherrington, Hylton Menz, and Jacqueline Close. <i>Australasian Journal on Ageing</i> , 2009 , 28, 47-47	1.5	4
116	Epidemiology of falls and fall-related injuries3-25		4
115	Activity and MObility UsiNg Technology (AMOUNT) rehabilitation trial - description of device use and physiotherapy support in the post-hospital phase. <i>Disability and Rehabilitation</i> , 2021 , 43, 3454-3460	2.4	4
114	Multifactorial and multiple component interventions for preventing falls in older people living in the community. <i>The Cochrane Library</i> , 2016 ,	5.2	4
113	Risk factors for falls among older Aboriginal and Torres Strait Islander people in urban and regional communities. <i>Australasian Journal on Ageing</i> , 2018 , 37, 113-119	1.5	4
112	Comparisons of leisure-time physical activity participation by adults with and without a disability: results of an Australian cross-sectional national survey. <i>BMJ Open Sport and Exercise Medicine</i> , 2021 , 7, e000991	3.4	4
111	Factors Associated With Ongoing Participation in Structured Exercise Among People Aged 50 Years and Older. <i>Journal of Aging and Physical Activity</i> , 2019 , 27, 739-745	1.6	3
110	Trial Protocol: Home-based exercise programs to prevent falls and upper limb dysfunction among community-dwelling older people: study protocol for the BEST (Balance Exercise Strength Training) at Home randomised, controlled trial. <i>Journal of Physiotherapy</i> , 2018 , 64, 121	2.9	3
109	Impact of age and obstacle negotiation on timing measures of gait initiation. <i>Journal of Bodywork and Movement Therapies</i> , 2018 , 22, 361-365	1.6	3
108	Balance circuit classes to improve balance among rehabilitation inpatients: a protocol for a randomised controlled trial. <i>BMC Geriatrics</i> , 2013 , 13, 75	4.1	3
107	How big does the effect of an intervention have to be? Application of two novel methods to determine the smallest worthwhile effect of a fall prevention programme: a study protocol. <i>BMJ Open</i> , 2013 , 3,	3	3
106	Objectively measured mobility of rural community-dwelling people aged 80 and over is strongly associated with greater use of services for community integration and social support: An observational study. <i>Australian Journal of Rural Health</i> , 2019 , 27, 6-13	1.3	3
105	Interventions for improving mobility after hip fracture surgery in adults. <i>Sao Paulo Medical Journal</i> , 2011 , 129, 435-435	1.6	3
104	Does dog acquisition improve physical activity, sedentary behaviour and biological markers of cardiometabolic health? Results from a three-arm controlled study. <i>BMJ Open Sport and Exercise Medicine</i> , 2020 , 6, e000703	3.4	3

103	Postural stability and falls26-49		3
102	Masculinity and preventing falls: insights from the fall experiences of men aged 70 years and over. <i>Disability and Rehabilitation</i> , 2019 , 41, 1055-1062	2.4	3
101	Influences on general practitioner referral to allied health professionals for fall prevention in primary care. <i>Australasian Journal on Ageing</i> , 2020 , 39, e32-e39	1.5	3
100	Predicting falls in people with Parkinson's disease: impact of methodological approaches on predictors identified. <i>Aging Clinical and Experimental Research</i> , 2020 , 32, 1057-1066	4.8	3
99	People with Parkinson's disease are more willing to do additional exercise if the exercise program has specific attributes: a discrete choice experiment. <i>Journal of Physiotherapy</i> , 2021 , 67, 49-55	2.9	3
98	Scale-up of the Stepping On fall prevention program amongst older adults in NSW: Program reach and fall-related health service use. <i>Health Promotion Journal of Australia</i> , 2021 , 32 Suppl 2, 391-398	1.7	3
97	Two weeks of additional standing balance circuit classes during inpatient rehabilitation are cost saving and effective: an economic evaluation. <i>Journal of Physiotherapy</i> , 2018 , 64, 41-47	2.9	2
96	Ottawa Panel Evidence-Based Clinical Practice Guidelines for Foot Care in the Management of Juvenile Idiopathic Arthritis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2016 , 97, 1163-1181.e14	2.8	2
95	Sociodemographic correlates of prospective dog owners' intentions to participate in controlled trials of dog ownership and human health. <i>BMC Research Notes</i> , 2018 , 11, 169	2.3	2
94	Rehabilitation Following Hip Fracture. <i>Practical Issues in Geriatrics</i> , 2017 , 145-163	0.1	2
93	Telerehabilitation services for stroke 2012 ,		2
92	Environmental Risk Factors for Falls 2021 , 202-210		2
91	Epidemiology of Falls and Fall-Related Injuries 2021 , 3-22		2
90	Environmental Interventions to Prevent Falls at Home and in the Community 2021 , 360-377		2
89	Using self-determination theory to understand and improve recruitment for the Coaching for Healthy Ageing (CHANGE) trial. <i>PLoS ONE</i> , 2021 , 16, e0259873	3.7	2
88	Rehabilitation Following Hip Fracture. <i>Practical Issues in Geriatrics</i> , 2021 , 183-222	0.1	2
87	Strategies for prevention173-176		2
86	NHMRC Health Research Partnership: Prevention of Older People's Injuries. <i>NSW Public Health Bulletin</i> , 2002 , 13, 21-2		2

85	Yoga-based exercise to prevent falls in community-dwelling people aged 60 years and over: study protocol for the Successful AGEing (SAGE) yoga randomised controlled trial. <i>BMJ Open Sport and Exercise Medicine</i> , 2020 , 6, e000878	3.4	2
84	Face-to-face physiotherapy compared with a supported home exercise programme for the management of musculoskeletal conditions: protocol of a multicentre, randomised controlled trial-the REFORM trial. <i>BMJ Open</i> , 2021 , 11, e041242	3	2
83	Sporting opportunities for people with physical disabilities: Mixed methods study of web-based searches and sport provider interviews. <i>Health Promotion Journal of Australia</i> , 2019 , 30, 180-188	1.7	2
82	Factors Associated With the Setting of Health-Related Goals Among Community-Dwelling Older People. <i>Journal of Aging and Physical Activity</i> , 2018 , 26, 499-505	1.6	2
81	Health professional student education related to the prevention of falls in older people: A survey of universities in Australia and New Zealand. <i>Australasian Journal on Ageing</i> , 2018 , 37, E116-E119	1.5	2
80	"Sharing Success with Someone": Building therapeutic alliance in physiotherapist-delivered physical activity coaching for healthy aging. <i>Physiotherapy Theory and Practice</i> , 2021 , 1-17	1.5	2
79	Health and social support services in older adults recently discharged from hospital: service utilisation and costs and exploration of the impact of a home-exercise intervention. <i>BMC Geriatrics</i> , 2016 , 16, 82	4.1	1
78	Falls Prevention Interventions 2013 , 1649-1666		1
77	On "Identifying items to assess methodological quality" Armio-Olivo A, Cummings GC, Fuentes J, et al. <i>Phys Ther</i> . 2014;94:1272-1284. <i>Physical Therapy</i> , 2014 , 94, 1826	3.3	1
76	Mobility training for increasing mobility and functioning in older people with frailty. <i>The Cochrane Library</i> , 2013 ,	5.2	1
75	Prevention of fractures in older people: what does the evidence say?. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2011 , 63, 146-51	0.8	1
74	Modifying the environment to prevent falls300-310		1
73	Medications as risk factors for falls133-150		1
72	On "Can a comprehensive lymphedema management program decrease limb size and reduce the incidence of infection in a woman with postmastectomy lymphedema?" <i>Physical Therapy</i> , 2002 , 82, 722-723	2.3	1
71	Physical activity coaching for adults with mobility limitations: protocol for the ComeBACK pragmatic hybrid effectiveness-implementation type 1 randomised controlled trial. <i>BMJ Open</i> , 2020 , 10, e034696	3	1
70	Gait Characteristics and Falls 2021 , 51-86		1
69	Postural Stability and Falls 2021 , 23-50		1
68	Physical activity coaching for adults with mobility limitations: protocol for the ComeBACK pragmatic hybrid effectiveness-implementation type 1 randomised controlled trial. <i>BMJ Open</i> , 2020 , 10, e034696	3	1

67	Non-pharmacological Treatments for Falls and Fractures 2016 , 187-200		1
66	Psychological factors and falls90-100		1
65	Medical management of older people at risk of falls240-263		1
64	online information and support to promote physical activity behaviour change: study protocol for a pilot trial. <i>Pilot and Feasibility Studies</i> , 2020 , 6, 91	1.9	1
63	Current Practice of Physical Activity Counselling within Physiotherapy Usual Care and Influences on Its Use: A Cross-Sectional Survey. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	1
62	Fall prevention programs for culturally and linguistically diverse groups: program provider perspectives. <i>Ethnicity and Health</i> , 2021 , 26, 299-317	2.2	1
61	Mobilisation and physiotherapy intervention following hip fracture: snapshot survey across six countries from the Fragility Fracture Network Physiotherapy Group. <i>Disability and Rehabilitation</i> , 2021 , 1-8	2.4	1
60	Planning implementation and scale-up of physical activity interventions for people with walking difficulties: study protocol for the process evaluation of the ComeBACK trial.. <i>Trials</i> , 2022 , 23, 40	2.8	0
59	Fall Injury Prevention: Hip Protectors and Compliant Flooring 2021 , 378-385		0
58	The Psychology of Fall Risk: Fear, Anxiety, Depression, and Balance Confidence 2021 , 160-171		0
57	Healthy ageing among older Aboriginal people: the Ironbark study protocol for a cluster randomised controlled trial. <i>Injury Prevention</i> , 2020 , 26, 581-587	3.2	0
56	What helps older people persevere with yoga classes? A realist process evaluation of a COVID-19-affected yoga program for fall prevention.. <i>BMC Public Health</i> , 2022 , 22, 463	4.1	0
55	Brief physical activity counselling by physiotherapists (BEHAVIOUR): protocol for an effectiveness-implementation hybrid type II cluster randomised controlled trial.. <i>Implementation Science Communications</i> , 2022 , 3, 39	2.2	0
54	Eccentric exercise improves joint flexibility in adults: A systematic review update and meta-analysis.. <i>Musculoskeletal Science and Practice</i> , 2022 , 60, 102556	2.4	0
53	Effectiveness of workshops to teach a home-based exercise program (BEST at Home) for preventing falls in community-dwelling people aged 65 years and over: a pragmatic randomised controlled trial.. <i>BMC Geriatrics</i> , 2022 , 22, 366	4.1	0
52	Infographic: Exercise to prevent falls in older adults. <i>British Journal of Sports Medicine</i> , 2019 , 53, 337-33810.3		
51	A patient education program supported by staff training can reduce the rate of falls for older people during inpatient rehabilitation [commentary]. <i>Journal of Physiotherapy</i> , 2015 , 61, 224	2.9	
50	Gait characteristics and falls50-69		

49 Environmental risk factors for falls 151-160

48 Re: Response to Critically Appraised Paper, An energy conservation course decreased fatigue impact and increased some aspects of quality of life at 6 weeks for persons with multiple sclerosis *Australian Occupational Therapy Journal*, **2007**, 54, 83-83 1.7

47 The Medical Management of Older People at Risk of Falls **2021**, 322-340

46 Exercise to Prevent Falls **2021**, 251-270

45 Interventions Reduce Falls, but What Is the Cost for Better Health Outcomes? **2021**, 460-468

44 Medical Risk Factors for Falls **2021**, 172-191

43 Fall Detection and Risk Assessment with New Technologies **2021**, 211-226

42 Fall Prevention in Hospitals **2021**, 396-409

41 Biomechanics of Balance and Falling **2021**, 105-118

40 Brain Function and Falls **2021**, 130-143

39 Strategies to Promote Uptake and Adherence to Fall Prevention Programmes **2021**, 427-435

38 The Relative Importance of Fall Risk Factors: Analysis and Summary **2021**, 237-248

37 Foot Problems, Footwear, and Falls **2021**, 119-129

36 Fall Prevention in Residential Aged Care Facilities **2021**, 410-424

35 Sensory and Neuromuscular Risk Factors for Falls **2021**, 87-104

34 Fall Risk Screening and Assessment **2021**, 227-236

33 Multi-Factorial Fall Prevention Strategies: Where to Next? **2021**, 386-395

32 Fall Prevention Interventions for People with Visual Impairment **2021**, 341-347

31 Medications as Risk Factors for Falls **2021**, 192-201

30 Cognitive-Motor Interventions and Their Effects on Fall Risk in Older People **2021**, 287-310

29 Footwear, Orthoses, Walking Aids, Wearable Technology, and Restraint Devices for Fall Prevention **2021**, 348-359

28 Impaired Cognition and Falls **2021**, 144-159

27 Bringing It All Together **2021**, 469-480

26 Translating Fall Prevention Research into Practice **2021**, 436-459

25 Volitional and Reactive Step Training **2021**, 271-286

24 Cognitive Behavioural Interventions for Addressing Fear of Falling and Fall Risk **2021**, 311-321

23 Promoting Physical Activity in Women Over 50: A Randomized Trial. *American Journal of Health Promotion*, **2021**, 8901171211045678 2.5

22 Falls in Older People at Home: Risk Factors and Intervention Strategies. *Journal of the Human-Environment System*, **2008**, 11, 37-42 0.4

21 Exercise to Maximise Postural Control and Reduce the Risk of Falls in Older Age **2017**, 279-290

20 Non-Pharmacological Treatments for Falls and Fractures **2009**, 126-136

19 Gait impairment and falls **2016**, 107-115

18 Fall prevention interventions **2021**, 1627-1647

17 Sensory and neuromuscular risk factors for falls 70-89

16 Medical risk factors for falls 101-132

15 The relative importance of falls risk factors: an evidence-based summary 161-172

14 Exercise interventions to prevent falls 177-203

13 Exercise interventions to improve physical functioning204-239

12 Assistive devices and falls prevention264-299

11 Prevention of falls in hospitals and residential aged care facilities311-332

10 Research into practice357-376

9 Falls in older people: future directions for research379-387

8 Digitally enabled aged care and neurological rehabilitation to enhance outcomes with Activity and MObility UsiNg Technology (AMOUNT) in Australia: A randomised controlled trial **2020**, 17, e1003029

7 Digitally enabled aged care and neurological rehabilitation to enhance outcomes with Activity and MObility UsiNg Technology (AMOUNT) in Australia: A randomised controlled trial **2020**, 17, e1003029

6 Digitally enabled aged care and neurological rehabilitation to enhance outcomes with Activity and MObility UsiNg Technology (AMOUNT) in Australia: A randomised controlled trial **2020**, 17, e1003029

5 Digitally enabled aged care and neurological rehabilitation to enhance outcomes with Activity and MObility UsiNg Technology (AMOUNT) in Australia: A randomised controlled trial **2020**, 17, e1003029

4 Digitally enabled aged care and neurological rehabilitation to enhance outcomes with Activity and MObility UsiNg Technology (AMOUNT) in Australia: A randomised controlled trial **2020**, 17, e1003029

3 Digitally enabled aged care and neurological rehabilitation to enhance outcomes with Activity and MObility UsiNg Technology (AMOUNT) in Australia: A randomised controlled trial **2020**, 17, e1003029

2 Digitally enabled aged care and neurological rehabilitation to enhance outcomes with Activity and MObility UsiNg Technology (AMOUNT) in Australia: A randomised controlled trial **2020**, 17, e1003029

1 Study protocol for Running for health (Run4Health CP): a multicentre, assessor-blinded randomised controlled trial of 12 weeks of two times weekly Frame Running training versus usual care to improve cardiovascular health risk factors in children and youth with cerebral palsy.. *BMJ Open*, **2022**, 12, e057668

3