

Catherine Sherrington

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1885187/catherine-sherrington-publications-by-year.pdf>
Version: 2024-04-11

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

354 papers	18,681 citations	65 h-index	131 g-index
383 ext. papers	22,200 ext. citations	3.9 avg, IF	6.83 L-index

#	Paper	IF	Citations
354	Planning implementation and scale-up of physical activity interventions for people with walking difficulties: study protocol for the process evaluation of the ComeBACK trial.. <i>Trials</i> , 2022 , 23, 40	2.8	0
353	What helps older people persevere with yoga classes? A realist process evaluation of a COVID-19-affected yoga program for fall prevention.. <i>BMC Public Health</i> , 2022 , 22, 463	4.1	0
352	Brief physical activity counselling by physiotherapists (BEHAVIOUR): protocol for an effectiveness-implementation hybrid type II cluster randomised controlled trial.. <i>Implementation Science Communications</i> , 2022 , 3, 39	2.2	0
351	Eccentric exercise improves joint flexibility in adults: A systematic review update and meta-analysis.. <i>Musculoskeletal Science and Practice</i> , 2022 , 60, 102556	2.4	0
350	Study protocol for Running for health (Run4Health CP): a multicentre, assessor-blinded randomised controlled trial of 12 weeks of two times weekly Frame Running training versus usual care to improve cardiovascular health risk factors in children and youth with cerebral palsy.. <i>BMJ Open</i> , 2022 , 12, e007442	3	
349	Effectiveness of workshops to teach a home-based exercise program (BEST at Home) for preventing falls in community-dwelling people aged 65 years and over: a pragmatic randomised controlled trial.. <i>BMC Geriatrics</i> , 2022 , 22, 366	4.1	0
348	The Medical Management of Older People at Risk of Falls 2021 , 322-340		
347	Exercise to Prevent Falls 2021 , 251-270		
346	Interventions Reduce Falls, but What Is the Cost for Better Health Outcomes? 2021 , 460-468		
345	Fall Injury Prevention: Hip Protectors and Compliant Flooring 2021 , 378-385		0
344	Medical Risk Factors for Falls 2021 , 172-191		
343	Fall Detection and Risk Assessment with New Technologies 2021 , 211-226		
342	Fall Prevention in Hospitals 2021 , 396-409		
341	Biomechanics of Balance and Falling 2021 , 105-118		
340	Brain Function and Falls 2021 , 130-143		
339	Strategies to Promote Uptake and Adherence to Fall Prevention Programmes 2021 , 427-435		
338	Environmental Risk Factors for Falls 2021 , 202-210		2

337 The Relative Importance of Fall Risk Factors: Analysis and Summary **2021**, 237-248

336 Epidemiology of Falls and Fall-Related Injuries **2021**, 3-22

2

335 Foot Problems, Footwear, and Falls **2021**, 119-129

334 Fall Prevention in Residential Aged Care Facilities **2021**, 410-424

333 Gait Characteristics and Falls **2021**, 51-86

1

332 Sensory and Neuromuscular Risk Factors for Falls **2021**, 87-104

331 Fall Risk Screening and Assessment **2021**, 227-236

330 Multi-Factorial Fall Prevention Strategies: Where to Next? **2021**, 386-395

329 Environmental Interventions to Prevent Falls at Home and in the Community **2021**, 360-377

2

328 Fall Prevention Interventions for People with Visual Impairment **2021**, 341-347

327 Medications as Risk Factors for Falls **2021**, 192-201

326 Cognitive-Motor Interventions and Their Effects on Fall Risk in Older People **2021**, 287-310

325 Postural Stability and Falls **2021**, 23-50

1

324 Footwear, Orthoses, Walking Aids, Wearable Technology, and Restraint Devices for Fall Prevention **2021**, 348-359

323 Impaired Cognition and Falls **2021**, 144-159

322 Bringing It All Together **2021**, 469-480

321 Translating Fall Prevention Research into Practice **2021**, 436-459

320 The Psychology of Fall Risk: Fear, Anxiety, Depression, and Balance Confidence **2021**, 160-171

0

319 Volitional and Reactive Step Training **2021**, 271-286

318 Cognitive Behavioural Interventions for Addressing Fear of Falling and Fall Risk **2021**, 311-321

317 Using self-determination theory to understand and improve recruitment for the Coaching for Healthy Ageing (CHANGE) trial. *PLoS ONE*, **2021**, 16, e0259873 3.7 2

316 Promoting Physical Activity in Women Over 50: A Randomized Trial. *American Journal of Health Promotion*, **2021**, 8901171211045678 2.5

315 Implementing the 27 PRISMA 2020 Statement items for systematic reviews in the sport and exercise medicine, musculoskeletal rehabilitation and sports science fields: the PERSiST (implementing Prisma in Exercise, Rehabilitation, Sport medicine and SporTs science) guidance. *British Journal of Sports Medicine*, **2021**, 10.3 10

314 Rehabilitation Following Hip Fracture. *Practical Issues in Geriatrics*, **2021**, 183-222 0.1 2

313 Activity and MObility UsiNg Technology (AMOUNT) rehabilitation trial - description of device use and physiotherapy support in the post-hospital phase. *Disability and Rehabilitation*, **2021**, 43, 3454-3460 2.4 4

312 "People Associate Us with Movement so It's an Awesome Opportunity": Perspectives from Physiotherapists on Promoting Physical Activity, Exercise and Sport. *International Journal of Environmental Research and Public Health*, **2021**, 18, 4.6 5

311 Current Practice of Physical Activity Counselling within Physiotherapy Usual Care and Influences on Its Use: A Cross-Sectional Survey. *International Journal of Environmental Research and Public Health*, **2021**, 18, 4.6 1

310 Face-to-face physiotherapy compared with a supported home exercise programme for the management of musculoskeletal conditions: protocol of a multicentre, randomised controlled trial-the REFORM trial. *BMJ Open*, **2021**, 11, e041242 3 2

309 New horizons in falls prevention and management for older adults: a global initiative. *Age and Ageing*, **2021**, 50, 1499-1507 3 12

308 A scoping review of physical activity interventions for older adults. *International Journal of Behavioral Nutrition and Physical Activity*, **2021**, 18, 82 8.4 7

307 Fall prevention programs for culturally and linguistically diverse groups: program provider perspectives. *Ethnicity and Health*, **2021**, 26, 299-317 2.2 1

306 Untapping the Health Enhancing Potential of Vigorous Intermittent Lifestyle Physical Activity (VILPA): Rationale, Scoping Review, and a 4-Pillar Research Framework. *Sports Medicine*, **2021**, 51, 1-10 10.6 7

305 Tailored Exercise and Home Hazard Reduction Program for Fall Prevention in Older People With Cognitive Impairment: The i-FOCIS Randomized Controlled Trial. *Journals of Gerontology - Series A Biological Sciences and Medical Sciences*, **2021**, 76, 655-665 6.4 10

304 Access to rehabilitation services for older adults living with dementia or in a residential aged care facility following a hip fracture: healthcare professionals' views. *Disability and Rehabilitation*, **2021**, 43, 834-845 2.4 8

303 Dosage and predictors of arm practice during inpatient stroke rehabilitation: an inception cohort study. *Disability and Rehabilitation*, **2021**, 43, 640-647 2.4 7

302 People with Parkinson's disease are more willing to do additional exercise if the exercise program has specific attributes: a discrete choice experiment. *Journal of Physiotherapy*, **2021**, 67, 49-55 2.9 3

301 Fall prevention interventions **2021**, 1627-1647

300	"Sharing Success with Someone": Building therapeutic alliance in physiotherapist-delivered physical activity coaching for healthy aging. <i>Physiotherapy Theory and Practice</i> , 2021 , 1-17	1.5	2
299	Mobilisation and physiotherapy intervention following hip fracture: snapshot survey across six countries from the Fragility Fracture Network Physiotherapy Group. <i>Disability and Rehabilitation</i> , 2021 , 1-8	2.4	1
298	Comparisons of leisure-time physical activity participation by adults with and without a disability: results of an Australian cross-sectional national survey. <i>BMJ Open Sport and Exercise Medicine</i> , 2021 , 7, e000991	3.4	4
297	Scale-up of the Stepping On fall prevention program amongst older adults in NSW: Program reach and fall-related health service use. <i>Health Promotion Journal of Australia</i> , 2021 , 32 Suppl 2, 391-398	1.7	3
296	Evaluation of Clinical Practice Guidelines on Fall Prevention and Management for Older Adults: A Systematic Review.. <i>JAMA Network Open</i> , 2021 , 4, e2138911	10.4	11
295	Digitally enabled aged care and neurological rehabilitation to enhance outcomes with Activity and MObility UsiNg Technology (AMOUNT) in Australia: A randomised controlled trial. <i>PLoS Medicine</i> , 2020 , 17, e1003029	11.6	12
294	Management of hospitalised osteoporotic vertebral fractures. <i>Archives of Osteoporosis</i> , 2020 , 15, 14	2.9	5
293	Telerehabilitation services for stroke. <i>The Cochrane Library</i> , 2020 , 1, CD010255	5.2	72
292	Exercise to Reduce Mobility Disability and Prevent Falls After Fall-Related Leg or Pelvic Fracture: RESTORE Randomized Controlled Trial. <i>Journal of General Internal Medicine</i> , 2020 , 35, 2907-2916	4	9
291	Physical activity coaching for adults with mobility limitations: protocol for the ComeBACK pragmatic hybrid effectiveness-implementation type 1 randomised controlled trial. <i>BMJ Open</i> , 2020 , 10, e034696	3	1
290	Evidence on Physical Activity and the Prevention of Frailty and Sarcopenia Among Older People: A Systematic Review to Inform the World Health Organization Physical Activity Guidelines. <i>Journal of Physical Activity and Health</i> , 2020 , 17, 1247-1258	2.5	41
289	Balance and functional training and health in adults: an overview of systematic reviews. <i>Applied Physiology, Nutrition and Metabolism</i> , 2020 , 45, S180-S196	3	11
288	Does dog acquisition improve physical activity, sedentary behaviour and biological markers of cardiometabolic health? Results from a three-arm controlled study. <i>BMJ Open Sport and Exercise Medicine</i> , 2020 , 6, e000703	3.4	3
287	Healthy ageing among older Aboriginal people: the Ironbark study protocol for a cluster randomised controlled trial. <i>Injury Prevention</i> , 2020 , 26, 581-587	3.2	0
286	Physical activity coaching for adults with mobility limitations: protocol for the ComeBACK pragmatic hybrid effectiveness-implementation type 1 randomised controlled trial. <i>BMJ Open</i> , 2020 , 10, e034696	3	1
285	Interventions Promoting Physical Activity Among Older Adults: A Systematic Review and Meta-Analysis. <i>Gerontologist, The</i> , 2020 , 60, 583-599	5	13
284	Exercise for preventing falls in older people living in the community: an abridged Cochrane systematic review. <i>British Journal of Sports Medicine</i> , 2020 , 54, 885-891	10.3	71

283	An 11-year review of hip fracture hospitalisations, health outcomes, and predictors of access to in-hospital rehabilitation for adults [65 years living with and without dementia: a population-based cohort study. <i>Osteoporosis International</i> , 2020 , 31, 465-474	5.3	8
282	Effect of Senior Dance (DanSE) on Fall Risk Factors in Older Adults: A Randomized Controlled Trial. <i>Physical Therapy</i> , 2020 , 100, 600-608	3.3	8
281	online information and support to promote physical activity behaviour change: study protocol for a pilot trial. <i>Pilot and Feasibility Studies</i> , 2020 , 6, 91	1.9	1
280	Evidence on physical activity and osteoporosis prevention for people aged 65+ years: a systematic review to inform the WHO guidelines on physical activity and sedentary behaviour. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020 , 17, 150	8.4	30
279	Evidence on physical activity and falls prevention for people aged 65+ years: systematic review to inform the WHO guidelines on physical activity and sedentary behaviour. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020 , 17, 144	8.4	38
278	Yoga-based exercise to prevent falls in community-dwelling people aged 60 years and over: study protocol for the Successful AGEing (SAGE) yoga randomised controlled trial. <i>BMJ Open Sport and Exercise Medicine</i> , 2020 , 6, e000878	3.4	2
277	"Someone's Got My Back": Older People's Experience of the Coaching for Healthy Ageing Program for Promoting Physical Activity and Preventing Falls. <i>Journal of Aging and Physical Activity</i> , 2020 , 29, 296-307	16	8
276	Influences on general practitioner referral to allied health professionals for fall prevention in primary care. <i>Australasian Journal on Ageing</i> , 2020 , 39, e32-e39	1.5	3
275	Effect of interventions using physical activity trackers on physical activity in people aged 60 years and over: a systematic review and meta-analysis. <i>British Journal of Sports Medicine</i> , 2020 , 54, 1188-1194	10.3	38
274	Predicting falls in people with Parkinson's disease: impact of methodological approaches on predictors identified. <i>Aging Clinical and Experimental Research</i> , 2020 , 32, 1057-1066	4.8	3
273	Digitally enabled aged care and neurological rehabilitation to enhance outcomes with Activity and MObility USiNg Technology (AMOUNT) in Australia: A randomised controlled trial 2020 , 17, e1003029		
272	Digitally enabled aged care and neurological rehabilitation to enhance outcomes with Activity and MObility USiNg Technology (AMOUNT) in Australia: A randomised controlled trial 2020 , 17, e1003029		
271	Digitally enabled aged care and neurological rehabilitation to enhance outcomes with Activity and MObility USiNg Technology (AMOUNT) in Australia: A randomised controlled trial 2020 , 17, e1003029		
270	Digitally enabled aged care and neurological rehabilitation to enhance outcomes with Activity and MObility USiNg Technology (AMOUNT) in Australia: A randomised controlled trial 2020 , 17, e1003029		
269	Digitally enabled aged care and neurological rehabilitation to enhance outcomes with Activity and MObility USiNg Technology (AMOUNT) in Australia: A randomised controlled trial 2020 , 17, e1003029		
268	Digitally enabled aged care and neurological rehabilitation to enhance outcomes with Activity and MObility USiNg Technology (AMOUNT) in Australia: A randomised controlled trial 2020 , 17, e1003029		
267	Digitally enabled aged care and neurological rehabilitation to enhance outcomes with Activity and MObility USiNg Technology (AMOUNT) in Australia: A randomised controlled trial 2020 , 17, e1003029		
266	Active women over 50: study protocol for RCT of a low-dose information and support program to promote physical activity behaviour change. <i>BMC Public Health</i> , 2019 , 19, 1225	4.1	4

265	Agreement between the Cochrane risk of bias tool and Physiotherapy Evidence Database (PEDro) scale: A meta-epidemiological study of randomized controlled trials of physical therapy interventions. <i>PLoS ONE</i> , 2019 , 14, e0222770	3.7	38
264	Associations of Impaired Renal Function With Declines in Muscle Strength and Muscle Function in Older Men: Findings From the CHAMP Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2019 , 74, 1812-1820	6.4	5
263	The uptake of the hip fracture core outcome set: analysis of 20 years of hip fracture trials. <i>Age and Ageing</i> , 2019 , 48, 595-598	3	6
262	Factors Associated With Ongoing Participation in Structured Exercise Among People Aged 50 Years and Older. <i>Journal of Aging and Physical Activity</i> , 2019 , 27, 739-745	1.6	3
261	Infographic: Exercise to prevent falls in older adults. <i>British Journal of Sports Medicine</i> , 2019 , 53, 337-338	10.3	
260	Effect of cognitive-only and cognitive-motor training on preventing falls in community-dwelling older people: protocol for the smartstep randomised controlled trial. <i>BMJ Open</i> , 2019 , 9, e029409	3	4
259	Companion dog acquisition and mental well-being: a community-based three-arm controlled study. <i>BMC Public Health</i> , 2019 , 19, 1428	4.1	34
258	Objectively measured mobility of rural community-dwelling people aged 80 and over is strongly associated with greater use of services for community integration and social support: An observational study. <i>Australian Journal of Rural Health</i> , 2019 , 27, 6-13	1.3	3
257	Exercise for falls prevention in community-dwelling older adults: trial and participant characteristics, interventions and bias in clinical trials from a systematic review. <i>BMJ Open Sport and Exercise Medicine</i> , 2019 , 5, e000663	3.4	17
256	Environmental interventions for preventing falls in older people living in the community. <i>The Cochrane Library</i> , 2019 ,	5.2	10
255	Exercise for preventing falls in older people living in the community. <i>The Cochrane Library</i> , 2019 , 1, CD013424	13.424	269
254	Strategies for recruitment in general practice settings: the iSOLVE fall prevention pragmatic cluster randomised controlled trial. <i>BMC Medical Research Methodology</i> , 2019 , 19, 236	4.7	6
253	A combined physical activity and fall prevention intervention improved mobility-related goal attainment but not physical activity in older adults: a randomised trial. <i>Journal of Physiotherapy</i> , 2019 , 65, 16-22	2.9	18
252	Sporting opportunities for people with physical disabilities: Mixed methods study of web-based searches and sport provider interviews. <i>Health Promotion Journal of Australia</i> , 2019 , 30, 180-188	1.7	2
251	Masculinity and preventing falls: insights from the fall experiences of men aged 70 years and over. <i>Disability and Rehabilitation</i> , 2019 , 41, 1055-1062	2.4	3
250	Risk factors for falls among older community dwellers in Shenzhen, China. <i>Injury Prevention</i> , 2019 , 25, 31-35	3.2	14
249	Key issues to consider and innovative ideas on fall prevention in the geriatric department of a teaching hospital. <i>Australasian Journal on Ageing</i> , 2018 , 37, 140-143	1.5	8
248	Dog Ownership and Mortality in England: A Pooled Analysis of Six Population-based Cohorts. <i>American Journal of Preventive Medicine</i> , 2018 , 54, 289-293	6.1	17

247	Two weeks of additional standing balance circuit classes during inpatient rehabilitation are cost saving and effective: an economic evaluation. <i>Journal of Physiotherapy</i> , 2018 , 64, 41-47	2.9	2
246	A mixed methods evaluation of yoga as a fall prevention strategy for older people in India. <i>Pilot and Feasibility Studies</i> , 2018 , 4, 74	1.9	7
245	Trial Protocol: Home-based exercise programs to prevent falls and upper limb dysfunction among community-dwelling older people: study protocol for the BEST (Balance Exercise Strength Training) at Home randomised, controlled trial. <i>Journal of Physiotherapy</i> , 2018 , 64, 121	2.9	3
244	PrevenTing Falls in a high-risk, vision-impaired population through specialist ORientation and Mobility services: protocol for the PlaTFORM randomised trial. <i>Injury Prevention</i> , 2018 , 24, 459-466	3.2	12
243	Impact of age and obstacle negotiation on timing measures of gait initiation. <i>Journal of Bodywork and Movement Therapies</i> , 2018 , 22, 361-365	1.6	3
242	Home-based step training using videogame technology in people with Parkinson's disease: a single-blinded randomised controlled trial. <i>Clinical Rehabilitation</i> , 2018 , 32, 299-311	3.3	33
241	Physiotherapy following fragility fractures. <i>Injury</i> , 2018 , 49, 1413-1417	2.5	30
240	Making fall prevention routine in primary care practice: perspectives of allied health professionals. <i>BMC Health Services Research</i> , 2018 , 18, 598	2.9	15
239	Multifactorial and multiple component interventions for preventing falls in older people living in the community. <i>The Cochrane Library</i> , 2018 , 7, CD012221	5.2	114
238	First Nation Elders' perspectives on healthy ageing in NSW, Australia. <i>Australian and New Zealand Journal of Public Health</i> , 2018 , 42, 361-364	2.3	9
237	Standard set of health outcome measures for older persons. <i>BMC Geriatrics</i> , 2018 , 18, 36	4.1	76
236	Sociodemographic correlates of prospective dog owners' intentions to participate in controlled trials of dog ownership and human health. <i>BMC Research Notes</i> , 2018 , 11, 169	2.3	2
235	A systematic review and meta-analysis of exercise-based falls prevention strategies in adults aged 50+ years with visual impairment. <i>Ophthalmic and Physiological Optics</i> , 2018 , 38, 456-467	4.1	8
234	External validation of approaches to prediction of falls during hospital rehabilitation stays and development of a new simpler tool. <i>Journal of Rehabilitation Medicine</i> , 2018 , 50, 216-222	3.4	6
233	Is a yoga-based program with potential to decrease falls perceived to be acceptable to community-dwelling people older than 60?. <i>Public Health Research and Practice</i> , 2018 , 28,	5.1	5
232	Factors Associated With the Setting of Health-Related Goals Among Community-Dwelling Older People. <i>Journal of Aging and Physical Activity</i> , 2018 , 26, 499-505	1.6	2
231	Risk factors for falls among older Aboriginal and Torres Strait Islander people in urban and regional communities. <i>Australasian Journal on Ageing</i> , 2018 , 37, 113-119	1.5	4
230	Health professional student education related to the prevention of falls in older people: A survey of universities in Australia and New Zealand. <i>Australasian Journal on Ageing</i> , 2018 , 37, E116-E119	1.5	2

229	The Ironbark program: Implementation and impact of a community-based fall prevention pilot program for older Aboriginal and Torres Strait Islander people. <i>Health Promotion Journal of Australia</i> , 2018 , 29, 189-198	1.7	6
228	Responsiveness of five measures of arm function in acute stroke rehabilitation. <i>Clinical Rehabilitation</i> , 2018 , 32, 1098-1107	3.3	6
227	Muscle strength, mobility, quality of life and falls in patients on maintenance haemodialysis: A prospective study. <i>Nephrology</i> , 2017 , 22, 220-227	2.2	23
226	A multifactorial intervention for frail older people is more than twice as effective among those who are compliant: complier average causal effect analysis of a randomised trial. <i>Journal of Physiotherapy</i> , 2017 , 63, 40-44	2.9	17
225	Impact of the Alexander technique on well-being: a randomised controlled trial involving older adults with visual impairment. <i>Australasian journal of optometry, The</i> , 2017 , 100, 633-641	2.7	6
224	Fall-related hospitalization in people with Parkinson's disease. <i>European Journal of Neurology</i> , 2017 , 24, 523-529	6	25
223	Men's perspectives on fall risk and fall prevention following participation in a group-based programme conducted at Men's Sheds, Australia. <i>Health and Social Care in the Community</i> , 2017 , 25, 1118-1126	3.6	7
222	Exercise to prevent falls in older adults: an updated systematic review and meta-analysis. <i>British Journal of Sports Medicine</i> , 2017 , 51, 1750-1758	10.3	436
221	Long-term outcomes from training in self-management of chronic pain in an elderly population: a randomized controlled trial. <i>Pain</i> , 2017 , 158, 86-95	8	28
220	An interactive videogame for arm and hand exercise in people with Parkinson's disease: A randomized controlled trial. <i>Parkinsonism and Related Disorders</i> , 2017 , 41, 66-72	3.6	21
219	Validity of Different Activity Monitors to Count Steps in an Inpatient Rehabilitation Setting. <i>Physical Therapy</i> , 2017 , 97, 581-588	3.3	72
218	What is the effect of health coaching on physical activity participation in people aged 60 years and over? A systematic review of randomised controlled trials. <i>British Journal of Sports Medicine</i> , 2017 , 51, 1425-1432	10.3	41
217	Flexed Truncal Posture in Parkinson Disease: Measurement Reliability and Relationship With Physical and Cognitive Impairments, Mobility, and Balance. <i>Journal of Neurologic Physical Therapy</i> , 2017 , 41, 107-113	4.1	7
216	Fall-related hospitalisations of older Aboriginal and Torres Strait Islander people and other Australians. <i>Medical Journal of Australia</i> , 2017 , 207, 31-35	4	6
215	Yarning about fall prevention: community consultation to discuss falls and appropriate approaches to fall prevention with older Aboriginal and Torres Strait Islander people. <i>BMC Public Health</i> , 2017 , 18, 77	4.1	5
214	Implementation fidelity of a nurse-led falls prevention program in acute hospitals during the 6-PACK trial. <i>BMC Health Services Research</i> , 2017 , 17, 383	2.9	5
213	Integrated solutions for sustainable fall prevention in primary care, the iSOLVE project: a type 2 hybrid effectiveness-implementation design. <i>Implementation Science</i> , 2017 , 12, 12	8.4	19
212	Rehabilitation Following Hip Fracture. <i>Practical Issues in Geriatrics</i> , 2017 , 145-163	0.1	2

211	Trends in fall-related ambulance use and hospitalisation among older adults in NSW, 2006-2013: a retrospective, population-based study. <i>Public Health Research and Practice</i> , 2017 , 27,	5.1	5
210	Exercise to Maximise Postural Control and Reduce the Risk of Falls in Older Age 2017 , 279-290		
209	Cultural influences on exercise participation and fall prevention: a systematic review and narrative synthesis. <i>Disability and Rehabilitation</i> , 2016 , 38, 724-732	2.4	29
208	Exercise for preventing falls in older people living in the community. <i>The Cochrane Library</i> , 2016 ,	5.2	4
207	Risk factors, incidence, consequences and prevention strategies for falls and fall-injury within older indigenous populations: a systematic review. <i>Australian and New Zealand Journal of Public Health</i> , 2016 , 40, 564-568	2.3	16
206	6-PACK programme to decrease fall injuries in acute hospitals: cluster randomised controlled trial. <i>BMJ, The</i> , 2016 , 352, h6781	5.9	65
205	Exercise and fall prevention self-management to reduce mobility-related disability and falls after fall-related lower limb fracture in older people: protocol for the RESTORE (Recovery Exercises and STEpping On afterR fracturE) randomised controlled trial. <i>BMC Geriatrics</i> , 2016 , 16, 34	4.1	20
204	Health and social support services in older adults recently discharged from hospital: service utilisation and costs and exploration of the impact of a home-exercise intervention. <i>BMC Geriatrics</i> , 2016 , 16, 82	4.1	1
203	Validity and reliability of a simple 'low-tech' test for measuring choice stepping reaction time in older people. <i>Clinical Rehabilitation</i> , 2016 , 30, 1128-1135	3.3	13
202	Prescribing exercise interventions for patients with chronic conditions. <i>Cmaj</i> , 2016 , 188, 510-518	3.5	73
201	Video and computer-based interactive exercises are safe and improve task-specific balance in geriatric and neurological rehabilitation: a randomised trial. <i>Journal of Physiotherapy</i> , 2016 , 62, 20-8	2.9	32
200	Yoga-based exercise improves balance and mobility in people aged 60 and over: a systematic review and meta-analysis. <i>Age and Ageing</i> , 2016 , 45, 21-9	3	62
199	Ottawa Panel Evidence-Based Clinical Practice Guidelines for Foot Care in the Management of Juvenile Idiopathic Arthritis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2016 , 97, 1163-1181.e14	2.8	2
198	Structured exercise improves mobility after hip fracture: a meta-analysis with meta-regression. <i>British Journal of Sports Medicine</i> , 2016 , 50, 346-55	10.3	57
197	Management of hip fractures in older people in Beijing: a retrospective audit and comparison with evidence-based guidelines and practice in the UK. <i>Osteoporosis International</i> , 2016 , 27, 677-81	5.3	21
196	Social Dancing and Incidence of Falls in Older Adults: A Cluster Randomised Controlled Trial. <i>PLoS Medicine</i> , 2016 , 13, e1002112	11.6	50
195	Fall prevention services for older Aboriginal people: investigating availability and acceptability. <i>Public Health Research and Practice</i> , 2016 , 26,	5.1	7
194	Non-pharmacological Treatments for Falls and Fractures 2016 , 187-200		1

193	Among Inpatients, Posttraumatic Stress Disorder Symptom Severity Is Negatively Associated With Time Spent Walking. <i>Journal of Nervous and Mental Disease</i> , 2016 , 204, 15-9	1.8	13
192	Effect of affordable technology on physical activity levels and mobility outcomes in rehabilitation: a protocol for the Activity and MObility USiNg Technology (AMOUNT) rehabilitation trial. <i>BMJ Open</i> , 2016 , 6, e012074	3	20
191	Multifactorial and multiple component interventions for preventing falls in older people living in the community. <i>The Cochrane Library</i> , 2016 ,	5.2	4
190	Effectiveness of a physical exercise intervention program in improving functional mobility in older adults after hip fracture in later stage rehabilitation: protocol of a randomized clinical trial (REATIVE Study). <i>BMC Geriatrics</i> , 2016 , 16, 198	4.1	14
189	Effectiveness of Senior Dance on risk factors for falls in older adults (DanSE): a study protocol for a randomised controlled trial. <i>BMJ Open</i> , 2016 , 6, e013995	3	12
188	Health coaching and pedometers to enhance physical activity and prevent falls in community-dwelling people aged 60 years and over: study protocol for the Coaching for Healthy AGEing (CHAnGE) cluster randomised controlled trial. <i>BMJ Open</i> , 2016 , 6, e012277	3	11
187	Gait impairment and falls 2016 , 107-115		
186	A critical review of the long-term disability outcomes following hip fracture. <i>BMC Geriatrics</i> , 2016 , 16, 158	4.1	321
185	Smallest worthwhile effect of exercise programs to prevent falls among older people: estimates from benefit-harm trade-off and discrete choice methods. <i>Age and Ageing</i> , 2016 , 45, 806-812	3	11
184	Economic evaluation of a falls prevention exercise program among people With Parkinson's disease. <i>Movement Disorders</i> , 2016 , 31, 53-61	7	25
183	Older people's perspectives on participation in physical activity: a systematic review and thematic synthesis of qualitative literature. <i>British Journal of Sports Medicine</i> , 2015 , 49, 1268-76	10.3	297
182	Interventions for preventing falls in Parkinson's disease. <i>The Cochrane Library</i> , 2015 ,	5.2	9
181	The impact of a home-based walking programme on falls in older people: the Easy Steps randomised controlled trial. <i>Age and Ageing</i> , 2015 , 44, 377-83	3	51
180	Physiotherapy in the prevention of falls in older people. <i>Journal of Physiotherapy</i> , 2015 , 61, 54-60	2.9	53
179	Exercise augmentation compared with usual care for post-traumatic stress disorder: a randomized controlled trial. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 131, 350-9	6.5	98
178	Cost-effectiveness of a Home-Exercise Program Among Older People After Hospitalization. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 490-6	5.9	19
177	Additional standing balance circuit classes during inpatient rehabilitation improved balance outcomes: an assessor-blinded randomised controlled trial. <i>Age and Ageing</i> , 2015 , 44, 580-6	3	12
176	Economic evaluation of a multifactorial, interdisciplinary intervention versus usual care to reduce frailty in frail older people. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 41-8	5.9	73

175	A patient education program supported by staff training can reduce the rate of falls for older people during inpatient rehabilitation [commentary]. <i>Journal of Physiotherapy</i> , 2015 , 61, 224	2.9	
174	A novel approach to the issue of physical inactivity in older age. <i>Preventive Medicine Reports</i> , 2015 , 2, 595-7	2.6	9
173	Neighborhood walkability, fear and risk of falling and response to walking promotion: The Easy Steps to Health 12-month randomized controlled trial. <i>Preventive Medicine Reports</i> , 2015 , 2, 704-10	2.6	20
172	Disability is an Independent Predictor of Falls and Recurrent Falls in People with Parkinson's Disease Without a History of Falls: A One-Year Prospective Study. <i>Journal of Parkinson's Disease</i> , 2015 , 5, 855-64	5.3	22
171	Validity of the activity tracker for measuring steps in community-dwelling older adults. <i>BMJ Open Sport and Exercise Medicine</i> , 2015 , 1, e000013	3.4	100
170	Predictors of Adherence to a Falls Prevention Exercise Program for People with Parkinson's Disease. <i>Movement Disorders Clinical Practice</i> , 2015 , 2, 395-401	2.2	8
169	The extra resource burden of in-hospital falls: a cost of falls study. <i>Medical Journal of Australia</i> , 2015 , 203, 367	4	70
168	What is the effect of a combined physical activity and fall prevention intervention enhanced with health coaching and pedometers on older adults' physical activity levels and mobility-related goals? Study protocol for a randomised controlled trial. <i>BMC Public Health</i> , 2015 , 15, 477	4.1	13
167	Economic modelling of a public health programme for fall prevention. <i>Age and Ageing</i> , 2015 , 44, 409-14	3	20
166	Can the Alexander Technique improve balance and mobility in older adults with visual impairments? A randomized controlled trial. <i>Clinical Rehabilitation</i> , 2015 , 29, 244-60	3.3	18
165	Effectiveness of a multifactorial intervention on preventing development of frailty in pre-frail older people: study protocol for a randomised controlled trial. <i>BMJ Open</i> , 2015 , 5, e007091	3	39
164	Exercise for falls prevention in Parkinson disease: a randomized controlled trial. <i>Neurology</i> , 2015 , 84, 304-12	6.5	151
163	Eliciting older people's preferences for exercise programs: a best-worst scaling choice experiment. <i>Journal of Physiotherapy</i> , 2015 , 61, 34-41	2.9	50
162	Internet-based implementation of non-pharmacological interventions of the "people getting a grip on arthritis" educational program: an international online knowledge translation randomized controlled trial design protocol. <i>JMIR Research Protocols</i> , 2015 , 4, e19	2	8
161	Effect of a multifactorial, interdisciplinary intervention on risk factors for falls and fall rate in frail older people: a randomised controlled trial. <i>Age and Ageing</i> , 2014 , 43, 616-22	3	73
160	The relative contribution of physical and cognitive fall risk factors in people with Parkinson's disease: a large prospective cohort study. <i>Neurorehabilitation and Neural Repair</i> , 2014 , 28, 282-90	4.7	73
159	Exercise and physical training improve physical function in older adults with visual impairments but their effect on falls is unclear: a systematic review. <i>Journal of Physiotherapy</i> , 2014 , 60, 130-5	2.9	21
158	Adherence to exercise programs for older people is influenced by program characteristics and personal factors: a systematic review. <i>Journal of Physiotherapy</i> , 2014 , 60, 151-6	2.9	254

157	Can a tailored exercise and home hazard reduction program reduce the rate of falls in community dwelling older people with cognitive impairment: protocol paper for the i-FOCIS randomised controlled trial. <i>BMC Geriatrics</i> , 2014 , 14, 89	4.1	23
156	Responsiveness of the ten-metre walk test, Step Test and Motor Assessment Scale in inpatient care after stroke. <i>BMC Neurology</i> , 2014 , 14, 129	3.1	13
155	Improving balance and mobility in people over 50 years of age with vision impairments: can the Alexander Technique help? A study protocol for the VISIBILITY randomised controlled trial. <i>Injury Prevention</i> , 2014 , 20, e3	3.2	6
154	Risk factors for frequent falls in people with Parkinson's disease. <i>Journal of Parkinson's Disease</i> , 2014 , 4, 699-703	5.3	20
153	Physical activity interventions for people with mental illness: a systematic review and meta-analysis. <i>Journal of Clinical Psychiatry</i> , 2014 , 75, 964-74	4.6	392
152	Self-reported chronic pain is associated with physical performance in older people leaving aged care rehabilitation. <i>Clinical Interventions in Aging</i> , 2014 , 9, 259-65	4	20
151	Most functional outcomes are similar for men and women after hip fracture: a secondary analysis of the enhancing mobility after hip fracture trial. <i>BMC Geriatrics</i> , 2014 , 14, 140	4.1	6
150	Assessing physical activity in people with posttraumatic stress disorder: feasibility and concurrent validity of the International Physical Activity Questionnaire--short form and actigraph accelerometers. <i>BMC Research Notes</i> , 2014 , 7, 576	2.3	18
149	Predicting participation restriction in community-dwelling older men: the Concord Health and Ageing in Men Project. <i>Age and Ageing</i> , 2014 , 43, 31-7	3	15
148	Does a fall prevention educational programme improve knowledge and change exercise prescribing behaviour in health and exercise professionals? A study protocol for a randomised controlled trial. <i>BMJ Open</i> , 2014 , 4, e007032	3	4
147	Leg muscle power is enhanced by training in people with Parkinson's disease: a randomized controlled trial. <i>Clinical Rehabilitation</i> , 2014 , 28, 275-88	3.3	48
146	Nurse-assessed metabolic monitoring: a file audit of risk factor prevalence and impact of an intervention to enhance measurement of waist circumference. <i>International Journal of Mental Health Nursing</i> , 2014 , 23, 252-6	3.8	23
145	On "Identifying items to assess methodological quality" Armio-Olivo A, Cummings GC, Fuentes J, et al. <i>Phys Ther</i> . 2014;94:1272-1284. <i>Physical Therapy</i> , 2014 , 94, 1826	3.3	1
144	A post-hospital home exercise program improved mobility but increased falls in older people: a randomised controlled trial. <i>PLoS ONE</i> , 2014 , 9, e104412	3.7	66
143	Falls Prevention Interventions 2013 , 1649-1666		1
142	Balance circuit classes to improve balance among rehabilitation inpatients: a protocol for a randomised controlled trial. <i>BMC Geriatrics</i> , 2013 , 13, 75	4.1	3
141	Effectiveness of a multifactorial falls prevention program in community-dwelling older people when compared to usual care: study protocol for a randomised controlled trial (Prevquedas Brazil). <i>BMC Geriatrics</i> , 2013 , 13, 27	4.1	11
140	Can social dancing prevent falls in older adults? a protocol of the Dance, Aging, Cognition, Economics (DAnCE) fall prevention randomised controlled trial. <i>BMC Public Health</i> , 2013 , 13, 477	4.1	37

139	A systematic review of the unit costs of allied health and community services used by older people in Australia. <i>BMC Health Services Research</i> , 2013 , 13, 69	2.9	13
138	Self-management intervention for chronic pain in older adults: a randomised controlled trial. <i>Pain</i> , 2013 , 154, 824-35	8	84
137	A 12-week Iyengar yoga program improved balance and mobility in older community-dwelling people: a pilot randomized controlled trial. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2013 , 68, 1068-75	6.4	64
136	A multifactorial interdisciplinary intervention reduces frailty in older people: randomized trial. <i>BMC Medicine</i> , 2013 , 11, 65	11.4	231
135	Maximising functional recovery following hip fracture in frail seniors. <i>Best Practice and Research in Clinical Rheumatology</i> , 2013 , 27, 771-88	5.3	85
134	da Costa and colleagues' criticism of PEDro scores is not supported by the data. <i>Journal of Clinical Epidemiology</i> , 2013 , 66, 1192-3	5.7	6
133	A systematic review of the responsiveness of lower limb physical performance measures in inpatient care after stroke. <i>BMC Neurology</i> , 2013 , 13, 4	3.1	14
132	Three simple clinical tests to accurately predict falls in people with Parkinson's disease. <i>Movement Disorders</i> , 2013 , 28, 655-62	7	127
131	Telerehabilitation services for stroke. <i>The Cochrane Library</i> , 2013 , CD010255	5.2	78
130	Identifying older people at high risk of future falls: development and validation of a screening tool for use in emergency departments. <i>Emergency Medicine Journal</i> , 2013 , 30, 918-22	1.5	41
129	Many randomized trials of physical therapy interventions are not adequately registered: a survey of 200 published trials. <i>Physical Therapy</i> , 2013 , 93, 299-309	3.3	34
128	How big does the effect of an intervention have to be? Application of two novel methods to determine the smallest worthwhile effect of a fall prevention programme: a study protocol. <i>BMJ Open</i> , 2013 , 3,	3	3
127	Motor and cognitive impairments in Parkinson disease: relationships with specific balance and mobility tasks. <i>Neurorehabilitation and Neural Repair</i> , 2013 , 27, 63-71	4.7	25
126	In-hospital falls and fall-related injuries: a protocol for a cost of fall study. <i>Injury Prevention</i> , 2013 , 19, 363	3.2	9
125	Older fallers attended to by an ambulance but not transported to hospital: a vulnerable population at high risk of future falls. <i>Australian and New Zealand Journal of Public Health</i> , 2013 , 37, 179-85	2.3	22
124	Mobility training for increasing mobility and functioning in older people with frailty. <i>The Cochrane Library</i> , 2013 ,	5.2	1
123	The role of exercise for fall prevention in older age. <i>Motriz Revista De Educacao Fisica</i> , 2013 , 19, 541-547	0.9	11
122	Prevalence and correlates of participation in fall prevention exercise/physical activity by older adults. <i>Preventive Medicine</i> , 2012 , 55, 613-7	4.3	100

121	The 6-PACK programme to decrease falls and fall-related injuries in acute hospitals: protocol for an economic evaluation alongside a cluster randomised controlled trial. <i>Injury Prevention</i> , 2012 , 18, e2	3.2	9
120	The minimum sit-to-stand height test: reliability, responsiveness and relationship to leg muscle strength. <i>Clinical Rehabilitation</i> , 2012 , 26, 656-63	3.3	14
119	Amount of exercise in the first week after stroke predicts walking speed and unassisted walking. <i>Neurorehabilitation and Neural Repair</i> , 2012 , 26, 932-8	4.7	19
118	Effect of a multifactorial interdisciplinary intervention on mobility-related disability in frail older people: randomised controlled trial. <i>BMC Medicine</i> , 2012 , 10, 120	11.4	83
117	Evidence of detraining after 12-week home-based exercise programs designed to reduce fall-risk factors in older people recently discharged from hospital. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012 , 93, 1685-91	2.8	21
116	Reproducibility of measures of leg muscle power, leg muscle strength, postural sway and mobility in people with Parkinson's disease. <i>Gait and Posture</i> , 2012 , 36, 639-42	2.6	28
115	Reduced muscle strength is the major determinant of reduced leg muscle power in Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2012 , 18, 974-7	3.6	20
114	Physical activity improves strength, balance and endurance in adults aged 40-65 years: a systematic review. <i>Journal of Physiotherapy</i> , 2012 , 58, 145-56	2.9	55
113	Interventions for preventing falls in older people living in the community. <i>The Cochrane Library</i> , 2012 , CD007146	5.2	1237
112	Exercise and motor training in people with Parkinson's disease: a systematic review of participant characteristics, intervention delivery, retention rates, adherence, and adverse events in clinical trials. <i>Parkinson's Disease</i> , 2012 , 2012, 854328	2.6	50
111	Exercise dose and mobility outcome in a comprehensive stroke unit: description and prediction from a prospective cohort study. <i>Journal of Rehabilitation Medicine</i> , 2012 , 44, 824-9	3.4	31
110	Exercise to enhance mobility and prevent falls after stroke: the community stroke club randomized trial. <i>Neurorehabilitation and Neural Repair</i> , 2012 , 26, 1046-57	4.7	97
109	Predictors of adherence to a structured exercise program and physical activity participation in community dwellers after stroke. <i>Stroke Research and Treatment</i> , 2012 , 2012, 136525	1.7	22
108	Measures of physical functioning after hip fracture: construct validity and responsiveness of performance-based and self-reported measures. <i>Age and Ageing</i> , 2012 , 41, 659-64	3	19
107	Telerehabilitation services for stroke 2012 ,		2
106	Many participants in inpatient rehabilitation can quantify their exercise dosage accurately: an observational study. <i>Journal of Physiotherapy</i> , 2011 , 57, 117-22	2.9	18
105	Reported quality of randomized controlled trials of physiotherapy interventions has improved over time. <i>Journal of Clinical Epidemiology</i> , 2011 , 64, 594-601	5.7	75
104	A simple tool predicted probability of falling after aged care inpatient rehabilitation. <i>Journal of Clinical Epidemiology</i> , 2011 , 64, 779-86	5.7	19

103	Predictors of exercise adherence in older people living in retirement villages. <i>Preventive Medicine</i> , 2011 , 52, 480-1	4.3	20
102	Prevention of fractures in older people: what does the evidence say?. <i>Physiotherapy Canada</i> <i>Physiotherapie Canada</i> , 2011 , 63, 146-51	0.8	1
101	La prévention des fractures chez les aînés: qu'en disent les faits cliniques?. <i>Physiotherapy Canada</i> <i>Physiotherapie Canada</i> , 2011 , 63, 149-151	0.8	78
100	Exercise and Sports Science Australia position statement on exercise and falls prevention in older people. <i>Journal of Science and Medicine in Sport</i> , 2011 , 14, 489-95	4.4	57
99	Implementing falls prevention research into policy and practice in Australia: past, present and future. <i>Journal of Safety Research</i> , 2011 , 42, 517-20	4	13
98	ICF participation restriction is common in frail, community-dwelling older people: an observational cross-sectional study. <i>Physiotherapy</i> , 2011 , 97, 26-32	3	32
97	Do exercise interventions designed to prevent falls affect participation in life roles? A systematic review and meta-analysis. <i>Age and Ageing</i> , 2011 , 40, 666-74	3	29
96	Exercise augmentation compared to usual care for post traumatic stress disorder: a randomised controlled trial (the REAP study: Randomised Exercise Augmentation for PTSD). <i>BMC Psychiatry</i> , 2011 , 11, 115	4.2	19
95	The effect of walking on falls in older people: the 'Easy Steps to Health' randomized controlled trial study protocol. <i>BMC Public Health</i> , 2011 , 11, 888	4.1	11
94	Treating frailty--a practical guide. <i>BMC Medicine</i> , 2011 , 9, 83	11.4	100
93	Balance and falls in Parkinson's disease: a meta-analysis of the effect of exercise and motor training. <i>Movement Disorders</i> , 2011 , 26, 1605-15	7	188
92	The 6-PACK programme to decrease fall-related injuries in acute hospitals: protocol for a cluster randomised controlled trial. <i>Injury Prevention</i> , 2011 , 17, e5	3.2	18
91	Dose-response relationship of resistance training in older adults: a meta-analysis. <i>British Journal of Sports Medicine</i> , 2011 , 45, 233-4	10.3	18
90	Interventions for improving mobility after hip fracture surgery in adults. <i>The Cochrane Library</i> , 2011 , CD001704	5.2	96
89	Exercise to prevent falls in older adults: an updated meta-analysis and best practice recommendations. <i>NSW Public Health Bulletin</i> , 2011 , 22, 78-83		498
88	Is exercise effective in promoting mental well-being in older age? A systematic review. <i>British Journal of Sports Medicine</i> , 2011 , 45, 1079-80	10.3	16
87	A novel Dance Dance Revolution (DDR) system for in-home training of stepping ability: basic parameters of system use by older adults. <i>British Journal of Sports Medicine</i> , 2011 , 45, 441-5	10.3	50
86	CENTRAL, PEDro, PubMed, and EMBASE are the most comprehensive databases indexing randomized controlled trials of physical therapy interventions. <i>Physical Therapy</i> , 2011 , 91, 190-7	3.3	75

85	Interventions for improving mobility after hip fracture surgery in adults. <i>Sao Paulo Medical Journal</i> , 2011 , 129, 435-435	1.6	3
84	INVITED COMMENTARY: Rating the Quality of Trials in Systematic Reviews of Physical Therapy Interventions. <i>Cardiopulmonary Physical Therapy Journal</i> , 2010 , 21, 20-26	1	49
83	Development of a tool for prediction of falls in rehabilitation settings (Predict_FIRST): a prospective cohort study. <i>Journal of Rehabilitation Medicine</i> , 2010 , 42, 482-8	3.4	36
82	Core journals that publish clinical trials of physical therapy interventions. <i>Physical Therapy</i> , 2010 , 90, 1631-40	3.3	30
81	Impaired weight transfer persists at least four months after hip fracture and rehabilitation. <i>Clinical Rehabilitation</i> , 2010 , 24, 565-73	3.3	12
80	The development and validation of a brief performance-based fall risk assessment tool for use in primary care. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2010 , 65, 896-903	6.4	93
79	Mobility-related disability three months after aged care rehabilitation can be predicted with a simple tool: an observational study. <i>Journal of Physiotherapy</i> , 2010 , 56, 121-7	2.9	14
78	There was evidence of convergent and construct validity of Physiotherapy Evidence Database quality scale for physiotherapy trials. <i>Journal of Clinical Epidemiology</i> , 2010 , 63, 920-5	5.7	191
77	Reduced muscle power is associated with slower walking velocity and falls in people with Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2010 , 16, 261-4	3.6	63
76	Correlation between the Journal Impact Factor and three other journal citation indices. <i>Scientometrics</i> , 2010 , 85, 81-93	3	37
75	Incidence of and risk factors for falls among adults with an intellectual disability. <i>Journal of Intellectual Disability Research</i> , 2010 , 54, 1045-57	3.2	70
74	The effects of an exercise program on fall risk factors in people with Parkinson's disease: a randomized controlled trial. <i>Movement Disorders</i> , 2010 , 25, 1217-25	7	141
73	Rating the quality of trials in systematic reviews of physical therapy interventions. <i>Cardiopulmonary Physical Therapy Journal</i> , 2010 , 21, 20-6	1	18
72	Indexing of randomised controlled trials of physiotherapy interventions: a comparison of AMED, CENTRAL, CINAHL, EMBASE, hooked on evidence, PEDro, PsycINFO and PubMed. <i>Physiotherapy</i> , 2009 , 95, 151-6	3	59
71	Exercise intervention to prevent falls and enhance mobility in community dwellers after stroke: a protocol for a randomised controlled trial. <i>BMC Neurology</i> , 2009 , 9, 38	3.1	25
70	Exercise therapy for prevention of falls in people with Parkinson's disease: a protocol for a randomised controlled trial and economic evaluation. <i>BMC Neurology</i> , 2009 , 9, 4	3.1	49
69	Bradykinesia, muscle weakness and reduced muscle power in Parkinson's disease. <i>Movement Disorders</i> , 2009 , 24, 1344-51	7	53
68	Minimising disability and falls in older people through a post-hospital exercise program: a protocol for a randomised controlled trial and economic evaluation. <i>BMC Geriatrics</i> , 2009 , 9, 8	4.1	18

67	Falls in older people: Risk factors and strategies for prevention (2nd edn) - by Stephen Lord, Catherine Sherrington, Hylton Menz, and Jacqueline Close. <i>Australasian Journal on Ageing</i> , 2009 , 28, 47-47	1.5	4
66	Cochrane reviews used more rigorous methods than non-Cochrane reviews: survey of systematic reviews in physiotherapy. <i>Journal of Clinical Epidemiology</i> , 2009 , 62, 1021-30	5.7	119
65	Reducing risk of falling in older people discharged from hospital: a randomized controlled trial comparing seated exercises, weight-bearing exercises, and social visits. <i>Archives of Physical Medicine and Rehabilitation</i> , 2009 , 90, 1317-24	2.8	51
64	Validity and reliability of assessment tools for measuring unsupported sitting in people with a spinal cord injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 2009 , 90, 1571-7	2.8	43
63	Computerized tracking to train dexterity after cerebellar tumour: a single-case experimental study. <i>Brain Injury</i> , 2009 , 23, 702-6	2.1	5
62	Mobility training after hip fracture: a randomised controlled trial. <i>Age and Ageing</i> , 2009 , 38, 74-80	3	58
61	Non-Pharmacological Treatments for Falls and Fractures 2009 , 126-136		
60	Effective exercise for the prevention of falls: a systematic review and meta-analysis. <i>Journal of the American Geriatrics Society</i> , 2008 , 56, 2234-43	5.6	906
59	PEDro scale can only rate what papers report. <i>Australian Journal of Physiotherapy</i> , 2008 , 54, 288		7
58	Group exercise can improve participants' mobility in an outpatient rehabilitation setting: a randomized controlled trial. <i>Clinical Rehabilitation</i> , 2008 , 22, 493-502	3.3	32
57	The comparative ability of eight functional mobility tests for predicting falls in community-dwelling older people. <i>Age and Ageing</i> , 2008 , 37, 430-5	3	333
56	Cluster randomised trial of a targeted multifactorial intervention to prevent falls among older people in hospital. <i>BMJ, The</i> , 2008 , 336, 758-60	5.9	161
55	A description of the trials, reviews, and practice guidelines indexed in the PEDro database. <i>Physical Therapy</i> , 2008 , 88, 1068-77	3.3	93
54	Frailty Intervention Trial (FIT). <i>BMC Geriatrics</i> , 2008 , 8, 27	4.1	104
53	Falls in Older People at Home: Risk Factors and Intervention Strategies. <i>Journal of the Human-Environment System</i> , 2008 , 11, 37-42	0.4	
52	Mobilisation strategies after hip fracture surgery in adults. <i>Cochrane Database of Systematic Reviews</i> , 2007 , CD001704		32
51	Re: Response to Critically Appraised Paper, An energy conservation course decreased fatigue impact and increased some aspects of quality of life at 6 weeks for persons with multiple sclerosis. <i>Australian Occupational Therapy Journal</i> , 2007 , 54, 83-83	1.7	
50	Physical and psychological factors associated with stair negotiation performance in older people. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2007 , 62, 1259-65	6.4	79

49	A novel weight-bearing strengthening program during rehabilitation of older people is feasible and improves standing up more than a non-weight-bearing strengthening program: a randomised trial. <i>Australian Journal of Physiotherapy</i> , 2007 , 53, 147-53		31
48	Falls in Older People: Risk Factors and Strategies for Prevention 2007 ,		286
47	Home environment risk factors for falls in older people and the efficacy of home modifications. <i>Age and Ageing</i> , 2006 , 35 Suppl 2, ii55-ii59	3	159
46	Use of fresnel prism glasses to treat stroke patients with hemispatial neglect. <i>Archives of Physical Medicine and Rehabilitation</i> , 2006 , 87, 1668-72	2.8	40
45	Physiological and psychological predictors of walking speed in older community-dwelling people. <i>Gerontology</i> , 2005 , 51, 390-5	5.5	106
44	The effect of an individualized fall prevention program on fall risk and falls in older people: a randomized, controlled trial. <i>Journal of the American Geriatrics Society</i> , 2005 , 53, 1296-304	5.6	161
43	What is the role of falls?. <i>Best Practice and Research in Clinical Rheumatology</i> , 2005 , 19, 913-35	5.3	72
42	Reliability of simple portable tests of physical performance in older people after hip fracture. <i>Clinical Rehabilitation</i> , 2005 , 19, 496-504	3.3	83
41	Physical activity interventions to prevent falls among older people: update of the evidence. <i>Journal of Science and Medicine in Sport</i> , 2004 , 7, 43-51	4.4	86
40	A randomized controlled trial of weight-bearing versus non-weight-bearing exercise for improving physical ability after usual care for hip fracture. <i>Archives of Physical Medicine and Rehabilitation</i> , 2004 , 85, 710-6	2.8	115
39	Challenges for Evidence-Based Physical Therapy: Accessing and Interpreting High-Quality Evidence on Therapy. <i>Physical Therapy</i> , 2004 , 84, 644-654	3.3	119
38	Challenges for evidence-based physical therapy: accessing and interpreting high-quality evidence on therapy. <i>Physical Therapy</i> , 2004 , 84, 644-54	3.3	29
37	Reliability of the PEDro Scale for Rating Quality of Randomized Controlled Trials. <i>Physical Therapy</i> , 2003 , 83, 713-721	3.3	2544
36	A randomised trial of weight-bearing versus non-weight-bearing exercise for improving physical ability in inpatients after hip fracture. <i>Australian Journal of Physiotherapy</i> , 2003 , 49, 15-22		78
35	Reliability of clinical tests of foot and ankle characteristics in older people. <i>Journal of the American Podiatric Medical Association</i> , 2003 , 93, 380-7	1	69
34	An evaluation of footwear worn at the time of fall-related hip fracture. <i>Age and Ageing</i> , 2003 , 32, 310-4	3	96
33	Reliability of the PEDro scale for rating quality of randomized controlled trials. <i>Physical Therapy</i> , 2003 , 83, 713-21	3.3	897
32	On Can a comprehensive lymphedema management program decrease limb size and reduce the incidence of infection in a woman with postmastectomy lymphedema? <i>Physical Therapy</i> , 2002 , 82, 722-723		1

31	Evidence for physiotherapy practice: a survey of the Physiotherapy Evidence Database (PEDro). <i>Australian Journal of Physiotherapy</i> , 2002 , 48, 43-9		528
30	NHMRC Health Research Partnership: Prevention of Older People's Injuries. <i>NSW Public Health Bulletin</i> , 2002 , 13, 21-2		2
29	Core journals of evidence-based physiotherapy practice. <i>Physiotherapy Theory and Practice</i> , 2001 , 17, 143-151	1.5	32
28	Evidence-based practice -- imperfect but necessary. <i>Physiotherapy Theory and Practice</i> , 2001 , 17, 201-211	1.5	59
27	Effective physiotherapy. <i>BMJ: British Medical Journal</i> , 2001 , 323, 788-90		24
26	PEDro. A database of randomized trials and systematic reviews in physiotherapy. <i>Manual Therapy</i> , 2000 , 5, 223-6		280
25	Physiotherapy Evidence Database. <i>Physiotherapy</i> , 2000 , 86, 55	3	8
24	The Extent and Quality of Evidence in Neurological Physiotherapy: An Analysis of the Physiotherapy Evidence Database (PEDro). <i>Brain Impairment</i> , 2000 , 1, 130-140	1	21
23	The Footwear Assessment Form: a reliable clinical tool to assess footwear characteristics of relevance to postural stability in older adults. <i>Clinical Rehabilitation</i> , 2000 , 14, 657-64	3.3	68
22	Increased prevalence of fall risk factors in older people following hip fracture. <i>Gerontology</i> , 1998 , 44, 340-4	5.5	43
21	PEDro: a database of randomised controlled trials in physiotherapy. <i>Health Information Management Journal</i> , 1998 , 28, 186-8	2.6	40
20	Home exercise to improve strength and walking velocity after hip fracture: a randomized controlled trial. <i>Archives of Physical Medicine and Rehabilitation</i> , 1997 , 78, 208-12	2.8	127
19	Gait characteristics and falls50-69		
18	Modifying the environment to prevent falls300-310		1
17	Environmental risk factors for falls151-160		
16	Epidemiology of falls and fall-related injuries3-25		4
15	Medications as risk factors for falls133-150		1
14	A physiological profile approach to falls risk assessment and prevention333-356		42

13	Postural stability and falls26-49	3
12	Psychological factors and falls90-100	1
11	Strategies for prevention173-176	2
10	Medical management of older people at risk of falls240-263	1
9	Sensory and neuromuscular risk factors for falls70-89	
8	Medical risk factors for falls101-132	
7	The relative importance of falls risk factors: an evidence-based summary161-172	
6	Exercise interventions to prevent falls177-203	
5	Exercise interventions to improve physical functioning204-239	
4	Assistive devices and falls prevention264-299	
3	Prevention of falls in hospitals and residential aged care facilities311-332	
2	Research into practice357-376	
1	Falls in older people: future directions for research379-387	