List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1888185/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Inflammation and ovarian cancer. Cytokine, 2012, 58, 133-147.	3.2	251
2	Serum levels of leptin and proinflammatory cytokines in patients with advanced-stage cancer at different sites. Journal of Molecular Medicine, 2000, 78, 554-561.	3.9	192
3	Randomized Phase III Clinical Trial of Five Different Arms of Treatment in 332 Patients with Cancer Cachexia. Oncologist, 2010, 15, 200-211.	3.7	185
4	The role of inflammation, iron, and nutritional status in cancer-related anemia: results of a large, prospective, observational study. Haematologica, 2015, 100, 124-132.	3.5	173
5	Efficacy of l-carnitine administration on fatigue, nutritional status, oxidative stress, and related quality of life in 12 advanced cancer patients undergoing anticancer therapy. Nutrition, 2006, 22, 136-145.	2.4	157
6	Managing Cancer-Related Anorexia/Cachexia. Drugs, 2001, 61, 499-514.	10.9	149
7	A Phase II Study with Antioxidants, Both in the Diet and Supplemented, Pharmaconutritional Support, Progestagen, and Anti-Cyclooxygenase-2 Showing Efficacy and Safety in Patients with Cancer-Related Anorexia/Cachexia and Oxidative Stress. Cancer Epidemiology Biomarkers and Prevention, 2006, 15, 1030-1034.	2.5	141
8	Quantitative evaluation of oxidative stress, chronic inflammatory indices and leptin in cancer patients: Correlation with stage and performance status. International Journal of Cancer, 2002, 98, 84-91.	5.1	135
9	Early Epirubicin-Induced Myocardial Dysfunction Revealed by Serial Tissue Doppler Echocardiography: Correlation with Inflammatory and Oxidative Stress Markers. Oncologist, 2007, 12, 1124-1133.	3.7	127
10	Protective effects of the angiotensin II receptor blocker telmisartan on epirubicin-induced inflammation, oxidative stress, and early ventricular impairment. American Heart Journal, 2010, 160, 487.e1-487.e7.	2.7	127
11	A randomized phase III clinical trial of a combined treatment for cachexia in patients with gynecological cancers: Evaluating the impact on metabolic and inflammatory profiles and quality of life. Gynecologic Oncology, 2012, 124, 417-425.	1.4	121
12	Hemoglobin levels correlate with interleukin-6 levels in patients with advanced untreated epithelial ovarian cancer: role of inflammation in cancer-related anemia. Blood, 2005, 106, 362-367.	1.4	119
13	Phase II nonrandomized study of the efficacy and safety of COX-2 inhibitor celecoxib on patients with cancer cachexia. Journal of Molecular Medicine, 2010, 88, 85-92.	3.9	118
14	Randomized phase III clinical trial of a combined treatment with carnitineÂ+Âcelecoxib±Âmegestrol acetate for patients with cancer-related anorexia/cachexia syndrome. Clinical Nutrition, 2012, 31, 176-182.	5.0	108
15	Role of M1-polarized tumor-associated macrophages in the prognosis of advanced ovarian cancer patients. Scientific Reports, 2020, 10, 6096.	3.3	108
16	Antioxidant agents are effective in inducing lymphocyte progression through cell cycle in advanced cancer patients: assessment of the most important laboratory indexes of cachexia and oxidative stress. Journal of Molecular Medicine, 2003, 81, 664-673.	3.9	103
17	Pathogenesis and Treatment Options of Cancer Related Anemia: Perspective for a Targeted Mechanism-Based Approach. Frontiers in Physiology, 2018, 9, 1294.	2.8	103
18	Randomized phase III clinical trial of five different arms of treatment for patients with cancer cachexia: interim results. Nutrition, 2008, 24, 305-313.	2.4	90

#	Article	IF	CITATIONS
19	Obesity, Inflammation, and Postmenopausal Breast Cancer: Therapeutic Implications. Scientific World Journal, The, 2011, 11, 2020-2036.	2.1	87
20	Correlation of body mass index and leptin with tumor size and stage of disease in hormone-dependent postmenopausal breast cancer: preliminary results and therapeutic implications. Journal of Molecular Medicine, 2010, 88, 677-686.	3.9	86
21	The Impact of Different Antioxidant Agents alone or in Combination on Reactive Oxygen Species, Antioxidant Enzymes and Cytokines in a Series of Advanced Cancer Patients at Different Sites: Correlation with Disease Progression. Free Radical Research, 2003, 37, 213-223.	3.3	85
22	Pathophysiology of cardiotoxicity induced by nonanthracycline chemotherapy. Journal of Cardiovascular Medicine, 2016, 17, e12-e18.	1.5	78
23	Serum values of proinflammatory cytokines are inversely correlated with serum leptin levels in patients with advanced stage cancer at different sites. Journal of Molecular Medicine, 2001, 79, 406-414.	3.9	76
24	Treatment of Irradiated Expanders: Protective Lipofilling Allows Immediate Prosthetic Breast Reconstruction in the Setting of Postoperative Radiotherapy. Aesthetic Plastic Surgery, 2013, 37, 1146-1152.	0.9	71
25	Cisplatin: an old drug with a newfound efficacy – from mechanisms of action to cytotoxicity. Expert Opinion on Pharmacotherapy, 2013, 14, 1839-1857.	1.8	70
26	Cancer cachexia: medical management. Supportive Care in Cancer, 2010, 18, 1-9.	2.2	69
27	Association of Endodontic Infection with Detection of an Initial Lesion to the Cardiovascular System. Journal of Endodontics, 2011, 37, 1624-1629.	3.1	68
28	Evaluation of the effectiveness of treatment with erythropoietin on anemia, cognitive functioning and functions studied by comprehensive geriatric assessment in elderly cancer patients with anemia related to cancer chemotherapy. Critical Reviews in Oncology/Hematology, 2006, 57, 175-182.	4.4	66
29	Role of inflammation and oxidative stress in postâ€menopausal oestrogenâ€dependent breast cancer. Journal of Cellular and Molecular Medicine, 2014, 18, 2519-2529.	3.6	59
30	Efficacy and Safety of Oral Lactoferrin Supplementation in Combination with rHuEPO-β for the Treatment of Anemia in Advanced Cancer Patients Undergoing Chemotherapy: Open-Label, Randomized Controlled Study. Oncologist, 2010, 15, 894-902.	3.7	55
31	Long-term, up to 18Âmonths, protective effects of the angiotensin II receptor blocker telmisartan on Epirubin-induced inflammation and oxidative stress assessed by serial strain rate. SpringerPlus, 2013, 2, 198.	1.2	55
32	Long-term protective effects of the angiotensin receptor blocker telmisartan on epirubicin-induced inflammation, oxidative stress and myocardial dysfunction. Experimental and Therapeutic Medicine, 2011, 2, 1003-1009.	1.8	51
33	Reactive Oxygen Species, Antioxidant Mechanisms, and Serum Cytokine Levels in Cancer Patients: Impact of an Antioxidant Treatment. Journal of Environmental Pathology, Toxicology and Oncology, 2003, 22, 17-28.	1.2	51
34	The role of interleukin-6 in the evolution of ovarian cancer: clinical and prognostic implications—a review. Journal of Molecular Medicine, 2013, 91, 1355-1368.	3.9	50
35	Medroxyprogesterone acetate in the management of cancer cachexia. Expert Opinion on Pharmacotherapy, 2009, 10, 1359-1366.	1.8	46
36	Validation of the CAchexia SCOre (CASCO). Staging Cancer Patients: The Use of miniCASCO as a Simplified Tool. Frontiers in Physiology, 2017, 8, 92.	2.8	46

#	Article	IF	CITATIONS
37	EGFR-Mutated Non-Small Cell Lung Cancer and Resistance to Immunotherapy: Role of the Tumor Microenvironment. International Journal of Molecular Sciences, 2022, 23, 6489.	4.1	45
38	Interleukin-1B (IL1B) and interleukin-6 (IL6) gene polymorphisms are associated with risk of chronic lymphocytic leukaemia. Hematological Oncology, 2008, 26, 98-103.	1.7	44
39	Cancer-related anorexia/cachexia syndrome and oxidative stress: an innovative approach beyond current treatment. Cancer Epidemiology Biomarkers and Prevention, 2004, 13, 1651-9.	2.5	44
40	Persistence, Up to 18 Months of Follow-Up, of Epirubicin-Induced Myocardial Dysfunction Detected Early by Serial Tissue Doppler Echocardiography: Correlation with Inflammatory and Oxidative Stress Markers. Oncologist, 2008, 13, 1296-1305.	3.7	40
41	Management of Anemia of Inflammation in the Elderly. Anemia, 2012, 2012, 1-20.	1.7	37
42	l-Carnitine: An adequate supplement for a multi-targeted anti-wasting therapy in cancer. Clinical Nutrition, 2012, 31, 889-895.	5.0	37
43	Current pharmacotherapy options for cancer anorexia and cachexia. Expert Opinion on Pharmacotherapy, 2012, 13, 2453-2472.	1.8	36
44	Endodontic Infection and Endothelial Dysfunction Are Associated with Different Mechanisms in Men and Women. Journal of Endodontics, 2015, 41, 594-600.	3.1	36
45	An attempt to correlate a "Multidimensional Geriatric Assessment―(MGA), treatment assignment and clinical outcome in elderly cancer patients: Results of a phase II open study. Critical Reviews in Oncology/Hematology, 2008, 66, 75-83.	4.4	35
46	Interleukinâ€6 and leptin as markers of energy metabolicchanges in advanced ovarian cancer patients. Journal of Cellular and Molecular Medicine, 2009, 13, 3951-3959.	3.6	35
47	Production of Inflammatory Molecules in Peripheral Blood Mononuclear Cells from Severely Glucose-6-Phosphate Dehydrogenase-Deficient Subjects. Journal of Vascular Research, 2007, 44, 253-263.	1.4	34
48	Cardioprotection by gene therapy. International Journal of Cardiology, 2015, 191, 203-210.	1.7	34
49	Blocking inflammation to improve immunotherapy of advanced cancer. Immunology, 2020, 159, 357-364.	4.4	34
50	Microenvironmental M1 tumor-associated macrophage polarization influences cancer-related anemia in advanced ovarian cancer: key role of interleukin-6. Haematologica, 2018, 103, e388-e391.	3.5	31
51	Introducing immunotherapy for advanced hepatocellular carcinoma patients: Too early or too fast?. Critical Reviews in Oncology/Hematology, 2021, 157, 103167.	4.4	30
52	Cachexia as Evidence of the Mechanisms of Resistance and Tolerance during the Evolution of Cancer Disease. International Journal of Molecular Sciences, 2021, 22, 2890.	4.1	30
53	Carbocysteine: clinical experience and new perspectives in the treatment of chronic inflammatory diseases. Expert Opinion on Pharmacotherapy, 2009, 10, 693-703.	1.8	29
54	Advances in pharmacologic strategies for cancer cachexia. Expert Opinion on Pharmacotherapy, 2015, 16, 2163-2177.	1.8	29

#	Article	IF	CITATIONS
55	Surgical outcome and complications of total laparoscopic hysterectomy for very large myomatous uteri in relation to uterine weight: a prospective study in a continuous series of 461 procedures. Archives of Gynecology and Obstetrics, 2016, 294, 525-531.	1.7	29
56	Systemic therapy for the treatment of endometrial cancer. Expert Opinion on Pharmacotherapy, 2019, 20, 2019-2032.	1.8	29
57	Palonosetron plus dexamethasone effectively prevents acute and delayed chemotherapy-induced nausea and vomiting following highly or moderately emetogenic chemotherapy in pre-treated patients who have failed to respond to a previous antiemetic treatment: Comparison between elderly and non-elderly patient response. Critical Reviews in Oncology/Hematology. 2009. 70. 83-91.	4.4	27
58	Molecular-Biology-Driven Treatment for Metastatic Colorectal Cancer. Cancers, 2020, 12, 1214.	3.7	26
59	Cachexia and Oxidative Stress in Cancer: An Innovative Therapeutic Management. Current Pharmaceutical Design, 2012, 18, 4813-4818.	1.9	23
60	Regorafenib-induced hypothyroidism and cancer-related fatigue: is there a potential link?. European Journal of Endocrinology, 2017, 177, 85-92.	3.7	23
61	Subcutaneous interleukin-2 in combination with medroxyprogesterone acetate and antioxidants in advanced cancer responders to previous chemotherapy: phase II study evaluating clinical, quality of life, and laboratory parameters. Journal of Experimental Therapeutics and Oncology, 2003, 3, 205-219.	0.5	22
62	Multitargeted Treatment of Cancer Cachexia. Critical Reviews in Oncogenesis, 2012, 17, 305-314.	0.4	22
63	Large twisted ovarian fibroma associated with Meigs' syndrome, abdominal pain and severe anemia treated by laparoscopic surgery. BMC Surgery, 2014, 14, 38.	1.3	21
64	Muscle wastingÂas main evidence of energy impairment in cancer cachexia: future therapeutic approaches. Future Oncology, 2015, 11, 2697-2710.	2.4	20
65	Cyclooxygenase-2 inhibitors and antioxidants in the treatment of cachexia. Current Opinion in Supportive and Palliative Care, 2008, 2, 275-281.	1.3	19
66	An update on promising agents for the treatment of cancer cachexia. Current Opinion in Supportive and Palliative Care, 2009, 3, 258-262.	1.3	19
67	Three cases of laparoscopic myomectomy performed during pregnancy for pedunculated uterine myomas. Archives of Gynecology and Obstetrics, 2012, 286, 1209-1214.	1.7	19
68	Decrease in Neutrophil-to-Lymphocyte Ratio during Neoadjuvant Chemotherapy as a Predictive and Prognostic Marker in Advanced Ovarian Cancer. Diagnostics, 2021, 11, 1298.	2.6	19
69	Selenium is effective in inducing lymphocyte progression through cell cycle in cancer patients: potential mechanisms for its activity. Journal of Experimental Therapeutics and Oncology, 2004, 4, 69-78.	0.5	18
70	COVID-19 and cytokine storm syndrome: can what we know about interleukin-6 in ovarian cancer be applied?. Journal of Ovarian Research, 2021, 14, 28.	3.0	17
71	Experimental Drugs for Chemotherapy- and Cancer-Related Anemia. Journal of Experimental Pharmacology, 2021, Volume 13, 593-611.	3.2	16
72	Drugs in development for treatment of patients with cancer-related anorexia and cachexia syndrome. Drug Design, Development and Therapy, 2013, 7, 645.	4.3	14

#	Article	IF	CITATIONS
73	Energy expenditure in caving. PLoS ONE, 2017, 12, e0170853.	2.5	14
74	Correlation of Leptin, Proinflammatory Cytokines and Oxidative Stress with Tumor Size and Disease Stage of Endometrioid (Type I) Endometrial Cancer and Review of the Underlying Mechanisms. Cancers, 2022, 14, 268.	3.7	14
75	Cancer-related cachexia and oxidative stress: beyond current therapeutic options. Expert Review of Anticancer Therapy, 2003, 3, 381-392.	2.4	13
76	Phase II study of subcutaneously administered interleukin-2 in combination with medroxyprogesterone acetate and antioxidant agents as maintenance treatment in advanced cancer responders to previous chemotherapy. Oncology Reports, 2002, 9, 887-96.	2.6	13
77	Use of erythropoiesis stimulating agents for the treatment of anaemia and related fatigue in a pregnant woman with HbH disease. British Journal of Haematology, 2009, 146, 335-337.	2.5	12
78	Ovarian hyperstimulation in premenopausal women during adjuvant tamoxifen treatment for endocrine-dependent breast cancer: A report of two cases. Oncology Letters, 2014, 8, 1279-1282.	1.8	12
79	Multifactorial pathogenesis of COVIDâ€19â€related coagulopathy: Can defibrotide have a role in the early phases of coagulation disorders?. Journal of Thrombosis and Haemostasis, 2020, 18, 3106-3108.	3.8	12
80	Antioxidant Approach as a Cardioprotective Strategy in Chemotherapy-Induced Cardiotoxicity. Antioxidants and Redox Signaling, 2021, 34, 572-588.	5.4	12
81	Improvement of physical activity as an alternative objective variable to measure treatment effects of anticachexia therapy in cancer patients. Current Opinion in Supportive and Palliative Care, 2010, 4, 259-265.	1.3	11
82	Abdominal leiomyosarcomatosis after surgery with external morcellation for occult smooth muscle tumors of uncertain malignant potential: A case report. International Journal of Surgery Case Reports, 2017, 38, 107-110.	0.6	11
83	Laparoscopic removal of a very large uterus weighting 5320Âg is feasible and safe: a case report. BMC Surgery, 2017, 17, 50.	1.3	10
84	Timing of the negative effects of trastuzumab on cardiac mechanics after anthracycline chemotherapy. International Journal of Cardiovascular Imaging, 2017, 33, 197-207.	1.5	10
85	Feasibility and safety of total laparoscopic hysterectomy for huge uteri without the use of uterine manipulator: description of emblematic cases. Gynecological Surgery, 2018, 15, 6.	0.9	10
86	High-density lipoprotein contribute to G0-G1/S transition in Swiss NIH/3T3 fibroblasts. Scientific Reports, 2016, 5, 17812.	3.3	9
87	Open phase II study on efficacy and safety of an oral amino acid functional cluster supplementation in cancer cachexia. Mediterranean Journal of Nutrition and Metabolism, 2010, 3, 165-172.	0.5	8
88	Antimicrobial sulfonamides clear latent Kaposi sarcoma herpesvirus infection and impair MDM2–p53 complex formation. Journal of Antibiotics, 2017, 70, 962-966.	2.0	8
89	Alcohol Consumption Is a Modifiable Risk Factor for Breast Cancer: Are Women Aware of This Relationship?. Alcohol and Alcoholism, 2022, 57, 533-539.	1.6	8
90	Antioxidant Therapy for the Treatment of Oxidative Stress Associated to Cancer and Cancer- Related Anorexia/Cachexia. Current Nutrition and Food Science, 2007, 3, 184-193.	0.6	7

#	Article	IF	CITATIONS
91	A Multitargeted Treatment Approach for Anemia and Cachexia in Metastatic Castration-Resistant Prostate Cancer. Journal of Pain and Symptom Management, 2015, 50, e1-e4.	1.2	6
92	The mechanism of cancer cell death by PARP inhibitors goes beyond DNA damage alone. International Journal of Cancer, 2019, 145, 2594-2596.	5.1	6
93	Dose-intense phase II study of weekly cisplatin and epidoxorubicin plus medroxyprogesterone acetate and recombinant interleukin 2 in stage IIIB-IV non-small cell lung cancer. Oncology Reports, 2002, 9, 661-70.	2.6	6
94	Induction chemotherapy followed by concomitant chemoradiation therapy in advanced head and neck cancer: A phase II study for organ-sparing purposes evaluating feasibility, effectiveness and toxicity. International Journal of Oncology, 2002, 20, 419.	3.3	5
95	Phase II clinical trial of local use of GM-CSF for prevention and treatment of chemotherapy- and concomitant chemoradiotherapy-induced severe oral mucositis in advanced head and neck cancer patients: an evaluation of effectiveness, safety and costs. Oncology Reports, 2003, 10, 197.	2.6	5
96	An Innovative Treatment Approach for Cancer-Related Anorexia/Cachexia and Oxidative Stress: Background and Design of an Ongoing, Phase III, Randomized Clinical Trial. Supportive Cancer Therapy, 2007, 4, 163-167.	0.3	5
97	Open phase II study on efficacy and safety of an oral amino acid functional cluster supplementation in cancer cachexia. Mediterranean Journal of Nutrition and Metabolism, 2010, 3, 165-172.	O.5	5
98	Successful pregnancy following myomectomy of a giant uterine myoma: role of a combined surgical approach. Archives of Gynecology and Obstetrics, 2012, 285, 1577-1580.	1.7	5
99	Feasibility and safety of total laparoscopic hysterectomy for uteri weighing from 1.5Åkg to 11.000Åkg. Archives of Gynecology and Obstetrics, 2021, 303, 169-179.	1.7	5
100	Laparoscopic management of a giant mucinous benign ovarian mass weighing 10150 grams: A case report. World Journal of Clinical Cases, 2020, 8, 3527-3533.	0.8	5
101	Phase II study of subcutaneously administered interleukin-2 in combination with medroxyprogesterone acetate and antioxidant agents as maintenance treatment in advanced cancer responders to previous chemotherapy. Oncology Reports, 2002, 9, 887.	2.6	4
102	Surprising results of a supportive integrated therapy in myelofibrosis. Nutrition, 2015, 31, 239-243.	2.4	4
103	Future Prospects for PD-1 Targeting, Macrophage Infiltration, and IDO Pathway Activation in Patients With Sarcomas. JAMA Oncology, 2018, 4, 1134.	7.1	4
104	An interdisciplinary approach for laparoscopic removal of a large retroperitoneal pelvic schwannoma attached to vital vessels. Medicine (United States), 2019, 98, e18149.	1.0	4
105	Defibrotide in the COVIDâ€19 coagulopathy: What is the timing?. Journal of Thrombosis and Haemostasis, 2020, 18, 3116-3118.	3.8	4
106	A combined treatment approach for cachexia and cancer-related anemia in advanced cancer patients: A randomized placebo-controlled trial Journal of Clinical Oncology, 2014, 32, 189-189.	1.6	4
107	Laparoscopic hysterectomy as optimal approach for 5400 grams uterus with associated polycythemia: A case report. World Journal of Clinical Cases, 2019, 7, 3027-3032.	0.8	4
108	Immunotherapy (recombinant interleukin 2), hormone therapy (medroxyprogesterone acetate) and antioxidant agents as combined maintenance treatment of responders to previous chemotherapy. International Journal of Oncology, 2001, 18, 383.	3.3	3

#	Article	IF	CITATIONS
109	Evidence that Human Serum with High Levels of Estrogens Interferes with Immune System Both by Decreasing CD25 Expression on T-Cell and by Increasing Interleukin-2 Availability. Reproductive Sciences, 2008, 15, 961-969.	2.5	3
110	A PET-positive rapidly growing mass of the abdominal wall after cesarean section with an unexpected diagnosisÂof vernix caseosa granuloma: a case report. Gynecological Surgery, 2018, 15, .	0.9	3
111	Next generation sequencing driven successful combined treatment with laparoscopic surgery and immunotherapy for relapsed stage IVB cervical and synchronous stage IV lung cancer. Oncotarget, 2019, 10, 2012-2021.	1.8	3
112	Association of serum IL-6 levels with comprehensive geriatric assessment variables in a population of elderly cancer patients. Oncology Reports, 0, , .	2.6	3
113	Laparoscopic splenectomy both for primary cytoreductive surgery for advanced ovarian cancer and for secondary surgery for isolated spleen recurrence: feasibility and technique. BMC Surgery, 2021, 21, 380.	1.3	3
114	Next-Generation Sequencing Whole-Genome Analysis for Targeted Treatment Approach of Metastatic Bartholin Gland Adenocarcinoma: An Emblematic Case Report and Review of the Literature. Diagnostics, 2021, 11, 2085.	2.6	3
115	The Difficult Task of Diagnosing Depression in Elderly People with Cancer: A Systematic Review. Clinical Practice and Epidemiology in Mental Health, 2021, 17, 295-306.	1.2	3
116	Dose-intense phase II study of weekly cisplatin and epidoxorubicin plus medroxyprogesterone acetate and recombinant interleukin 2 in stage IIIB-IV non-small cell lung cancer. Oncology Reports, 2002, 9, 661.	2.6	2
117	Glucose Metabolism. , 2006, , 195-203.		2
118	Oxidative Stress and Cancer Cachexia. , 2006, , 733-759.		2
119	New perspective on the nutritional approach to cancer-related anorexia/cachexia: preliminary results of a randomised phase III clinical trial with five different arms of treatment. Mediterranean Journal of Nutrition and Metabolism, 2009, 2, 29-36.	0.5	2
120	Long-Term Survival in a Patient With Abdominal Sarcomatosis From Uterine Leiomyosarcoma: Role of Repeated Laparoscopic Surgery in Treatment and Follow-Up. Journal of Minimally Invasive Gynecology, 2016, 23, 1003-1008.	0.6	2
121	Editorial: Biological Mechanism-Based and Patient-Centered Management of Cancer-Related Symptoms and Syndromes. Frontiers in Physiology, 2018, 9, 1819.	2.8	2
122	Metabolic Changes in Cancer Patients. Anti-Inflammatory and Anti-Allergy Agents in Medicinal Chemistry, 2011, 10, 281-285.	1.1	2
123	The utility of fibrinogen level as a predictor of complications after laparoscopic gynecologic surgery: a prospective observational study. Gynecological Surgery, 2019, 16, .	0.9	2
124	Diagnostic Framework of Pelvic Massive Necrosis with Peritonitis following Chemoradiation for Locally Advanced Cervical Cancer: When Is the Surgery Not Demandable? A Case Report and Literature Review. Diagnostics, 2022, 12, 440.	2.6	2
125	Proinflammatory Cytokines: Their Role in Multifactorial Cancer Cachexia. , 2006, , 477-482.		1
126	New perspective on the nutritional approach to cancer-related anorexia/cachexia: preliminary results of a randomised phase III clinical trial with five different arms of treatment. Mediterranean Journal of Nutrition and Metabolism, 2009, 2, 29-36.	0.5	1

#	Article	IF	CITATIONS
127	Krill oil to improve blood lipids status in advanced cancer patient with cachexia Journal of Clinical Oncology, 2012, 30, e19634-e19634.	1.6	1
128	Long-term protective effects of the angiotensin receptor blocker telmisartan on epirubicin-induced inflammation, oxidative stress, and myocardial dysfunction Journal of Clinical Oncology, 2012, 30, 9006-9006.	1.6	1
129	A Phase II Study with Antioxidants, both in the Diet and Supplemented, Pharmaco-Nutritional Support, Progestagen and Anti-COX-2 Showing Efficacy and Safety in Patients with Cancer-Related Anorexia-Cachexia and Oxidative Stress. , 2006, , 685-698.		0
130	Immunological Parameters of Nutrition. , 2006, , 111-124.		0
131	Antioxidants, Anorexia/Cachexia, and Oxidative Stress in Patients with Advanced-Stage Cancer. , 2012, , 373-385.		Ο
132	Combined laparoscopic excisional surgery for synchronous endometrial and rectal adenocarcinoma in an obese woman. Journal of Obstetrics and Gynaecology, 2016, 36, 1012-1015.	0.9	0
133	Phase 2 study of second-line FOLFIRI-aflibercept in prospectively stratified, RAS wild type, anti-EGFR resistant, metastatic colorectal cancer patients: The DISTINCTIVE trial Journal of Clinical Oncology, 2021, 39, e15503-e15503.	1.6	0
134	Novel technique of extracorporeal intrauterine morcellation after total laparoscopic hysterectomy: Three emblematic case reports. World Journal of Clinical Cases, 2021, 9, 5655-5660.	0.8	0
135	Efficacy and safety of a two drug-combination regimen for cancer-related cachexia in the clinical practice Journal of Clinical Oncology, 2013, 31, e20556-e20556.	1.6	Ο
136	Taxane associated with trastuzumab-induced early ventricular impairment: Correlation with biologic markers of chronic inflammation and oxidative stress Journal of Clinical Oncology, 2014, 32, e11566-e11566.	1.6	0
137	Osteopontin (OPN) and interleukin-6 (IL-6) as predictive biomarkers in HCC receiving loco-regional treatment: Preliminary results Journal of Clinical Oncology, 2015, 33, e13501-e13501.	1.6	0
138	Prognostic neutrophil-to-lymphocyte ratio in head and neck cancer: A single center experience Journal of Clinical Oncology, 2017, 35, e17540-e17540.	1.6	0
139	Laparoscopic management of isolated nodal recurrence in gynecological malignancies is safe and feasible even for large metastatic nodes up to 8Âcm: A prospective case series. International Journal of Surgery, 2022, 104, 106744.	2.7	0