

# Clelia Madeddu

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/1888185/clelia-madeddu-publications-by-citations.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

132  
papers

3,832  
citations

36  
h-index

59  
g-index

144  
ext. papers

4,414  
ext. citations

3.8  
avg, IF

5.3  
L-index

#	Paper	IF	Citations
132	Inflammation and ovarian cancer. <i>Cytokine</i> , <b>2012</b> , 58, 133-47	4	196
131	Serum levels of leptin and proinflammatory cytokines in patients with advanced-stage cancer at different sites. <i>Journal of Molecular Medicine</i> , <b>2000</b> , 78, 554-61	5.5	165
130	Randomized phase III clinical trial of five different arms of treatment in 332 patients with cancer cachexia. <i>Oncologist</i> , <b>2010</b> , 15, 200-11	5.7	146
129	Efficacy of l-carnitine administration on fatigue, nutritional status, oxidative stress, and related quality of life in 12 advanced cancer patients undergoing anticancer therapy. <i>Nutrition</i> , <b>2006</b> , 22, 136-45	4.8	137
128	Managing cancer-related anorexia/cachexia. <i>Drugs</i> , <b>2001</b> , 61, 499-514	12.1	129
127	A phase II study with antioxidants, both in the diet and supplemented, pharmaconutritional support, progestagen, and anti-cyclooxygenase-2 showing efficacy and safety in patients with cancer-related anorexia/cachexia and oxidative stress. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2006</b> , 15, 1030-4	4	124
126	Quantitative evaluation of oxidative stress, chronic inflammatory indices and leptin in cancer patients: correlation with stage and performance status. <i>International Journal of Cancer</i> , <b>2002</b> , 98, 84-91	7.5	115
125	The role of inflammation, iron, and nutritional status in cancer-related anemia: results of a large, prospective, observational study. <i>Haematologica</i> , <b>2015</b> , 100, 124-32	6.6	114
124	Protective effects of the angiotensin II receptor blocker telmisartan on epirubicin-induced inflammation, oxidative stress, and early ventricular impairment. <i>American Heart Journal</i> , <b>2010</b> , 160, 487-91	4.9	111
123	Early epirubicin-induced myocardial dysfunction revealed by serial tissue Doppler echocardiography: correlation with inflammatory and oxidative stress markers. <i>Oncologist</i> , <b>2007</b> , 12, 1124-33	5.7	107
122	Hemoglobin levels correlate with interleukin-6 levels in patients with advanced untreated epithelial ovarian cancer: role of inflammation in cancer-related anemia. <i>Blood</i> , <b>2005</b> , 106, 362-7	2.2	100
121	Phase II nonrandomized study of the efficacy and safety of COX-2 inhibitor celecoxib on patients with cancer cachexia. <i>Journal of Molecular Medicine</i> , <b>2010</b> , 88, 85-92	5.5	97
120	A randomized phase III clinical trial of a combined treatment for cachexia in patients with gynecological cancers: evaluating the impact on metabolic and inflammatory profiles and quality of life. <i>Gynecologic Oncology</i> , <b>2012</b> , 124, 417-25	4.9	96
119	Antioxidant agents are effective in inducing lymphocyte progression through cell cycle in advanced cancer patients: assessment of the most important laboratory indexes of cachexia and oxidative stress. <i>Journal of Molecular Medicine</i> , <b>2003</b> , 81, 664-73	5.5	95
118	Randomized phase III clinical trial of a combined treatment with carnitine + celecoxib + megestrol acetate for patients with cancer-related anorexia/cachexia syndrome. <i>Clinical Nutrition</i> , <b>2012</b> , 31, 176-82	5.9	89
117	Correlation of body mass index and leptin with tumor size and stage of disease in hormone-dependent postmenopausal breast cancer: preliminary results and therapeutic implications. <i>Journal of Molecular Medicine</i> , <b>2010</b> , 88, 677-86	5.5	77
116	Randomized phase III clinical trial of five different arms of treatment for patients with cancer cachexia: interim results. <i>Nutrition</i> , <b>2008</b> , 24, 305-13	4.8	74

115	Serum values of proinflammatory cytokines are inversely correlated with serum leptin levels in patients with advanced stage cancer at different sites. <i>Journal of Molecular Medicine</i> , <b>2001</b> , 79, 406-14	5.5	70
114	The impact of different antioxidant agents alone or in combination on reactive oxygen species, antioxidant enzymes and cytokines in a series of advanced cancer patients at different sites: correlation with disease progression. <i>Free Radical Research</i> , <b>2003</b> , 37, 213-23	4	68
113	Obesity, inflammation, and postmenopausal breast cancer: therapeutic implications. <i>Scientific World Journal, The</i> , <b>2011</b> , 11, 2020-36	2.2	64
112	Cisplatin : an old drug with a newfound efficacy -- from mechanisms of action to cytotoxicity. <i>Expert Opinion on Pharmacotherapy</i> , <b>2013</b> , 14, 1839-57	4	62
111	Role of M1-polarized tumor-associated macrophages in the prognosis of advanced ovarian cancer patients. <i>Scientific Reports</i> , <b>2020</b> , 10, 6096	4.9	57
110	Evaluation of the effectiveness of treatment with erythropoietin on anemia, cognitive functioning and functions studied by comprehensive geriatric assessment in elderly cancer patients with anemia related to cancer chemotherapy. <i>Critical Reviews in Oncology/Hematology</i> , <b>2006</b> , 57, 175-82	7	57
109	Cancer cachexia: medical management. <i>Supportive Care in Cancer</i> , <b>2010</b> , 18, 1-9	3.9	54
108	Association of endodontic infection with detection of an initial lesion to the cardiovascular system. <i>Journal of Endodontics</i> , <b>2011</b> , 37, 1624-9	4.7	53
107	Long-term, up to 18 months, protective effects of the angiotensin II receptor blocker telmisartan on Epirubin-induced inflammation and oxidative stress assessed by serial strain rate. <i>SpringerPlus</i> , <b>2013</b> , 2, 198		51
106	Treatment of irradiated expanders: protective lipofilling allows immediate prosthetic breast reconstruction in the setting of postoperative radiotherapy. <i>Aesthetic Plastic Surgery</i> , <b>2013</b> , 37, 1146-52 <sup>2</sup>		50
105	Pathophysiology of cardiotoxicity induced by nonanthracycline chemotherapy. <i>Journal of Cardiovascular Medicine</i> , <b>2016</b> , 17 Suppl 1, S12-8	1.9	50
104	Pathogenesis and Treatment Options of Cancer Related Anemia: Perspective for a Targeted Mechanism-Based Approach. <i>Frontiers in Physiology</i> , <b>2018</b> , 9, 1294	4.6	48
103	Role of inflammation and oxidative stress in post-menopausal oestrogen-dependent breast cancer. <i>Journal of Cellular and Molecular Medicine</i> , <b>2014</b> , 18, 2519-29	5.6	46
102	Reactive oxygen species, antioxidant mechanisms, and serum cytokine levels in cancer patients: impact of an antioxidant treatment. <i>Journal of Environmental Pathology, Toxicology and Oncology</i> , <b>2003</b> , 22, 17-28	2.1	45
101	The role of interleukin-6 in the evolution of ovarian cancer: clinical and prognostic implications--a review. <i>Journal of Molecular Medicine</i> , <b>2013</b> , 91, 1355-68	5.5	44
100	Long-term protective effects of the angiotensin receptor blocker telmisartan on epirubicin-induced inflammation, oxidative stress and myocardial dysfunction. <i>Experimental and Therapeutic Medicine</i> , <b>2011</b> , 2, 1003-1009	2.1	44
99	Cancer-related anorexia/cachexia syndrome and oxidative stress: an innovative approach beyond current treatment. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2004</b> , 13, 1651-9	4	44
98	Efficacy and safety of oral lactoferrin supplementation in combination with rHuEPO-beta for the treatment of anemia in advanced cancer patients undergoing chemotherapy: open-label, randomized controlled study. <i>Oncologist</i> , <b>2010</b> , 15, 894-902	5.7	41

97	Interleukin-1B (IL1B) and interleukin-6 (IL6) gene polymorphisms are associated with risk of chronic lymphocytic leukaemia. <i>Hematological Oncology</i> , <b>2008</b> , 26, 98-103	1.3	41
96	Medroxyprogesterone acetate in the management of cancer cachexia. <i>Expert Opinion on Pharmacotherapy</i> , <b>2009</b> , 10, 1359-66	4	36
95	Persistence, up to 18 months of follow-up, of epirubicin-induced myocardial dysfunction detected early by serial tissue Doppler echocardiography: correlation with inflammatory and oxidative stress markers. <i>Oncologist</i> , <b>2008</b> , 13, 1296-305	5.7	35
94	Current pharmacotherapy options for cancer anorexia and cachexia. <i>Expert Opinion on Pharmacotherapy</i> , <b>2012</b> , 13, 2453-72	4	33
93	Interleukin-6 and leptin as markers of energy metabolic changes in advanced ovarian cancer patients. <i>Journal of Cellular and Molecular Medicine</i> , <b>2009</b> , 13, 3951-9	5.6	31
92	Management of anemia of inflammation in the elderly. <i>Anemia</i> , <b>2012</b> , 2012, 563251	1.6	30
91	L-Carnitine: an adequate supplement for a multi-targeted anti-wasting therapy in cancer. <i>Clinical Nutrition</i> , <b>2012</b> , 31, 889-95	5.9	29
90	An attempt to correlate a "Multidimensional Geriatric Assessment" (MGA), treatment assignment and clinical outcome in elderly cancer patients: results of a phase II open study. <i>Critical Reviews in Oncology/Hematology</i> , <b>2008</b> , 66, 75-83	7	29
89	Validation of the CACHexia SCORe (CASCO). Staging Cancer Patients: The Use of miniCASCO as a Simplified Tool. <i>Frontiers in Physiology</i> , <b>2017</b> , 8, 92	4.6	28
88	Palonosetron plus dexamethasone effectively prevents acute and delayed chemotherapy-induced nausea and vomiting following highly or moderately emetogenic chemotherapy in pre-treated patients who have failed to respond to a previous antiemetic treatment: comparison between high-dose palonosetron and low-dose palonosetron plus dexamethasone. <i>Critical Reviews in Oncology/Hematology</i> , <b>2009</b> , 70, 83-91	7	26
87	Cardioprotection by gene therapy: A review paper on behalf of the Working Group on Drug Cardiotoxicity and Cardioprotection of the Italian Society of Cardiology. <i>International Journal of Cardiology</i> , <b>2015</b> , 191, 203-10	3.2	25
86	Microenvironmental M1 tumor-associated macrophage polarization influences cancer-related anemia in advanced ovarian cancer: key role of interleukin-6. <i>Haematologica</i> , <b>2018</b> , 103, e388-e391	6.6	24
85	Endodontic infection and endothelial dysfunction are associated with different mechanisms in men and women. <i>Journal of Endodontics</i> , <b>2015</b> , 41, 594-600	4.7	23
84	Production of inflammatory molecules in peripheral blood mononuclear cells from severely glucose-6-phosphate dehydrogenase-deficient subjects. <i>Journal of Vascular Research</i> , <b>2007</b> , 44, 253-63	1.9	22
83	Subcutaneous interleukin-2 in combination with medroxyprogesterone acetate and antioxidants in advanced cancer responders to previous chemotherapy: phase II study evaluating clinical, quality of life, and laboratory parameters. <i>Journal of Experimental Therapeutics and Oncology</i> , <b>2003</b> , 3, 205-19	0.8	22
82	Advances in pharmacologic strategies for cancer cachexia. <i>Expert Opinion on Pharmacotherapy</i> , <b>2015</b> , 16, 2163-77	4	21
81	Surgical outcome and complications of total laparoscopic hysterectomy for very large myomatous uteri in relation to uterine weight: a prospective study in a continuous series of 461 procedures. <i>Archives of Gynecology and Obstetrics</i> , <b>2016</b> , 294, 525-31	2.5	21
80	Muscle wasting is main evidence of energy impairment in cancer cachexia: future therapeutic approaches. <i>Future Oncology</i> , <b>2015</b> , 11, 2697-2710	3.6	18

79	Multitargeted treatment of cancer cachexia. <i>Critical Reviews in Oncogenesis</i> , <b>2012</b> , 17, 305-14	1.3	18
78	Cyclooxygenase-2 inhibitors and antioxidants in the treatment of cachexia. <i>Current Opinion in Supportive and Palliative Care</i> , <b>2008</b> , 2, 275-81	2.6	17
77	Selenium is effective in inducing lymphocyte progression through cell cycle in cancer patients: potential mechanisms for its activity. <i>Journal of Experimental Therapeutics and Oncology</i> , <b>2004</b> , 4, 69-78	0.8	17
76	Cachexia and oxidative stress in cancer: an innovative therapeutic management. <i>Current Pharmaceutical Design</i> , <b>2012</b> , 18, 4813-8	3.3	16
75	Carbocysteine: clinical experience and new perspectives in the treatment of chronic inflammatory diseases. <i>Expert Opinion on Pharmacotherapy</i> , <b>2009</b> , 10, 693-703	4	16
74	Regorafenib-induced hypothyroidism and cancer-related fatigue: is there a potential link?. <i>European Journal of Endocrinology</i> , <b>2017</b> , 177, 85-92	6.5	15
73	Drugs in development for treatment of patients with cancer-related anorexia and cachexia syndrome. <i>Drug Design, Development and Therapy</i> , <b>2013</b> , 7, 645-56	4.4	14
72	An update on promising agents for the treatment of cancer cachexia. <i>Current Opinion in Supportive and Palliative Care</i> , <b>2009</b> , 3, 258-62	2.6	14
71	Large twisted ovarian fibroma associated with Meigs's syndrome, abdominal pain and severe anemia treated by laparoscopic surgery. <i>BMC Surgery</i> , <b>2014</b> , 14, 38	2.3	13
70	Blocking inflammation to improve immunotherapy of advanced cancer. <i>Immunology</i> , <b>2020</b> , 159, 357-364	7.8	13
69	Systemic therapy for the treatment of endometrial cancer. <i>Expert Opinion on Pharmacotherapy</i> , <b>2019</b> , 20, 2019-2032	4	12
68	Molecular-Biology-Driven Treatment for Metastatic Colorectal Cancer. <i>Cancers</i> , <b>2020</b> , 12,	6.6	12
67	Three cases of laparoscopic myomectomy performed during pregnancy for pedunculated uterine myomas. <i>Archives of Gynecology and Obstetrics</i> , <b>2012</b> , 286, 1209-14	2.5	12
66	Introducing immunotherapy for advanced hepatocellular carcinoma patients: Too early or too fast?. <i>Critical Reviews in Oncology/Hematology</i> , <b>2021</b> , 157, 103167	7	12
65	Phase II study of subcutaneously administered interleukin-2 in combination with medroxyprogesterone acetate and antioxidant agents as maintenance treatment in advanced cancer responders to previous chemotherapy. <i>Oncology Reports</i> , <b>2002</b> , 9, 887-96	3.5	12
64	Cancer-related cachexia and oxidative stress: beyond current therapeutic options. <i>Expert Review of Anticancer Therapy</i> , <b>2003</b> , 3, 381-92	3.5	11
63	Ovarian hyperstimulation in premenopausal women during adjuvant tamoxifen treatment for endocrine-dependent breast cancer: A report of two cases. <i>Oncology Letters</i> , <b>2014</b> , 8, 1279-1282	2.6	10
62	Use of erythropoiesis stimulating agents for the treatment of anaemia and related fatigue in a pregnant woman with HbH disease. <i>British Journal of Haematology</i> , <b>2009</b> , 146, 335-7	4.5	10

61	Energy expenditure in caving. <i>PLoS ONE</i> , <b>2017</b> , 12, e0170853	3.7	9
60	Laparoscopic removal of a very large uterus weighting 5320g is feasible and safe: a case report. <i>BMC Surgery</i> , <b>2017</b> , 17, 50	2.3	9
59	Timing of the negative effects of trastuzumab on cardiac mechanics after anthracycline chemotherapy. <i>International Journal of Cardiovascular Imaging</i> , <b>2017</b> , 33, 197-207	2.5	8
58	Antimicrobial sulfonamides clear latent Kaposi sarcoma herpesvirus infection and impair MDM2-p53 complex formation. <i>Journal of Antibiotics</i> , <b>2017</b> , 70, 962-966	3.7	7
57	Open phase II study on efficacy and safety of an oral amino acid functional cluster supplementation in cancer cachexia. <i>Mediterranean Journal of Nutrition and Metabolism</i> , <b>2010</b> , 3, 165-172	1.3	7
56	Multifactorial pathogenesis of COVID-19-related coagulopathy: Can defibrotide have a role in the early phases of coagulation disorders?. <i>Journal of Thrombosis and Haemostasis</i> , <b>2020</b> , 18, 3106-3108	15.4	7
55	Cachexia as Evidence of the Mechanisms of Resistance and Tolerance during the Evolution of Cancer Disease. <i>International Journal of Molecular Sciences</i> , <b>2021</b> , 22,	6.3	7
54	High-density lipoprotein contribute to G0-G1/S transition in Swiss NIH/3T3 fibroblasts. <i>Scientific Reports</i> , <b>2015</b> , 5, 17812	4.9	7
53	A Multitargeted Treatment Approach for Anemia and Cachexia in Metastatic Castration-Resistant Prostate Cancer. <i>Journal of Pain and Symptom Management</i> , <b>2015</b> , 50, e1-4	4.8	6
52	Abdominal leiomyosarcomatosis after surgery with external morcellation for occult smooth muscle tumors of uncertain malignant potential: A case report. <i>International Journal of Surgery Case Reports</i> , <b>2017</b> , 38, 107-110	0.8	6
51	Improvement of physical activity as an alternative objective variable to measure treatment effects of anticachexia therapy in cancer patients. <i>Current Opinion in Supportive and Palliative Care</i> , <b>2010</b> , 4, 259-265	2.6	6
50	Dose-intense phase II study of weekly cisplatin and epidoxorubicin plus medroxyprogesterone acetate and recombinant interleukin 2 in stage IIIB-IV non-small cell lung cancer. <i>Oncology Reports</i> , <b>2002</b> , 9, 661-70	3.5	6
49	The mechanism of cancer cell death by PARP inhibitors goes beyond DNA damage alone. <i>International Journal of Cancer</i> , <b>2019</b> , 145, 2594-2596	7.5	5
48	Feasibility and safety of total laparoscopic hysterectomy for huge uteri without the use of uterine manipulator: description of emblematic cases. <i>Gynecological Surgery</i> , <b>2018</b> , 15, 6	1.7	5
47	COVID-19 and cytokine storm syndrome: can what we know about interleukin-6 in ovarian cancer be applied?. <i>Journal of Ovarian Research</i> , <b>2021</b> , 14, 28	5.5	5
46	Surprising results of a supportive integrated therapy in myelofibrosis. <i>Nutrition</i> , <b>2015</b> , 31, 239-43	4.8	4
45	Future Prospects for PD-1 Targeting, Macrophage Infiltration, and IDO Pathway Activation in Patients With Sarcomas. <i>JAMA Oncology</i> , <b>2018</b> , 4, 1134	13.4	4
44	Successful pregnancy following myomectomy of a giant uterine myoma: role of a combined surgical approach. <i>Archives of Gynecology and Obstetrics</i> , <b>2012</b> , 285, 1577-80	2.5	4

43	Open phase II study on efficacy and safety of an oral amino acid functional cluster supplementation in cancer cachexia. <i>Mediterranean Journal of Nutrition and Metabolism</i> , <b>2010</b> , 3, 165-172	1.3	4
42	Antioxidant Therapy for the Treatment of Oxidative Stress Associated to Cancer and Cancer-Related Anorexia/Cachexia. <i>Current Nutrition and Food Science</i> , <b>2007</b> , 3, 184-193	0.7	4
41	Laparoscopic hysterectomy as optimal approach for 5400 grams uterus with associated polycythemia: A case report. <i>World Journal of Clinical Cases</i> , <b>2019</b> , 7, 3027-3032	1.6	4
40	Antioxidant Approach as a Cardioprotective Strategy in Chemotherapy-Induced Cardiotoxicity. <i>Antioxidants and Redox Signaling</i> , <b>2021</b> , 34, 572-588	8.4	4
39	Decrease in Neutrophil-to-Lymphocyte Ratio during Neoadjuvant Chemotherapy as a Predictive and Prognostic Marker in Advanced Ovarian Cancer. <i>Diagnostics</i> , <b>2021</b> , 11,	3.8	4
38	A combined treatment approach for cachexia and cancer-related anemia in advanced cancer patients: A randomized placebo-controlled trial.. <i>Journal of Clinical Oncology</i> , <b>2014</b> , 32, 189-189	2.2	3
37	An interdisciplinary approach for laparoscopic removal of a large retroperitoneal pelvic schwannoma attached to vital vessels: A case report. <i>Medicine (United States)</i> , <b>2019</b> , 98, e18149	1.8	3
36	Long-Term Survival in a Patient With Abdominal Sarcomatosis From Uterine Leiomyosarcoma: Role of Repeated Laparoscopic Surgery in Treatment and Follow-Up. <i>Journal of Minimally Invasive Gynecology</i> , <b>2016</b> , 23, 1003-8	2.2	2
35	Evidence that human serum with high levels of estrogens interferes with immune system both by decreasing CD25 expression on T-cell and by increasing interleukin-2 availability. <i>Reproductive Sciences</i> , <b>2008</b> , 15, 961-9	3	2
34	An Innovative Treatment Approach for Cancer-Related Anorexia/Cachexia and Oxidative Stress: Background and Design of an Ongoing, Phase III, Randomized Clinical Trial. <i>Supportive Cancer Therapy</i> , <b>2007</b> , 4, 163-7		2
33	Glucose Metabolism <b>2006</b> , 195-203		2
32	Oxidative Stress and Cancer Cachexia <b>2006</b> , 733-759		2
31	Phase II clinical trial of local use of GM-CSF for prevention and treatment of chemotherapy- and concomitant chemoradiotherapy-induced severe oral mucositis in advanced head and neck cancer patients: an evaluation of effectiveness, safety and costs. <i>Oncology Reports</i> , <b>2003</b> , 10, 197	3.5	2
30	Induction chemotherapy followed by concomitant chemoradiation therapy in advanced head and neck cancer: A phase II study for organ-sparing purposes evaluating feasibility, effectiveness and toxicity <b>2002</b> , 20, 419		2
29	Laparoscopic management of a giant mucinous benign ovarian mass weighing 10150 grams: A case report. <i>World Journal of Clinical Cases</i> , <b>2020</b> , 8, 3527-3533	1.6	2
28	Next generation sequencing driven successful combined treatment with laparoscopic surgery and immunotherapy for relapsed stage IVB cervical and synchronous stage IV lung cancer. <i>Oncotarget</i> , <b>2019</b> , 10, 2012-2021	3.3	2
27	Defibrotide in the COVID-19 coagulopathy: What is the timing?. <i>Journal of Thrombosis and Haemostasis</i> , <b>2020</b> , 18, 3113-3115	15.4	2
26	Experimental Drugs for Chemotherapy- and Cancer-Related Anemia. <i>Journal of Experimental Pharmacology</i> , <b>2021</b> , 13, 593-611	3	2

25	Feasibility and safety of total laparoscopic hysterectomy for uteri weighing from 1.5kg to 11.000kg. <i>Archives of Gynecology and Obstetrics</i> , <b>2021</b> , 303, 169-179	2.5	2
24	New perspective on the nutritional approach to cancer-related anorexia/cachexia: preliminary results of a randomised phase III clinical trial with five different arms of treatment. <i>Mediterranean Journal of Nutrition and Metabolism</i> , <b>2009</b> , 2, 29-36	1.3	1
23	New perspective on the nutritional approach to cancer-related anorexia/cachexia: preliminary results of a randomised phase III clinical trial with five different arms of treatment. <i>Mediterranean Journal of Nutrition and Metabolism</i> , <b>2009</b> , 2, 29-36	1.3	1
22	Proinflammatory Cytokines: Their Role in Multifactorial Cancer Cachexia <b>2006</b> , 477-482		1
21	Immunotherapy (recombinant interleukin 2), hormone therapy (medroxyprogesterone acetate) and antioxidant agents as combined maintenance treatment of responders to previous chemotherapy <b>2001</b> , 18, 383		1
20	Phase II study of subcutaneously administered interleukin-2 in combination with medroxyprogesterone acetate and antioxidant agents as maintenance treatment in advanced cancer responders to previous chemotherapy. <i>Oncology Reports</i> , <b>2002</b> , 9, 887	3.5	1
19	Alcohol Consumption Is a Modifiable Risk Factor for Breast Cancer: Are Women Aware of This Relationship?. <i>Alcohol and Alcoholism</i> , <b>2021</b> ,	3.5	1
18	Diagnostic Framework of Pelvic Massive Necrosis with Peritonitis following Chemoradiation for Locally Advanced Cervical Cancer: When Is the Surgery Not Demandable? A Case Report and Literature Review.. <i>Diagnostics</i> , <b>2022</b> , 12,	3.8	0
17	Next-Generation Sequencing Whole-Genome Analysis for Targeted Treatment Approach of Metastatic Bartholin Gland Adenocarcinoma: An Emblematic Case Report and Review of the Literature. <i>Diagnostics</i> , <b>2021</b> , 11,	3.8	0
16	Krill oil to improve blood lipids status in advanced cancer patient with cachexia.. <i>Journal of Clinical Oncology</i> , <b>2012</b> , 30, e19634-e19634	2.2	0
15	The Difficult Task of Diagnosing Depression in Elderly People with Cancer: A Systematic Review.. <i>Clinical Practice and Epidemiology in Mental Health</i> , <b>2021</b> , 17, 295-306	3.2	0
14	Antioxidants, Anorexia/Cachexia, and Oxidative Stress in Patients with Advanced-Stage Cancer <b>2012</b> , 373-385		
13	Current medications for cancer cachexia <b>2013</b> , 34-45		
12	A Phase II Study with Antioxidants, both in the Diet and Supplemented, Pharmaco-Nutritional Support, Progestagen and Anti-COX-2 Showing Efficacy and Safety in Patients with Cancer-Related Anorexia-Cachexia and Oxidative Stress <b>2006</b> , 685-698		
11	Immunological Parameters of Nutrition <b>2006</b> , 111-124		
10	Dose-intense phase II study of weekly cisplatin and epidoxorubicin plus medroxyprogesterone acetate and recombinant interleukin 2 in stage IIIB-IV non-small cell lung cancer. <i>Oncology Reports</i> , <b>2002</b> , 9, 661	3.5	
9	Laparoscopic splenectomy both for primary cytoreductive surgery for advanced ovarian cancer and for secondary surgery for isolated spleen recurrence: feasibility and technique. <i>BMC Surgery</i> , <b>2021</b> , 21, 380	2.3	
8	Taxane associated with trastuzumab-induced early ventricular impairment: Correlation with biologic markers of chronic inflammation and oxidative stress.. <i>Journal of Clinical Oncology</i> , <b>2014</b> , 32, e11566-e11566	2.2	

- |   |                                                                                                                                                                                                                                                        |     |
|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| 7 | Osteopontin (OPN) and interleukin-6 (IL-6) as predictive biomarkers in HCC receiving loco-regional treatment: Preliminary results.. <i>Journal of Clinical Oncology</i> , <b>2015</b> , 33, e13501-e13501                                              | 2.2 |
| 6 | Prognostic neutrophil-to-lymphocyte ratio in head and neck cancer: A single center experience.. <i>Journal of Clinical Oncology</i> , <b>2017</b> , 35, e17540-e17540                                                                                  | 2.2 |
| 5 | Long-term protective effects of the angiotensin receptor blocker telmisartan on epirubicin-induced inflammation, oxidative stress, and myocardial dysfunction.. <i>Journal of Clinical Oncology</i> , <b>2012</b> , 30, 9006-9006                      | 2.2 |
| 4 | Efficacy and safety of a two drug-combination regimen for cancer-related cachexia in the clinical practice.. <i>Journal of Clinical Oncology</i> , <b>2013</b> , 31, e20556-e20556                                                                     | 2.2 |
| 3 | Phase 2 study of second-line FOLFIRI-aflibercept in prospectively stratified, RAS wild type, anti-EGFR resistant, metastatic colorectal cancer patients: The DISTINCTIVE trial.. <i>Journal of Clinical Oncology</i> , <b>2021</b> , 39, e15503-e15503 | 2.2 |
| 2 | Novel technique of extracorporeal intrauterine morcellation after total laparoscopic hysterectomy: Three emblematic case reports. <i>World Journal of Clinical Cases</i> , <b>2021</b> , 9, 5655-5660                                                  | 1.6 |
| 1 | Combined laparoscopic excisional surgery for synchronous endometrial and rectal adenocarcinoma in an obese woman. <i>Journal of Obstetrics and Gynaecology</i> , <b>2016</b> , 36, 1012-1015                                                           | 1.3 |