

# Makoto Handa

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1889397/publications.pdf>

Version: 2024-02-01

119  
papers

1,448  
citations

394421

19  
h-index

414414

32  
g-index

120  
all docs

120  
docs citations

120  
times ranked

893  
citing authors

#	ARTICLE	IF	CITATIONS
1	Polynuclear Chain Compound of Tetrakis(1/4- <i>n</i> -butyrato)diruthenium Bromide. X-ray Structure Analysis Online, 2022, 38, 21-23.	0.2	0
2	A Polymer Chain Compound of [Rh <sub>2</sub> (OCCMe) <sub>2</sub> (4-Me-pfâ€²) (4-Me-pfâ€²) = <i>N,N</i> -Di- <i>p</i> -tolylformamidinate Anion;) Tj ETOq0 0 0 fBT /Over	0.2	0
3	Heterometallic Chain Compounds of Tetrakis(μ-carboxylato)diruthenium and Tetracyanidoaurate. Magnetochemistry, 2022, 8, 48.	2.4	2
4	Mixed-Valent Trinuclear Colll-Coll-Coll Complex with 1,3-Bis(5-chlorosalicylideneamino)-2-propanol. Molecules, 2022, 27, 4211.	3.8	2
5	Structures and Properties of 4-phpy, pyz, and 4,4â€²-bpy Adducts of Lantern-Type Dirhodium Complexes with μ-Formamidinato and μ-Carboxylato Bridges. Magnetochemistry, 2021, 7, 39.	2.4	2
6	Copper(II) Carboxylates with 2,3,4-Trimethoxybenzoate and 2,4,6-Trimethoxybenzoate: Dinuclear Cu(II) Cluster and μ-Aqua-Bridged Cu(II) Chain Molecule. Magnetochemistry, 2021, 7, 35.	2.4	8
7	Preparation and Crystal Structure of Tetrakis(1/4-2,4,5-trimethoxybenzoato- <i>ip</i> )-bis[(methanol)copper(II)]- <i>ip</i> -(1/2) in Relation to Adsorption Property for <i>N,N</i> -Di- <i>p</i> -tolylformamidinate Anion. X-ray Structure Analysis Online, 2021, 37, 35-37.	0.2	1
8	Crystal Structure of Tetrakis(1/4-2,3,6-trimethoxybenzoato- <i>ip</i> )-bis[(methanol)copper(II)]: Largely Rotated Benzoate Ring to the Carboxylato Bridge. X-ray Structure Analysis Online, 2021, 37, 49-51.	0.2	0
9	Redox-triggered reversible modulation of intense near-infrared and visible absorption using a paddlewheel-type diruthenium( <i>iii</i> ) complex. Dalton Transactions, 2021, 50, 9547-9553.	3.3	2
10	Crystal Structure of a Lantern-type Dirhodium(II) Complex with Axial Pyridine Molecules <i>cis</i> -[Rh <sub>2</sub> (4-Me-pfâ€²) <sub>2</sub> (OCCMe) <sub>3</sub> (py) <sub>2</sub> ], 4-Me-pfâ€² = <i>N,N</i> -Di- <i>p</i> -tolylformamidinate Anion. X-ray Structure Analysis Online, 2021, 37, 69-71.	0.2	1
11	Specific Coordination between Zr-MOF and Phosphate-Terminated DNA Coupled with Strand Displacement for the Construction of Reusable and Ultrasensitive Aptasensor. Analytical Chemistry, 2020, 92, 11332-11340.	6.5	58
12	Photophysical properties and photosensitizing abilities for hydrogen evolution reactions of robust cyclometalated iridium(III) complexes with 5,5â€²-bis(trifluoromethyl)-2,2â€²-bipyridine. Journal of Photochemistry and Photobiology A: Chemistry, 2020, 400, 112716.	3.9	2
13	Coordination-Induced Self-Assembly of a Heteroleptic Paddlewheel-Type Dirhodium Complex. Crystals, 2020, 10, 85.	2.2	5
14	Crystal Structure and Magnetic Property of Manganese(II) Hexafluorosilicate Hexahydrate. X-ray Structure Analysis Online, 2020, 36, 17-19.	0.2	2
15	Crystal Structure of a Lantern-type Diruthenium(II,III) Complex with Axial Thiocyanato and DMF Ligands, [Ru <sub>2</sub> (OCCMe) <sub>3</sub> (NCS)(DMF)] <sub>4</sub> . X-ray Structure Analysis Online, 2020, 36, 39-41.	0.2	0
16	Tetra( <i>n</i> -butyl)ammonium salt of a ferrimagnetic complex based on mixed-valent dinuclear ruthenium pivalate and octacyanidotungstate(V). Comptes Rendus Chimie, 2019, 22, 476-482.	0.5	3
17	Magnetic and liquid-crystalline properties of chlorido- and cyanato-bridged chain complexes of mixed-valent dinuclear ruthenium( <i>ii</i> ), ( <i>iii</i> ) 3,4,5-trialkoxybenzoates. New Journal of Chemistry, 2019, 43, 1134-1145.	2.8	6
18	Paddlewheel-type diruthenium( <i>iii</i> ), ( <i>iii</i> ) tetrakis(2-aminopyridinate) complexes with NIR absorption features: combined experimental and theoretical study. Dalton Transactions, 2019, 48, 12421-12429.	3.3	3

#	ARTICLE	IF	CITATIONS
19	Magnetic and Electrochemical Properties of Lantern-Type Dinuclear Ru(II,III) Complexes with Axial Chloride Ions or Water Molecules. <i>Magnetochemistry</i> , 2019, 5, 18.	2.4	4
20	Synthesis, Characterization, Absorption Properties, and Electronic Structures of Paddlewheel-Type Dirhodium(II) Tetra- $\frac{1}{4}$ -(n-naphthoate) Complexes: An Experimental and Theoretical Study. <i>Molecules</i> , 2019, 24, 447.	3.8	12
21	Distribution of Cr <sup>3+</sup> between octahedral and tetrahedral sites in synthetic blue and green (CaMgSi <sub>2</sub> O <sub>6</sub> ) <sub>95</sub> (CaCrAlSiO <sub>6</sub> ) <sub>5</sub> diopsides. <i>Mineralogical Magazine</i> , 2019, 83, 497-505.	1.4	8
22	Intrinsic hydrogen evolution capability and a theoretically supported reaction mechanism of a paddlewheel-type dirhodium complex. <i>Dalton Transactions</i> , 2019, 48, 7302-7312.	3.3	16
23	Dinuclear Copper(II) 3,4,5-Tri-O-benzylgallate. <i>Open Chemistry Journal</i> , 2019, 6, 19-26.	4.3	4
24	Crystal Structure of a Mononuclear Iron(III) Complex, Hexakis(dimethylsulfoxide- $\mu$ ; $\mu$ -O)iron(III) Tris(hexafluoridophosphate). <i>X-ray Structure Analysis Online</i> , 2019, 35, 31-32.	0.2	0
25	Synthesis and properties of a trinuclear copper(II) complex of a ligand with phthalocyanine and Schiff-base coordination sites. <i>Journal of Porphyrins and Phthalocyanines</i> , 2018, 22, 95-101.	0.8	3
26	Synthesis, structure, and properties of a lantern-type dinuclear rhodium(II) complex cis-[Rh <sub>2</sub> (4-Me-pf) <sub>2</sub> (O <sub>2</sub> CCMe <sub>3</sub> ) <sub>2</sub> ], 4-Me-pf <sup>-</sup> = $\text{N}^{\ominus} \text{N}^{\ominus} \text{di-p-tolylformamidinate anion}$ . <i>Chemical Papers</i> , 2018, 72, 2, 841-851.		7
27	New luminescent cyclometalated iridium complexes prepared by the post-synthetic modification. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2018, 358, 345-355.	3.9	8
28	Crystal Structure of Mixed-metal Complex of Paddle-wheel-type Dinuclear Ruthenium(II,III) Carboxylate and Tetracyanidopalladate(II). <i>X-ray Structure Analysis Online</i> , 2018, 34, 37-39.	0.2	3
29	Experimental and theoretical study of dimer-of-dimers-type tetrarhodium(ii) complexes bridged by 1,4-benzenedicarboxylate linkers. <i>Dalton Transactions</i> , 2018, 47, 17233-17242.	3.3	6
30	Synthesis, Structure and Magnetic and Electrochemical Properties of Tetrakis(benzamidato)diruthenium(II,III) Tetrafluoroborate. <i>Magnetochemistry</i> , 2018, 4, 21.	2.4	2
31	Chain Compounds Based on Paddle-wheel Copper(II) Carboxylate Bearing Four Nitroxide Radicals. <i>Magnetochemistry</i> , 2018, 4, 22.	2.4	10
32	One-Dimensional Chain-Type Dicopper Coordination Polymer Linked by 1,4-Di(4-pyridyl)benzene; Synthesis, Crystal Structure, Magnetic Property, and Gas-Adsorption Property. <i>Magnetochemistry</i> , 2018, 4, 26.	2.4	1
33	Dinuclear Copper(II) 3,4,5-Tri-O-benzylgallate. <i>Current Inorganic Chemistry</i> , 2018, 08, .	0.2	0
34	Crystal Structure of a Supramolecular Complex Built up from Molybdenum(II) Trifluoroacetate and Copper(II) Schiff-Base Components, $[\{\text{Cu}^{\text{II}}(\text{t-Bu})_2\}_2\{\text{Mo}(\text{O})_2(\text{CCF}_3)_3\}_2\{\text{H}(\text{t-Bu})_2\}_2]$		

#	ARTICLE	IF	CITATIONS
37	Two-Dimensional Chain Complex Based on Diruthenium (II, III) Acetate and Tetracyanidoplatinate(II). <i>Journal of Superconductivity and Novel Magnetism</i> , 2017, 30, 2007-2010.	1.8	5
38	Analysis and Discrimination of Disperse Dyes Extracted from Black Polyester Fibers. <i>Bunseki Kagaku</i> , 2017, 66, 39-48.	0.2	3
39	SYNTHESIS, CRYSTAL STRUCTURE, MAGNETIC PROPERTY, AND N <sub>2</sub> -GAS-ADSORPTION PROPERTY OF DINUCLEAR COPPER(II) 3,4,5-TRIMETHOXYBENZOATE. <i>Journal of the Turkish Chemical Society, Section A: Chemistry</i> , 2017, 5, 103-110.	1.1	3
40	Synthesis and Crystal Structure of Another Tetranuclear Oxidovanadium(IV) Complex with 2,6-Bis(hydroxymethyl)-4-methylphenol Having an N <sub>2</sub> -Adsorption Property. <i>X-ray Structure Analysis Online</i> , 2016, 32, 29-32.	0.2	1
41	A New Paddlewheel-Type Dirhodium-Based Metal-Organic Framework with Deprotonated 2,6-Bis(2-benzimidazolyl)pyridine. <i>ChemistrySelect</i> , 2016, 1, 2571-2575.	1.5	8
42	Synthesis and Crystal Structures of Dinuclear Cobalt(III) Complexes with 1,3-Bis(5-nitrosalicylideneamino)-2-propanol and 1,3-Bis(3-nitrosalicylideneamino)-2-propanol. <i>X-ray Structure Analysis Online</i> , 2016, 32, 55-58.	0.2	9
43	Synthesis and characterizations of a paddlewheel-type dirhodium-based photoactive porous metal-organic framework. <i>Inorganic Chemistry Communication</i> , 2016, 68, 37-41.	3.9	10
44	Paddlewheel-Type Dirhodium Tetrapivalate Based Coordination Polymer: Synthesis, Characterization, and Self-Assembly and Disassembly Transformation Properties. <i>European Journal of Inorganic Chemistry</i> , 2016, 2016, 2810-2815.	2.0	15
45	Preparation, structure, and dynamic and electrochemical behaviors of dinuclear rhodium(I) complexes with bridging formamidinato ligands. <i>Journal of Organometallic Chemistry</i> , 2016, 803, 92-103.	1.8	0
46	Nickel(II) complex with 1,4,7-tris(2-aminoethyl)-1,4,7-triazacyclononane. <i>Chemical Papers</i> , 2016, 70, .	2.2	2
47	Crystal Structure of a Lantern-Type Dirhodium(II) Complex with a <i>cis</i> -(2:2) Arrangement of Two Formamidinato and Two Trifluoroacetato Bridges. <i>X-ray Structure Analysis Online</i> , 2015, 31, 31-32.	0.2	3
48	Synthesis and Crystal Structure of a Chain Complex of Copper(II) Pivalate and 1,2-Bis(4-pyridyl)ethane in Relation to Adsorption Property for N <sub>2</sub> . <i>X-ray Structure Analysis Online</i> , 2015, 31, 47-48.	0.2	6
49	Isolation of a Tetranuclear Intermediate Complex in the Synthesis of Paddlewheel-Type Dirhodium Tetraacetate. <i>European Journal of Inorganic Chemistry</i> , 2015, 2015, 5650-5655.	2.0	16
50	A carboxylated Zn-phthalocyanine inhibits fibril formation of Alzheimer's amyloid $\beta$ -peptide. <i>FEBS Journal</i> , 2015, 282, 463-476.	4.7	11
51	An unprecedented up-field shift in the <sup>13</sup> C NMR spectrum of the carboxyl carbons of the lantern-type dinuclear complex TBA[Ru <sub>2</sub> (O <sub>2</sub> CCH <sub>3</sub> ) <sub>2</sub> Cl] <sub>2</sub> (TBA = tetra(n-butyl)ammonium cation). <i>Dalton Transactions</i> , 2015, 44, 13439-13443.	3.3	15
52	Molecule-Based Magnetic Compounds Made Up from Dinuclear Ruthenium(II,III) Carboxylate and Dicyanidoargentate(I). <i>Journal of Superconductivity and Novel Magnetism</i> , 2015, 28, 1013-1016.	1.8	5
53	Synthesis, structures, and properties of lantern-type dinuclear ruthenium(II,III) complexes <i>cis</i> -[Ru <sub>2</sub> {3,5-(CF <sub>3</sub> ) <sub>2</sub> -pf <sub>2</sub> (O <sub>2</sub> CMe) <sub>2</sub> Cl}] and [Ru <sub>2</sub> {3,5-(CF <sub>3</sub> ) <sub>2</sub> -pf <sub>3</sub> (O <sub>2</sub> CMe)Cl}], 3,5-(CF <sub>3</sub> ) <sub>2</sub> -pf <sub>2</sub> -N,N <sup>+</sup> -bis[3,5-bis(trifluoromethyl)phenyl]formamidinato anion. <i>Inorganica Chimica Acta</i> , 2015, 424, 186-193.	2.4	4
54	Mixed-Metal Pentanuclear Complexes of Ruthenium(II,III) Carboxylate and Tetracyanidoplatinate(II). <i>Chemistry Journal of Moldova</i> , 2015, 10, 48-53.	0.6	5

#	ARTICLE	IF	CITATIONS
55	Synthesis, crystal structures, spectral, electrochemical and magnetic properties of di- $\mu$ -phenoxido-bridged dinuclear copper(II) complexes with N-salicylidene-2-hydroxybenzylamine derivatives: axial coordination effect of dimethyl sulphoxide molecule. <i>Chemical Papers</i> , 2014, 68, .	2.2	11
56	Synthesis and magnetic properties of an annulated dinuclear copper(II) phthalocyanine peripherally having 2,6-dimethylphenoxy substituents. <i>Journal of Porphyrins and Phthalocyanines</i> , 2014, 18, 708-714.	0.8	5
57	Synthesis and Crystal Structure of a Chain Complex of Molybdenum(II) Benzoate and 1,2-Bis(4-pyridyl)ethane with an $N_2$ -Adsorption Property. <i>X-ray Structure Analysis Online</i> , 2014, 30, 39-40.	0.2	3
58	Synthesis and Crystal Structure of a Chain Complex of Molybdenum(II) Benzoate and 4,4'-Bipyridyl in Relation to the $N_2$ -Adsorption Property. <i>X-ray Structure Analysis Online</i> , 2014, 30, 25-26.	0.2	3
59	Crystal Structure and $^1H$ NMR Spectral Property of a Lantern-Type Diruthenium(II,III) Complex with One Formamidinato and Three Acetato Bridges. <i>X-ray Structure Analysis Online</i> , 2014, 30, 31-32.	0.2	2
60	Crystal Structure of the (2,3,12,13-Tetrabromo-5,10,15,20-tetraphenylporphyrinato)oxidovanadium(IV) Complex. <i>X-ray Structure Analysis Online</i> , 2014, 30, 37-38.	0.2	0
61	Synthesis and Crystal Structure of Aqua Adduct of Dinuclear Ruthenium(II,III) 3,4,5-Tri(ethoxy- $d_5$ )benzoate Tetrafluoroborate. <i>X-ray Structure Analysis Online</i> , 2014, 30, 9-10.	0.2	6
62	Synthesis and Crystal Structure of a Chain Complex of Molybdenum(II) Benzoate with 1,2-Bis(4-pyridyl)ethylene Having an $N_2$ -Adsorption Property. <i>X-ray Structure Analysis Online</i> , 2014, 30, 41-42.	0.2	2
63	Mixed-Metal Complexes of Mixed-Valent Dinuclear Ruthenium(II,III) Carboxylate and Tetracyanonickelate(II). <i>Chemistry Journal of Moldova</i> , 2014, 9, 93-99.	0.6	5
64	Fastener effect on magnetic properties of chain compounds of dinuclear ruthenium carboxylates. <i>Chemical Papers</i> , 2013, 67, .	2.2	10
65	Structural, magnetic, and $^1H$ NMR spectral study on lantern-type cis- and trans-diruthenium(II,III) complexes with two formamidinato and two acetato bridges. <i>Inorganic Chemistry Communication</i> , 2013, 33, 133-137.	3.9	12
66	Synthesis, Crystal Structure, and $N_2$ -Adsorption Property of a Chain Complex of Rhodium(II) Benzoate and Piperazine. <i>X-ray Structure Analysis Online</i> , 2013, 29, 21-22.	0.2	4
67	Synthesis and Crystal Structure of a Chain Complex of Rhodium(II) Acetate and 1,2-Bis(4-pyridyl)ethane having an $N_2$ -Adsorption Property. <i>X-ray Structure Analysis Online</i> , 2013, 29, 29-30.	0.2	5
68	Synthesis and Crystal Structure of a Chain Complex of Molybdenum(II) Acetate and 1,2-Bis(4-pyridyl)ethane Aiming at $N_2$ -Adsorption Property. <i>X-ray Structure Analysis Online</i> , 2013, 29, 31-32.	0.2	6
69	Synthesis and Crystal Structure of a Chain Complex of Molybdenum(II) Acetate and $trans-N_2$ -1,2-Bis(4-pyridyl)ethylene in Relation to the $N_2$ -Adsorption Property. <i>X-ray Structure Analysis Online</i> , 2013, 29, 33-34.	0.2	4
70	Synthesis, Crystal Structure, and $N_2$ -Adsorption Property of a Chain Complex of Rhodium(II) Acetate and 1,4-Diazabicyclo[2.2.2]octane. <i>X-ray Structure Analysis Online</i> , 2013, 29, 7-8.	0.2	9
71	Crystal Structure of $N,N'$ -Bis(3,5-dichlorophenyl)formamidine. <i>X-ray Structure Analysis Online</i> , 2013, 29, 25-26.	0.2	2
72	Synthesis and Crystal Structure of a Chain Complex of Rhodium(II) Benzoate and 1,4-Diazabicyclo[2.2.2]octane Having an $N_2$ -Adsorption Property. <i>X-ray Structure Analysis Online</i> , 2013, 29, 45-46.	0.2	5

#	ARTICLE	IF	CITATIONS
73	Synthesis and Crystal Structure of a Rhodium(II) Formamidinate Dimer with Axial Water and Methanol Molecules. X-ray Structure Analysis Online, 2012, 28, 53-54.	0.2	4
74	Molecule-based magnetic materials based on dinuclear ruthenium carboxylate and octacyanotungstate. New Journal of Chemistry, 2011, 35, 1226.	2.8	34
75	Crystal Structure of Rhodium(II) Formamidinate Dimer with an Axial Acetonitrile Molecule. X-ray Structure Analysis Online, 2011, 27, 15-16.	0.2	6
76	Synthesis and Crystal Structure of a Chain Complex of Rhodium(II) Pivalate and trans-1,2-Bis(4-pyridyl)ethylene with an N <sub>2</sub> -Adsorption Property. X-ray Structure Analysis Online, 2011, 27, 27-28.	0.2	8
77	Synthesis and Crystal Structure of Rhodium(II) Pentafluorobenzoate Dimer with Axial Methanol Molecules. X-ray Structure Analysis Online, 2011, 27, 49-50.	0.2	1
78	Preparation and Crystal Structure of a Chain Complex of Dinuclear Rhodium(II) Benzoate and Pyrimidine with Diacetonitrile Adduct of Dinuclear Rhodium(II) Benzoate. X-ray Structure Analysis Online, 2011, 27, 69-70.	0.2	6
79	Preparation and Crystal Structure of Tetrakis(.MU.-pivalato-O,O')bis[(pivalic acid-O)rhodium(II)]. X-ray Structure Analysis Online, 2011, 27, 7-8.	0.2	7
80	Polymer Complex of Rhodium(II) Formamidinate Dimer Linked by 1,4-Diisocyanobenzene with Toluene as Solvent of Crystallization. X-ray Structure Analysis Online, 2011, 27, 73-74.	0.2	5
81	Synthesis, crystal structure, and 1H NMR spectra of a chloride-bridged chain complex of dinuclear ruthenium(II,III) 3,4,5-tri(ethoxy-d 5)benzoate. Chemical Papers, 2010, 64, .	2.2	9
82	Annulated dinuclear palladium(II) phthalocyanine complex as an effective photo-oxidation catalyst for near-infrared region light. Inorganic Chemistry Communication, 2010, 13, 1170-1172.	3.9	21
83	Synthesis, Crystal Structure, and Spectral and Magnetic Properties of Chloro-Bridged Chain Complex of Dinuclear Ruthenium(II,III) 3,4,5-Triethoxybenzoate. Chemistry Journal of Moldova, 2009, 4, 90-96.	0.6	10
84	Synthesis and magnetic properties of polymeric complexes containing ruthenium(II)-ruthenium(III) tetracarboxylato units linked by cyanato, thiocyanato, and selenocyanato ligands. Chemical Papers, 2008, 62, .	2.2	13
85	Electronic structure of five- and six-coordinate iron(III) tetraazaporphyrin complexes: pyrrole- $\delta$ -C <sub>1</sub> chemical shift as a useful probe. Journal of Porphyrins and Phthalocyanines, 2008, 12, 1041-1049.	0.8	5
86	Magnetic interactions in one-, two-, and three-dimensional assemblies of dinuclear ruthenium carboxylates. Coordination Chemistry Reviews, 2006, 250, 2194-2211.	18.8	180
87	Self-assembly of Mixed-valent Ruthenium(II,III) Pivalate and Octacyanotungstate(V) Building Blocks. Chemistry Letters, 2005, 34, 1550-1551.	1.3	27
88	Adduct complexes of ruthenium(II,III) propionate dimer with pyridyl nitroxides. Polyhedron, 2005, 24, 2658-2664.	2.2	11
89	Synthesis and optical and electrochemical properties of thermotropic, liquid-crystalline, semirigid copolyesters based on 2,5-diphenyl-1,3,4-thiadiazole units. Journal of Polymer Science Part A, 2005, 43, 1511-1525.	2.3	23
90	Synthesis and Characterization of Polynuclear Chain and Tetranuclear Complexes of Mixed-Valent Ruthenium(II,III) Pivalate with N,Nâ€²-Didentate Ligands. Bulletin of the Chemical Society of Japan, 2004, 77, 2205-2211.	3.2	23

#	ARTICLE	IF	CITATIONS
91	Photooxidation of some phenols in aerated acetonitrile using tetra-tert-butylphthalocyaninatozinc(II) as a sensitizer. <i>Inorganic Chemistry Communication</i> , 2003, 6, 807-809.	3.9	10
92	Oxygenation of Cyclohexene by Molecular Oxygen Using Hexadecafluorophthalocyaninatoiron(III) as an Oxidative Catalyst. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , 2003, 33, 965-970.	0.6	0
93	Photosensitization Efficiencies of Metallophthalocyanines for the Formation of Singlet Oxygen. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , 2003, 33, 403-409.	1.8	6
94	Syntheses and Magnetic Properties of Ruthenium(II,III) Pivalate Dimers Axially Coordinated by Nitronyl Nitroxide Radicals [Ru <sub>2</sub> (O <sub>2</sub> CCMe <sub>3</sub> ) <sub>4</sub> (L) <sub>2</sub> ]BF <sub>4</sub> and [{"Ru <sub>2</sub> (O <sub>2</sub> CCMe <sub>3</sub> ) <sub>4</sub> (L) <sub>2</sub> }{Ru <sub>2</sub> (O <sub>2</sub> CCMe <sub>3</sub> ) <sub>4</sub> (H <sub>2</sub> O) <sub>2</sub> }] <sub>n</sub> (BF <sub>4</sub> ) <sub>2n</sub> , L = 2,4,4,5,5-Pentamethyl-4,5-dihydro-1H-imidazol-1-oxyl-3-N-oxide and 2-Ethyl-4,4,5,5-tetramethyl-4,5-dihydro-1H-imidazol-1-oxyl-3-N-oxide. <i>Bulletin of the Chemical Society of Japan</i> , 2003, 76, 769-779.	3.2	28
95	Polymer and Trimer-of-Dimers-Complexes Derived from [Rh <sub>2</sub> (form) <sub>4</sub> ](form <sup>-</sup> =N,N <sup>-</sup> -Di-p-tolylformamidinate anion) and 1,4-Diisocyanobenzene. <i>Chemistry Letters</i> , 2003, 32, 946-947.	1.3	12
96	Coordination Polymers of Ruthenium(II) Acetate with Pyrazine, 4,4'-Bipyridine, and 1,4-Diazabicyclo[2.2.2]octane. <i>Molecular Crystals and Liquid Crystals</i> , 2002, 376, 257-262.	0.9	14
97	Coordination Polymers of Copper(II) Propionate with Linkage Ligands. <i>Molecular Crystals and Liquid Crystals</i> , 2002, 379, 205-210.	0.9	11
98	Polymer Complexes of Rhodium(II) Trifluoroacetamidate with Pyrazine, 4,4'-Bipyridine, and 1,4-Diazabicyclo[2.2.2]octane. <i>Bulletin of the Chemical Society of Japan</i> , 2002, 75, 1755-1756.	3.2	9
99	Molecular-assembled Complexes of Mixed-valent Ruthenium Dimer with Hexacyanoferrate(III) and Hexacyanocobaltate(III) Ions. <i>Chemistry Letters</i> , 2002, 31, 1044-1045.	1.3	74
100	Photocatalytic Activity of Phthalocyaninatozinc(II) Bearing Dendritic Substituents at $\pm$ Positions in Aerated Dimethyl Sulfoxide. <i>Chemistry Letters</i> , 2002, 31, 966-967.	1.3	12
101	Polymer Complexes of Rhodium Acetamidate Dimers Bridged by Pyrazine, 4,4'-Bipyridine, and 1,4-Diazabicyclo[2.2.2]octane. <i>Molecular Crystals and Liquid Crystals</i> , 2002, 379, 327-332.	0.9	5
102	Coordination Polymers of Ruthenium(II) Acetate with Pyrazine, 4,4'-Bipyridine, and 1,4-Diazabicyclo[2.2.2]octane. <i>Molecular Crystals and Liquid Crystals</i> , 2002, 376, 257-262.	0.3	1
103	Synthesis and optical properties of new conjugated polymers composed of 1,3,4-thiadiazole and 2,5-dialkoxybenzene rings. <i>Macromolecular Rapid Communications</i> , 2000, 21, 1234-1237.	3.9	11
104	Photocatalytic decomposition of trichlorophenol by zinc(II) phthalocyanine derivatives in aerated organic solvents. <i>Inorganic Chemistry Communication</i> , 2000, 3, 634-636.	3.9	31
105	Synthesis and Magnetic Property of Adducts of Ruthenium(II,III) Pivalate with 9,10-Anthraquinone. <i>Molecular Crystals and Liquid Crystals</i> , 2000, 342, 133-138.	0.3	11
106	Dinuclear Phenoxo-Bridged Nickel(II) Complexes of Macrocyclic Ligands with Cyano Groups Laterally Introduced on a Conjugated System within the Ligands. <i>Molecular Crystals and Liquid Crystals</i> , 2000, 342, 75-80.	0.3	9
107	Coordination Polymers of Copper(II) and Copper(I) Trifluoroacetates with Pyrazine. <i>Molecular Crystals and Liquid Crystals</i> , 2000, 342, 205-210.	0.3	9
108	Adduct Polymers and Dimers of Rhodium(II) Pivalate with Pyrazine, 4,4'-Bipyridine, 1,4-Diazabicyclo[2.2.2]octane, Triethylamine, and Pyridine. <i>Bulletin of the Chemical Society of Japan</i> , 1999, 72, 2681-2686.	3.2	30

#	ARTICLE	IF	CITATIONS
109	Microporous Structure of a Chain Compound of Copper(II) Benzoate Bridged by Pyrazine. <i>Chemistry Letters</i> , 1999, 28, 367-368.	1.3	64
110	Chain Complexes of Rhodium(II) Pivalate Dimers Formed by Ligation of CC Double Bond and Carbonyl Oxygen of p-Quinone [ $\{\text{Rh}_2(\text{O}_2\text{CCMe}_3)_4(\text{p-Q})_2\}\{\text{Rh}_2(\text{O}_2\text{CCMe}_3)_4\}_n$ , p-Q = 1,4-Benzoquinone and 1,4-Naphthoquinone. <i>Inorganic Chemistry</i> , 1998, 37, 149-152.	4.0	24
111	Structure and Magnetic Properties of a Chain Complex with Alternating Ru(II,III) Dimer and Nitroxide Radical Arrangement [ $\text{Ru}_2(\text{O}_2\text{CCMe}_3)_4(\text{nitph})_n(\text{BF}_4)_n$ , nitph = 2-Phenyl-4,4,5,5-tetramethyl-4,5-dihydro-1H-imidazol-1-oxyl 3-N-Oxide. <i>Bulletin of the Chemical Society of Japan</i> , 1998, 71, 119-125.	3.2	65
112	Chain Compounds of Rhodium(II) Trifluoroacetate Linked by p-Quinone [ $\text{Rh}_2(\text{O}_2\text{CCF}_3)_4(\text{p-Q})_n$ , p-Q = 1,4-Benzoquinone, 1,4-Naphthoquinone, and 2,3-Dimethyl-1,4-benzoquinone. <i>Bulletin of the Chemical Society of Japan</i> , 1996, 69, 3483-3488.	3.2	24
113	Structure and Magnetic Properties of a Nitroxide Diruthenium(II,III) Complex, [ $\text{Ru}_2(\text{O}_2\text{CCMe}_3)_4(\text{tempo})_2$ ][ $\text{Ru}_2(\text{O}_2\text{CCMe}_3)_4(\text{H}_2\text{O})_2$ ]( $\text{BF}_4$ ) $_2$ (tempo = 2,2,6,6-Tetramethylpiperidine-1-oxyl). <i>Bulletin of the Chemical Society of Japan</i> , 1995, 68, 1647-1653.	3.2	42
114	Linear Chain Compounds of Molybdenum(II) Acetate Linked by Pyrazine, 4,4'-Bipyridine, and 1,4-Diazabicyclo[2.2.2]octane. <i>Bulletin of the Chemical Society of Japan</i> , 1995, 68, 2567-2572.	3.2	33
115	Chain Compounds Formed by the Reaction of Copper(II) Carboxylate [ $\text{Cu}_2(\text{O}_2\text{CR})_4$ ] (R = C(CH <sub>3</sub> ) <sub>3</sub> , CCl <sub>3</sub> ) and Bridging Ligand L (L = Pyrazine, 4,4'-Bipyridine, and 1,4-Diazabicyclo[2.2.2]octane). <i>Chemistry Letters</i> , 1995, 24, 617-618.	1.3	17
116	Chain Compound of Molybdenum(II) Pivalate Bridged by 4,4'-Bipyridine. <i>Bulletin of the Chemical Society of Japan</i> , 1994, 67, 3125-3127.	3.2	27
117	Structure and Properties of a Compound Formed by the Reaction of Molybdenum(II) Trifluoroacetate with 4,4'-Bipyridine. <i>Chemistry Letters</i> , 1993, 22, 1969-1972.	1.3	19
118	Linear Chain Compounds of Molybdenum(II) Acetate Dimer Linked by Linear-bidentate Ligands, Pyrazine, 4,4'-Bipyridine, and 1,4-Diazabicyclo[2.2.2]octane. <i>Chemistry Letters</i> , 1990, 19, 1753-1756.	1.3	14
119	Clamshell Palladium(II) Complexes: Suitable Precursors for Photocatalytic Hydrogen Production from Water. <i>European Journal of Inorganic Chemistry</i> , 0, , .	2.0	0