
Rolf Holle

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/188944/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	A within-trial cost-effectiveness analysis of primary care referral to a commercial provider for weight loss treatment, relative to standard care—an international randomised controlled trial. International Journal of Obesity, 2013, 37, 828-834.	3.4	1,399
2	DNA methylation-based measures of biological age: meta-analysis predicting time to death. Aging, 2016, 8, 1844-1865.	3.1	786
3	GWAS of 126,559 Individuals Identifies Genetic Variants Associated with Educational Attainment. Science, 2013, 340, 1467-1471.	12.6	750
4	KORA - A Research Platform for Population Based Health Research. Gesundheitswesen, 2005, 67, 19-25.	0.5	615
5	Acute stroke: usefulness of early CT findings before thrombolytic therapy Radiology, 1997, 205, 327-333.	7.3	572
6	Official statistics and claims data records indicate non-response and recall bias within survey-based estimates of health care utilization in the older population. BMC Health Services Research, 2013, 13, 1.	2.2	472
7	Micrometastatic Breast Cancer Cells in Bone Marrow at Primary Surgery: Prognostic Value in Comparison With Nodal Status. Journal of the National Cancer Institute, 1996, 88, 1652-1658.	6.3	468
8	High prevalence of undiagnosed diabetes mellitus in Southern Germany: Target populations for efficient screening. The KORA survey 2000. Diabetologia, 2003, 46, 182-189.	6.3	454
9	Genome-Wide Association Scan Meta-Analysis Identifies Three Loci Influencing Adiposity and Fat Distribution. PLoS Genetics, 2009, 5, e1000508.	3.5	453
10	Acute mountain sickness: influence of susceptibility, preexposure, and ascent rate. Medicine and Science in Sports and Exercise, 2002, 34, 1886-1891.	0.4	259
11	Observational Study Mortality in Treated Primary Aldosteronism. Hypertension, 2012, 60, 618-624.	2.7	235
12	Predictors of 10-year macrovascular and overall mortality in patients with NIDDM: the Munich General Practitioner Project. Diabetologia, 1996, 39, 1540-1545.	6.3	191
13	Antimicrobial peptides melittin and cecropin inhibit replication of human immunodeficiency virus 1 by suppressing viral gene expression Journal of General Virology, 1998, 79, 731-740.	2.9	183
14	Meta-Analysis and a Large Association Study Confirm a Role for Calpain-10 Variation in Type 2 Diabetes Susceptibility. American Journal of Human Genetics, 2003, 73, 1208-1212.	6.2	180
15	Risk Factors Associated with a Low Clomerular Filtration Rate in Primary Aldosteronism. Journal of Clinical Endocrinology and Metabolism, 2009, 94, 869-875.	3.6	166
16	Incidence of Type 2 diabetes in the elderly German population and the effect of clinical and lifestyle risk factors: KORA S4/F4 cohort study. Diabetic Medicine, 2009, 26, 1212-1219.	2.3	154
17	Prognosis of Stroke Patients Requiring Mechanical Ventilation in a Neurological Critical Care Unit. Stroke, 1997, 28, 711-715.	2.0	152
18	Prospective multicentre study on the prediction of relapse after antithyroid drug treatment in patients with Graves' disease. European Journal of Endocrinology, 1989, 120, 689-701.	3.7	149

#	Article	IF	CITATIONS
19	Association of Systemic Chemokine Concentrations With Impaired Glucose Tolerance and Type 2 Diabetes. Diabetes, 2005, 54, S11-S17.	0.6	145
20	Does Arterial Recanalization Improve Outcome in Carotid Territory Stroke?. Stroke, 1995, 26, 581-587.	2.0	144
21	A telemedical approach to the screening of diabetic retinopathy: digital fundus photography Diabetes Care, 2000, 23, 345-348.	8.6	140
22	Common Variants in Myocardial Ion Channel Genes Modify the QT Interval in the General Population. Circulation Research, 2005, 96, 693-701.	4.5	138
23	Psychoeducational psychotherapy for schizophrenic patients and their key relatives or care-givers: results of a 2-year follow-up. Acta Psychiatrica Scandinavica, 1997, 96, 483-491.	4.5	132
24	Analysis of prognostic factors in 766 patients with small cell lung cancer (SCLC): The role of sex as a predictor for survival. British Journal of Cancer, 1991, 63, 986-992.	6.4	130
25	Autologous blood stem-cell transplantation in patients with advanced Hodgkin's disease and prior radiation to the pelvic site Journal of Clinical Oncology, 1990, 8, 978-985.	1.6	129
26	Interobserver agreement in assessing early CT signs of middle cerebral artery infarction. American Journal of Neuroradiology, 1996, 17, 1743-8.	2.4	128
27	A claims data-based comparison of comorbidity in individuals with and without dementia. BMC Geriatrics, 2014, 14, 10.	2.7	126
28	Multimorbidity and health-related quality of life in the older population: results from the German KORA-Age study. Health and Quality of Life Outcomes, 2011, 9, 53.	2.4	119
29	The impact of regional deprivation and individual socioâ€economic status on the prevalence of TypeÂ2 diabetes in Germany. A pooled analysis of five populationâ€based studies. Diabetic Medicine, 2013, 30, e78-86.	2.3	118
30	The German COPD cohort COSYCONET: Aims, methods and descriptive analysis of the study population at baseline. Respiratory Medicine, 2016, 114, 27-37.	2.9	113
31	Quality of life several years after myocardial infarction: comparing the MONICA/KORA registry to the general population. European Heart Journal, 2008, 30, 436-443.	2.2	107
32	Data harmonization and federated analysis of population-based studies: the BioSHaRE project. Emerging Themes in Epidemiology, 2013, 10, 12.	2.7	105
33	Significant Association of the Interleukin-6 Gene Polymorphisms C-174G and A-598G with Type 2 Diabetes. Journal of Clinical Endocrinology and Metabolism, 2004, 89, 5053-5058.	3.6	99
34	Health Care Costs Associated With Incident Complications in Patients With Type 2 Diabetes in Germany. Diabetes Care, 2018, 41, 971-978.	8.6	99
35	Regional differences in the prevalence of known Type 2 diabetes mellitus in 45–74 years old individuals: Results from six populationâ€based studies in Germany (DIABâ€CORE Consortium). Diabetic Medicine, 2012, 29, e88-95.	2.3	95
36	Performance of Screening Questionnaires and Risk Scores for Undiagnosed Diabetes. Archives of Internal Medicine, 2005, 165, 436.	3.8	93

#	Article	IF	CITATIONS
37	Subclinical Inflammation and Diabetic Polyneuropathy. Diabetes Care, 2009, 32, 680-682.	8.6	92
38	Association of Systemic Concentrations of Macrophage Migration Inhibitory Factor With Impaired Glucose Tolerance and Type 2 Diabetes: Results from the Cooperative Health Research in the Region of Augsburg, Survey 4 (KORA S4). Diabetes Care, 2006, 29, 368-371.	8.6	91
39	ls Primary Aldosteronism Associated with Diabetes Mellitus? Results of the German Conn's Registry. Hormone and Metabolic Research, 2010, 42, 435-439.	1.5	91
40	Predictors of Institutionalization of Dementia Patients in Mild and Moderate Stages: A 4-Year Prospective Analysis. Dementia and Geriatric Cognitive Disorders Extra, 2013, 3, 426-445.	1.3	90
41	Cisplatin/etoposide versus ifosfamide/etoposide combination chemotherapy in small-cell lung cancer: a multicenter German randomized trial Journal of Clinical Oncology, 1987, 5, 1880-1889.	1.6	88
42	Healthâ€related quality of life in subjects with and without Type 2 diabetes: pooled analysis of five populationâ€based surveys in Germany. Diabetic Medicine, 2012, 29, 646-653.	2.3	83
43	Longitudinal beta regression models for analyzing health-related quality of life scores over time. BMC Medical Research Methodology, 2012, 12, 144.	3.1	81
44	Assessing health-related quality of life in COPD: comparing generic and disease-specific instruments with focus on comorbidities. BMC Pulmonary Medicine, 2016, 16, 70.	2.0	81
45	Peripheral Artery Disease and Its Clinical Relevance in Patients with Chronic Obstructive Pulmonary Disease in the COPD and Systemic Consequences–Comorbidities Network Study. American Journal of Respiratory and Critical Care Medicine, 2017, 195, 189-197.	5.6	81
46	Relationship between posttraumatic stress disorder and Type 2 Diabetes in a population-based cross-sectional study with 2970 participants. Journal of Psychosomatic Research, 2013, 74, 340-345.	2.6	79
47	Socioeconomic position, resilience, and health behaviour among elderly people. International Journal of Public Health, 2012, 57, 341-349.	2.3	78
48	Inflammation and Type 2 Diabetes: Results from KORA Augsburg. Gesundheitswesen, 2005, 67, 115-121.	0.5	77
49	Costs of Care for Dementia Patients in Community Setting: An Analysis for Mild and Moderate Disease Stage. Value in Health, 2011, 14, 827-835.	0.3	76
50	Association of passive and active smoking with incident type 2 diabetes mellitus in the elderly population: the KORA S4/F4 cohort study. European Journal of Epidemiology, 2010, 25, 393-402.	5.7	75
51	Alternating versus sequential chemotherapy in small cell lung cancer. A randomized german multicenter trial. Cancer, 1987, 59, 1072-1082.	4.1	72
52	Area Level Deprivation Is an Independent Determinant of Prevalent Type 2 Diabetes and Obesity at the National Level in Germany. Results from the National Telephone Health Interview Surveys â€~German Health Update' GEDA 2009 and 2010. PLoS ONE, 2014, 9, e89661.	2.5	72
53	Direct and indirect costs of COPD and its comorbidities: Results from the German COSYCONET study. Respiratory Medicine, 2016, 111, 39-46.	2.9	69
54	Non-surgical periodontal therapy with adjunctive topical doxycycline: a double-blind randomized controlled multicenter study. Journal of Clinical Periodontology, 2002, 29, 108-117.	4.9	68

#	Article	IF	CITATIONS
55	The Endotoxin Receptor TLR4 Polymorphism Is Not Associated With Diabetes or Components of the Metabolic Syndrome. Diabetes, 2003, 52, 2861-2864.	0.6	66
56	Measurement of informal care time in a study of patients with dementia. International Psychogeriatrics, 2008, 20, 1160.	1.0	65
57	Radiographic Defect Depth and Width for Prognosis and Description of Periodontal Healing of Infrabony Defects. Journal of Periodontology, 2001, 72, 1639-1646.	3.4	64
58	Perceived risk of diabetes seriously underestimates actual diabetes risk: The KORA FF4 study. PLoS ONE, 2017, 12, e0171152.	2.5	64
59	Sex differences in the associations of socioeconomic status with undiagnosed diabetes mellitus and impaired glucose tolerance in the elderly population: the KORA Survey 2000. European Journal of Public Health, 2005, 15, 627-633.	0.3	62
60	Prediction models for incident Type 2 diabetes mellitus in the older population: KORA S4/F4 cohort study. Diabetic Medicine, 2010, 27, 1116-1123.	2.3	62
61	Reference Values of Impulse Oscillometric Lung Function Indices in Adults of Advanced Age. PLoS ONE, 2013, 8, e63366.	2.5	61
62	Incidence and prevalence of juvenile arthritis in an urban population of southern Germany: a prospective study. Annals of the Rheumatic Diseases, 2001, 60, 940-945.	0.9	59
63	Health-related quality of life in patients with severe COPD hospitalized for exacerbations - comparing EQ-5D, SF-12 and SGRQ. Health and Quality of Life Outcomes, 2010, 8, 39.	2.4	59
64	The association between lower educational attainment and depression owing to shared genetic effects? Results in ~25 000 subjects. Molecular Psychiatry, 2015, 20, 735-743.	7.9	59
65	Prognostic value of pretreatment carcinoembryonic antigen, neuron-specific enolase, and creatine kinase-BB levels in sera of patients with small cell lung cancer. Cancer, 1988, 62, 125-134.	4.1	58
66	Excess costs of dementia disorders and the role of age and gender - an analysis of German health and long-term care insurance claims data. BMC Health Services Research, 2012, 12, 165.	2.2	57
67	Guided tissue regeneration with non-resorbable and biodegradable barriers: 6 months results. Journal of Clinical Periodontology, 1997, 24, 92-101.	4.9	56
68	Long-Term Results of Guided Tissue Regeneration Therapy With Non-Resorbable and Bioabsorbable Barriers. III. Class II Furcations After 10 Years. Journal of Periodontology, 2006, 77, 88-94.	3.4	55
69	Healthcare use and expenditure for diabetes in Bangladesh. BMJ Global Health, 2017, 2, e000033.	4.7	54
70	Autologous blood stem cell (ABSCT) versus purged bone marrow transplantation (pABMT) in standard risk AML: influence of source and cell composition of the autograft on hemopoietic reconstitution and disease-free survival. Bone Marrow Transplantation, 1991, 7, 343-9.	2.4	54
71	Prolonged Recruitment Efforts in Health Surveys. Epidemiology, 2006, 17, 639-643.	2.7	53
72	Direct medical costs of COPD – An excess cost approach based on two population-based studies. Respiratory Medicine, 2012, 106, 540-548.	2.9	53

#	Article	IF	CITATIONS
73	The association of smoking status with healthcare utilisation, productivity loss and resulting costs: results from the population-based KORA F4 study. BMC Health Services Research, 2013, 13, 278.	2.2	52
74	Are community-living and institutionalized dementia patients cared for differently? Evidence on service utilization and costs of care from German insurance claims data. BMC Health Services Research, 2013, 13, 2.	2.2	52
75	Regenerative periodontal surgery with non-resorbable and biodegradable barriers: results after 24 months. Journal of Clinical Periodontology, 1998, 25, 666-676.	4.9	50
76	To live alone and to be depressed, an alarming combination for the renin–angiotensin–aldosterone-system (RAAS). Psychoneuroendocrinology, 2012, 37, 230-237.	2.7	50
77	Cost burden of type 2 diabetes in Germany: results from the population-based KORA studies. BMJ Open, 2016, 6, e012527.	1.9	50
78	New indexes of body fat distribution and sex-specific risk of total and cause-specific mortality: a prospective cohort study. BMC Public Health, 2018, 18, 427.	2.9	50
79	The impact of therapeutic relatives' groups on the course of illness of schizophrenic patients. European Psychiatry, 1995, 10, 17-27.	0.2	48
80	Radiographic parameters as prognostic indicators for healing of class II furcation defects. Journal of Clinical Periodontology, 2004, 31, 105-111.	4.9	47
81	Association study of mast cell chymase polymorphisms with atopy. Allergy: European Journal of Allergy and Clinical Immunology, 2005, 60, 1256-1261.	5.7	47
82	Analysis of SF-6D Index Data: Is Beta Regression Appropriate?. Value in Health, 2011, 14, 759-767.	0.3	47
83	Hemoglobin A1c and glucose criteria identify different subjects as having type 2 diabetes in middle-aged and older populations: The KORA S4/F4 Study. Annals of Medicine, 2012, 44, 170-177.	3.8	47
84	Evaluation of telemedical services. IEEE Transactions on Information Technology in Biomedicine, 1999, 3, 84-91.	3.2	46
85	Quality of Diabetes Care in Germany Improved from 2000 to 2007 to 2014, but Improvements Diminished since 2007. Evidence from the Population-Based KORA Studies. PLoS ONE, 2016, 11, e0164704.	2.5	46
86	Clinical relevance of histologic subtyping in small cell lung cancer. Cancer, 1989, 64, 74-79.	4.1	45
87	Hypoadiponectinemia and Proinflammatory State: Two Sides of the Same Coin?: Results From the Cooperative Health Research in the Region of Augsburg Survey 4 (KORA S4). Diabetes Care, 2006, 29, 1626-1631.	8.6	44
88	Prevalence of the Metabolic Syndrome in the Elderly Population According to IDF, WHO, and NCEP Definitions and Associations With C-Reactive Protein: The KORA Survey 2000. Diabetes Care, 2006, 29, 461-461.	8.6	44
89	Mobile phone intervention for increasing adherence to treatment for type 2 diabetes in an urban area of Bangladesh: protocol for a randomized controlled trial. BMC Health Services Research, 2014, 14, 586.	2.2	43
90	Longâ€Term Results of Guided Tissue Regeneration Therapy With Nonâ€Resorbable and Bioabsorbable Barriers. IV. A Case Series of Infrabony Defects After 10 Years. Journal of Periodontology, 2008, 79, 1491-1499.	3.4	42

#	Article	IF	CITATIONS
91	The Molecular Genetic Architecture of Self-Employment. PLoS ONE, 2013, 8, e60542.	2.5	41
92	The impact of type 2 diabetes on health related quality of life in Bangladesh: results from a matched study comparing treated cases with non-diabetic controls. Health and Quality of Life Outcomes, 2016, 14, 129.	2.4	41
93	Clinical and cost-effectiveness of primary prevention of Type 2 diabetes in a â€~real world' routine healthcare setting: model based on the KORA Survey 2000. Diabetic Medicine, 2007, 24, 473-480.	2.3	40
94	The association between BMI and health-related quality of life in the US population: sex, age and ethnicity matters. International Journal of Obesity, 2018, 42, 318-326.	3.4	40
95	Systematic Analysis of Self-Reported Comorbidities in Large Cohort Studies – A Novel Stepwise Approach by Evaluation of Medication. PLoS ONE, 2016, 11, e0163408.	2.5	40
96	Long-Term Results of Guided Tissue Regeneration Therapy With Non-Resorbable and Bioabsorbable Barriers. I. Class II Furcations. Journal of Periodontology, 2001, 72, 35-42.	3.4	39
97	Significance of tenascin serum level as tumor marker in primary colorectal carcinoma. International Journal of Cancer, 1995, 64, 65-69.	5.1	38
98	Salivary cortisol in a middle-aged community sample: results from 990 men and women of the KORA-F3 Augsburg study. European Journal of Endocrinology, 2010, 163, 443-451.	3.7	38
99	The Economic Burden of Obesity in Germany: Results from the Population-Based KORA Studies. Obesity Facts, 2016, 9, 397-409.	3.4	38
100	Mobile phone use and willingness to pay for SMS for diabetes in Bangladesh. Journal of Public Health, 2016, 38, 163-169.	1.8	38
101	Differential therapy effects of psychoeducational psychotherapy for schizophrenic patients - results of a 2-year follow-up. European Archives of Psychiatry and Clinical Neuroscience, 1999, 249, 66-72.	3.2	37
102	Long-Term Results of Guided Tissue Regeneration Therapy With Non-Resorbable and Bioabsorbable Barriers. II. A Case Series of Infrabony Defects. Journal of Periodontology, 2002, 73, 450-459.	3.4	37
103	Relationship of hyperlipidemia to comorbidities and lung function in COPD: Results of the COSYCONET cohort. PLoS ONE, 2017, 12, e0177501.	2.5	37
104	Effects of general practitioner training and family support services on the care of home-dwelling dementia patients - Results of a controlled cluster-randomized study. BMC Health Services Research, 2010, 10, 314.	2.2	36
105	Effects of a nurse-based case management compared to usual care among aged patients with myocardial infarction: results from the randomized controlled KORINNA study. BMC Geriatrics, 2013, 13, 115.	2.7	36
106	Guided Tissue Regeneration With Bioabsorbable Barriers: Intrabony Defects and Class II Furcations. Journal of Periodontology, 2000, 71, 999-1008.	3.4	35
107	Association of physical activity with lung function in lung-healthy German adults: results from the KORA FF4 study. BMC Pulmonary Medicine, 2017, 17, 215.	2.0	35
108	Determinants for utilization and transitions of long-term care in adults 65+ in Germany: results from the longitudinal KORA-Age study. BMC Geriatrics, 2018, 18, 172.	2.7	34

#	Article	IF	CITATIONS
109	CHOP-VP16 chemotherapy and involved field irradiation for high grade non-Hodgkin's lymphomas: a phase II multicentre study. British Journal of Cancer, 1989, 60, 79-82.	6.4	32
110	The predictability of relapses in schizophrenic patients. European Archives of Psychiatry and Neurological Sciences, 1991, 240, 292-300.	0.9	32
111	The Association Between Patient-Reported Self-management Behavior, Intermediate Clinical Outcomes, and Mortality in Patients With Type 2 Diabetes: Results From the KORA-A Study. Diabetes Care, 2014, 37, 1604-1612.	8.6	32
112	Neighborhood and healthy aging in a German city: distances to green space and senior service centers and their associations with physical constitution, disability, and health-related quality of life. European Journal of Ageing, 2015, 12, 273-283.	2.8	32
113	Prevalence, Determinants, and Consequences of Vestibular Hypofunction. Results From the KORA-FF4 Survey. Frontiers in Neurology, 2018, 9, 1076.	2.4	32
114	Calpain-10 variants and haplotypes are associated with polycystic ovary syndrome in Caucasians. American Journal of Physiology - Endocrinology and Metabolism, 2007, 292, E836-E844.	3.5	31
115	Differential association of adiponectin with cardiovascular risk markers in men and women? The KORA survey 2000. International Journal of Obesity, 2007, 31, 770-776.	3.4	31
116	A valid instrument for measuring informal care time for people with dementia. International Journal of Geriatric Psychiatry, 2009, 24, 275-282.	2.7	31
117	Medical care of type 2 diabetes in German Disease Management Programmes: a populationâ€based evaluation. Diabetes/Metabolism Research and Reviews, 2011, 27, 383-391.	4.0	31
118	Blood pressure and lipid management fall far short in persons with type 2 diabetes: results from the DIAB-CORE Consortium including six German population-based studies. Cardiovascular Diabetology, 2012, 11, 50.	6.8	31
119	A Lifetime Markov Model for the Economic Evaluation of Chronic Obstructive Pulmonary Disease. Pharmacoeconomics, 2012, 30, 825-840.	3.3	31
120	Psychometric properties and minimal important differences of SF-36 in Idiopathic Pulmonary Fibrosis. Respiratory Research, 2019, 20, 47.	3.6	31
121	Is Inflammation a Causal Chain between Low Socioeconomic Status and Type 2 Diabetes? Results from the KORA Survey 2000. European Journal of Epidemiology, 2006, 21, 55-60.	5.7	30
122	Regional differences in the incidence of self-reported type 2 diabetes in Germany: results from five population-based studies in Germany (DIAB-CORE Consortium). Journal of Epidemiology and Community Health, 2014, 68, 1088-1095.	3.7	30
123	Cost-components of lung cancer care within the first three years after initial diagnosis in context of different treatment regimens. Lung Cancer, 2015, 90, 274-280.	2.0	30
124	Dementia Care in the General Practice Setting: A Cluster Randomized Trial on the Effectiveness and Cost Impact of Three Management Strategies. Value in Health, 2012, 15, 851-859.	0.3	29
125	Cost-Effectiveness Analysis of Different Screening Procedures for Type 2 Diabetes: The KORA Survey 2000. Diabetes Care, 2004, 27, 2120-2128.	8.6	28
126	Non-Surgical Periodontal Therapy With Adjunctive Topical Doxycycline: A Double-Masked, Randomized, Controlled Multicenter Study. II. Microbiological Results. Journal of Periodontology, 2005, 76, 66-74.	3.4	27

#	Article	IF	CITATIONS
127	Systemic monocyte chemoattractant protein-1 concentrations are independent of type 2 diabetes or parameters of obesity: results from the Cooperative Health Research in the Region of Augsburg Survey S4 (KORA S4). European Journal of Endocrinology, 2006, 154, 311-317.	3.7	27
128	Randomised comparison of CHOEP versus alternating hCHOP/IVEP for high-grade non-Hodgkin's lymphomas: Treatment results and prognostic factor analysis in a multi-centre trial. Annals of Oncology, 1994, 5, 49-55.	1.2	26
129	Disease management programmes for patients with coronary heart disease—An empirical study of German programmes. Health Policy, 2008, 88, 176-185.	3.0	26
130	The Importance of Specialist Treatment, Treatment Satisfaction and Diabetes Education for the Compliance of Subjects with Type 2 Diabetes - Results from a Population-based Survey. Experimental and Clinical Endocrinology and Diabetes, 2008, 116, 123-128.	1.2	26
131	Exhaled nitric oxide and influencing factors in a random population sample. Respiratory Medicine, 2011, 105, 713-718.	2.9	26
132	Relation between depressed mood, somatic comorbidities and health service utilisation in older adults: results from the KORA-Age study. Age and Ageing, 2012, 41, 183-190.	1.6	26
133	Catastrophic expenditures and impoverishment due to out-of-pocket health payments in Kosovo. Cost Effectiveness and Resource Allocation, 2018, 16, 26.	1.5	26
134	Impact of weight and weight change on normalization of prediabetes and on persistence of normal glucose tolerance in an older population: the KORA S4/F4 study. International Journal of Obesity, 2012, 36, 826-833.	3.4	25
135	Health-related quality of life in women and men with type 2 diabetes: a comparison across treatment groups. Journal of Diabetes and Its Complications, 2015, 29, 203-211.	2.3	25
136	Relative impact of COPD and comorbidities on generic health-related quality of life: a pooled analysis of the COSYCONET patient cohort and control subjects from the KORA and SHIP studies. Respiratory Research, 2016, 17, 81.	3.6	25
137	Malnutrition and related risk factors in older adults from different health-care settings: an <i>enable</i> study. Public Health Nutrition, 2020, 23, 446-456.	2.2	25
138	Gender differences in emotional disability and negative health perception in cardiac patients 6 months after stent implantation. Journal of Psychosomatic Research, 2000, 48, 501-508.	2.6	24
139	Longitudinal changes in health-related quality of life in normal glucose tolerance, prediabetes and type 2 diabetes: results from the KORA S4/F4 cohort study. Quality of Life Research, 2014, 23, 2515-2520.	3.1	24
140	>Determinants of healthcare utilization and costs in COPD patients: first longitudinal results from the German COPD cohort COSYCONET. International Journal of COPD, 2019, Volume 14, 1423-1439.	2.3	24
141	Dementia care initiative in primary practice – study protocol of a cluster randomized trial on dementia management in a general practice setting. BMC Health Services Research, 2009, 9, 91.	2.2	23
142	Cost-effectiveness of a mobile-phone text messaging intervention on type 2 diabetes—A randomized-controlled trial. Health Policy and Technology, 2020, 9, 79-85.	2.5	23
143	The KORA Eye Study: A Population-Based Study on Eye Diseases in Southern Germany (KORA F4). , 2011, 52, 7778.		22
144	Does nurse-based case management for aged myocardial infarction patients improve risk factors, physical functioning and mental health? The KORINNA trial. European Journal of Preventive Cardiology, 2015, 22, 442-450.	1.8	22

#	Article	IF	CITATIONS
145	Regenerative periodontal surgery in interproximal intrabony defects with biodegradable barriers. Journal of Clinical Periodontology, 2000, 27, 162-168.	4.9	21
146	Social network effect on self-rated health in type 2 diabetic patients – results from a longitudinal population-based study. International Journal of Public Health, 2008, 53, 188-194.	2.6	21
147	Socioeconomic status is not associated with type 2 diabetes incidence in an elderly population in Germany: KORA S4/F4 Cohort Study. Journal of Epidemiology and Community Health, 2011, 65, 606-612.	3.7	21
148	Specific guidelines for assessing and improving the methodological quality of economic evaluations of newborn screening. BMC Health Services Research, 2012, 12, 300.	2.2	21
149	Empirical analysis shows reduced cost data collection may be an efficient method in economic clinical trials. BMC Health Services Research, 2012, 12, 318.	2.2	21
150	The proportion of high risk preterm infants with postoperative apnea and bradycardia is the same after general and spinal anesthesia. Canadian Journal of Anaesthesia, 1999, 46, 94-95.	1.6	20
151	Estimation of the relationship between body mass index and EQ-5D health utilities in individuals with type 2 diabetes: Evidence from the population-based KORA studies. Journal of Diabetes and Its Complications, 2012, 26, 413-418.	2.3	20
152	Health-related quality of life and chronic obstructive pulmonary disease in early stages – longitudinal results from the population-based KORA cohort in a working age population. BMC Pulmonary Medicine, 2014, 14, 134.	2.0	20
153	Time trends in stroke incidence and in prevalence of risk factors in Southern Germany, 1989 to 2008/09. Scientific Reports, 2018, 8, 11981.	3.3	20
154	"Age mattersâ€â€"German claims data indicate disparities in lung cancer care between elderly and young patients. PLoS ONE, 2019, 14, e0217434.	2.5	20
155	The Diabetes Epidemic in the Elderly Population in Western Europe: Data from Population-Based Studies. Gesundheitswesen, 2005, 67, 110-114.	0.5	19
156	Nurse-based case management for aged patients with myocardial infarction: study protocol of a randomized controlled trial. BMC Geriatrics, 2010, 10, 29.	2.7	19
157	Medical and psychosocial implications of adolescent extreme obesity – acceptance and effects of structured care, short: Youth with Extreme Obesity Study (YES). BMC Public Health, 2013, 13, 789.	2.9	19
158	The longitudinal association between weight change and health-related quality of life: the KORA S4/F4 cohort study. International Journal of Public Health, 2014, 59, 279-288.	2.3	19
159	The effectiveness of German disease management programs (DMPs) in patients with type 2 diabetes mellitus and coronary heart disease: results from an observational longitudinal study. Diabetology and Metabolic Syndrome, 2015, 7, 77.	2.7	19
160	Effects of a 3-Year Nurse-Based Case Management in Aged Patients with Acute Myocardial Infarction on Rehospitalisation, Mortality, Risk Factors, Physical Functioning and Mental Health. A Secondary Analysis of the Randomized Controlled KORINNA Study. PLoS ONE, 2015, 10, e0116693.	2.5	19
161	Validity of selfâ€reported hospital admissions in clinical trials depends on recall period length and individual characteristics. Journal of Evaluation in Clinical Practice, 2016, 22, 446-454.	1.8	19
162	The contribution of symptoms and comorbidities to the economic impact of COPD: an analysis of the German COSYCONET cohort. International Journal of COPD, 2017, Volume 12, 3437-3448.	2.3	19

#	Article	IF	CITATIONS
163	Vertigo and dizziness cause considerable more health care resource use and costs: results from the KORA FF4 study. Journal of Neurology, 2019, 266, 2120-2128.	3.6	19
164	Blood Pressure Control Has Improved in People with and without Type 2 Diabetes but Remains Suboptimal: A Longitudinal Study Based on the German DIAB-CORE Consortium. PLoS ONE, 2015, 10, e0133493.	2.5	19
165	Diagnostic excision of the Rosenmüller's node.Screening for occult metastases before elective regional lymph node dissection in patients with lower limb melanoma?. Cancer, 1988, 61, 1200-1206.	4.1	18
166	Critical Evaluation of Models to Identify Individuals With Insulin Resistance. Diabetes Care, 2005, 28, 1833-1833.	8.6	18
167	Risk-adjusted capitation payments: how well do principal inpatient diagnosis-based models work in the German situation? Results from a large data set. European Journal of Health Economics, 2007, 8, 31-39.	2.8	18
168	Treatment Pattern of Type 2 Diabetes Differs in Two German Regions and with Patients' Socioeconomic Position. PLoS ONE, 2014, 9, e99773.	2.5	18
169	Impact of BMI and BMI change on future drug expenditures in adults: results from the MONICA/KORA cohort study. BMC Health Services Research, 2013, 13, 424.	2.2	17
170	Longitudinal change in health-related quality of life in people with prevalent and incident type 2 diabetes compared to diabetes-free controls. PLoS ONE, 2017, 12, e0176895.	2.5	17
171	Uncertainty Assessment of Input Parameters for Economic Evaluation: Gauss's Error Propagation, an Alternative to Established Methods. Medical Decision Making, 2010, 30, 304-313.	2.4	16
172	Improving care of post-infarct patients: effects of disease management programmes and care according to international guidelines. Clinical Research in Cardiology, 2014, 103, 237-245.	3.3	16
173	New potential determinants of disability in aged persons with myocardial infarction: results from the KORINNA-study. BMC Geriatrics, 2014, 14, 34.	2.7	16
174	Socioeconomic status and anthropometric changes—A metaâ€analytic approach from seven <scp>G</scp> erman cohorts. Obesity, 2016, 24, 710-718.	3.0	16
175	The longitudinal association between change in physical activity, weight, and health-related quality of life: Results from the population-based KORA S4/F4/FF4 cohort study. PLoS ONE, 2017, 12, e0185205.	2.5	16
176	The Non-Linear Relationship between BMI and Health Care Costs and the Resulting Cost Fraction Attributable to Obesity. International Journal of Environmental Research and Public Health, 2017, 14, 984.	2.6	16
177	Counsellors contact dementia caregivers - predictors of utilisation in a longitudinal study. BMC Geriatrics, 2010, 10, 24.	2.7	15
178	The Tele.TAnDem intervention: study protocol for a psychotherapeutic intervention for family caregivers of people with dementia. BMC Nursing, 2015, 14, 11.	2.5	15
179	Cost-effectiveness of nurse-based case management versus usual care for elderly patients with myocardial infarction: results from the KORINNA study. European Journal of Health Economics, 2015, 16, 671-681.	2.8	15
180	Transfer factor for carbon monoxide in patients with COPD and diabetes: results from the German COSYCONET cohort. Respiratory Research, 2017, 18, 14.	3.6	15

#	Article	IF	CITATIONS
181	Costs and health-related quality of life in Alpha-1-Antitrypsin Deficient COPD patients. Respiratory Research, 2017, 18, 60.	3.6	15
182	Determinants of adherence and effects on health-related quality of life after myocardial infarction: a prospective cohort study. BMC Geriatrics, 2018, 18, 136.	2.7	15
183	Health-related quality of life associates with change in FEV1 in COPD: results from the COSYCONET cohort. BMC Pulmonary Medicine, 2020, 20, 148.	2.0	15
184	Association of Humoral Immunity to Human Hsp60 with the IL-6 Gene Polymorphism C-174G in Patients with Type 2 Diabetes and Controls. Hormone and Metabolic Research, 2005, 37, 257-263.	1.5	14
185	Comparing Three Software Tools for Implementing Markov Models for Health Economic Evaluations. Pharmacoeconomics, 2009, 27, 745-753.	3.3	14
186	Towards Patient-Oriented Diabetes Care: Results from Two KORA Surveys in Southern Germany. Journal of Diabetes Research, 2015, 2015, 1-14.	2.3	14
187	A high level of household physical activity compensates for lack of leisure time physical activity with regard to deficit accumulation: Results from the KORA-Age study. Preventive Medicine, 2016, 86, 64-69.	3.4	14
188	Usability of the Video Head Impulse Test: Lessons From the Population-Based Prospective KORA Study. Frontiers in Neurology, 2018, 9, 659.	2.4	14
189	Temporal trends in cardiovascular risk factors and performance of the Framingham Risk Score and the Pooled Cohort Equations. Journal of Epidemiology and Community Health, 2019, 73, 19-25.	3.7	14
190	Cost-Effectiveness of Type 2 Diabetes Screening: Results from Recently Published Studies. Gesundheitswesen, 2005, 67, 167-171.	0.5	13
191	Drug Costs in Prediabetes and Undetected Diabetes Compared With Diagnosed Diabetes and Normal Glucose Tolerance: Results From the Population-Based KORA Survey in Germany. Diabetes Care, 2013, 36, e53-e54.	8.6	13
192	Spirometric Reference Values for Advanced Age from a South German Population. Respiration, 2013, 85, 210-219.	2.6	13
193	The association between physical activity and healthcare costs in children – results from the GINIplus and LISAplus cohort studies. BMC Public Health, 2015, 15, 437.	2.9	13
194	<p>Impact of Education on COPD Severity and All-Cause Mortality in Lifetime Never-Smokers and Longtime Ex-Smokers: Results of the COSYCONET Cohort</p> . International Journal of COPD, 2020, Volume 15, 2787-2798.	2.3	13
195	Associations of area deprivation and urban/rural traits with the incidence of type 1 diabetes: analysis at the municipality level in North Rhineâ€Westphalia, Germany. Diabetic Medicine, 2020, 37, 2089-2097.	2.3	13
196	Local 5-aminolevulinic acid application for laser light-induced fluorescence diagnosis of early staged colon cancer in rats. , 2000, 26, 302-307.		12
197	Perioperative cataract OP management by means of teleconsultation. Graefe's Archive for Clinical and Experimental Ophthalmology, 2002, 240, 17-20.	1.9	12
198	Secondary Prevention Medication After Myocardial Infarction: Persistence in Elderly People over the Course of 1ÂYear. Drugs and Aging, 2014, 31, 513-525.	2.7	12

#	Article	IF	CITATIONS
199	The Burden of Diabetes Mellitus in Patients with Coronary Heart Disease: A Methodological Approach to Assess Quality-Adjusted Life-Years Based on Individual-Level Longitudinal Survey Data. Value in Health, 2015, 18, 969-976.	0.3	12
200	What is the impact of different spirometric criteria on the prevalence of spirometrically defined COPD and its comorbidities? Results from the population-based KORA study. International Journal of COPD, 2016, Volume 11, 1881-1894.	2.3	12
201	IDGenerator: unique identifier generator for epidemiologic or clinical studies. BMC Medical Research Methodology, 2016, 16, 120.	3.1	12
202	The 3-Year Cost-Effectiveness of a Nurse-Based Case Management versus Usual Care for Elderly Patients with Myocardial Infarction: Results from the KORINNA Follow-Up Study. Value in Health, 2017, 20, 441-450.	0.3	12
203	Compatibility of medication with PRISCUS criteria and identification of drug interactions in a large cohort of patients with COPD. Pulmonary Pharmacology and Therapeutics, 2018, 49, 123-129.	2.6	12
204	Time preference, outcome expectancy, and self-management in patients with type 2 diabetes. Patient Preference and Adherence, 2018, Volume 12, 1937-1945.	1.8	12
205	Should health insurers target prevention of cardiovascular disease?: a cost-effectiveness analysis of an individualised programme in Germany based on routine data. BMC Health Services Research, 2014, 14, 263.	2.2	11
206	Rural versus urban differences in end-of-life care for lung cancer patients in Germany. Supportive Care in Cancer, 2018, 26, 2275-2283.	2.2	11
207	Do adolescents with extreme obesity differ according to previous treatment seeking behavior? The Youth with Extreme obesity Study (YES) cohort. International Journal of Obesity, 2019, 43, 103-115.	3.4	11
208	Utilization and determinants of use of non-pharmacological interventions in COPD: Results of the COSYCONET cohort. Respiratory Medicine, 2020, 171, 106087.	2.9	11
209	Genetics of Type 2 Diabetes: Impact of Interleukin-6 Gene Variants. Gesundheitswesen, 2005, 67, 122-126.	0.5	10
210	Are health risk attitude and general risk attitude associated with healthcare utilization, costs and working ability? Results from the German KORA FF4 cohort study. Health Economics Review, 2019, 9, 26.	2.0	10
211	Health related quality of life associated with extreme obesity in adolescents – results from the baseline evaluation of the YES-study. Health and Quality of Life Outcomes, 2020, 18, 58.	2.4	10
212	Body weight changes and outpatient medical care utilisation: Results of the MONICA/KORA cohorts S3/F3 and S4/F4. Gms Psycho-social-medicine, 2012, 9, Doc09.	1.2	10
213	Time Trends in Type 2 Diabetes Patients' Disease Management and Outcomes: Evidence from Two KORA Surveys in Germany. Experimental and Clinical Endocrinology and Diabetes, 2009, 117, 88-94.	1.2	9
214	Healthcare use and costs associated with children's behavior problems. European Child and Adolescent Psychiatry, 2013, 23, 701-14.	4.7	9
215	Health Care Service Utilization of Dementia Patients before and after Institutionalization: A Claims Data Analysis. Dementia and Geriatric Cognitive Disorders Extra, 2014, 4, 195-208.	1.3	9
216	Male sex and poverty predict abrupt health decline: Deficit accumulation patterns and trajectories in the KORA-Age cohort study. Preventive Medicine, 2017, 102, 31-38.	3.4	9

#	Article	IF	CITATIONS
217	Exposure to anticholinergic and sedative medications using the Drug Burden Index and its association with vertigo, dizziness and balance problems in older people – Results from the KORA-FF4 Study. Experimental Gerontology, 2019, 124, 110644.	2.8	9
218	Determinants of health-related quality of life decline in interstitial lung disease. Health and Quality of Life Outcomes, 2020, 18, 334.	2.4	9
219	Comparison of cardiovascular risk factors between children and adolescents with classes III and IV obesity: findings from the APV cohort. International Journal of Obesity, 2021, 45, 1061-1073.	3.4	9
220	Treatment of COPD Groups GOLD A and B with Inhaled Corticosteroids in the COSYCONET Cohort – Determinants and Consequences. International Journal of COPD, 2021, Volume 16, 987-998.	2.3	9
221	Comparison of different measures of obesity in their association with health-related quality of life in older adults – results from the KORA-Age study. Public Health Nutrition, 2016, 19, 3276-3286.	2.2	8
222	Direct healthcare costs associated with device assessed and self-reported physical activity: results from a cross-sectional population-based study. BMC Public Health, 2018, 18, 966.	2.9	8
223	Performance of the UKPDS Outcomes ModelÂ2 for Predicting Death and Cardiovascular Events in Patients with Type 2 Diabetes Mellitus from a German Population-Based Cohort. Pharmacoeconomics, 2019, 37, 1485-1494.	3.3	8
224	The effect of bariatric surgery on health care costs: A synthetic control approach using Bayesian structural time series. Health Economics (United Kingdom), 2019, 28, 1293-1307.	1.7	8
225	Exploring Different Strategies of Assessing the Economic Impact of Multiple Diabetes-Associated Complications and Their Interactions: A Large Claims-Based Study in Germany. Pharmacoeconomics, 2019, 37, 63-74.	3.3	8
226	Incidence Rates of Type 2 Diabetes in People With Impaired Fasting Glucose (ADA vs. WHO Criteria) and Impaired Glucose Tolerance: Results From an Older Population (KORA S4/F4/FF4 Study). Diabetes Care, 2019, 42, e18-e20.	8.6	8
227	Time spent on selfâ€management by people with diabetes: results from the populationâ€based KORA survey in Germany. Diabetic Medicine, 2019, 36, 970-981.	2.3	8
228	Utility Decrements Associated With Diabetes and Related Complications: Estimates From a Population-Based Study in Germany. Value in Health, 2021, 24, 274-280.	0.3	8
229	The Long-Term Public Health Impact of a Community-Based Participatory Research Project for Health Promotion Among Socially Disadvantaged Women—A Case Study Protocol. Frontiers in Public Health, 2021, 9, 628630.	2.7	8
230	A Structured, Manual-Based Low-Level Intervention vs. Treatment as Usual Evaluated in a Randomized Controlled Trial for Adolescents with Extreme Obesity - the STEREO Trial. Obesity Facts, 2017, 10, 341-352.	3.4	7
231	Multi-morbidity and disability, findings from the KORA-Age study. BMC Proceedings, 2013, 7, S10.	1.6	6
232	Status quo bias and health behavior: findings from a cross-sectional study. European Journal of Public Health, 2019, 29, 992-997.	0.3	6
233	Patient time costs due to selfâ€management in diabetes may be as high as direct medical costs: results from the populationâ€based KORA survey FF4 in Germany. Diabetic Medicine, 2020, 37, 895-897.	2.3	6
234	Is there a gain from "chance-corrected―measures of diagnostic validity?. Journal of Clinical Epidemiology, 1997, 50, 117-120.	5.0	5

#	Article	IF	CITATIONS
235	Do diabetes and depressed mood affect associations between obesity and quality of life in postmenopause? Results of the KORA-F3 Augsburg population study. Health and Quality of Life Outcomes, 2011, 9, 97.	2.4	5
236	Patient time costs attributable to healthcare use in diabetes: results from the populationâ€based <scp>KORA</scp> survey in Germany. Diabetic Medicine, 2013, 30, 1245-1249.	2.3	5
237	The excess health care costs of KardioPro, an integrated care program for coronary heart disease prevention. Health Policy, 2015, 119, 778-786.	3.0	5
238	Cost drivers in the pharmacological treatment of interstitial lung disease. Respiratory Research, 2021, 22, 218.	3.6	5
239	Interexaminer reliability of the assessment of clinical furcation parameters as related to different probes. European Journal of Oral Sciences, 1999, 107, 2-8.	1.5	4
240	Effects of Nursing Home Residency on Diabetes Care in Individuals with Dementia: An Explorative Analysis Based on German Claims Data. Dementia and Geriatric Cognitive Disorders Extra, 2017, 7, 41-51.	1.3	4
241	Heterogeneous pattern of differences in respiratory parameters between elderly with either good or poor FEV1. BMC Pulmonary Medicine, 2018, 18, 27.	2.0	4
242	Association between unrealistic comparative optimism and selfâ€management in individuals with type 2 diabetes: Results from a crossâ€sectional, populationâ€based study. Health Science Reports, 2020, 3, e157.	1.5	4
243	<title>Different PS application methods for laserlight-induced fluorescence diagnostics (LIFD) of dysplasia and early cancer of the colon</title> . , 1997, , .		3
244	Medication Costs by Glucose Tolerance Stage in Younger and Older Women and Men: Results from the Population-based KORA Survey in Germany. Experimental and Clinical Endocrinology and Diabetes, 2013, 121, 614-623.	1.2	3
245	Treatment of small cell lung cancer by different chemotherapy regimes. Cancer Treatment Reviews, 1983, 10, 111-120.	7.7	2
246	Two randomized trials for alternating polychemotherapy of small cell lung cancer. Cancer Chemotherapy and Pharmacology, 1986, 18, S40-S44.	2.3	2
247	The prognostic value of response to the first cycle of chemotherapy in small cell lung cancer. Results of a multicenter German trial. European Journal of Cancer & Clinical Oncology, 1987, 23, 1197-1205.	0.7	2
248	Diagnostic and Prognostic Metabolites Identified for Joint Symptoms in the KORA Population. Journal of Proteome Research, 2016, 15, 554-562.	3.7	2
249	Wealth and occupation determine health deficit accumulation onset in Europe – Results from the SHARE study. Experimental Gerontology, 2018, 113, 74-79.	2.8	2
250	Association of individual and area-level socioeconomic conditions with quality of life and glycaemic control in 11- to 21-year-old adolescents with early-onset type 1 diabetes: a cross-sectional study. Quality of Life Research, 2018, 27, 3131-3136.	3.1	2
251	Cost-effectiveness analysis of case management for optimized antithrombotic treatment in German general practices compared to usual care – results from the PICANT trial. Health Economics Review, 2019, 9, 4.	2.0	2
252	The Effectiveness of the Cardiovascular Disease Prevention Programme â€~KardioPro' Initiated by a German Sickness Fund: A Time-to-Event Analysis of Routine Data. PLoS ONE, 2014, 9, e114720.	2.5	2

#	Article	IF	CITATIONS
253	Regional differences in antihyperglycemic medication are not explained by individual socioeconomic status, regional deprivation, and regional health care services. Observational results from the German DIAB-CORE consortium. PLoS ONE, 2018, 13, e0191559.	2.5	2
254	BreathEase: rationale, design and recruitment of a randomised trial and embedded mixed-methods study of a multiprofessional breathlessness service in early palliative care. ERJ Open Research, 2021, 7, 00228-2020.	2.6	2
255	Sequential versus Alternating Chemotherapy for High-Grade Non-Hodgkin's Lymphomas: Preliminary Results of a Phase III Multicentre Trial. Oncology Research and Treatment, 1990, 13, 28-32.	1.2	1
256	PRS27 MARKOV MODEL FOR HEALTH-ECONOMIC EVALUATIONS OF COPD IN GERMANY. Value in Health, 2009, 12, A303.	0.3	1
257	The Intermediate Burden Of Diabetes Mellitus In Patients With Cardiovascular Disease (Cvd): A Quality Adjusted Life Year (Qaly) -Analysis Based On Primary Longitudinal Data. Value in Health, 2014, 17, A494.	0.3	1
258	Genetic Variation and Cardiovascular Risk Factors: A Cohort Study on Migrants from the Former Soviet Union and a Native German Population. International Journal of Environmental Research and Public Health, 2021, 18, 6215.	2.6	1
259	Identifying predictors of healthcare utilization and costs in COPD patients over 18 months: first longitudinal results of the COSYCONET cohort. , 2018, , .		1
260	Comparison of two types of synthetic biodegradable barriers for GTR in interproximal infrabony defects: clinical and radiographic 24-month results. International Journal of Periodontics and Restorative Dentistry, 2003, 23, 481-9.	1.0	1
261	Factors affecting the sensitivity of computerized ECG analysis in identifying previous myocardial infarction. , 0, , .		0
262	PAA7 A COMPARISON OF TWO APPROACHES TO ESTIMATE ANNUAL MEDICATION COSTS IN THE KORA ASTHMA AND ALLERGY STUDY. Value in Health, 2004, 7, 660.	0.3	0
263	PRS11 MARKOV MODEL FOR COPD: COMPARING TREEAGE AND ARENA SOFTWARE AND VALIDATING THE MODEL. Value in Health, 2007, 10, A310.	0.3	0
264	PRS15 ESTIMATING EXCESS COSTS OF POPULATION-BASED CASES WITH MILD COPD—RESULTS FROM THE KORA F3 STUDY. Value in Health, 2008, 11, A450.	0.3	0
265	PRS34 QUALITY OF LIFE DURING ACUTE EXACERBATIONS OF COPD: COMPARING EQ-5D, SF-12 AND SGRQ. Value in Health, 2008, 11, A456.	0.3	0
266	PDB27 INSULIN GLARGINE AND NPH INSULIN-BASED REGIMENS REVEAL COMPARABLE TOTAL DIRECT TREATMENT COSTS IN TYPE 2 DIABETES PATIENTS.THE LONG-ACTING INSULIN GLARGINE VS. NPH INSULIN COST EVALUATION STUDY IN GERMANY (LIVE-DE). Value in Health, 2008, 11, A504.	0.3	0
267	PDB35 LOWER TREATMENT COSTS WITH INSULIN GLARGINE COMPARED TO INSULIN DETEMIR IN TYPE-2 DIABETES PATIENTS ON BASAL-BOLUS THERAPY UNDER REAL WORLD CONDITIONS IN GERMANY. Value in Health, 2009, 12, A408.	0.3	0
268	PDB60 EVALUATION OF THE PATIENT'S PERSPECTIVE OF MEDICAL CARE IN TYPE 2 DIABETES DISEASE MANAGEMENT PROGRAMS. Value in Health, 2009, 12, A412-A413.	0.3	0
269	P2-269 Regional differences in the prevalence of type 2 diabetes mellitus: results from five population-based cohort studies in Germany (DIAB-CORE consortium). Journal of Epidemiology and Community Health, 2011, 65, A296-A296.	3.7	0
270	PRM134 Regression Methods for Health-Related Quality of Life Data in Longitudinal Settings: Are More Advanced Techniques Really Performing Better?. Value in Health, 2012, 15, A484-A485.	0.3	0

#	Article	IF	CITATIONS
271	Competingâ€risks duration models with correlated random effects: an application to dementia patients' transition histories. Statistics in Medicine, 2014, 33, 3919-3931.	1.6	0
272	An Economic Perspective on Childhood Obesity. Pediatric and Adolescent Medicine, 2015, , 148-159.	0.4	0
273	Differences in therapy and survival between lung cancer patients treated in hospitals with high and low patient case volume. Health Policy, 2020, 124, 1217-1225.	3.0	0
274	The KORA-AGE eye study: Eye diseases in the elderly. Acta Ophthalmologica, 2013, 91, 0-0.	1.1	0
275	Utilization of Primary Care Physicians by Obese Men and Women: Review for Germany and Results from the MONICA/KORA Cohorts S3/F3 and S4/F4. , 2014, , 221-236.		0
276	Health Services Utilization by Community-Dwelling Dementia Patients and Their Family Caregivers. , 2014, , 193-219.		0
277	The KORA-AGE Eye Study: Genetic Susceptibility. Acta Ophthalmologica, 2014, 92, 0-0.	1.1	0
278	Impact of different spirometric definitions on COPD prevalence and biomarkers in a population-based sample up to age 90. , 2015, , .		0
279	Assessing health-related quality of life in COPD: A comparison between one generic and two disease-specific instruments. , 2015, , .		0
280	Systematic analysis of self-reported comorbidities in the COSYCONET COPD cohort study by stepwise evaluation of medication. , 2016, , .		0
281	Can disease-specific questionnaires describe the effect of comorbidities on health-related quality of life in patients with COPD? A comparison of disease-specific and generic questionnaires in the COSYCONET cohort. , 2016, , .		0
282	Anticholinergic and sedative medication as risk factor for vertigo and dizziness in the general population: Results from the KORA-FF4 survey. Gesundheitswesen, 2017, 79, .	0.5	0
283	Costs and health-related quality of life in COPD patients with $\hat{I}\pm -1$ -antitrypsin deficiency: results of the COSYCONET cohort. , 2017, , .		0
284	Association of long-term air pollution with spirometry and lung diffusing capacity: Results from the KORA FF4 study. , 2017, , .		0
285	Is physical activity associated with lung function in lung-healthy German adults?. , 2017, , .		0
286	What predicts a deterioration of generic and disease-specific health-related quality of life in COPD? First longitudinal results of the COSYCONET cohort. , 2017, , .		0
287	Diabetes mellitus: Kosten von Komplikationen erstmals detailliert berechnet. Deutsches Ärzteblatt International, 0, , .	0.9	0
288	Changes in targeted therapy and costs in NSCLC between 2009 and 2013. , 2018, , .		0

#	Article	IF	CITATIONS
289	Inanspruchnahme und Determinanten leitlinien-empfohlener nicht-medikamentöser Behandlungsoptionen bei COPD Patienten: Ergebnisse der COSYCONET Kohorte. , 2019, 73, .		0
290	Randomisiert-kontrollierte Studie zur Evaluation der Atemnot-Ambulanz München (BreathEase): Rekrutierung und Beschreibung der Studienteilnehmer [164]. Zeitschrift Für Palliativmedizin, 2020, 21,	0.3	0