

Mihkel MÃœesaar

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/188971/publications.pdf>

Version: 2024-02-01

14
papers

192
citations

1163117

8
h-index

1058476

14
g-index

14
all docs

14
docs citations

14
times ranked

283
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | The prevalence, counts, and MLST genotypes of <i>Campylobacter</i> in poultry meat and genomic comparison with clinical isolates. <i>Poultry Science</i> , 2022, 101, 101703. | 3.4 | 13 |
| 2 | Antibiotic Resistance in <i>Campylobacter</i> spp. Isolated from Broiler Chicken Meat and Human Patients in Estonia. <i>Microorganisms</i> , 2022, 10, 1067. | 3.6 | 5 |
| 3 | Retrospective Use of Whole-Genome Sequencing Expands the Multicountry Outbreak Cluster of <i>Listeria monocytogenes</i> ST1247. <i>International Journal of Genomics</i> , 2021, 2021, 1-5. | 1.6 | 6 |
| 4 | Prevalence and Serotype Diversity of <i>Salmonella enterica</i> in the Estonian Meat Production Chain in 2016–2020. <i>Pathogens</i> , 2021, 10, 1622. | 2.8 | 5 |
| 5 | The source attribution analysis revealed the prevalent role of poultry over cattle and wild birds in human campylobacteriosis cases in the Baltic States. <i>PLoS ONE</i> , 2020, 15, e0235841. | 2.5 | 15 |
| 6 | Draft Genome Sequence of a Multicountry Outbreak-Related <i>Listeria monocytogenes</i> Sequence Type 1247 Strain, VLTRLM2013. <i>Microbiology Resource Announcements</i> , 2020, 9, . | 0.6 | 1 |
| 7 | Prevalence and Numbers of <i>Listeria monocytogenes</i> in Various Ready-to-Eat Foods over a 5-Year Period in Estonia. <i>Journal of Food Protection</i> , 2019, 82, 597-604. | 1.7 | 14 |
| 8 | Whole-genome multilocus sequence typing of closely related broiler chicken meat origin <i>Campylobacter jejuni</i> ST-5 isolates. <i>Poultry Science</i> , 2019, 98, 1610-1614. | 3.4 | 1 |
| 9 | Antimicrobial resistance and multilocus sequence types of <i>Campylobacter jejuni</i> isolated from Baltic broiler chicken meat and Estonian human patients. <i>Poultry Science</i> , 2018, 97, 3645-3651. | 3.4 | 20 |
| 10 | Phenotypic Characterization of <i>Escherichia coli</i> O157:H7 Strains Isolated from Cattle at Slaughter. <i>Vector-Borne and Zoonotic Diseases</i> , 2016, 16, 703-708. | 1.5 | 3 |
| 11 | <i>Listeria monocytogenes</i> in ready-to-eat vacuum and modified atmosphere packaged meat and fish products of Estonian origin at retail level. <i>Food Control</i> , 2016, 67, 48-52. | 5.5 | 40 |
| 12 | Monomorphic genotypes within a generalist lineage of <i>Campylobacter jejuni</i> show signs of global dispersion. <i>Microbial Genomics</i> , 2016, 2, e000088. | 2.0 | 31 |
| 13 | Prevalence and counts of <i>Campylobacter</i> spp. in poultry meat at retail level in Estonia. <i>Food Control</i> , 2014, 44, 72-77. | 5.5 | 20 |
| 14 | High occurrence of <i>Campylobacter</i> spp. in Latvian broiler chicken production. <i>Food Control</i> , 2013, 29, 188-191. | 5.5 | 18 |