Leanne Sakzewski, BOccThy

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/189080/publications.pdf Version: 2024-02-01

201385 189595 80 2,803 27 50 citations h-index g-index papers 81 81 81 2275 docs citations citing authors all docs times ranked

#	Article	IF	CITATIONS
1	Interventions to improve physical function for children and young people with cerebral palsy: international clinical practice guideline. Developmental Medicine and Child Neurology, 2022, 64, 536-549.	1.1	89
2	Efficacy of early interventions with active parent implementation in low-and-Middle income countries for young children with cerebral palsy to improve child development and parent mental health outcomes: a systematic review. Disability and Rehabilitation, 2022, 44, 6969-6983.	0.9	4
3	Development of gross motor capacity and mobility performance in children with cerebral palsy: a longitudinal study. Developmental Medicine and Child Neurology, 2022, 64, 578-585.	1.1	12
4	Program for the Education and Enrichment of Relational Skills for adolescents with an acquired brain injury: A randomized controlled trial. Developmental Medicine and Child Neurology, 2022, 64, 771-779.	1.1	4
5	Best evidence for improving function in children with cerebral palsy: Success is within reach. Developmental Medicine and Child Neurology, 2022, 64, 664-665.	1.1	2
6	Social skills group training in adolescents with disabilities: A systematic review. Research in Developmental Disabilities, 2022, 125, 104218.	1.2	10
7	Study protocol for Running for health (Run4Health CP): a multicentre, assessor-blinded randomised controlled trial of 12 weeks of two times weekly Frame Running training versus usual care to improve cardiovascular health risk factors in children and youth with cerebral palsy. BMJ Open, 2022, 12, e057668.	0.8	2
8	Intervenções para promover função fÃsica de crianças e jovens com paralisia cerebral: diretriz internacional de prática clÃnica. Developmental Medicine and Child Neurology, 2022, 64, .	1.1	0
9	Participation predictors for leisureâ€time physical activity intervention in children with cerebral palsy. Developmental Medicine and Child Neurology, 2021, 63, 566-575.	1.1	12
10	Preschool HABIT-ILE: study protocol for a randomised controlled trial to determine efficacy of intensive rehabilitation compared with usual care to improve motor skills of children, aged 2–5 years, with bilateral cerebral palsy. BMJ Open, 2021, 11, e041542.	0.8	3
11	Commentary on Stability of the Gross Motor Function Classification System in Children with Cerebral Palsy Living in Stockholm and Factors Associated with Change. Physical and Occupational Therapy in Pediatrics, 2021, 41, 1-3.	0.8	0
12	Mothers' perspectives on the influences shaping their early experiences with infants at risk of cerebral palsy in India. Research in Developmental Disabilities, 2021, 113, 103957.	1.2	6
13	Descriptive contents analysis of ParticiPAte CP: a participation-focused intervention to promote physical activity participation in children with cerebral palsy. Disability and Rehabilitation, 2021, , 1-11.	0.9	5
14	Hand function and self are in children with cerebral palsy. Developmental Medicine and Child Neurology, 2021, 63, 576-583.	1.1	12
15	Hand Function in 8- to 12-Year-Old Children with Bilateral Cerebral Palsy and Interpretability of the Both Hands Assessment. Physical and Occupational Therapy in Pediatrics, 2021, 41, 1-14.	0.8	4
16	Defining Functional Therapy in Research Involving Children with Cerebral Palsy: A Systematic Review. Physical and Occupational Therapy in Pediatrics, 2020, 40, 231-246.	0.8	16
17	Blinding and bias in randomized controlled trials: when to measure the effectiveness of blinding. Developmental Medicine and Child Neurology, 2020, 62, 260-260.	1.1	1
18	Selfâ€care performance in children with cerebral palsy: a longitudinal study. Developmental Medicine and Child Neurology, 2020, 62, 1061-1067.	1.1	14

#	Article	IF	CITATIONS
19	What is the threshold dose of upper limb training for children with cerebral palsy to improve function? A systematic review. Australian Occupational Therapy Journal, 2020, 67, 269-280.	0.6	45
20	Sedentary Behavior in Children With Cerebral Palsy Between 1.5 and 12 Years: A Longitudinal Study. Pediatric Physical Therapy, 2020, 32, 367-373.	0.3	12
21	Efficacy of group social skills interventions on social competency and participation in adolescents with acquired and developmental disabilities: a systematic review protocol. JBI Evidence Synthesis, 2020, 18, 2618-2632.	0.6	2
22	A systematic review of upper limb activity measures for 5―to 18â€yearâ€old children with bilateral cerebral palsy. Australian Occupational Therapy Journal, 2019, 66, 552-567.	0.6	8
23	Multicentre, randomised waitlist control trial investigating a parent-assisted social skills group programme for adolescents with brain injuries: protocol for the friends project. BMJ Open, 2019, 9, e029587.	0.8	5
24	Protocol for a multisite randomised trial of Hand–Arm Bimanual Intensive Training Including Lower Extremity training for children with bilateral cerebral palsy: HABIT-ILE Australia. BMJ Open, 2019, 9, e032194.	0.8	9
25	Development of hand function during the first year of life in children with unilateral cerebral palsy. Developmental Medicine and Child Neurology, 2019, 61, 563-569.	1.1	23
26	Stability of the Manual Ability Classification System in young children with cerebral palsy. Developmental Medicine and Child Neurology, 2019, 61, 798-804.	1.1	11
27	Efficacy of Participation-Focused Therapy on Performance of Physical Activity Participation Goals and Habitual Physical Activity in Children With Cerebral Palsy: A Randomized Controlled Trial. Archives of Physical Medicine and Rehabilitation, 2019, 100, 676-686.	0.5	42
28	Neuromotor performance in infants before and after early open-heart surgery and risk factors for delayed development at 6 months of age. Cardiology in the Young, 2019, 29, 100-109.	0.4	15
29	Selfâ€eare and manual ability in preschool children with cerebral palsy: a longitudinal study. Developmental Medicine and Child Neurology, 2019, 61, 570-578.	1.1	18
30	Goal-directed occupational therapy for children with unilateral cerebral palsy: Categorising and quantifying session content. British Journal of Occupational Therapy, 2018, 81, 138-146.	0.5	1
31	Randomized controlled trial of web-based multimodal therapy for children with acquired brain injury to improve gross motor capacity and performance. Clinical Rehabilitation, 2017, 31, 722-732.	1.0	28
32	Test–retest reproducibility of the Assessment of Motor and Process Skills for school-aged children with acquired brain injuries. Scandinavian Journal of Occupational Therapy, 2017, 24, 161-166.	1.1	4
33	The costâ€effectiveness of a webâ€based multimodal therapy for unilateral cerebral palsy: the Mitii randomized controlled trial. Developmental Medicine and Child Neurology, 2017, 59, 756-761.	1.1	33
34	Characteristics associated with physical activity capacity and performance in children and adolescents with an acquired brain injury. Brain Injury, 2017, 31, 667-673.	0.6	4
35	Clinical feasibility of preâ€operative neurodevelopmental assessment of infants undergoing open heart surgery. Journal of Paediatrics and Child Health, 2017, 53, 794-799.	0.4	4
36	Sakzewski etÂal. reply. Developmental Medicine and Child Neurology, 2017, 59, 336-337.	1.1	0

#	Article	IF	CITATIONS
37	The efficacy of interventions to increase physical activity participation of children with cerebral palsy: a systematic review and metaâ€analysis. Developmental Medicine and Child Neurology, 2017, 59, 1011-1018.	1.1	83
38	REACH: study protocol of a randomised trial of rehabilitation very early in congenital hemiplegia. BMJ Open, 2017, 7, e017204.	0.8	35
39	Validity of Accelerometry to Measure Physical Activity Intensity in Children With an Acquired Brain Injury. Pediatric Physical Therapy, 2017, 29, 322-329.	0.3	8
40	PREDICT-CP: study protocol of implementation of comprehensive surveillance to predict outcomes for school-aged children with cerebral palsy. BMJ Open, 2017, 7, e014950.	0.8	20
41	ParticiPAte CP: a protocol of a randomised waitlist controlled trial of a motivational and behaviour change therapy intervention to increase physical activity through meaningful participation in children with cerebral palsy. BMJ Open, 2017, 7, e015918.	0.8	18
42	Impact of multiâ€modal webâ€based rehabilitation on occupational performance and upper limb outcomes: pilot randomized trial in children with acquired brain injuries. Developmental Medicine and Child Neurology, 2016, 58, 1257-1264.	1.1	16
43	Do we really know what they were testing? Incomplete reporting of interventions in randomised trials of upper limb therapies in unilateral cerebral palsy. Research in Developmental Disabilities, 2016, 59, 417-427.	1.2	27
44	Reproducibility in measuring physical activity in children and adolescents with an acquired brain injury. Brain Injury, 2016, 30, 1692-1698.	0.6	18
45	Systematic review of physiotherapy interventions to improve gross motor capacity and performance in children and adolescents with an acquired brain injury. Brain Injury, 2016, 30, 948-959.	0.6	20
46	Test–re-test reproducibility of activity capacity measures for children with an acquired brain injury. Brain Injury, 2016, 30, 1143-1149.	0.6	19
47	Translating Evidence to Increase Quality and Dose of Upper Limb Therapy for Children with Unilateral Cerebral Palsy: A Pilot Study. Physical and Occupational Therapy in Pediatrics, 2016, 36, 305-329.	0.8	8
48	Evaluation of group versus individual physiotherapy following lower limb intra-muscular Botulinum Toxin-Type A injections for ambulant children with cerebral palsy: A single-blind randomized comparison trial. Research in Developmental Disabilities, 2016, 53-54, 267-278.	1.2	9
49	The Jebsen Taylor Test of Hand Function: A Pilot Test–Retest Reliability Study in Typically Developing Children. Physical and Occupational Therapy in Pediatrics, 2016, 36, 292-304.	0.8	33
50	Establishing Australian Norms for the Jebsen Taylor Test of Hand Function in Typically Developing Children Aged Five to 10 Years: A Pilot Study. Physical and Occupational Therapy in Pediatrics, 2016, 36, 88-109.	0.8	26
51	Experiences of using the Theoretical Domains Framework across diverse clinical environments: a qualitative study. Journal of Multidisciplinary Healthcare, 2015, 8, 139.	1.1	129
52	Randomized comparison trial of density and context of upper limb intensive group versus individualized occupational therapy for children with unilateral cerebral palsy. Developmental Medicine and Child Neurology, 2015, 57, 539-547.	1.1	37
53	Mitiiâ"¢ ABI: study protocol of a randomised controlled trial of a web-based multi-modal training program for children and adolescents with an Acquired Brain Injury (ABI). BMC Neurology, 2015, 15, 140.	0.8	25
54	Safety of Botulinum Toxin Type A for Children With Nonambulatory Cerebral Palsy. Pediatrics, 2015, 136, 895-904.	1.0	18

#	Article	IF	CITATIONS
55	Comparison of dosage of intensive upper limb therapy for children with unilateral cerebral palsy: How big should the therapy pill be?. Research in Developmental Disabilities, 2015, 37, 9-16.	1.2	58
56	Delivering Evidence-Based Upper Limb Rehabilitation for Children with Cerebral Palsy: Barriers and Enablers Identified by Three Pediatric Teams. Physical and Occupational Therapy in Pediatrics, 2014, 34, 368-383.	0.8	27
57	GRIN: "GRoup versus INdividual physiotherapy following lower limb intra-muscular Botulinum Toxin-A injections for ambulant children with cerebral palsy: an assessor-masked randomised comparison trial― study protocol. BMC Pediatrics, 2014, 14, 35.	0.7	6
58	The State of the Evidence for Intensive Upper Limb Therapy Approaches for Children With Unilateral Cerebral Palsy. Journal of Child Neurology, 2014, 29, 1077-1090.	0.7	87
59	Botulinum Toxin A for Nonambulatory Children with Cerebral Palsy: A Double Blind Randomized Controlled Trial. Journal of Pediatrics, 2014, 165, 140-146.e4.	0.9	60
60	Efficacy of Upper Limb Therapies for Unilateral Cerebral Palsy: A Meta-analysis. Pediatrics, 2014, 133, e175-e204.	1.0	235
61	COMBIT: protocol of a randomised comparison trial of COMbined modified constraint induced movement therapy and bimanual intensive training with distributed model of standard upper limb rehabilitation in children with congenital hemiplegia. BMC Neurology, 2013, 13, 68.	0.8	40
62	Move it to improve it (Mitii): study protocol of a randomised controlled trial of a novel web-based multimodal training program for children and adolescents with cerebral palsy. BMJ Open, 2013, 3, e002853.	0.8	51
63	Sakzewski etÂal. reply. Developmental Medicine and Child Neurology, 2012, 54, 381-382.	1.1	Ο
64	Impact of intensive upper limb rehabilitation on quality of life: a randomized trial in children with unilateral cerebral palsy. Developmental Medicine and Child Neurology, 2012, 54, 415-423.	1.1	48
65	Evaluation of the effects of botulinum toxin A injections when used to improve ease of care and comfort in children with cerebral palsy whom are non-ambulant: a double blind randomized controlled trial. BMC Pediatrics, 2012, 12, 120.	0.7	23
66	Bimanual therapy and constraint-induced movement therapy are equally effective in improving hand function in children with congenital hemiplegia. Journal of Physiotherapy, 2012, 58, 59.	0.7	18
67	Participation Outcomes in a Randomized Trial of 2 Models of Upper-Limb Rehabilitation for Children With Congenital Hemiplegia. Archives of Physical Medicine and Rehabilitation, 2011, 92, 531-539.	0.5	55
68	Best Responders After Intensive Upper-Limb Training for Children With Unilateral Cerebral Palsy. Archives of Physical Medicine and Rehabilitation, 2011, 92, 578-584.	0.5	72
69	Equivalent Retention of Gains at 1 Year After Training With Constraint-Induced or Bimanual Therapy in Children With Unilateral Cerebral Palsy. Neurorehabilitation and Neural Repair, 2011, 25, 664-671.	1.4	48
70	Botulinum toxin A in conjunction with occupational therapy reduces spasticity and improves upper limb function and goal attainment in children with cerebral palsy. Australian Occupational Therapy Journal, 2011, 58, 132-133.	0.6	2
71	Randomized trial of constraintâ€induced movement therapy and bimanual training on activity outcomes for children with congenital hemiplegia. Developmental Medicine and Child Neurology, 2011, 53, 313-320.	1.1	146
72	INCITE: A randomised trial comparing constraint induced movement therapy and bimanual training in children with congenital hemiplegia. BMC Neurology, 2010, 10, 4.	0.8	73

Leanne Sakzewski, BOccThy

#	Article	IF	CITATIONS
73	A systematic review of the psychometric properties of Quality of Life measures for school aged children with cerebral palsy. BMC Pediatrics, 2010, 10, 81.	0.7	73
74	Upper limb activity measures for 5―to 16â€yearâ€old children with congenital hemiplegia: a systematic review. Developmental Medicine and Child Neurology, 2010, 52, 14-21.	1.1	128
75	Repeat upper limb botulinum toxin A injections: a reflection of clinical practice. Developmental Medicine and Child Neurology, 2010, 52, 8-9.	1.1	3
76	The relationship between unimanual capacity and bimanual performance in children with congenital hemiplegia. Developmental Medicine and Child Neurology, 2010, 52, 811-816.	1.1	83
77	A balancing act: Children's experience of modified constraint-induced movement therapy. Developmental Neurorehabilitation, 2010, 13, 88-94.	0.5	59
78	Systematic Review and Meta-analysis of Therapeutic Management of Upper-Limb Dysfunction in Children With Congenital Hemiplegia. Pediatrics, 2009, 123, e1111-e1122.	1.0	202
79	Clinimetric properties of participation measures for 5―to 13â€yearâ€old children with cerebral palsy: a systematic review. Developmental Medicine and Child Neurology, 2007, 49, 232-240.	1.1	184
80	Test/Retest Reliability and Inter-Rater Agreement of the Quality of Upper Extremities Skills Test (QUEST) for Older Children with Acquired Brain Injuries. Physical and Occupational Therapy in Pediatrics, 2002, 21, 59-67.	0.8	13