

Stewart Anderson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1891660/publications.pdf>

Version: 2024-02-01

63
papers

26,762
citations

76326

40
h-index

123424

61
g-index

64
all docs

64
docs citations

64
times ranked

15173
citing authors

#	ARTICLE	IF	CITATIONS
1	Twenty-Year Follow-up of a Randomized Trial Comparing Total Mastectomy, Lumpectomy, and Lumpectomy plus Irradiation for the Treatment of Invasive Breast Cancer. <i>New England Journal of Medicine</i> , 2002, 347, 1233-1241.	27.0	5,366
2	Effects of radiotherapy and of differences in the extent of surgery for early breast cancer on local recurrence and 15-year survival: an overview of the randomised trials. <i>Lancet, The</i> , 2005, 366, 2087-2106.	13.7	4,596
3	Preoperative Chemotherapy: Updates of National Surgical Adjuvant Breast and Bowel Project Protocols B-18 and B-27. <i>Journal of Clinical Oncology</i> , 2008, 26, 778-785.	1.6	1,524
4	Sentinel-lymph-node resection compared with conventional axillary-lymph-node dissection in clinically node-negative patients with breast cancer: overall survival findings from the NSABP B-32 randomised phase 3 trial. <i>Lancet Oncology, The</i> , 2010, 11, 927-933.	10.7	1,477
5	Reanalysis and Results after 12 Years of Follow-up in a Randomized Clinical Trial Comparing Total Mastectomy with Lumpectomy with or without Irradiation in the Treatment of Breast Cancer. <i>New England Journal of Medicine</i> , 1995, 333, 1456-1461.	27.0	1,339
6	Twenty-Five-Year Follow-up of a Randomized Trial Comparing Radical Mastectomy, Total Mastectomy, and Total Mastectomy Followed by Irradiation. <i>New England Journal of Medicine</i> , 2002, 347, 567-575.	27.0	1,213
7	The Effect on Tumor Response of Adding Sequential Preoperative Docetaxel to Preoperative Doxorubicin and Cyclophosphamide: Preliminary Results From National Surgical Adjuvant Breast and Bowel Project Protocol B-27. <i>Journal of Clinical Oncology</i> , 2003, 21, 4165-4174.	1.6	1,018
8	Technical outcomes of sentinel-lymph-node resection and conventional axillary-lymph-node dissection in patients with clinically node-negative breast cancer: results from the NSABP B-32 randomised phase III trial. <i>Lancet Oncology, The</i> , 2007, 8, 881-888.	10.7	915
9	Sequential Preoperative or Postoperative Docetaxel Added to Preoperative Doxorubicin Plus Cyclophosphamide for Operable Breast Cancer: National Surgical Adjuvant Breast and Bowel Project Protocol B-27. <i>Journal of Clinical Oncology</i> , 2006, 24, 2019-2027.	1.6	850
10	Long-Term Outcomes of Invasive Ipsilateral Breast Tumor Recurrences After Lumpectomy in NSABP B-17 and B-24 Randomized Clinical Trials for DCIS. <i>Journal of the National Cancer Institute</i> , 2011, 103, 478-488.	6.3	660
11	Adjuvant bisphosphonate treatment in early breast cancer: meta-analyses of individual patient data from randomised trials. <i>Lancet, The</i> , 2015, 386, 1353-1361.	13.7	581
12	Significance of ipsilateral breast tumour recurrence after lumpectomy. <i>Lancet, The</i> , 1991, 338, 327-331.	13.7	543
13	Sentinel Node Biopsy After Neoadjuvant Chemotherapy in Breast Cancer: Results From National Surgical Adjuvant Breast and Bowel Project Protocol B-27. <i>Journal of Clinical Oncology</i> , 2005, 23, 2694-2702.	1.6	492
14	Predictors of Locoregional Recurrence After Neoadjuvant Chemotherapy: Results From Combined Analysis of National Surgical Adjuvant Breast and Bowel Project B-18 and B-27. <i>Journal of Clinical Oncology</i> , 2012, 30, 3960-3966.	1.6	473
15	Effect of Occult Metastases on Survival in Node-Negative Breast Cancer. <i>New England Journal of Medicine</i> , 2011, 364, 412-421.	27.0	399
16	Prognosis After Ipsilateral Breast Tumor Recurrence and Locoregional Recurrences in Patients Treated by Breast-Conserving Therapy in Five National Surgical Adjuvant Breast and Bowel Project Protocols of Node-Negative Breast Cancer. <i>Journal of Clinical Oncology</i> , 2009, 27, 2466-2473.	1.6	397
17	Morbidity results from the NSABP B-32 trial comparing sentinel lymph node dissection versus axillary dissection. <i>Journal of Surgical Oncology</i> , 2010, 102, 111-118.	1.7	387
18	Patterns of Locoregional Failure in Patients With Operable Breast Cancer Treated by Mastectomy and Adjuvant Chemotherapy With or Without Tamoxifen and Without Radiotherapy: Results From Five National Surgical Adjuvant Breast and Bowel Project Randomized Clinical Trials. <i>Journal of Clinical Oncology</i> , 2004, 22, 4247-4254.	1.6	348

#	ARTICLE	IF	CITATIONS
19	Treatment of lymph-node-negative, oestrogen-receptor-positive breast cancer: long-term findings from National Surgical Adjuvant Breast and Bowel Project randomised clinical trials. <i>Lancet, The</i> , 2004, 364, 858-868.	13.7	334
20	Adjuvant Tamoxifen Reduces Subsequent Breast Cancer in Women With Estrogen Receptor-Positive Ductal Carcinoma in Situ: A Study Based on NSABP Protocol B-24. <i>Journal of Clinical Oncology</i> , 2012, 30, 1268-1273.	1.6	310
21	Acute Myeloid Leukemia and Myelodysplastic Syndrome After Doxorubicin-Cyclophosphamide Adjuvant Therapy for Operable Breast Cancer: The National Surgical Adjuvant Breast and Bowel Project Experience. <i>Journal of Clinical Oncology</i> , 2003, 21, 1195-1204.	1.6	298
22	Increasing the dose intensity of chemotherapy by more frequent administration or sequential scheduling: a patient-level meta-analysis of 37,298 women with early breast cancer in 26 randomised trials. <i>Lancet, The</i> , 2019, 393, 1440-1452.	13.7	260
23	Pathologic findings from the national surgical adjuvant breast project protocol B-06 10-year pathologic and clinical prognostic discriminants. <i>Cancer</i> , 1993, 71, 2507-2514.	4.1	257
24	Tamoxifen and Chemotherapy for Axillary Node-Negative, Estrogen Receptor-Negative Breast Cancer: Findings From National Surgical Adjuvant Breast and Bowel Project B-23. <i>Journal of Clinical Oncology</i> , 2001, 19, 931-942.	1.6	247
25	Conservative surgery for the management of invasive and noninvasive carcinoma of the breast: NSABP trials. <i>World Journal of Surgery</i> , 1994, 18, 63-69.	1.6	228
26	Further Evaluation of Intensified and Increased Total Dose of Cyclophosphamide for the Treatment of Primary Breast Cancer: Findings From National Surgical Adjuvant Breast and Bowel Project B-25. <i>Journal of Clinical Oncology</i> , 1999, 17, 3374-3388.	1.6	221
27	Fifteen-year prognostic discriminants for invasive breast carcinoma. <i>Cancer</i> , 2001, 91, 1679-1687.	4.1	205
28	Comparison of the prognostic and predictive utilities of the 21-gene Recurrence Score assay and Adjuvant! for women with node-negative, ER-positive breast cancer: results from NSABP B-14 and NSABP B-20. <i>Breast Cancer Research and Treatment</i> , 2011, 127, 133-142.	2.5	176
29	Chemotherapy for isolated locoregional recurrence of breast cancer (CALOR): a randomised trial. <i>Lancet Oncology, The</i> , 2014, 15, 156-163.	10.7	171
30	Oral clodronate for adjuvant treatment of operable breast cancer (National Surgical Adjuvant Breast) <i>Lancet Oncology, The</i> , 2012, 13, 734-742.	10.7	168
31	Prognosis and Treatment of Patients With Breast Tumors of One Centimeter or Less and Negative Axillary Lymph Nodes. <i>Journal of the National Cancer Institute</i> , 2001, 93, 112-120.	6.3	148
32	Maintenance Treatment of Depression in Old Age. <i>Archives of General Psychiatry</i> , 2011, 68, 51.	12.3	145
33	Conservative management of intraductal carcinoma (DCIS) of the breast. <i>Journal of Surgical Oncology</i> , 1991, 47, 139-147.	1.7	134
34	Patient-Reported Outcomes in Sentinel Node-Negative Adjuvant Breast Cancer Patients Receiving Sentinel-Node Biopsy or Axillary Dissection: National Surgical Adjuvant Breast and Bowel Project Phase III Protocol B-32. <i>Journal of Clinical Oncology</i> , 2010, 28, 3929-3936.	1.6	131
35	Hazard of recurrence and adjuvant treatment effects over time in lymph node-negative breast cancer. <i>Breast Cancer Research and Treatment</i> , 2009, 116, 595-602.	2.5	116
36	Smoker reactivity to cues: Effects on craving and on smoking behavior.. <i>Journal of Abnormal Psychology</i> , 2013, 122, 264-280.	1.9	90

#	ARTICLE	IF	CITATIONS
37	Solving the dilemma of the immunohistochemical and other methods used for scoring estrogen receptor and progesterone receptor in patients with invasive breast carcinoma. <i>Cancer</i> , 2005, 103, 164-173.	4.1	82
38	Treatment of Axillary Lymph Node-Negative, Estrogen Receptor-Negative Breast Cancer: Updated Findings From National Surgical Adjuvant Breast and Bowel Project Clinical Trials. <i>Journal of the National Cancer Institute</i> , 2004, 96, 1823-1831.	6.3	76
39	Health-Related Quality of Life in Axillary Node-Negative, Estrogen Receptor-Negative Breast Cancer Patients Undergoing AC Versus CMF Chemotherapy: Findings from the National Surgical Adjuvant Breast and Bowel Project B-23. <i>Breast Cancer Research and Treatment</i> , 2004, 86, 153-164.	2.5	61
40	Preliminary results of centralized HER2 testing in ductal carcinoma in situ (DCIS): NSABP B-43. <i>Breast Cancer Research and Treatment</i> , 2013, 142, 415-421.	2.5	60
41	Body Mass Index at Diagnosis and Breast Cancer Survival Prognosis in Clinical Trial Populations from NRG Oncology/NSABP B-30, B-31, B-34, and B-38. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016, 25, 51-59.	2.5	33
42	Poor Prognosis After Second Locoregional Recurrences in the CALOR Trial. <i>Annals of Surgical Oncology</i> , 2017, 24, 398-406.	1.5	29
43	Progress on BIG 1-02/IBCSG 27-02/NSABP B-37, a Prospective Randomized Trial Evaluating Chemotherapy after Local Therapy for Isolated Locoregional Recurrences of Breast Cancer. <i>Annals of Surgical Oncology</i> , 2008, 15, 3227-3231.	1.5	26
44	A Randomized Clinical Trial of Adjuvant Chemotherapy for Radically Resected Locoregional Relapse of Breast Cancer: IBCSG 27-02, BIG 1-02, and NSABP B-37. <i>Clinical Breast Cancer</i> , 2008, 8, 287-292.	2.4	23
45	Medical comorbidity in complicated grief: Results from the HEAL collaborative trial. <i>Journal of Psychiatric Research</i> , 2018, 96, 94-99.	3.1	20
46	A comparison of principal component analysis and factor analysis strategies for uncovering pleiotropic factors. <i>Genetic Epidemiology</i> , 2009, 33, 325-331.	1.3	19
47	Improving Patient Reported Outcomes and Preventing Depression and Anxiety in Older Adults With Knee Osteoarthritis: Results of a Sequenced Multiple Assignment Randomized Trial (SMART) Study. <i>American Journal of Geriatric Psychiatry</i> , 2019, 27, 1035-1045.	1.2	19
48	Comparison of Radiation With or Without Concurrent Trastuzumab for HER2-Positive Ductal Carcinoma In Situ Resected by Lumpectomy: A Phase III Clinical Trial. <i>Journal of Clinical Oncology</i> , 2021, 39, 2367-2374.	1.6	16
49	Relationship Between Arm Morbidity and Patient-Reported Outcomes Following Surgery in Women with Node-Negative Breast Cancer: NSABP Protocol B-32. <i>The Journal of Supportive Oncology</i> , 2012, 11, 22-30.	2.3	12
50	Intervention development for the indicated prevention of depression in later life: The "DIL" protocol in Goa, India. <i>Contemporary Clinical Trials Communications</i> , 2017, 6, 131-139.	1.1	11
51	Adaptation of problem-solving therapy for primary care to prevent late-life depression in Goa, India: the "DIL"™ intervention. <i>Global Health Action</i> , 2019, 12, 1420300.	1.9	10
52	Treatment of post traumatic stress disorder symptoms in emotionally distressed individuals. <i>Psychiatry Research</i> , 2014, 220, 370-375.	3.3	8
53	Design and Recruitment for a Randomized Controlled Trial of Problem-Solving Therapy to Prevent Depression among Older Adults with Need for Supportive Services. <i>American Journal of Geriatric Psychiatry</i> , 2016, 24, 94-102.	1.2	8
54	Caloric irrigators: air, open-loop water and closed-loop water. <i>International Journal of Audiology</i> , 1995, 29, 117-128.	0.7	7

#	ARTICLE	IF	CITATIONS
55	<i>MAF</i> Amplification and Adjuvant Clodronate Outcomes in Early-Stage Breast Cancer in NSABP B-34 and Potential Impact on Clinical Practice. <i>JNCI Cancer Spectrum</i> , 2021, 5, pkab054.	2.9	7
56	Depression Agency-Based Collaborative: Effect of Problem-Solving Therapy on Risk of Common Mental Disorders in Older Adults With Home Care Needs. <i>American Journal of Geriatric Psychiatry</i> , 2019, 27, 619-624.	1.2	5
57	Assessment of effect size and power for survival analysis through a binary surrogate endpoint in clinical trials. <i>Statistics in Medicine</i> , 2019, 38, 301-314.	1.6	4
58	Modeling Unequally Spaced Bivariate Growth Curve Data Using a Kalman Filter Approach. <i>Communications in Statistics - Theory and Methods</i> , 2005, 34, 1821-1831.	1.0	3
59	Measuring Participant Effort in a Depression Prevention Trial: Who Engages in Problem-Solving Therapy?. <i>American Journal of Geriatric Psychiatry</i> , 2017, 25, 909-916.	1.2	3
60	A spatial partial differential equation approach to addressing unit misalignments in Bayesian poisson space-time models. <i>Spatial and Spatio-temporal Epidemiology</i> , 2020, 33, 100337.	1.7	1
61	A Short History of Bernard Fisher's Contributions to Randomized Clinical Trials. <i>Clinical Trials</i> , 2022, 19, 127-136.	1.6	1
62	Statistical concepts and biomedical research. <i>Urologic Oncology: Seminars and Original Investigations</i> , 1996, 2, 166-170.	1.6	0
63	Reply to M. R. Van Bockstal et al. <i>Journal of Clinical Oncology</i> , 2021, 39, JCO.21.01587.	1.6	0