

# Stewart Anderson

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1891660/publications.pdf>

Version: 2024-02-01

63  
papers

26,762  
citations

76326

40  
h-index

123424

61  
g-index

64  
all docs

64  
docs citations

64  
times ranked

15173  
citing authors

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | A Short History of Bernard Fisher's Contributions to Randomized Clinical Trials. <i>Clinical Trials</i> , 2022, 19, 127-136.  | 1.6  | 1         |
| 2  | MAF Amplification and Adjuvant Clodronate Outcomes in Early-Stage Breast Cancer in NSABP B-34 and Potential Impact on Clinical Practice. <i>JNCI Cancer Spectrum</i> , 2021, 5, pkab054.  | 2.9  | 7         |
| 3  | Comparison of Radiation With or Without Concurrent Trastuzumab for HER2-Positive Ductal Carcinoma In Situ Resected by Lumpectomy: A Phase III Clinical Trial. <i>Journal of Clinical Oncology</i> , 2021, 39, 2367-2374.  | 1.6  | 16        |
| 4  | Reply to M. R. Van Bockstal et al. <i>Journal of Clinical Oncology</i> , 2021, 39, JCO.21.01587.  | 1.6  | 0         |
| 5  | A spatial partial differential equation approach to addressing unit misalignments in Bayesian poisson space-time models. <i>Spatial and Spatio-temporal Epidemiology</i> , 2020, 33, 100337.  | 1.7  | 1         |
| 6  | Adaptation of problem-solving therapy for primary care to prevent late-life depression in Goa, India: the "DIL" intervention. <i>Global Health Action</i> , 2019, 12, 1420300.  | 1.9  | 10        |
| 7  | Improving Patient Reported Outcomes and Preventing Depression and Anxiety in Older Adults With Knee Osteoarthritis: Results of a Sequenced Multiple Assignment Randomized Trial (SMART) Study. <i>American Journal of Geriatric Psychiatry</i> , 2019, 27, 1035-1045. | 1.2  | 19        |
| 8  | Depression Agency-Based Collaborative: Effect of Problem-Solving Therapy on Risk of Common Mental Disorders in Older Adults With Home Care Needs. <i>American Journal of Geriatric Psychiatry</i> , 2019, 27, 619-624.  | 1.2  | 5         |
| 9  | Increasing the dose intensity of chemotherapy by more frequent administration or sequential scheduling: a patient-level meta-analysis of 37,298 women with early breast cancer in 26 randomised trials. <i>Lancet, The</i> , 2019, 393, 1440-1452.                    | 13.7 | 260       |
| 10 | Assessment of effect size and power for survival analysis through a binary surrogate endpoint in clinical trials. <i>Statistics in Medicine</i> , 2019, 38, 301-314.  | 1.6  | 4         |
| 11 | Medical comorbidity in complicated grief: Results from the HEAL collaborative trial. <i>Journal of Psychiatric Research</i> , 2018, 96, 94-99.  | 3.1  | 20        |
| 12 | Intervention development for the indicated prevention of depression in later life: The "DIL" protocol in Goa, India. <i>Contemporary Clinical Trials Communications</i> , 2017, 6, 131-139.   | 1.1  | 11        |
| 13 | Measuring Participant Effort in a Depression Prevention Trial: Who Engages in Problem-Solving Therapy?. <i>American Journal of Geriatric Psychiatry</i> , 2017, 25, 909-916.  | 1.2  | 3         |
| 14 | Poor Prognosis After Second Locoregional Recurrences in the CALOR Trial. <i>Annals of Surgical Oncology</i> , 2017, 24, 398-406.  | 1.5  | 29        |
| 15 | Body Mass Index at Diagnosis and Breast Cancer Survival Prognosis in Clinical Trial Populations from NRG Oncology/NSABP B-30, B-31, B-34, and B-38. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016, 25, 51-59.   | 2.5  | 33        |
| 16 | Design and Recruitment for a Randomized Controlled Trial of Problem-Solving Therapy to Prevent Depression among Older Adults with Need for Supportive Services. <i>American Journal of Geriatric Psychiatry</i> , 2016, 24, 94-102.                                   | 1.2  | 8         |
| 17 | Adjuvant bisphosphonate treatment in early breast cancer: meta-analyses of individual patient data from randomised trials. <i>Lancet, The</i> , 2015, 386, 1353-1361.   | 13.7 | 581       |
| 18 | Chemotherapy for isolated locoregional recurrence of breast cancer (CALOR): a randomised trial. <i>Lancet Oncology, The</i> , 2014, 15, 156-163.  | 10.7 | 171       |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 19 | Treatment of post traumatic stress disorder symptoms in emotionally distressed individuals. <i>Psychiatry Research</i> , 2014, 220, 370-375.   | 3.3  | 8         |
| 20 | Preliminary results of centralized HER2 testing in ductal carcinoma in situ (DCIS): NSABP B-43. <i>Breast Cancer Research and Treatment</i> , 2013, 142, 415-421.  | 2.5  | 60        |
| 21 | Smoker reactivity to cues: Effects on craving and on smoking behavior.. <i>Journal of Abnormal Psychology</i> , 2013, 122, 264-280.  | 1.9  | 90        |
| 22 | Predictors of Locoregional Recurrence After Neoadjuvant Chemotherapy: Results From Combined Analysis of National Surgical Adjuvant Breast and Bowel Project B-18 and B-27. <i>Journal of Clinical Oncology</i> , 2012, 30, 3960-3966.  | 1.6  | 473       |
| 23 | Adjuvant Tamoxifen Reduces Subsequent Breast Cancer in Women With Estrogen Receptor-Positive Ductal Carcinoma in Situ: A Study Based on NSABP Protocol B-24. <i>Journal of Clinical Oncology</i> , 2012, 30, 1268-1273.  | 1.6  | 310       |
| 24 | Oral clodronate for adjuvant treatment of operable breast cancer (National Surgical Adjuvant Breast and Bowel Project B-24). <i>Journal of Clinical Oncology</i> , 2012, 30, 734-742.  | 10.7 | 168       |
| 25 | Relationship Between Arm Morbidity and Patient-Reported Outcomes Following Surgery in Women with Node-Negative Breast Cancer: NSABP Protocol B-32. <i>The Journal of Supportive Oncology</i> , 2012, 11, 22-30.  | 2.3  | 12        |
| 26 | Comparison of the prognostic and predictive utilities of the 21-gene Recurrence Score assay and Adjuvant! for women with node-negative, ER-positive breast cancer: results from NSABP B-14 and NSABP B-20. <i>Breast Cancer Research and Treatment</i> , 2011, 127, 133-142.                       | 2.5  | 176       |
| 27 | Maintenance Treatment of Depression in Old Age. <i>Archives of General Psychiatry</i> , 2011, 68, 51.  | 12.3 | 145       |
| 28 | Effect of Occult Metastases on Survival in Node-Negative Breast Cancer. <i>New England Journal of Medicine</i> , 2011, 364, 412-421.   | 27.0 | 399       |
| 29 | Long-Term Outcomes of Invasive Ipsilateral Breast Tumor Recurrences After Lumpectomy in NSABP B-17 and B-24 Randomized Clinical Trials for DCIS. <i>Journal of the National Cancer Institute</i> , 2011, 103, 478-488.   | 6.3  | 660       |
| 30 | Morbidity results from the NSABP B-32 trial comparing sentinel lymph node dissection versus axillary dissection. <i>Journal of Surgical Oncology</i> , 2010, 102, 111-118.   | 1.7  | 387       |
| 31 | Patient-Reported Outcomes in Sentinel Node-Negative Adjuvant Breast Cancer Patients Receiving Sentinel-Node Biopsy or Axillary Dissection: National Surgical Adjuvant Breast and Bowel Project Phase III Protocol B-32. <i>Journal of Clinical Oncology</i> , 2010, 28, 3929-3936.                 | 1.6  | 131       |
| 32 | Sentinel-lymph-node resection compared with conventional axillary-lymph-node dissection in clinically node-negative patients with breast cancer: overall survival findings from the NSABP B-32 randomised phase 3 trial. <i>Lancet Oncology</i> , 2010, 11, 927-933.                               | 10.7 | 1,477     |
| 33 | Prognosis After Ipsilateral Breast Tumor Recurrence and Locoregional Recurrences in Patients Treated by Breast-Conserving Therapy in Five National Surgical Adjuvant Breast and Bowel Project Protocols of Node-Negative Breast Cancer. <i>Journal of Clinical Oncology</i> , 2009, 27, 2466-2473. | 1.6  | 397       |
| 34 | A comparison of principal component analysis and factor analysis strategies for uncovering pleiotropic factors. <i>Genetic Epidemiology</i> , 2009, 33, 325-331.   | 1.3  | 19        |
| 35 | Hazard of recurrence and adjuvant treatment effects over time in lymph node-negative breast cancer. <i>Breast Cancer Research and Treatment</i> , 2009, 116, 595-602.  | 2.5  | 116       |
| 36 | Progress on BIG 1-02/IBCSG 27-02/NSABP B-37, a Prospective Randomized Trial Evaluating Chemotherapy after Local Therapy for Isolated Locoregional Recurrences of Breast Cancer. <i>Annals of Surgical Oncology</i> , 2008, 15, 3227-3231.  | 1.5  | 26        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | A Randomized Clinical Trial of Adjuvant Chemotherapy for Radically Resected Locoregional Relapse of Breast Cancer: IBCSG 27-02, BIG 1-02, and NSABP B-37. <i>Clinical Breast Cancer</i> , 2008, 8, 287-292.   | 2.4  | 23        |
| 38 | Preoperative Chemotherapy: Updates of National Surgical Adjuvant Breast and Bowel Project Protocols B-18 and B-27. <i>Journal of Clinical Oncology</i> , 2008, 26, 778-785.   | 1.6  | 1,524     |
| 39 | Technical outcomes of sentinel-lymph-node resection and conventional axillary-lymph-node dissection in patients with clinically node-negative breast cancer: results from the NSABP B-32 randomised phase III trial. <i>Lancet Oncology</i> , The, 2007, 8, 881-888.  | 10.7 | 915       |
| 40 | Sequential Preoperative or Postoperative Docetaxel Added to Preoperative Doxorubicin Plus Cyclophosphamide for Operable Breast Cancer: National Surgical Adjuvant Breast and Bowel Project Protocol B-27. <i>Journal of Clinical Oncology</i> , 2006, 24, 2019-2027.  | 1.6  | 850       |
| 41 | Solving the dilemma of the immunohistochemical and other methods used for scoring estrogen receptor and progesterone receptor in patients with invasive breast carcinoma. <i>Cancer</i> , 2005, 103, 164-173.   | 4.1  | 82        |
| 42 | Sentinel Node Biopsy After Neoadjuvant Chemotherapy in Breast Cancer: Results From National Surgical Adjuvant Breast and Bowel Project Protocol B-27. <i>Journal of Clinical Oncology</i> , 2005, 23, 2694-2702.  | 1.6  | 492       |
| 43 | Effects of radiotherapy and of differences in the extent of surgery for early breast cancer on local recurrence and 15-year survival: an overview of the randomised trials. <i>Lancet</i> , The, 2005, 366, 2087-2106.  | 13.7 | 4,596     |
| 44 | Modeling Unequally Spaced Bivariate Growth Curve Data Using a Kalman Filter Approach. <i>Communications in Statistics - Theory and Methods</i> , 2005, 34, 1821-1831.   | 1.0  | 3         |
| 45 | Patterns of Locoregional Failure in Patients With Operable Breast Cancer Treated by Mastectomy and Adjuvant Chemotherapy With or Without Tamoxifen and Without Radiotherapy: Results From Five National Surgical Adjuvant Breast and Bowel Project Randomized Clinical Trials. <i>Journal of Clinical Oncology</i> , 2004, 22, 4247-4254. | 1.6  | 348       |
| 46 | Treatment of Axillary Lymph Node-Negative, Estrogen Receptor-Negative Breast Cancer: Updated Findings From National Surgical Adjuvant Breast and Bowel Project Clinical Trials. <i>Journal of the National Cancer Institute</i> , 2004, 96, 1823-1831.  | 6.3  | 76        |
| 47 | Health-Related Quality of Life in Axillary Node-Negative, Estrogen Receptor-Negative Breast Cancer Patients Undergoing AC Versus CMF Chemotherapy: Findings from the National Surgical Adjuvant Breast and Bowel Project B-23. <i>Breast Cancer Research and Treatment</i> , 2004, 86, 153-164.   | 2.5  | 61        |
| 48 | Treatment of lymph-node-negative, oestrogen-receptor-positive breast cancer: long-term findings from National Surgical Adjuvant Breast and Bowel Project randomised clinical trials. <i>Lancet</i> , The, 2004, 364, 858-868.   | 13.7 | 334       |
| 49 | The Effect on Tumor Response of Adding Sequential Preoperative Docetaxel to Preoperative Doxorubicin and Cyclophosphamide: Preliminary Results From National Surgical Adjuvant Breast and Bowel Project Protocol B-27. <i>Journal of Clinical Oncology</i> , 2003, 21, 4165-4174.   | 1.6  | 1,018     |
| 50 | Acute Myeloid Leukemia and Myelodysplastic Syndrome After Doxorubicin-Cyclophosphamide Adjuvant Therapy for Operable Breast Cancer: The National Surgical Adjuvant Breast and Bowel Project Experience. <i>Journal of Clinical Oncology</i> , 2003, 21, 1195-1204.  | 1.6  | 298       |
| 51 | Twenty-Year Follow-up of a Randomized Trial Comparing Total Mastectomy, Lumpectomy, and Lumpectomy plus Irradiation for the Treatment of Invasive Breast Cancer. <i>New England Journal of Medicine</i> , 2002, 347, 1233-1241.   | 27.0 | 5,366     |
| 52 | Twenty-Five-Year Follow-up of a Randomized Trial Comparing Radical Mastectomy, Total Mastectomy, and Total Mastectomy Followed by Irradiation. <i>New England Journal of Medicine</i> , 2002, 347, 567-575.   | 27.0 | 1,213     |
| 53 | Tamoxifen and Chemotherapy for Axillary Node-Negative, Estrogen Receptor-Negative Breast Cancer: Findings From National Surgical Adjuvant Breast and Bowel Project B-23. <i>Journal of Clinical Oncology</i> , 2001, 19, 931-942.   | 1.6  | 247       |
| 54 | Fifteen-year prognostic discriminants for invasive breast carcinoma. <i>Cancer</i> , 2001, 91, 1679-1687.   | 4.1  | 205       |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 55 | Prognosis and Treatment of Patients With Breast Tumors of One Centimeter or Less and Negative Axillary Lymph Nodes. <i>Journal of the National Cancer Institute</i> , 2001, 93, 112-120.  | 6.3  | 148       |
| 56 | Further Evaluation of Intensified and Increased Total Dose of Cyclophosphamide for the Treatment of Primary Breast Cancer: Findings From National Surgical Adjuvant Breast and Bowel Project B-25. <i>Journal of Clinical Oncology</i> , 1999, 17, 3374-3388. | 1.6  | 221       |
| 57 | Statistical concepts and biomedical research. <i>Urologic Oncology: Seminars and Original Investigations</i> , 1996, 2, 166-170.  | 1.6  | 0         |
| 58 | Caloric irrigators: air, open-loop water and closed-loop water. <i>International Journal of Audiology</i> , 1995, 29, 117-128.  | 0.7  | 7         |
| 59 | Reanalysis and Results after 12 Years of Follow-up in a Randomized Clinical Trial Comparing Total Mastectomy with Lumpectomy with or without Irradiation in the Treatment of Breast Cancer. <i>New England Journal of Medicine</i> , 1995, 333, 1456-1461.    | 27.0 | 1,339     |
| 60 | Conservative surgery for the management of invasive and noninvasive carcinoma of the breast: NSABP trials. <i>World Journal of Surgery</i> , 1994, 18, 63-69.   | 1.6  | 228       |
| 61 | Pathologic findings from the national surgical adjuvant breast project protocol B-06 10-year pathologic and clinical prognostic discriminants. <i>Cancer</i> , 1993, 71, 2507-2514.   | 4.1  | 257       |
| 62 | Significance of ipsilateral breast tumour recurrence after lumpectomy. <i>Lancet, The</i> , 1991, 338, 327-331.   | 13.7 | 543       |
| 63 | Conservative management of intraductal carcinoma (DCIS) of the breast. <i>Journal of Surgical Oncology</i> , 1991, 47, 139-147.   | 1.7  | 134       |