Patrice Brehmer

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1892549/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Insights from a multibeam echosounder to survey pelagic fish shoals and their spatio-temporal distribution in ultra-shallow waters. Estuarine, Coastal and Shelf Science, 2022, 264, 107705.	2.1	4
2	Applying Acoustic Scattering Layer Descriptors to Depict Mid-Trophic Pelagic Organisation: The Case of Atlantic African Large Marine Ecosystems Continental Shelf. Fishes, 2022, 7, 86.	1.7	4
3	Short-Range Movement Pattern of Amphidromous Lagoon Fish Schools: Ecological Applications. Water (Switzerland), 2022, 14, 1463.	2.7	1
4	Dilemma of total allowable catch (TACs) allocated as shareable quotas: Applying a bio-economic game-theoretical approach to euro-mauritanian fisheries agreements. Aquaculture and Fisheries, 2022,	2.2	2
5	Complex data labeling with deep learning methods: Lessons from fisheries acoustics. ISA Transactions, 2021, 109, 113-125.	5.7	12
6	On the robustness of an eastern boundary upwelling ecosystem exposed to multiple stressors. Scientific Reports, 2021, 11, 1908.	3.3	11
7	Résilience et réactivité des pêcheurs artisans sénégalaisÂ: la crise écologique comme moteur d'innovations. Mondes En Developpement, 2021, n° 193, 109-127.	0.3	10
8	How do Climate Modes Shape the Chlorophyllâ€a Interannual Variability in the Tropical Atlantic?. Geophysical Research Letters, 2021, 48, e2021GL093769.	4.0	4
9	Successful artificial reefs depend on getting the context right due to complex socio-bio-economic interactions. Scientific Reports, 2021, 11, 16698.	3.3	6
10	Efficiency of two contrasted marine protected areas (MPA) in West Africa over a decade of fishing closure. Ocean and Coastal Management, 2021, 210, 105655.	4.4	3
11	Descriptors to characterize acoustic scattered layers: evidence of interest in three Atlantic African Large Marine Ecosystems. , 2021, , .		0
12	Effect of environmental parameters on acoustic characterisation of pelagic biocenoses in ultra-shallow (5-30 m) coastal areas. , 2021, , .		0
13	An innovative sampling protocol for fish species identification methods in shallow waters: towed diver, towed video and stereoscopic camera system. , 2021, , .		1
14	Methanogenic and fertilizing potential of aquaculture waste: towards freshwater farms energy selfâ€sufficiency in the framework of blue growth. Reviews in Aquaculture, 2020, 12, 1435-1444.	9.0	3
15	Eastern TropicalÂAtlantic Mixed Layer Depth: Assessment of Methods from In Situ Profiles in the Gulf of Guinea from Coastal to High Sea. Thalassas, 2020, 36, 201-212.	0.5	3
16	Fine-scale vertical structure of sound-scattering layers over an east border upwelling system and its relationship to pelagic habitat characteristics. Ocean Science, 2020, 16, 65-81.	3.4	7
17	Caractérisation de la flore phytoplanctonique dans l'Aire Marine Protégée (AMP) de Bamboung et de deux sites environnants (Sénégal). International Journal of Biological and Chemical Sciences, 2020, 14, 2452-2462.	0.2	0
10	Advances in fisherias science through emerging observing technologies 2020		

Advances in fisheries science through emerging observing technologies. , 2020, , .

#	Article	IF	CITATIONS
19	Towards an Autonomous Pelagic Observatory: Experiences from Monitoring Fish Communities around Drifting FADs. Thalassas, 2019, 35, 177-189.	0.5	21
20	Bonga shad (<i>Ethmalosa fimbriata</i>) spawning tactics in an upwelling environment. Fisheries Oceanography, 2019, 28, 686-697.	1.7	4
21	Advancing Observation of Ocean Biogeochemistry, Biology, and Ecosystems With Cost-Effective in situ Sensing Technologies. Frontiers in Marine Science, 2019, 6, .	2.5	42
22	Fish-length based indicators for improved management of the sardinella fisheries in Senegal. Regional Studies in Marine Science, 2019, 31, 100801.	0.7	14
23	First Evidence of Anoxia and Nitrogen Loss in the Southern Canary Upwelling System. Geophysical Research Letters, 2019, 46, 2619-2627.	4.0	13
24	Variability of key biological parameters of round sardinella <scp><i>Sardinella aurita</i></scp> and the effects of environmental changes. Journal of Fish Biology, 2019, 94, 391-401.	1.6	9
25	Vessel Avoidance Response: A Complex Tradeoff Between Fish Multisensory Integration and Environmental Variables. Reviews in Fisheries Science and Aquaculture, 2019, 27, 380-391.	9.1	12
26	The potential impact of marine protected areas on the Senegalese sardinella fishery. Ocean and Coastal Management, 2019, 169, 239-246.	4.4	9
27	Spawning energetics and otolith microchemistry provide insights into the stock structure of bonga shad Ethmalosa fimbriata. Journal of Fish Biology, 2019, 94, 241-250.	1.6	6
28	Dynamics and Mutations in the Artisanal Senegalese Fisheries Management. From Centralised Resources Management to Participatory and Sustainable Dynamics. Norois, 2019, , 55-72.	0.2	11
29	Competition or cooperation in transboundary fish stocks management: Insight from a dynamical model. Journal of Theoretical Biology, 2018, 447, 1-11.	1.7	13
30	Contrasted optimal environmental windows for both sardinella species in Senegalese waters. Fisheries Oceanography, 2018, 27, 351-365.	1.7	27
31	Complex small pelagic fish population patterns arising from individual behavioral responses to their environment. Progress in Oceanography, 2018, 164, 12-27.	3.2	35
32	Population dynamics and stock assessment of Ethmalosa fimbriata in Senegal call for fishing regulation measures. Regional Studies in Marine Science, 2018, 24, 165-173.	0.7	10
33	Matecho: An Open-Source Tool for Processing Fisheries Acoustics Data. Acoustics Australia, 2018, 46, 241-248.	2.4	29
34	Spatial distribution of main clupeid species in relation to acoustic assessment surveys in the continental shelves of Senegal and The Gambia. Aquatic Living Resources, 2018, 31, 9.	1.2	7
35	Report of a Zoanthus Zone from the Cabo Verde Islands (Central Eastern Atlantic). Thalassas, 2018, 34, 409-413.	0.5	3
36	Can overexploited fisheries recover by self-organization? Reallocation of fishing effort as an emergent form of governance. Marine Policy, 2018, 95, 46-56.	3.2	28

#	Article	IF	CITATIONS
37	Subsurface Fine cale Patterns in an Anticyclonic Eddy Off Capâ€Vert Peninsula Observed From Glider Measurements. Journal of Geophysical Research: Oceans, 2018, 123, 6312-6329.	2.6	8
38	Preliminary Study of Fish Assemblage Structure of the Marine Protected Area of Cayar in Senegal. Journal of Marine Biology & Oceanography, 2018, 07, .	0.1	1
39	On the Dynamics of the Southern Senegal Upwelling Center: Observed Variability from Synoptic to Superinertial Scales. Journal of Physical Oceanography, 2017, 47, 155-180.	1.7	33
40	Dynamics of a "lowâ€enrichment highâ€retention―upwelling center over the southern Senegal shelf. Geophysical Research Letters, 2017, 44, 5034-5043.	4.0	33
41	Does upwelling intensity determine larval fish habitats in upwelling ecosystems? The case of Senegal and Mauritania. Fisheries Oceanography, 2017, 26, 655-667.	1.7	10
42	Profitability and economic drivers of small pelagic fisheries in West Africa: A twenty year perspective. Marine Policy, 2017, 76, 152-158.	3.2	46
43	Larval fish assemblages across an upwelling front: Indication for active and passive retention. Estuarine, Coastal and Shelf Science, 2017, 187, 118-133.	2.1	32
44	Composition and structure of the larval fish community related to environmental parameters in a tropical estuary impacted by climate change. Estuarine, Coastal and Shelf Science, 2017, 197, 10-26.	2.1	37
45	Acoustic distribution of discriminated micronektonic organisms from a bi-frequency processing: The case study of eastern Kerguelen oceanic waters. Progress in Oceanography, 2017, 156, 276-289.	3.2	28
46	Studying the contribution of different fishing gears to the <i>Sardinella</i> small-scale fishery in Senegalese waters. Aquatic Living Resources, 2017, 30, 27.	1.2	12
47	Effect of environmental conditions on the seasonal and interâ€annual variability of small pelagic fish abundance off Northâ€West Africa: The case of both Senegalese sardinella. Fisheries Oceanography, 2017, 26, 583-601.	1.7	49
48	Resilience of Key Biological Parameters of the Senegalese Flat Sardinella to Overfishing and Climate Change. PLoS ONE, 2016, 11, e0156143.	2.5	23
49	What drives the spatial variability of primary productivity and matter fluxes in the north-west African upwelling system? A modelling approach. Biogeosciences, 2016, 13, 6419-6440.	3.3	33
50	Interactions Between the Cross-Shore Structure of Small Pelagic Fish Population, Offshore Industrial Fisheries and Near Shore Artisanal Fisheries: A Mathematical Approach. Acta Biotheoretica, 2016, 64, 479-493.	1.5	1
51	Acoustic micronektonic distribution is structured by macroscale oceanographic processes across 20–50°S latitudes in the South-Western Indian Ocean. Deep-Sea Research Part I: Oceanographic Research Papers, 2016, 110, 20-32.	1.4	29
52	Spatiotemporal distribution of fish schools around drifting fish aggregating devices. Fisheries Research, 2016, 177, 39-49.	1.7	15
53	First trial of multi-wavelength vector sensor: Sediment geoacoustic properties obtained from vessel noise off Senegal. , 2015, , .		0
54	Acoustics characterization of micronekton spatial distribution in Indian Ocean using scientific surveys and integrated marine observing system database: Acoustics characterization of micronekton. , 2015, , .		0

#	Article	IF	CITATIONS
55	Performance of a low cost single beam echosounder: In situ trials in a shallow water coral reef habitat with verification by video. , 2015, , .		0
56	Implementation of artificial habitats: Inside or outside the marine protected areas? Insights from a mathematical approach. Ecological Modelling, 2015, 297, 98-106.	2.5	25
57	Effect of Small Versus Large Clusters of Fish School on the Yield of a Purse-Seine Small Pelagic Fishery Including a Marine Protected Area. Acta Biotheoretica, 2014, 62, 339-353.	1.5	5
58	SST patterns and dynamics of the southern Senegalâ€Gambia upwelling center. Journal of Geophysical Research: Oceans, 2014, 119, 8315-8335.	2.6	33
59	Non-destructive optical holographic imaging of microorganisms in situ off the Senegalese coast. , 2014, , .		0
60	Towards an acousticâ€based coupled observation and modelling system for monitoring and predicting ecosystem dynamics of the open ocean. Fish and Fisheries, 2013, 14, 605-615.	5.3	66
61	Hydroacoustic surveys as contribution to the study of spawning aggregations of Nassau Grouper (Epinephelus striatus) in the Yucatan. , 2013, , .		1
62	Aggregative and schooling behaviour of small pelagic fish schools through echo type characteristics. , 2013, , .		1
63	Routine acoustic data as new tools for a 3D vision of the abiotic and biotic components of marine ecosystem and their interactions. , 2013, , .		2
64	Acoustic estimation of Pacific sardine biomass in the Gulf of California during the spring 2008-2012. , 2013, , .		0
65	Does coastal lagoon habitat quality affect fish growth rate and their recruitment? Insights from fishing and acoustic surveys. Estuarine, Coastal and Shelf Science, 2013, 126, 1-6.	2.1	16
66	A small-scale oceanic eddy off the coast of West Africa studied by multi-sensor satellite and surface drifter data. Remote Sensing of Environment, 2013, 129, 132-143.	11.0	44
67	In-situ holography microscopy of plankton and particles over the continental shelf of Senegal. , 2013, ,		3
68	Jumbo squid (Dosidicus gigas) in situ target strength measurements in northwest Mexico. , 2013, , .		0
69	Evidence that whales (<i>Balaenoptera borealis</i>) visit drifting fish aggregating devices: do their presence affect the processes underlying fish aggregation?. Marine Ecology, 2012, 33, 176-182.	1.1	7
70	Threeâ€dimensional internal spatial structure of youngâ€ofâ€theâ€year pelagic freshwater fish provides evidence for the identification of fish school species. Limnology and Oceanography: Methods, 2011, 9, 322-328.	2.0	16
71	Exploratory and Instantaneous Swimming Speeds of Amphidromous Fish School in Shallow-Water Coastal Lagoon Channels. Estuaries and Coasts, 2011, 34, 739-744.	2.2	14
72	Field investigations and multiâ€indicators for shallow water lagoon management: perspective for societal benefit. Aquatic Conservation: Marine and Freshwater Ecosystems, 2011, 21, 728-742.	2.0	19

#	Article	IF	CITATIONS
73	Survey boat effect on YOY fish schools in a preâ€alpine lake: evidence from multibeam sonar and splitâ€beam echosounder data. Ecology of Freshwater Fish, 2010, 19, 373-380.	1.4	20
74	Echotrace classification and spatial distribution of pelagic fish aggregations around drifting fish aggregating devices (DFAD). Aquatic Living Resources, 2007, 20, 343-356.	1.2	26
75	Adaptation of fisheries sonar for monitoring schools of large pelagic fish: dependence of schooling behaviour on fish finding efficiency. Aquatic Living Resources, 2007, 20, 377-384.	1.2	20
76	Schooling behaviour of small pelagic fish: phenotypic expression of independent stimuli. Marine Ecology - Progress Series, 2007, 334, 263-272.	1.9	39
77	Three dimensional characteristics of young–of–year pelagic fish schools in lake. Aquatic Living Resources, 2006, 19, 115-122.	1.2	23
78	Multibeam sonar detection of suspended mussel culture grounds in the open sea: Direct observation methods for management purposes. Aquaculture, 2006, 252, 234-241.	3.5	18
79	Omnidirectional multibeam sonar monitoring: applications in fisheries science. Fish and Fisheries, 2006, 7, 165-179.	5.3	48
80	Fisheries Acoustics: Theory and Practice, 2nd edn. Fish and Fisheries, 2006, 7, 227-228.	5.3	19
81	Amphidromous fish school migration revealed by combining fixed sonar monitoring (horizontal) Tj ETQq1 1 0.784	1314 rgBT 1.5	/Qyerlock 10
82	Evidence of a variable "unsampled―pelagic fish biomass in shallow water (<20 m): the case of the Gulf of Lion. ICES Journal of Marine Science, 2006, 63, 444-451.	2.5	22
83	Assessment of Coastal Lagoon Quality with Taxonomic Diversity Indices of Fish, Zoobenthos and Macrophyte Communities. Hydrobiologia, 2005, 550, 121-130.	2.0	74
84	Simultaneous Sv and TS measurements on Young-of-the-Year (YOY) freshwater fish using three frequencies. ICES Journal of Marine Science, 2004, 61, 868-869.	2.5	1
85	Simultaneous Sv and TS measurements on Young-of-the-Year (YOY) freshwater fish using three frequencies. ICES Journal of Marine Science, 2004, 61, 267-273.	2.5	31
86	New applications of hydroacoustic methods for monitoring shallow water aquatic ecosystems: the	1.2	49

case of mussel culture grounds. Aquatic Living Resources, 2003, 16, 333-338.