

Mei-Yueh Lee

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1892623/mei-yueh-lee-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

45
papers

522
citations

14
h-index

21
g-index

49
ext. papers

721
ext. citations

4.5
avg, IF

3.87
L-index

#	Paper	IF	Citations
45	Obesity-Related Indices Are Associated with Peripheral Artery Occlusive Disease in Patients with Type 2 Diabetes Mellitus. <i>Journal of Personalized Medicine</i> , 2021 , 11,	3.6	3
44	Causes of in-hospital death in patients with type 2 diabetes with microvascular and macrovascular complications in Taiwan. <i>International Journal of Clinical Practice</i> , 2021 , 75, e14491	2.9	1
43	Obesity-related indices are associated with albuminuria and advanced kidney disease in type 2 diabetes mellitus. <i>Renal Failure</i> , 2021 , 43, 1250-1258	2.9	2
42	Gender Differences in the Relationships among Metabolic Syndrome and Various Obesity-Related Indices with Nonalcoholic Fatty Liver Disease in a Taiwanese Population. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	7
41	Appendicular Skeletal Muscle Mass Index and Physiological Performance in Post-Menopausal Women with Total Thyroidectomy. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 7555	2.6	
40	Dipeptidyl Peptidase 4 Inhibitors Decrease the Risk of Hepatocellular Carcinoma in Patients With Chronic Hepatitis C Infection and Type 2 Diabetes Mellitus: A Nationwide Study in Taiwan. <i>Frontiers in Public Health</i> , 2021 , 9, 711723	6	1
39	Sex Difference in the Associations among Obesity-Related Indices with Metabolic Syndrome in Patients with Type 2 Diabetes Mellitus. <i>International Journal of Medical Sciences</i> , 2021 , 18, 3470-3477	3.7	1
38	Association between Geriatric Nutrition Risk Index and Skeletal Muscle Mass Index with Bone Mineral Density in Post-Menopausal Women Who Have Undergone Total Thyroidectomy. <i>Nutrients</i> , 2020 , 12,	6.7	1
37	Effect modification of hyperlipidemia and hypertension on the association between type 2 diabetes and gout. <i>Primary Care Diabetes</i> , 2020 , 14, 654-662	2.4	0
36	Associations between Triglyceride-Glucose Index and Micro- and Macro-angiopathies in Type 2 Diabetes Mellitus. <i>Nutrients</i> , 2020 , 12,	6.7	13
35	Comparison of the effects of sibling and parental history of type 2 diabetes on metabolic syndrome. <i>Scientific Reports</i> , 2020 , 10, 22131	4.9	2
34	Electronegative low-density lipoprotein of patients with metabolic syndrome induces pathogenesis of aorta through disruption of the stimulated by retinoic acid β cascade. <i>Journal of Diabetes Investigation</i> , 2020 , 11, 535-544	3.9	2
33	Diabetes care during the outbreak of 2019 novel coronavirus disease (COVID-19) in Taiwan. <i>Kaohsiung Journal of Medical Sciences</i> , 2020 , 36, 658-659	2.4	
32	A performance guide for major risk factors control in patients with atherosclerotic cardiovascular disease in Taiwan. <i>Journal of the Formosan Medical Association</i> , 2020 , 119, 674-684	3.2	5
31	Liraglutide Inhibits Hepatitis C Virus Replication Through an AMP Activated Protein Kinase Dependent Mechanism. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	3
30	O-GlcNAcylation disrupts STRA6-retinol signals in kidneys of diabetes. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2019 , 1863, 1059-1069	4	4
29	Glucagon-Like Peptide-1 Receptor Agonist Attenuates Autophagy to Ameliorate Pulmonary Arterial Hypertension through Drp1/NOX- and Atg-5/Atg-7/Beclin-1/LC3 β Pathways. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	17

28	The association between glycated albumin, glycohemoglobin, and glycated albumin to glycohemoglobin ratio in diabetic retinopathy of prediabetes. <i>Kaohsiung Journal of Medical Sciences</i> , 2019 , 35, 695-701	2.4	5
27	Periodontal Treatment Experience Associated with Oral Health-Related Quality of Life in Patients with Poor Glycemic Control in Type 2 Diabetes: A Case-Control Study. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	4
26	Comparison of the Effects of Fasting Glucose, Hemoglobin A, and Triglyceride-Glucose Index on Cardiovascular Events in Type 2 Diabetes Mellitus. <i>Nutrients</i> , 2019 , 11,	6.7	27
25	Abnormally Low or High Ankle-Brachial Index Is Associated With the Development of Diabetic Retinopathy in Type 2 Diabetes Mellitus. <i>Scientific Reports</i> , 2018 , 8, 441	4.9	4
24	Association Between Metabolic Syndrome and Microvascular and Macrovascular Disease in Type 2 Diabetic Mellitus. <i>American Journal of the Medical Sciences</i> , 2018 , 355, 342-349	2.2	7
23	Exogenous Heat Shock Cognate Protein 70 Suppresses LPS-Induced Inflammation by Down-Regulating NF- κ B through MAPK and MMP-2/-9 Pathways in Macrophages. <i>Molecules</i> , 2018 , 23,	4.8	11
22	Association of HbA Variability and Renal Progression in Patients with Type 2 Diabetes with Chronic Kidney Disease Stages 3-4. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	21
21	ASSOCIATIONS BETWEEN TRIGLYCERIDE/HIGH-DENSITY LIPOPROTEIN CHOLESTEROL RATIO AND MICRO- AND MACROANGIOPATHIES IN TYPE 2 DIABETES MELLITUS. <i>Endocrine Practice</i> , 2018 , 24, 615-621	3.2	7
20	Effect of metformin on kidney function in patients with type 2 diabetes mellitus and moderate chronic kidney disease. <i>Oncotarget</i> , 2018 , 9, 5416-5423	3.3	25
19	Greater HbA1c variability is associated with increased cardiovascular events in type 2 diabetes patients with preserved renal function, but not in moderate to advanced chronic kidney disease. <i>PLoS ONE</i> , 2017 , 12, e0178319	3.7	14
18	Pioglitazone Enhances Cytosolic Lipolysis, β oxidation and Autophagy to Ameliorate Hepatic Steatosis. <i>Scientific Reports</i> , 2017 , 7, 9030	4.9	30
17	Association of diabetes mellitus with decline in ankle-brachial index among patients on hemodialysis: A 6-year follow-up study. <i>PLoS ONE</i> , 2017 , 12, e0175363	3.7	1
16	Association of Ankle-Brachial Index and Aortic Arch Calcification with Overall and Cardiovascular Mortality in Hemodialysis. <i>Scientific Reports</i> , 2016 , 6, 33164	4.9	6
15	Liraglutide prevents and reverses monocrotaline-induced pulmonary arterial hypertension by suppressing ET-1 and enhancing eNOS/sGC/PKG pathways. <i>Scientific Reports</i> , 2016 , 6, 31788	4.9	38
14	Association of Far-Infrared Radiation Therapy and Ankle-Brachial Index of Patients on Hemodialysis with Peripheral Artery Occlusive Disease. <i>International Journal of Medical Sciences</i> , 2016 , 13, 970-976	3.7	3
13	Association of Serum Uric Acid Concentration with Diabetic Retinopathy and Albuminuria in Taiwanese Patients with Type 2 Diabetes Mellitus. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	27
12	Electronegative low density lipoprotein induces renal apoptosis and fibrosis: STRA6 signaling involved. <i>Journal of Lipid Research</i> , 2016 , 57, 1435-46	6.3	11
11	Statin therapy prevents the onset of Parkinson disease in patients with diabetes. <i>Annals of Neurology</i> , 2016 , 80, 532-40	9.4	26

10	Diabetes mellitus increases severity of thrombocytopenia in dengue-infected patients. <i>International Journal of Molecular Sciences</i> , 2015 , 16, 3820-30	6.3	15
9	Statin, calcium channel blocker and Beta blocker therapy may decrease the incidence of tuberculosis infection in elderly Taiwanese patients with type 2 diabetes. <i>International Journal of Molecular Sciences</i> , 2015 , 16, 11369-84	6.3	19
8	MTTP-297H polymorphism reduced serum cholesterol but increased risk of non-alcoholic fatty liver disease-a cross-sectional study. <i>BMC Medical Genetics</i> , 2015 , 16, 93	2.1	20
7	Link between Peripheral Artery Disease and Heart Rate Variability in Hemodialysis Patients. <i>PLoS ONE</i> , 2015 , 10, e0120459	3.7	9
6	Abnormally Low or High Ankle-Brachial Index Is Associated with Proliferative Diabetic Retinopathy in Type 2 Diabetic Mellitus Patients. <i>PLoS ONE</i> , 2015 , 10, e0134718	3.7	11
5	The impact of severe hypoglycemia on renal impairment in type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2015 , 108, 448-55	7.4	2
4	Fatal outcome of persistent/recurrent Cushing's disease after pituitary surgery. <i>Kaohsiung Journal of Medical Sciences</i> , 2015 , 31, 57-9	2.4	
3	The association of pioglitazone and urinary tract disease in type 2 diabetic Taiwanese: bladder cancer and chronic kidney disease. <i>PLoS ONE</i> , 2014 , 9, e85479	3.7	22
2	The association of diabetes mellitus with liver, colon, lung, and prostate cancer is independent of hypertension, hyperlipidemia, and gout in Taiwanese patients. <i>Metabolism: Clinical and Experimental</i> , 2012 , 61, 242-9	12.7	75
1	Increased unbound retinol-binding protein 4 concentration induces apoptosis through receptor-mediated signaling. <i>Journal of Biological Chemistry</i> , 2012 , 287, 9694-9707	5.4	20