

Heather N Reich

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1893339/publications.pdf>

Version: 2024-02-01

86
papers

5,821
citations

94269

37
h-index

79541

73
g-index

87
all docs

87
docs citations

87
times ranked

5250
citing authors

#	ARTICLE	IF	CITATIONS
1	Efficacy of Rituximab in Treatment-Resistant Focal Segmental Glomerulosclerosis With Elevated Soluble Urokinase-Type Plasminogen Activator Receptor and Activation of Podocyte α 3 Integrin. <i>Kidney International Reports</i> , 2022, 7, 68-77.	0.4	10
2	How Should Pathology Findings Influence Treatment in IgA Nephropathy?. <i>Kidney International Reports</i> , 2022, 7, 3-5.	0.4	3
3	Immunoglobulin A nephropathy is characterized by anticommensal humoral immune responses. <i>JCI Insight</i> , 2022, 7, .	2.3	13
4	The Canadian Glomerulonephritis Registry (CGNR) and Translational Research Initiative: Rationale and Clinical Research Protocol. <i>Canadian Journal of Kidney Health and Disease</i> , 2022, 9, 205435812210890.	0.6	1
5	Application of the International IgA Nephropathy Prediction Tool one or two years post-biopsy. <i>Kidney International</i> , 2022, 102, 160-172.	2.6	25
6	Effect of Oral Methylprednisolone on Decline in Kidney Function or Kidney Failure in Patients With IgA Nephropathy. <i>JAMA - Journal of the American Medical Association</i> , 2022, 327, 1888.	3.8	103
7	CanVasc Consensus Recommendations for the Management of Antineutrophil Cytoplasm Antibody-associated Vasculitis: 2020 Update. <i>Journal of Rheumatology</i> , 2021, 48, 555-566.	1.0	27
8	Evaluation of the Pharmacokinetics and Exposure-Response Relationship of Dapagliflozin in Patients without Diabetes and with Chronic Kidney Disease. <i>Clinical Pharmacokinetics</i> , 2021, 60, 517-525.	1.6	6
9	Corticosteroids Should Be Used To Treat Slowly Progressive IgA Nephropathy: PRO. <i>Kidney360</i> , 2021, 2, 1078-1080.	0.9	1
10	APOL1 genotype-associated morphologic changes among patients with focal segmental glomerulosclerosis. <i>Pediatric Nephrology</i> , 2021, 36, 2747-2757.	0.9	3
11	Type IV Collagen Variants in CKD: Performance of Computational Predictions for Identifying Pathogenic Variants. <i>Kidney Medicine</i> , 2021, 3, 257-266.	1.0	9
12	Interpretation and Clinical Value of Serum Anti-PLA2R-Antibody Testing. <i>journal of applied laboratory medicine, The</i> , 2021, 6, 799-803.	0.6	0
13	IgA Nephropathy: Core Curriculum 2021. <i>American Journal of Kidney Diseases</i> , 2021, 78, 429-441.	2.1	96
14	Follistatin-Like-1 (FSTL1) Is a Fibroblast-Derived Growth Factor That Contributes to Progression of Chronic Kidney Disease. <i>International Journal of Molecular Sciences</i> , 2021, 22, 9513.	1.8	9
15	Executive summary of the KDIGO 2021 Guideline for the Management of Glomerular Diseases. <i>Kidney International</i> , 2021, 100, 753-779.	2.6	325
16	Quantifying Duration of Proteinuria Remission and Association with Clinical Outcome in IgA Nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2021, 32, 436-447.	3.0	34
17	The microbiome and IgA nephropathy. <i>Seminars in Immunopathology</i> , 2021, 43, 649-656.	2.8	12
18	The Therapeutic Evaluation of Steroids in IgA Nephropathy Global (TESTING) Study: Trial Design and Baseline Characteristics. <i>American Journal of Nephrology</i> , 2021, 52, 827-836.	1.4	15

#	ARTICLE	IF	CITATIONS
19	P0350THE DURATION OF PROTEINURIA REMISSION AND CLINICAL OUTCOMES IN IGA NEPHROPATHY. Nephrology Dialysis Transplantation, 2020, 35, .	0.4	0
20	The Authors Reply. Kidney International Reports, 2020, 5, 1612-1613.	0.4	0
21	Safety, Tolerability and Efficacy of Narsoplimab, a Novel MASP-2 Inhibitor for the Treatment of IgA Nephropathy. Kidney International Reports, 2020, 5, 2032-2041.	0.4	84
22	The longitudinal relationship between patient-reported outcomes and clinical characteristics among patients with focal segmental glomerulosclerosis in the Nephrotic Syndrome Study Network. CKJ: Clinical Kidney Journal, 2020, 13, 597-606.	1.4	14
23	Serum Albumin at Partial Remission Predicts Outcomes in Membranous Nephropathy. Kidney International Reports, 2020, 5, 706-717.	0.4	8
24	Effects of the SGLT2 inhibitor dapagliflozin on proteinuria in non-diabetic patients with chronic kidney disease (DIAMOND): a randomised, double-blind, crossover trial. Lancet Diabetes and Endocrinology, the, 2020, 8, 582-593.	5.5	155
25	Improving treatment decisions using personalized risk assessment from the International IgA Nephropathy Prediction Tool. Kidney International, 2020, 98, 1009-1019.	2.6	35
26	Rituximab or Cyclosporine in the Treatment of Membranous Nephropathy. New England Journal of Medicine, 2019, 381, 36-46.	13.9	324
27	Rethinking Lupus Nephritis Classification on a Molecular Level. Journal of Clinical Medicine, 2019, 8, 1524.	1.0	21
28	Renal SGLT mRNA expression in human health and disease: a study in two cohorts. American Journal of Physiology - Renal Physiology, 2019, 317, F1224-F1230.	1.3	18
29	Disease-specific incident glomerulonephritis displays geographic clustering in under-served rural areas of British Columbia, Canada. Kidney International, 2019, 96, 421-428.	2.6	14
30	Evaluating a New International Risk-Prediction Tool in IgA Nephropathy. JAMA Internal Medicine, 2019, 179, 942.	2.6	266
31	The Case Severe symptomatic hypocalcemia in a patient with sickle cell disease. Kidney International, 2019, 96, 1429-1430.	2.6	0
32	CureGN Study Rationale, Design, and Methods: Establishing a Large Prospective Observational Study of Glomerular Disease. American Journal of Kidney Diseases, 2019, 73, 218-229.	2.1	68
33	What Is Really in This Weight Loss Supplement?. journal of applied laboratory medicine, The, 2019, 4, 270-273.	0.6	1
34	An update on predicting renal progression in IgA nephropathy. Current Opinion in Nephrology and Hypertension, 2018, 27, 214-220.	1.0	42
35	Canadians Seeking Solutions and Innovations to Overcome Chronic Kidney Disease (Can-SOLVE CKD): Form and Function. Canadian Journal of Kidney Health and Disease, 2018, 5, 205435811774953.	0.6	38
36	IgA Vasculitis in Adults. Current Treatment Options in Rheumatology, 2018, 4, 119-132.	0.6	3

#	ARTICLE	IF	CITATIONS
37	Dapagliflozin in focal segmental glomerulosclerosis: a combined human-rodent pilot study. <i>American Journal of Physiology - Renal Physiology</i> , 2018, 314, F412-F422.	1.3	68
38	Closer to the Source: Targeted-Release Corticosteroids for Immunoglobulin A Nephropathy. <i>American Journal of Kidney Diseases</i> , 2018, 71, 6-8.	2.1	0
39	Identification of a neutrophil-related gene expression signature that is enriched in adult systemic lupus erythematosus patients with active nephritis: Clinical/pathologic associations and etiologic mechanisms. <i>PLoS ONE</i> , 2018, 13, e0196117.	1.1	40
40	Hyperfiltration, urinary albumin excretion, and ambulatory blood pressure in adolescents with Type 1 diabetes mellitus. <i>American Journal of Physiology - Renal Physiology</i> , 2018, 314, F667-F674.	1.3	41
41	Social Determinants of Health Are Associated with Markers of Renal Injury in Adolescents with Type 1 Diabetes. <i>Journal of Pediatrics</i> , 2018, 198, 247-253.e1.	0.9	14
42	IgA Nephropathy. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2017, 12, 677-686.	2.2	358
43	Influence of sex on hyperfiltration in patients with uncomplicated type 1 diabetes. <i>American Journal of Physiology - Renal Physiology</i> , 2017, 312, F599-F606.	1.3	22
44	The relationship between urinary renin-angiotensin system markers, renal function, and blood pressure in adolescents with type 1 diabetes. <i>American Journal of Physiology - Renal Physiology</i> , 2017, 312, F335-F342.	1.3	33
45	Urinary adenosine excretion in type 1 diabetes. <i>American Journal of Physiology - Renal Physiology</i> , 2017, 313, F184-F191.	1.3	46
46	Assessment of urinary microparticles in normotensive patients with type 1 diabetes. <i>Diabetologia</i> , 2017, 60, 581-584.	2.9	65
47	Effect of Oral Methylprednisolone on Clinical Outcomes in Patients With IgA Nephropathy. <i>JAMA - Journal of the American Medical Association</i> , 2017, 318, 432.	3.8	376
48	Relationship between serum inflammatory markers and vascular function in a cohort of adolescents with type 1 diabetes. <i>Cytokine</i> , 2017, 99, 233-239.	1.4	27
49	Nephrotic Syndrome With Cancer Immunotherapies: A Report of 2 Cases. <i>American Journal of Kidney Diseases</i> , 2017, 70, 581-585.	2.1	76
50	Is there a role for immunosuppression in immunoglobulin A nephropathy?. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, i30-i36.	0.4	7
51	Membranous Nephropathy: Quantifying Remission Duration on Outcome. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 995-1003.	3.0	53
52	A discrete cluster of urinary biomarkers discriminates between active systemic lupus erythematosus patients with and without glomerulonephritis. <i>Arthritis Research and Therapy</i> , 2016, 18, 218.	1.6	27
53	The relatively poor correlation between random and 24-hour urine protein excretion in patients with biopsy-proven glomerular diseases. <i>Kidney International</i> , 2016, 90, 1080-1089.	2.6	51
54	Early changes in cardiovascular structure and function in adolescents with type 1 diabetes. <i>Cardiovascular Diabetology</i> , 2016, 15, 31.	2.7	64

#	ARTICLE	IF	CITATIONS
55	Patients with primary membranous nephropathy are at high risk of cardiovascular events. <i>Kidney International</i> , 2016, 89, 1111-1118.	2.6	55
56	Association Between Plasma Uric Acid Levels and Cardiorenal Function in Adolescents With Type 1 Diabetes. <i>Diabetes Care</i> , 2016, 39, 611-616.	4.3	22
57	The urinary inflammatory profile in gluten free diet-adherent adolescents with type 1 diabetes and celiac disease. <i>Journal of Diabetes and Its Complications</i> , 2016, 30, 295-299.	1.2	6
58	CanVasc Recommendations for the Management of Antineutrophil Cytoplasm Antibody-associated Vasculitides. <i>Journal of Rheumatology</i> , 2016, 43, 97-120.	1.0	66
59	The MEST score provides earlier risk prediction in IgA nephropathy. <i>Kidney International</i> , 2016, 89, 167-175.	2.6	190
60	Strategy and rationale for urine collection protocols employed in the NEPTUNE study. <i>BMC Nephrology</i> , 2015, 16, 190.	0.8	14
61	CanVasc Recommendations for the Management of Antineutrophil Cytoplasm Antibody (ANCA)-Associated Vasculitides Executive Summary. <i>Canadian Journal of Kidney Health and Disease</i> , 2015, 2, 78.	0.6	12
62	Anti-nucleosome antibodies outperform traditional biomarkers as longitudinal indicators of disease activity in systemic lupus erythematosus. <i>Rheumatology</i> , 2015, 54, 449-457.	0.9	37
63	Matching Kidneys and Urines: Establishing Noninvasive Surrogates of Intrarenal Events in Primary Glomerulonephritis. <i>Seminars in Nephrology</i> , 2015, 35, 256-265.	0.6	1
64	Identifying the ideal metric of proteinuria as a predictor of renal outcome in idiopathic glomerulonephritis. <i>Kidney International</i> , 2015, 88, 1392-1401.	2.6	37
65	The Molecular Phenotype of Endocapillary Proliferation: Novel Therapeutic Targets for IgA Nephropathy. <i>PLoS ONE</i> , 2014, 9, e103413.	1.1	30
66	The Urinary Cytokine/Chemokine Signature of Renal Hyperfiltration in Adolescents with Type 1 Diabetes. <i>PLoS ONE</i> , 2014, 9, e111131.	1.1	18
67	A pilot study to determine the dose and effectiveness of adrenocorticotrophic hormone (H.P.) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Transplantation, 2014, 29, 1570-1577.	0.4	92
68	Personalized prophylactic anticoagulation decision analysis in patients with membranous nephropathy. <i>Kidney International</i> , 2014, 85, 1412-1420.	2.6	76
69	Canadian Society of Nephrology Commentary on the 2012 KDIGO Clinical Practice Guideline for Glomerulonephritis: Management of Glomerulonephritis in Adults. <i>American Journal of Kidney Diseases</i> , 2014, 63, 363-377.	2.1	28
70	Canadian Society of Nephrology Commentary on the 2012 KDIGO Clinical Practice Guideline for Glomerulonephritis: Management of Nephrotic Syndrome in Children. <i>American Journal of Kidney Diseases</i> , 2014, 63, 354-362.	2.1	42
71	The need for improved uptake of the KDIGO glomerulonephritis guidelines into clinical practice in Canada: a survey of nephrologists. <i>CKJ: Clinical Kidney Journal</i> , 2014, 7, 538-545.	1.4	15
72	An overview of the British Columbia Glomerulonephritis network and registry: integrating knowledge generation and translation within a single framework. <i>BMC Nephrology</i> , 2013, 14, 236.	0.8	27

#	ARTICLE	IF	CITATIONS
73	Individuals of Pacific Asian origin with IgA nephropathy have an increased risk of progression to end-stage renal disease. <i>Kidney International</i> , 2013, 84, 1017-1024.	2.6	106
74	Design of the Nephrotic Syndrome Study Network (NEPTUNE) to evaluate primary glomerular nephropathy by a multidisciplinary approach. <i>Kidney International</i> , 2013, 83, 749-756.	2.6	268
75	Hyperfiltration and effect of nitric oxide inhibition on renal and endothelial function in humans with uncomplicated type 1 diabetes mellitus. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2012, 303, R710-R718.	0.9	60
76	The Effect of Direct Renin Inhibition Alone and in Combination With ACE Inhibition on Endothelial Function, Arterial Stiffness, and Renal Function in Type 1 Diabetes. <i>Diabetes Care</i> , 2012, 35, 2324-2330.	4.3	44
77	Risk Stratification of Patients With IgA Nephropathy. <i>American Journal of Kidney Diseases</i> , 2012, 59, 865-873.	2.1	137
78	Persistent proteinuria and dyslipidemia increase the risk of progressive chronic kidney disease in lupus erythematosus. <i>Kidney International</i> , 2011, 79, 914-920.	2.6	60
79	Validation of the Oxford classification of IgA nephropathy. <i>Kidney International</i> , 2011, 80, 310-317.	2.6	164
80	A Molecular Signature of Proteinuria in Glomerulonephritis. <i>PLoS ONE</i> , 2010, 5, e13451.	1.1	78
81	Effect of Direct Renin Inhibition on Renal Hemodynamic Function, Arterial Stiffness, and Endothelial Function in Humans With Uncomplicated Type 1 Diabetes. <i>Diabetes Care</i> , 2010, 33, 361-365.	4.3	84
82	The impact of sex in primary glomerulonephritis. <i>Nephrology Dialysis Transplantation</i> , 2008, 23, 2247-2253.	0.4	108
83	Decreased glomerular and tubular expression of ACE2 in patients with type 2 diabetes and kidney disease. <i>Kidney International</i> , 2008, 74, 1610-1616.	2.6	209
84	Remission of Proteinuria Improves Prognosis in IgA Nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2007, 18, 3177-3183.	3.0	471
85	Albumin Activates ERK Via EGF Receptor in Human Renal Epithelial Cells. <i>Journal of the American Society of Nephrology: JASN</i> , 2005, 16, 1266-1278.	3.0	78
86	Interactions between gender and the angiotensin type 1 receptor gene polymorphism. <i>Kidney International</i> , 2003, 63, 1443-1449.	2.6	34